

GLASGOW COMA SCALE (GCS-P)

Comprehensive Neurological Assessment with Pupil Reactivity

1. PATIENT IDENTIFICATION

Patient Name: _____

Age / DOB: ____ / ____ / ____

MRN / ID: _____

Unit / Ward / Bed: _____

Surgery / Diagnosis: _____

Date / Time: ____ / ____ / ____ : ____

1. EYE OPENING (E)

Parameter / Criterion	Options & Points
Spontaneous	☐ Open before stimulus (4)
To Sound	☐ Open on sound / spoken request (3)
To Pressure	☐ Open on fingertip pressure (2)
None	☐ No opening to any stimulus (1)
Not Testable	☐ Closed by swelling or trauma (0)

2. VERBAL RESPONSE (V)

Parameter / Criterion	Options & Points
Oriented	☐ Correct name, place, date (5)
Confused	☐ Converses but disoriented (4)
Inappropriate	☐ Random words, no dialogue (3)
Incomprehensible	☐ Moans, groans only (2)
None	☐ No vocalization (1)
Not Testable	☐ Intubated / Tracheostomy (0)

3. MOTOR RESPONSE (M)

Parameter / Criterion	Options & Points
Obeys Commands	☐ Follows 2-step requests (6)
Localizes	☐ Brings hand above clavicle (5)
Normal Flexion	☐ Rapid withdrawal (4)
Abnormal Flexion	☐ Slow decorticate posture (3)
Extension	☐ Decerebrate posture (2)
None	☐ No movement (1)

4. PUPIL REACTIVITY (PRS)

Parameter / Criterion	Options & Points
Both Pupils React	☐ Score = 0 (0)
One Pupil Reacts	☐ Score = -1 (-1)
Neither Pupil Reacts	☐ Score = -2 (-2)

Standard Assessment Method: Check (factors interfering: drugs, shock) → Observe (spontaneous) → Stimulate (sound first, then pressure: trapezius or supraorbital) → Rate best response. **GCS-P = GCS - PRS.**

TOTAL SCORE: [] POINTS (Maximum: 1 to 15 (GCS) - Pupils (0 to -2)) **Assessor (RN / License #):** _____

CLINICAL INTERPRETATION & RECOMMENDED NURSING ACTIONS

Mild TBI (13 - 15 points)

Observe for neurological deterioration, neuro checks q1h.

Moderate TBI (9 - 12 points)

Urgent head CT, neurosurgical consultation, ICU admission.

Severe TBI (≤ 8 points)

Definitive airway (endotracheal intubation), ICP management.

Registered Nurse (RN) Signature & Professional Stamp

Date & Time of Assessment