

KATZ INDEX OF INDEPENDENCE IN ADLS

Assessment of Independence in Six Basic Activities of Daily Living

1. PATIENT IDENTIFICATION

Patient Name: _____

Age / DOB: ____/____/____

MRN / ID: _____

Unit / Ward / Bed: _____

Surgery / Diagnosis: _____

Date / Time: ____/____/____ : ____

SIX CORE ADL DOMAINS

Clinical Parameter	Options & Scoring Criteria	Score
1. Bathing Personal hygiene	☐ Independent: Bathes self entirely or needs help for single body part (1) ☐ Dependent: Needs help with bathing more than one part or unable (0)	[]
2. Dressing Selection and donning of clothes	☐ Independent: Gets clothes, dresses self completely (may need ties) (1) ☐ Dependent: Needs help with dressing self or stays undressed (0)	[]
3. Toileting Toilet use and hygiene	☐ Independent: Goes to toilet, gets on/off, arranges clothes, cleans (1) ☐ Dependent: Needs bedpan, commode assist, or help with wiping (0)	[]
4. Transferring Bed-chair mobility	☐ Independent: Moves in and out of bed and chair unassisted (1) ☐ Dependent: Needs mechanical assist or human help to transfer (0)	[]
5. Continence Bladder and bowel control	☐ Independent: Controls urination and bowel movement completely (1) ☐ Dependent: Partial or total incontinence of urine or feces (0)	[]
6. Feeding Getting food from plate to mouth	☐ Independent: Gets food from plate into mouth (cutting can be done) (1) ☐ Dependent: Needs help with feeding or requires enteral/parenteral tube (0)	[]

TOTAL SCORE: [] POINTS (Maximum: 6 points (0 to 6)) **Assessor (RN / License #):** _____

CLINICAL INTERPRETATION & RECOMMENDED NURSING ACTIONS

High Independence (6 points)

Full independence in all 6 core ADLs. Minimal or no daily nursing assist required.

Moderate Impairment (3 - 5 points)

Partial dependence. Needs targeted nursing assistance and rehabilitation support.

Severe Functional Dependence (0 - 2 points)

Severe disability. Requires total daily nursing care, high skin breakdown and safety risk.

Registered Nurse (RN) Signature & Professional Stamp

Date & Time of Assessment