

CMSC216: Practice Final Exam A SOLUTION

Spring 2026

University of Maryland

Exam period: 20 minutes Points available: 40

Problem 1 (10 pts): Pagebo Undary recently wrote a C program that is shown nearby and is startled to find that, despite his code clearly accessing out-of-bounds array indices, a Segmentation Fault does not occur unless the access is “way” out of bounds. Pagebo is confused by this apparent inconsistency but concludes that, so long as his code is only a “little” out of bounds, apparently nothing bad will happen.

```
1 #include <stdio.h>
2 int main(){
3     int arr[5]={10,20,30,40,50};
4     printf("arr[ 10]: %d\n",arr[ 10]);
5     printf("arr[ 100]: %d\n",arr[ 100]);
6     printf("arr[10000]: %d\n",arr[10000]);
7     return 0;
8 }
9 // >> gcc array_bounds.c
10 // >> a.out
11 // arr[ 10]: 378735946
12 // arr[ 100]: 1892438979
13 // Segmentation fault (core dumped)
```

Use your knowledge of the **Virtual Memory System** to educate Pagebo on why some out-of-bounds accesses generate Segmentation faults while others do not. Indicate whether you agree with Pagebo’s conclusion (going a little out of bounds is okay) or if there is more to it than this.

SOLUTION: Each time a program accesses a memory address, that address is translated from a Virtual Location to a Physical Location by the Operating System and MMU hardware. Translation is done in chunks called Pages with a Virtual Page mapping to a Physical Page in DRAM or on Disk in a swap space. Segmentation Faults are usually detected when a program attempts to access a Virtual Page that has not been mapped to any Physical Location. If an array happens to fall at the beginning of a valid Virtual Page, then there will be Physical memory that can be accessed after the end of it due to the “chunking” of Pages (typically 4096 byte chunks). However, programmers do not control the placement of variables on memory pages. If an array ends at Page Boundary, then the elements immediately after it may not have a Physical Location and accessing them will trigger a segmentation fault. It is ALWAYS an error to go out of bounds in C arrays as this will lead to unpredictable program behavior: crashes if lucky, corruption of nearby data in unlucky cases.

Problem 2 (10 pts): New programmers are often surprised to learn that once an array is allocated, its size cannot be extended. In C code, this is easily observable as calling `malloc(16)` will yield a block of 16 bytes but there are no simple calls to expand this block of memory and calls like `realloc()` indicate they may move data to another location to find enough space.

Consider a proposed function for EL Malloc called `int el_expand_block(el_blockhead_t *bock)` which would expand a given block in place.

(A) What conditions need to occur for the function to succeed?

(B) Why is it impossible to expand a block in some cases?

SOLUTION: Expanding an in-use block (one previously granted by a call to `el_malloc()` / `malloc()`) could occur if the block “above” (next highest in memory address) was still available. In that case, the block above could be shrunk to a smaller size allowing the existing in-use block to expand. This would be prevented by either the expansion size being larger than the size of the block above OR the block above not being available. Since in-use blocks cannot be moved around without invalidating pointers to them, there would be no way to expand an existing block in those cases and it is likely to arise as heap blocks are usually packed tightly together. The `realloc()` function attempts to do just this: on reallocating to a larger size, it will expand the existing block if it is possible but move it if it is not possible to expand to the requested size; it is worth knowing about).

Problem 3 (10 pts): Nearby is the output of `pmap` showing page table virtual memory mapping information for a running program called `memory_parts`. Answer the following questions about this output.

(A) Certain addresses of memory are marked with the annotation `r-x`. Explain what this means and what kind of information you would expect to find in those addresses.

SOLUTION: The annotation means “read and execute” with no write permission. Typically this is a page of memory that would contain program text: executable instructions that should not be changed but can be fed to the processor to run the program. Examples are in the `memory_parts` program itself for its `main()` and in the shared library `libc` which has instructions for `printf()` and the like.

(B) Why does `pmap` only show a limited number of virtual addresses? What would happen if the program attempted to access an address not listed in the output? Example: address `0x00` is not in the listing.

*SOLUTION: The page table only contains mapped pages for program. These mapped addresses are what is shown. The large number of other addresses are unmapped. Attempting to access these unmapped addresses will result in errors such as **segmentation faults**; this usually causes the program to be immediately terminated.*

```
>> pmap 7986
7986:  ./memory_parts
00005579a4abd000      4K r-x-- memory_parts
00005579a4cbd000      4K r---- memory_parts
00005579a4cbe000      4K rw--- memory_parts
00005579a4cbf000      4K rw--- [ anon ]
00005579a53aa000     132K rw--- [ heap ]
00007f441f2e1000    1720K r-x-- libc-2.26.so
00007f441f48f000    2044K ----- libc-2.26.so
00007f441f68e000     16K r---- libc-2.26.so
00007f441f692000      8K rw--- libc-2.26.so
00007f441f694000     16K rw--- [ anon ]
00007f441f698000    148K r-x-- ld-2.26.so
00007f441f88f000      8K rw--- [ anon ]
00007f441f8bb000      4K r---- gettysburg.txt
00007f441f8bc000      4K r---- ld-2.26.so
00007f441f8bd000      4K rw--- ld-2.26.so
00007f441f8be000      4K rw--- [ anon ]
00007fff96ae1000    132K rw--- [ stack ]
00007fff96b48000     12K r---- [ anon ]
00007fff96b4b000      8K r-x-- [ anon ]
total                4276K
```

Problem 4 (5 pts): Pyra Midmem read in a free online blog post “Memory for Morons” that there is no need to invest much money in buying DRAM. Instead, one can configure the operating system’s Virtual Memory system to use Permanent Storage disk drives as Main Memory leading to a much less expensive computer with a seemingly large memory. Pyra is quite excited about this as some programs she wants to run need a lot of main memory to run fast and these days DRAM ain’t cheap. Advise her on any risks or performance drawbacks she may encounter using such “low-RAM” approach.

SOLUTION: Permanent storage devices are many orders of magnitude slower than the DRAM that is typically used for Main Memory. Disks are near the bottom of the Memory Pyramid offering high Gigabytes of storage per dollar but very low access speeds. If Pyra wants her programs to run at a reasonable speed, she is better off investing in more DRAM as her system will crawl if it attempts to use Disk/Swap Files for main memory. In addition, she should consider getting a CPU with a large cache which is more expensive but even faster than DRAM.

Problem 5 (5 pts): Ripsep Arate is trying to understand how each thread executes potentially different instructions. Processes make sense to him: they have their own Text region with different code. But Threads all share the same Text region so how can they behave differently? Explain to Ripsep how this is possible. Reference relevant hardware that controls the code a Thread will execute.

SOLUTION: Like Processes, Threads have their own set of Registers including the Instruction Pointer / Program Counter (%`rip` in `x86-64`). This special register dictates which instruction will execute next for a Thread or Process. As they run, the Instruction Pointer can be different for each Thread so that they execute different parts of the same function or different functions entirely. Their Instruction Pointers will point at different spots in the shared Text region. This is also facilitated by each thread having separate Stacks which are referenced by their individual Stack Pointers so that threads call and return from functions individually.