

1. Go to https://proxmox.mvcc.edu/ and log in.
2. Start your virtual machine.
3. Open “Terminal” by right-clicking on your desktop OR searching “Terminal” in your apps.

Basic Commands


1. The command “pwd” shows you where your current working directory is.




2. The “dir” command shows you what is inside your current working directory.
   This is the Ubuntu system meaning other Linux operating systems will not have the same command.



3. The “ls” command, however, will work across all Linux systems in listing what’s inside your current working directory. Unlike the “dir” command, it highlights the folders with blue color coding.




4. You can use the command “cd” to change your current working directory.
“cd” is a command that includes “argument” which is the user input (i.e. the file path you want to go in this case)




You are now at the very top of your system, root.


5. You can change to the home directory by typing an absolute path “cd /home” and the “cd /rcc” OR
   You can type “cd /home/rcc” OR
   You can use “cd ~” instead of using “cd /home/rcc” since they are the same.




6. You can also use the argument “..” to go back to the previous directory.
   Typing “cd ..” from here will take you back to “/home”




7. You can also view what's inside another directory without needing to change the directory.




8. You can make new folder using the "mkdir" command.
   This command requires argument, in this case the folder's name.



9. You can use folders using the “move” command to move items
   In this case, you will need to provide the arguments which are as below.



10. You can use the “copy” command to copy files.
    Unlike the above one, you’ll need to provide both the option and the argument to copy a folder.



11. You can remove a folder using the “rmdir” command.
    You can also remove a folder from another file path using this command, but you have to provide the file path where the folder you want to delete is located.

