PROJECT REPORT ON

ONLINE CHEMICAL SUPPLY

Submitted by

KAUSHIK N

(R1918046)

Under the guidance of

MS.V.CHRISTY M.E

(Assistant Professor)

In partial fulfillment of the
requirements for the award of the
degree of

BACHELOR OF COMPUTER APPLICATIONS

BANGALORE NORTH UNIVERSITY

TAMAKA, KOLAR, BANGALORE - 560 049

DEPARTMENT OF COMPUTER APPLICATIONS

EAST POINT COLLEGE OF HIGHER EDUCATION
Jnana Prabha, East Point Campus, Virgonagar Post, Avalahalli,
Bangalore – 560 049, Karnataka, India

CERTIFICATE

This is to certify that the project work entitled **"ONLINE CHEMICAL SUPPLY"** is a bonafide record of work done by **KAUSHIK N [R1918046]** submitted in partial fulfillment of the requirement for the award of the degree **BACHELOR OF COMPUTER APPLICATIONS** of Bangalore North University, Tamaka, Kolar, Bangalore under my supervision.

Date: **Signature of the Guide**

Place:

Counter Signed by

Department Coordinator   H.O.D   PRINCIPAL

External Viva-voice Conducted on -------------------

INTERNAL EXAMINER   EXTERNAL EXAMINER

DECLARATION

I, **KAUSHIK N [R1918046]** do hereby declare that this project entitled **"ONLINE CHEMICAL SUPPLY "** submitted to the Bangalore North University,

2

Tamaka, Kolar, Bangalore in partial fulfillment of the requirement for the award of

the degree **BACHELOR OF COMPUTER APPLICATIONS**, is a record of

original work done by me during the period of study at **EAST POINT**

COLLEGE OF

HIGHER EDUCATION under the guidance of **MS. V.CHRISTY M.E, Assistant**

Professor, Department of Computer Applications.

Date:

Place: **Signature of the Candidate**

DECLARATION

I do hereby declare that the project work entitled **ONLINE CHEMICAL SUPPLY SYSTEM** Submitted to the Bengaluru North University in the partial fulfillment of the requirements for the award of degree of Bachelor of Computer Applications is a record of confide and independent project work carried out by ourself under guidance and supervision of **MS. V.CHRISTY M.E** (Assistant professor)(Department of BCA) and this report does not form any part previous dissertations or report previously submitted to this University or any other universities for the award of degree or diploma.

BY

1.KAUSHIK N

[R1918046]

EAST POINT COLLEGE OF HIGHER EDUCATION

ACKNOWLEDGEMENT

INDEX

<u>INTRODUCTION</u>

My project title is Online Chemical Supply System. I have tried my best to make the complicated process of Online Chemical Supply System as simple as possible using java , html ,css and my sql . I have tried to design the Project in such a way that user may not have any difficulty in using this package & further expansion is possible without much effort. Even though I cannot claim that this work to be entirely exhaustive, the main purpose of my exercise is perform each visitors activity in computerized way rather than manually which is time consuming.

I am confident that this software package can be readily used by non-programming personal avoiding human handled chance of error. This project is used by two types of users

i. customers(users)

ii. Administrator (management of the CHEMICAL SUPPLY).

Drugs are chemical compounds of low molecular masses (around150to500u) (around150to500u) that interact with macromolecular targets and produce suitable biological responses. When drugs are taken in the prescribed manner to cure, prevent or diagnose a particular disease or ailment, it is known as medicine. However, it can become poisonous if consumed in higher doses than recommended. Chemicals are modified to create antiseptic and disinfectant drugs also. The term 'chemotherapy' is used for the chemicals that are used for therapeutic effects. Research is constantly intensifying our understanding of medicinal Chemistry and leading to discoveries in this field. Based on the effects of medicines on biological systems, they are divided into different classes: antacids, antihistamines, analgesics, antiseptics, etc. Drugs are chemical substances of low molecular masses. They produce a biological response by interacting with macromolecular targets. When the biological response of these drugs is therapeutic and desirable, these chemicals are known as medicines and are used in the field of medicines that helped doctors cure many diseases and save lives to a great extent. That has successfully controlled the mortality rate and helped us to live a healthy and quality life as a boon!

The physicochemical properties of drugs differ according to their composition and need. Based on the chemical constituency, biological responses, and pharmacological effects, medicines are classified into various classes. Let us discuss them in detail:

1. Antacids

In our stomach, hydrochloric acid is present that helps in digestion and also fights against stomach infection. But when this acid level increases we start feeling uneasiness, stomach ache, and in severe conditions gastric ulcers also. To cure this, we need 'antacids'. The chemical substances which neutralize the presence of excess acids in the stomach as gastric juices and give us relief from acidity problems are known as antacids.

Examples: Milk of Magnesia ($Mg(OH)_2$)($Mg(OH)2$)
Sodium bicarbonate ($NaHCO_3$)($NaHCO3$)

Ranitidine

2. Antihistamines

Most of the allergic symptoms and diseases are cured by 'antihistamines'. They are most commonly used by people who are allergic to pollen and other allergens. Some of the common antihistamine medicines like cetirizine, brompheniramine (Dimetapp), and Seldane, pheniramine maleate (avil), etc.

3. Tranquillizers and Analgesics

1. **Tranquillizers** have a relaxing effect and relieve both the physical and psychological effects of anxiety, stress, etc. and help the patients to feel relaxed and calm. The drugs are recommended for short- and medium-term use as they are a component of sleeping pills. They check the noradrenaline (neurotransmitter) level that plays an important role in mood changes. If the level of noradrenaline is low, then the person suffers from depression. To cure such problems, antidepressant medicines are required. Examples of some tranquillizers are Pentobarbital, Xanax (Alprazolam), Limbitrol (Chlordiazepoxide), Valium (Diazepam), etc.
2. **Analgesics** are medicines that help us to get rid of the pain. They are also known as pain killers. They are divided into two classes:

   Non-narcotic analgesics – Antipyretics are medicines that override the secretion of prostaglandin in the hypothalamus to reduce fever by lowering body temperature. The most famous examples of this class of medicines are aspirin and paracetamol. Aspirin is chemically known as acetylsalicylic acid. It is used to reduce pain, fever, or inflammation. Paracetamol is also used to treat moderate pain, body aches, and fever. They are non-narcotic analgesics, i.e they are non-addictive

Overview:

CHEMICAL SUPPLY management System is a web-based application implemented using SQL as the database. This project is targeted for mainly supermarkets and particularly aims at automation of various management procedures such as managing sales and purchases, stock details, etc.

CHEMICAL SUPPLY management system is the system where all the aspects related to the proper management of supermarket is done. These aspects involve managing information about the various products, staff, managers, customers, etc. This system provides an efficient way of managing the supermarket information. Also allows the customer to purchase and pay for the items purchased.

The users will consume less time in calculation and the sales activity will be completed within a fraction of seconds whereas manual system will make the user to write it down which is a long procedure and it also consumes a lot of time. The data will be stored in the database. Because of this software, paper work will be reduced and the user can spend more time on the monitoring the supermarket. The project will be user friendly and easy to use. This project is helpful to computerize the item transaction, sales activity record keeping which is a very huge task and maintaining the stock.

Existing System:

Many small business owners, especially if the business has very few products, keep track of inventory manually. The easiest way to perform manual inventory managements to use a spreadsheet. For example, a small bakery might use a spreadsheet to keep track of inventory purchases and usage. The owner can also set up the spreadsheet to calculate when ingredients need to be reordered. At the start of each week, the owner manually counts the raw ingredients and components she has on hand. She enters these values in the spreadsheet. She also enters her expected usage based on existing orders. Using the appropriate spreadsheet formulas, she determines if she has enough Materials for the week or if she'll need to purchase more. Manual systems allow the small business owner to manage inventory with very little investment in systems or training. Maintaining data integrity is a major downside to manage inventory using a spreadsheet. A single data entry or formula error can cause major inaccuracies in the data output.
Currently in most of our supermarkets do not use computers for performing their daily tasks. There are a limited number of supermarkets that use Microsoft Office products, such as Ms. Word and Ms. Excel for performing their daily inventory tasks. Most of them do not even have the information that computers can make a great difference in the way they are doing their tasks when they are programmed to do so.

In the existing system all transactions, dealings of products, purchasing of products were done manually which time consuming. Reports are prepared manually as and when needed. Maintaining of reports is very tedious task.

Proposed System

CHEMICAL SUPPLY. The project is on CHEMICAL SUPPLY billing. To make software fast in processing, with good user interface so that user can change it and it should be used for a long time without error and maintenance. To reduce the bottlenecks of the existing system there is a need to develop a new system. The new system should concern the requirements of the customer and the sellers. It has the following qualities:

- Reduction in processing cost
- Error reduction
- Automatic posting
- Improve reporting
- Automatic production of the documents and Reports
- Faster response time
- Ability to meet user requirements
- Flexibility
- Reduced dependency
- Improves resource uses
- Reduction in use of the paper
- Reduction in Man Power
- Proposed system has these qualities including the qualities of the existing system

ABSTRACT

Chemicals in Medicines: One of Chemistry's most significant contributions is in the field of medicine. Chemicals are used to create medicines. Chemical analysis and the synthesis of novel chemicals are used to create new medications. This topic is so wide that it has spawned a new branch of chemistry known as 'Medicinal Chemistry' of ' Chemicals in Medicines'.

Medicinal chemistry is a branch of chemistry concerned with the design, analysis, development, and synthesis of drugs as medicine. Medicines are chemical compounds that help living creatures in the treatment of diseases or the relief of suffering. This discipline necessitates knowledge in synthetic organic chemistry, pharmacology, and biological sciences. Medicines include numerous compounds. Let's study everything there is to know about Chemicals in Medicines in this post. Scroll down to find more.

OBJECTIVE

This project is a software application which is designed in J2EE for managing sales, purchases, stock details which are going out and coming in to supermarket. Details are maintained in centralized database.

- The main objective of our project is to make efficient transaction management system which is user friendly and at the same time powerful.
- Making the system reliable, easier, fast, and more informative.
- To make software fast in processing, with good user interface so that user can change it and it should be used for a long time without error and maintenance.

SCOPE OF THE PROJECT

I have designed the given proposed system in the JAVASCRIPT to automate the process of Chemical Supply. This project is useful for the authorities which keep track of all the users ordered from the website. The authority can add product, edit product, edit password, view payment history, view dispatch order and feedback view.

The following steps that give the detailed information of the need of proposed system are:

Performance: During past several decades, the records are supposed to be manually handled for all activities. The manual handling of the record is time consuming and highly prone to error.

To improve the performance of the Homestay Booking and Management System, the computerized system is to be undertaken. This project is fully computerized and user friendly even that any of the members can see the report.

Efficiency: The basic need of this project is efficiency. The project should be efficient so that whenever a new user submits his/her details the record of the user is updated automatically. This record will be useful for other users instantly.

Control: The complete control of the project is under the hands of authorized person who has the password to access this project and illegal access is not supposed to deal with. All the control is under the administrator and the other members have the rights to just see the records not to change any transaction or entry.

Security: Security is the main criteria for the proposed system. Since illegal access may corrupt the database. So security has to be given in this project.

SYSTEM REQUIREMENTS

Hardware Requirements

The minimum hardware equipment requirements to implement the project are as follows:

Processor - i5 intel processor

RAM - 8 GB

Solid State Drive -512GB

Keyboard - Standard windows keyboard

Mouse - logitech

Monitor - 15 VGA colour

Software Requirements:

Software requirement deals with defining software resources requirements and prerequisites that needs to be installed on a computer to provide optimal functioning of an application.
* Browser: Google Chrome
* Operating System: Windows 10.
* Programming Language: Java.Html, Jsp, Servlet
* Database: MY SQL.

JAVA TECHNOLOGIES USED

Technologies Used:

1. JSP as front end.
2. MYSQL as Back end

Software Used:

1. Windows 10.
2. Netbeans IDE.
3. My SQL

Hardware Requirements:

1. Processor – Pentium IV or higher version.
2. Ram – 4GB onwards
3. Hard Disk – 100 GB Onwards

JSP LITERATURE

What is Java Server Pages?

Java Server Pages (JSP) is a technology for developing web pages that support dynamic content which helps developers insert java code in HTML pages by making use of special JSP tags, most of which start with <% and end with %>.

A Java Server Pages component is a type of Java servlet that is designed to fulfill the role of a user interface for a Java web application. Web developers write JSPs as text files that combine HTML or XHTML code, XML elements, and embedded JSP actions and commands.

Using JSP, you can collect input from users through web page forms, present records from a database or another source, and create web pages dynamically.

JSP tags can be used for a variety of purposes, such as retrieving information from a database or registering user preferences, accessing JavaBeans components, passing control between pages and sharing information between requests, pages etc.

Why Use JSP?

Java Server Pages often serve the same purpose as programs implemented using the Common Gateway Interface (CGI). But JSP offer several advantages in comparison with the CGI.

- Performance is significantly better because JSP allows embedding Dynamic Elements in HTML Pages itself instead of having a separate CGI files.

- JSP are always compiled before it's processed by the server unlike CGI/Perl which requires the server to load an interpreter and the target script each time the page is requested.

- Java Server Pages are built on top of the Java Servlets API, so like Servlets, JSP also has access to all the powerful Enterprise Java APIs, including JDBC, JNDI, EJB, JAXP etc.

- JSP pages can be used in combination with servlets that handle the business logic, the model supported by Java servlet template engines.

Finally, JSP is an integral part of Java EE, a complete platform for enterprise class applications. This means that JSP can play a part in the simplest applications to the most complex and demanding.

Advantages of JSP:

Following is the list of other advantages of using JSP over other technologies:

- **vs. Active Server Pages (ASP):** The advantages of JSP are twofold. First, the dynamic part is written in Java, not Visual Basic or other MS specific language, so it is more powerful and easier to use. Second, it is portable to other operating systems and non-Microsoft Web servers.

- **vs. Pure Servlets:** It is more convenient to write (and to modify!) regular HTML than to have plenty of println statements that generate the HTML.

- **vs. Server-Side Includes (SSI):** SSI is really only intended for simple inclusions, not for "real" programs that use form data, make database connections, and the like.

- **vs. JavaScript:** JavaScript can generate HTML dynamically on the client but can hardly interact with the web server to perform complex tasks like database access and image processing etc.

- **vs. Static HTML:** Regular HTML, of course, cannot contain dynamic information.

The web server needs a JSP engine ie. container to process JSP pages. The JSP container is responsible for intercepting requests for JSP pages. This tutorial makes use of Apache which has built-in JSP container to support JSP pages development.

A JSP container works with the Web server to provide the runtime environment and other services a JSP needs. It knows how to understand the special elements that are part of JSPs.

Following diagram shows the position of JSP container and JSP files in a Web Application.

JSP Processing:

The following steps explain how the web server creates the web page using JSP:

- As with a normal page, your browser sends an HTTP request to the web server.

- The web server recognizes that the HTTP request is for a JSP page and forwards it to a JSP engine. This is done by using the URL or JSP page which ends with **.jsp** instead of .html.

- The JSP engine loads the JSP page from disk and converts it into a servlet content. This conversion is very simple in which all template text is converted to println( ) statements and all JSP elements are converted to Java code that implements the corresponding dynamic behavior of the page.

- The JSP engine compiles the servlet into an executable class and forwards the original request to a servlet engine.

- A part of the web server called the servlet engine loads the Servlet class and executes it. During execution, the servlet produces an output in HTML format, which the servlet engine passes to the web server inside an HTTP response.

- The web server forwards the HTTP response to your browser in terms of static HTML content.

- Finally web browser handles the dynamically generated HTML page inside the HTTP response exactly as if it were a static page.

All the above mentioned steps can be shown below in the following diagram:

Typically, the JSP engine checks to see whether a servlet for a JSP file already exists and whether the modification date on the JSP is older than the servlet. If the JSP is older than its

24

generated servlet, the JSP container assumes that the JSP hasn't changed and that the generated servlet still matches the JSP's contents. This makes the process more efficient than with other scripting languages (such as PHP) and therefore faster.

So in a way, a JSP page is really just another way to write a servlet without having to be a Java programming wiz. Except for the translation phase, a JSP page is handled exactly like a regular servlet.

OVERVIEW OF MYSQL

MySQL is the most popular OpenSource Relational SQL database management system. MySQL is one of the best RDBMS being used for developing web-based software applications.

This tutorial will give you quick start with MySQL and make you comfortable with MySQL programming.

What is Database?

A database is a separate application that stores a collection of data. Each database has one or more distinct APIs for creating, accessing, managing, searching and replicating the data it holds.

Other kinds of data stores can be used, such as files on the file system or large hash tables in memory but data fetching and writing would not be so fast and easy with those types of systems.

So nowadays, we use relational database management systems (RDBMS) to store and manage huge volume of data. This is called relational database because all the data is stored into different tables and relations are established using primary keys or other keys known as foreign keys.

A **Relational Data Base Management System (RDBMS)** is a software that:

- Enables you to implement a database with tables, columns and indexes.

- Guarantees the Referential Integrity between rows of various tables.

- Updates the indexes automatically.

- Interprets an SQL query and combines information from various tables.

RDBMS Terminology:

Before we proceed to explain MySQL database system, let's revise few definitions related to database.

- **Database:** A database is a collection of tables, with related data.

- **Table:** A table is a matrix with data. A table in a database looks like a simple spreadsheet.

- **Column:** One column (data element) contains data of one and the same kind, for example the column postcode.

- **Row:** A row (= tuple, entry or record) is a group of related data, for example the data of one subscription.

- **Redundancy:** Storing data twice, redundantly to make the system faster.

27

- **Primary Key:** A primary key is unique. A key value cannot occur twice in one table. With a key, you can find at most one row.

- **Foreign Key:** A foreign key is the linking pin between two tables.

- **Compound Key:** A compound key (composite key) is a key that consists of multiple columns, because one column is not sufficiently unique.

- **Index:** An index in a database resembles an index at the back of a book.

- **Referential Integrity:** Referential Integrity makes sure that a foreign key value always points to an existing row.

MySQL Database:

MySQL is a fast, easy-to-use RDBMS being used for many small and big businesses. MySQL is developed, marketed, and supported by MySQL AB, which is a Swedish company. MySQL is becoming so popular because of many good reasons:

- MySQL is released under an open-source license. So you have nothing to pay to use it.

- MySQL is a very powerful program in its own right. It handles a large subset of the functionality of the most expensive and powerful database packages.

- MySQL uses a standard form of the well-known SQL data language.

- MySQL works on many operating systems and with many languages including PHP, PERL, C, C++, JAVA, etc.

- MySQL works very quickly and works well even with large data sets.

- MySQL is very friendly to PHP, the most appreciated language for web development.

- MySQL supports large databases, up to 50 million rows or more in a table. The default file size limit for a table is 4GB, but you can increase this (if your operating system can handle it) to a theoretical limit of 8 million terabytes (TB).

- MySQL is customizable. The open-source GPL license allows programmers to modify the MySQL software to fit their own specific environments.

Properly defining the fields in a table is important to the overall optimization of your database. You should use only the type and size of field you really need to use; don't define a field as 10 characters wide if you know you're only going to use 2 characters. These types of fields (or columns) are also referred to as data types, after the **type of data** you will be storing in those fields.

MySQL uses many different data types broken into three categories: numeric, date and time, and string types.

Numeric Data Types:

MySQL uses all the standard ANSI SQL numeric data types, so if you're coming to MySQL from a different database system, these definitions will look familiar to you. The following list shows the common numeric data types and their descriptions:

- **INT** - A normal-sized integer that can be signed or unsigned. If signed, the allowable range is from -2147483648 to 2147483647. If unsigned, the allowable range is from 0 to 4294967295. You can specify a width of up to 11 digits.

- **TINYINT** - A very small integer that can be signed or unsigned. If signed, the allowable range is from -128 to 127. If unsigned, the allowable range is from 0 to 255. You can specify a width of up to 4 digits.

- **SMALLINT** - A small integer that can be signed or unsigned. If signed, the allowable range is from -32768 to 32767. If unsigned, the allowable range is from 0 to 65535. You can specify a width of up to 5 digits.

- **MEDIUMINT** - A medium-sized integer that can be signed or unsigned. If signed, the allowable range is from -8388608 to 8388607. If unsigned, the allowable range is from 0 to 16777215. You can specify a width of up to 9 digits.

- **BIGINT** - A large integer that can be signed or unsigned. If signed, the allowable range is from -9223372036854775808 to 9223372036854775807. If unsigned, the allowable range is from 0 to 18446744073709551615. You can specify a width of up to 20 digits.

- **FLOAT(M,D)** - A floating-point number that cannot be unsigned. You can define the display length (M) and the number of decimals (D). This is not required and will default to 10,2, where 2 is the number of decimals and 10 is the total number of digits (including decimals). Decimal precision can go to 24 places for a FLOAT.

- **DOUBLE(M,D)** - A double precision floating-point number that cannot be unsigned. You can define the display length (M) and the number of decimals (D). This is not required and will default to 16,4, where 4 is the number of decimals. Decimal precision can go to 53 places for a DOUBLE. REAL is a synonym for DOUBLE.

- **DECIMAL(M,D)** - An unpacked floating-point number that cannot be unsigned. In unpacked decimals, each decimal corresponds to one byte. Defining the display length (M) and the number of decimals (D) is required. NUMERIC is a synonym for DECIMAL.

Date and Time Types:

The MySQL date and time datatypes are:

- **DATE** - A date in YYYY-MM-DD format, between 1000-01-01 and 9999-12-31. For example, December 30th, 1973 would be stored as 1973-12-30.

- **DATETIME** - A date and time combination in YYYY-MM-DD HH:MM:SS format, between 1000-01-01 00:00:00 and 9999-12-31 23:59:59. For example, 3:30 in the afternoon on December 30th, 1973 would be stored as 1973-12-30 15:30:00.

- **TIMESTAMP** - A timestamp between midnight, January 1, 1970 and sometime in 2037. This looks like the previous DATETIME format, only without the hyphens between numbers; 3:30 in the afternoon on December 30th, 1973 would be stored as 19731230153000 (YYYYMMDDHHMMSS).

- **TIME** - Stores the time in HH:MM:SS format.

- **YEAR(M)** - Stores a year in 2-digit or 4-digit format. If the length is specified as 2 (for example YEAR(2)), YEAR can be 1970 to 2069 (70 to 69). If the length is specified as 4, YEAR can be 1901 to 2155. The default length is 4.

String Types:

Although numeric and date types are fun, most data you'll store will be in string format. This list describes the common string datatypes in MySQL.

- **CHAR(M)** - A fixed-length string between 1 and 255 characters in length (for example CHAR(5)), right-padded with spaces to the specified length when stored.
  Defining a length is not required, but the default is 1.

- **VARCHAR(M)** - A variable-length string between 1 and 255 characters in length; for example VARCHAR(25). You must define a length when creating a VARCHAR field.

- **BLOB or TEXT** - A field with a maximum length of 65535 characters. BLOBs are "Binary Large Objects" and are used to store large amounts of binary data, such as images or other types of files. Fields defined as TEXT also hold large amounts of data; the difference between the two is that sorts and comparisons on stored data are case sensitive on BLOBs and are not case sensitive in TEXT fields. You do not specify a length with BLOB or TEXT.

- **TINYBLOB or TINYTEXT** - A BLOB or TEXT column with a maximum length of 255 characters. You do not specify a length with TINYBLOB or TINYTEXT.

- **MEDIUMBLOB or MEDIUMTEXT** - A BLOB or TEXT column with a maximum length of 16777215 characters. You do not specify a length with MEDIUMBLOB or MEDIUMTEXT.

- **LONGBLOB or LONGTEXT** - A BLOB or TEXT column with a maximum length of 4294967295 characters. You do not specify a length with LONGBLOB or LONGTEXT.

ENUM - An enumeration, which is a fancy term for list. When defining an ENUM, you are creating a list of items from which the value must be selected (or it can be NULL). For example, if you wanted your field to contain "A" or "B" or "C", you would define your

ENUM as ENUM ('A', 'B', 'C') and only those values (or NULL) could ever populate that field.

FUNCTIONAL REQUIREMENTS

The functional requirements are those requirements that are necessary to the eye of the user and the client. Here we try to make the module possible to accomplish the need of the desired function.

Few of its functional requirements are as follows:

> **Add user details**:-In this section, user adds his details in the form (update status, profile , user details, length etc)

> **User**: user's need to fill their details in the form, in order to purchase the product

> Name

> Booked for

> Gender

> Date of booking

> product booked by

> Email id

> Edit password: It is used to reset the password

NON-FUNCTIONAL REQUIREMENTS

Non-functional Requirements define system attributes such as security, reliability, performance, maintainability, scalability, and usability. They serve as constraints or restrictions on the design of the system across the different backlogs.

Few of its Non-functional requirements are as follows:

Speed

Speed determines how fast an application responds to commands. For example, if you type a word into a search engine, the speed of the engine determines how quickly you receive search results

Security

To protect sensitive data, you may consider developing non-functional security features. For example, professionals at healthcare facilities use secure databases to store patients' medical records.

Compatibility

Highly compatible systems typically function well when other applications are running on a device. Compatibility also allows people who have different operating systems to use the same applications.

Portability

Portability means how effectively a system performs in one environment compared to another. For example, a user might purchase a new cell phone model and download a mobile application they had on their last device.

Reliability

Technology that is highly reliable functions with the same or similar efficiency after extensive use. Here are three ways you can assess a device's reliability:

1. Number of critical failures

2. Percentage of the probability of failure

3. Time between critical failures

Modules overview

Online Chemical Supply system mainly consists of four main modules.

Following are the four modules:

1.ADMIN MODULE:

This module maintains the information regarding the products booked by specific user. The admin can login with the username and the password and can look it the details about the bookings done using the system. The admin login page consists of two blocks which must be submitted by the admin so that he can enter into the system. First, the username which will be admin and then the password of his wish, after submitting all the required details by the admin he can view the specified results of the chemical products booked, the admin module is connected to the database in the backend, so all the details entered in the page will be updated in the MySQL data tables.

2.FEEDBACK MODULE:

The Feedback module allows you to create and conduct surveys about the likes and dislikes of the product and also about the quality of the product usually called as survey of the product. Unlike the survey tool it allows you to write your own questions about the product or services, rather than choose from a list of pre-written questions. This feedback module helps in improving the quality of services of product and services.

3.USER MODULE:

This module maintains the information about the user. In this first the User enters the system and then register with the basic information such user name, desired password, phone number etc. After the registration the user can then login and with the username and the specific password and look into the Chemical products where he wishes to order the products. In the user module also we have two submodules-registration and login. In the registration page the user must enter the following details, user name, password of his wish, and contact number to get any suggestions about the chemical supply the future and address of the user, date of birth and also the email address and also his working details. After the submission the user must click on the register button to get successfully registered after the registration now the user can login into the system by simply entering into the login page and submit the user's username and password which he submitted during the registration and can look into the products available at his desired location. User module is connected to the backend with help of MySQL so all the details entered in the visitor page can be viewed in User module data tables.

4.BOOKING MODULE:

After the login, the user can enter the booking page and book the chemical products with number of products required at a particular location where he desires. Once the details are entered by the User and is ok with the selected products he can click the add to cart button to get successfully booked. A notification with "added successfully" displays on the page, which ensures that the chemical product is booked successfully.

5.Sign-up module:

This module helps in storing the details of the customer like name, email-id, phone number, address, date of birth, gender. Before purchasing the products the user has to register their identity using the sing-up form .This helps in knowing about the customer and ensuring that the purchased product reaches them by the given address/location.

SYSTEM DESIGN

Introduction to system design

System design is the process of defining elements of a system like modules, architecture, components and their interfaces and data for a system based on the specified requirements. And it is the process of defining, developing systems which satisfies the specific needs and requirements of a business or organization.

A systematic approach is required for a coherent and well-running system. Bottom-Up and Top-Down approach is required to take into account all related variables of the system. A designer uses the modelling languages to express to information and knowledge in a structure of system that is defined by a consistent set of rules and definitions. The design can be defined as graphical or textual modelling languages.

Output design generally refers to the results and information that are generated by the system for many end-users; output is the main reason for developing the system and the basis on which they evaluate the usefulness of the application.

The code design should be such that with less amount of coding we can achieve more results. The speed of the system will be more if the coding is less. Whether the data in the system is usable and readable by the system is depending on the coding. In this project, the coding is being done such that proper validations are made to get the perfect input. No error inputs are accepted. In addition, care is taken such that the data integrity and referential integrity is not violated in the database. In addition, coding is designed such that concurrency avoidance of accessing the database, limited user access to the table is made perfect.

SYSTEM ANALYSIS

System analysis is a process of gathering and interpreting facts, diagnosing problems and the information is recommend improvements on the system. It is a problem-solving activity that requires intensive communication between the system users and system developers. System analysis or study is an important phrase of any system development process. The system is studied to the minutes details and analysed.

The system analyst plays the role of the interrogator and wells deep into working of the present system. The system is viewed as a whole and the input to the systems are identified. The outputs from the organizations are trace to the various processes. System analysis concerned with becoming aware of the problem, identifying the element and decisional variables, analysis and synthesizing the various factors and determining an optimal or at least a satisfactory solution or program of action. A detailed study of the process must by various techniques like interviews, questionnaires etc. The data collected by these sources must be scrutinized to a conclusion.

The conclusion is an understanding of how the system functions. This system is called the existing system. Now the existing system is subjected to close study and problem areas are identified. The designer now functions as a problem solver and tries to sort out the difficulties that the enterprise faces. Solution is given as proposals. The proposal is then weighed with the existing system analytically and the best one is selected. The proposal is presented to the user for an endorsement by the user. The proposal is reviewed on user request and suitable changes are made. This is the loop that and as soon as that is satisfied with the proposal.

FEASIBILITY STUDY

The feasibility study proposes one or more feasible conceptual solutions to the problem set of the project. The conceptual solutions give an idea of what the new system will look like. They indicate what inputs are needed by the system and what outputs will be produced. Three things to be done to established feasibility. First, it must be checked that the project is technically feasible. Second, operational feasibility must be established. For this, it is necessary to consult the system users to see if the proposed solution satisfies user objectives and can be fitted in to current system operation. Third, economic feasibility must be checked. The study must determine whether the project „s goal can be achieved within the resource limits allocated to it. It must also determine whether it is worthwhile to proceed with the project at all or whether the benefits obtained from the new system are not worth the cost, in which case the project will be terminated.

Feasibility study is necessary to determine whether the proposed system is feasible considering the technical, operational and economic factors. By having detailed feasibility study one can have a clear view of the proposed system with respect to its benefits and draw backs. For a successful feasibility study of system feasibility, the existing systems and proposed system are studied carefully.

System Feasibility The feasibility study is carried out to determine whether the proposed system can be developed with the available resources.

• Operational Feasibility

• Technical Feasibility

• Economic Feasibility

• Motivational Feasibility

• Schedule Feasibility

TECHNICAL FEASIBILITY

Technical feasibility is the study of resource availability that may affect the ability to achieve an acceptable system. Technical feasibility is the most difficult area to ensure at initial stages. Since the objectives functions and performance cannot be predicted to its fullest, everything seems possible provided proper assumptions are made. It is essential that the process of technical feasibility. The consideration that is normally associated with technical feasibility included resource availability at the organization where the project is to be developed and implemented.

ECONOMICAL FEASIBILITY

An evaluation of development cast weighted against the ultimate income or benefit derived from the developed system. Economical economic justification includes a broad range of

concerns that include cost-benefit analysis. Cost benefit delineates costs for project development and weighs them against tangible and intangible benefits of a system. Regarding the cost and benefits, the project, which is to man-hours with compared to man that are required to record data about activity task report manually and also in terms of money benefits by the selling of this system as a product. Thus, this project work is economically feasible for the development in any company.

MOTIVATIONAL FEASIBILITY

An evaluation of the probability that the company is significantly motivated to support the development and implementation of the application with necessary user participation, resources, training etc. the participation and support by the organization during system study was encouraging thus eliminating any resistance in this regard. So, from behavioral aspect the new system is supposed to have efficient from the company.

SCHEDULE FEASIBILITY

The time schedule required for the development of this project is very important since over-runs result in escalated projects costs and also hinders in the development of the other systems.

OPERATIONAL FEASIBILITY

The project is going to be used by the organization under different circumstances. Anyone can work with this application as it supports user-friendly approach. It provides graphical user interfaces to the user, so that user can easily interact with the system. Users no need to have the knowledge about ASP. Net, MSSQL concepts to use the application. The application is designed in such a way that it can be easily implemented in any android version device or cell.

ER-DIAGRAM

An entity-relationship model (or ER model) describes interrelated things of interest in a specific domain of knowledge. A basic ER model is composed of entity types (which classify the things of interest) and specifies relationships that can exist between entities (instances of those entity type).

In software engineering, an ER model is commonly formed to represent things a business needs to remember in order to perform business processes. Consequently, the ER model becomes an abstract model, that defines a data or information structure which can be implemented in a database, typically a relational database.

SYMBOLS USED IN ER DIAGRAM:

There are three basic elements in an ER diagram: entity, attribute, relationship. They are weak entity, multi valued attribute, derived attribute, weak relationship, and recursive relationship. Cardinality and ordinary are two other notations used in ER diagrams to further define relationships.

DATA FLOW DIAGRAM (DFD's)

A data-flow diagram is a way of responding a flow of data through a process or a system (usually an information system). The DFD also provides information about the outputs and inputs of each entity and the process itself. A data-flow diagram has no control flow, there are no decision rules and no loops. Specific operation based on the data can be represented by flowchart.

There are several notations for displaying data-flow diagrams. For each data-flow at least one of the endpoints (source and /or destination) must exit in a process. The refined representation of a process can be done in another data flow diagram. Which subdivides this process into sub processes.

 The data-flow diagram is a part of the structured-analysis modelling tools. When using UML., the activity diagram typically takes over the role of the data-flow diagram. A special form of data-flow plan is a site-oriented data-flow plan.

DFD SYMBOLS:

External Entity   Process   Output

Data Flow   . .   Data Store

Level-0:

Level-1:

USECASE DIAGRAM

Use case diagrams model the functionality of a system using actors and use cases. Use cases are services or functions provided by the system to its users. Use case diagrams are usually referred to as behaviour diagrams used to describe a set of actions (use cases) that some system or systems (subject) should or can perform in collaboration with one or more external users of the system (actors). Each use case should provide some observable and valuable result to the actors or other stakeholders of the system.

Use cases:

A use case describes a sequence of actions that provide something of measurable value to an actor and is drawn as a horizontal ellipse.

> **Actors**:

An actor is a person, organization, or external system that plays a role in one or more interactions with your system. Actors are drawn as stick figures.

> **Associations**:

 Associations between actors and use cases are indicated in use case diagrams by solid lines. An association exists whenever an actor is involved with an interaction described by a use case.

> **System boundary boxes**:

 You can draw a rectangle around the use cases, called the system boundary box, to indicate the scope of your system. Anything within the box represents functionality that is in scope.

Use case diagram of Admin

The functions provided by the applications to the admin are login, update employee details, update item and do customer billing, logout. Here the admin can login with the valid credentials, check the employee and item details and can do customer billing and can logout.

SOURCE CODE

Acitic.jsp

```jsp
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="">
  <meta name="author" content="">
  <title>About Us | Corlate</title>

        <!-- core CSS -->
  <link href="css/bootstrap.min.css" rel="stylesheet">
  <link href="css/font-awesome.min.css" rel="stylesheet">
  <link href="css/prettyPhoto.css" rel="stylesheet">
  <link href="css/animate.min.css" rel="stylesheet">
        <link href="css/main.css" rel="stylesheet">
  <link href="css/responsive.css" rel="stylesheet">

  <!--[if lt IE 9]>
  <script src="js/html5shiv.js"></script>
  <script src="js/respond.min.js"></script>
  <![endif]-->
  <link rel="shortcut icon" href="images/ico/favicon.ico">
  <link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
  <link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
  <link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
  <link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
</head><!--/head-->

<body>

    <header id="header">
     <div class="top-bar">
       <div class="container">
         <div class="row">
           <%--<div class="col-sm-6 col-xs-4">
             <div class="top-number"><p><i class="fa fa-phone-square"></i>  +0123 456 70 90</p></div>
           </div>--%>
           <%--<div class="col-sm-6 col-xs-8">
             <div class="social">
               <ul class="social-share">
                 <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                 <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                 <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                 <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
                 <li><a href="#"><i class="fa fa-skype"></i></a></li>
               </ul>
               <div class="search">
                 <form role="form">
                    <input type="text" class="search-form" autocomplete="off" placeholder="Search">
                    <i class="fa fa-search"></i>
                 </form>
               </div>
             </div>
           </div>--%>
         </div>
       </div><!--/.container-->
     </div><!--/.top-bar-->

    <nav class="navbar navbar-inverse" role="banner">
        <div class="container">
          <div class="navbar-header">
```

56

```html
<%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
    <span class="sr-only">Toggle navigation</span>
    <span class="icon-bar"></span>
    <span class="icon-bar"></span>
    <span class="icon-bar"></span>
</button>--%>
<a class="navbar-brand" href="index.jsp">Chemical Supply</a>
</div> <div class="collapse navbar-collapse navbar-right">
    <ul class="nav navbar-nav">
        <li><a href="aboutus.jsp">About</a></li>
        <li><a href="contact.jsp">contact</a></li>
        <li><a href="signin.jsp">Signin</a></li>
          <li><a href="adminsignin.jsp">Admin Signin</a></li>
           <li><a href="signup.jsp">Signup</a></li>

        <%--<li><a href="portfolio.html"></a></li>--%>

        <li class="dropdown">
            <a href="#" class="dropdown-toggle" data-toggle="dropdown">Shop<i class="fa fa-angle-
down"></i></a>
            <ul class="dropdown-menu">
              <li><a href="SulfuricAcid.jsp">Sulfuric Acid</a></li>
              <li><a href="Zinc.jsp">Zinc</a></li>
             <li><a href="SodiunHydroxide.jsp">Sodiun Hydroxide</a></li>
             <li><a href="NitricAcid.jsp">Nitric Acid</a></li>
                                                    <li><a href="AceticAcid.jsp">Acetic
Acid</a></li>

            </ul>
        </li>
        <%--<li><a href="blog.html">Blog</a></li>
        <li><a href="contact-us.html">Contact</a></li>   --%>
    </ul>
  </div>
 </div><!--/.container-->
</nav><!--/nav-->

</header><!--/header-->

<section id="about-us">
  <div class="container">
                    <div class="center wow fadeInDown">
                            <h2>Acetic Acid</h2>
                            <p class="lead"><%@page import ="java.sql.*"%>
<%@page import="java.util.*,java.io.*"%>

<%

try
{
  Class.forName("com.mysql.jdbc.Driver");
         Connection con=DriverManager.getConnection("jdbc:mysql://localhost:3306/nursery2020","root","mysql");
  Statement stmt=con.createStatement();
  ResultSet rs;
  ResultSetMetaData rmd;




        String s1="select pid,pic,pdesc,rate,gst from product where Category='Acetic Acid'";

  rs = stmt.executeQuery(s1);

                out.println("<body><h1><div align=center><strong><span
class=style1>DETAILS</span></strong></div></h1></body>");
```

```java
    out.println("<table border=2 align=center width=50% bordercolor=silver ><tr>");

    rmd =rs.getMetaData();
    int n=rmd.getColumnCount();
    for(int i=1;i<=n+1;i++)
    {
                    if(i<=n)
        out.println("<td><b><font size=5>"+rmd.getColumnName(i)+"</font></b></td>");
                            else
                            out.println("<td><b><font size=5>BUY</font></b></td>");
    }
    String id="",cat="",gst="",rate="",s="";
    while (rs.next())
    {
        out.println("<tr>");

            for(int x=1;x<=n;x++)
            {
                s=rs.getString(x);
                                            if(x==1)
                                            {
// out.println("<td><b><img src="+s+" width=100 height=100></img></b></td>");
            id=s;
                out.println("<td><b>"+id+"</b></td>");
        //          gst=s;
                                            }
                                            else if(x==2)
                                            {
                                            // cat=s;
        out.println("<td><b><img src="+s+" width=100 height=100></img></b></td>");

                                            }
                                                        else if(x==4)
                                            {
                                            rate=s;
            out.println("<td><b>"+s+"</b></td>");
                                            }
                                                        else if(x==5)
                                            {
                                            gst=s;
                out.println("<td><b>"+s+"</b></td>");
                                            }
                                             else
                                             {
                                                    out.println("<td><b>"+s+"</b></td>");
                                             }


            }
                out.println("<td><b><a
href=addcart.jsp?d="+id+"&c=AceticAcid"+"&gst="+gst+"&rate="+rate+"></img></b><img
src='addtocart.png'></img><a/></td>");




    out.println("</tr>");
    }
                    out.println("</table><br></body></html>");
    rs.close();
                    stmt.close();
                    con.close();
```

58

```
    }
  catch(Exception e)
    {

     out.println(e);
    }
%>

<div align="center">


                <p> </p>
      <p> </p>
                <p> </p>
                <p>           </p>
      </div>

<!-- about us slider -->

   </section><!--/#bottom-->

   <footer id="footer" class="midnight-blue">
      <div class="container">
        <div class="row">
           <div class="col-sm-6">
              &copy; 2020 All Rights Reserved.
           </div>

         </div>
      </div>
   </footer><!--/#footer-->


   <script src="js/jquery.js"></script>
   <script type="text/javascript">
      $('.carousel').carousel()
   </script>
   <script src="js/bootstrap.min.js"></script>
   <script src="js/jquery.prettyPhoto.js"></script>
   <script src="js/jquery.isotope.min.js"></script>
   <script src="js/main.js"></script>
   <script src="js/wow.min.js"></script>
</body>
</html>




Nitric acid.jsp :
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html lang="en">
<head>
   <meta charset="utf-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <meta name="description" content="">
   <meta name="author" content="">
   <title>About Us | Corlate</title>

         <!-- core CSS -->
   <link href="css/bootstrap.min.css" rel="stylesheet">
   <link href="css/font-awesome.min.css" rel="stylesheet">
   <link href="css/prettyPhoto.css" rel="stylesheet">
```

```html
<link href="css/animate.min.css" rel="stylesheet">
        <link href="css/main.css" rel="stylesheet">
    <link href="css/responsive.css" rel="stylesheet">

    <!--[if lt IE 9]>
    <script src="js/html5shiv.js"></script>
    <script src="js/respond.min.js"></script>
    <![endif]-->
    <link rel="shortcut icon" href="images/ico/favicon.ico">
    <link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
    <link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
    <link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
    <link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
</head><!--/head-->

<body>

    <header id="header">
     <div class="top-bar">
        <div class="container">
          <div class="row">
            <%--<div class="col-sm-6 col-xs-4">
              <div class="top-number"><p><i class="fa fa-phone-square"></i>  +0123 456 70 90</p></div>
            </div>--%>
            <%--<div class="col-sm-6 col-xs-8">
              <div class="social">
                <ul class="social-share">
                  <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                  <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                  <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                  <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
                  <li><a href="#"><i class="fa fa-skype"></i></a></li>
                </ul>
                <div class="search">
                  <form role="form">
                     <input type="text" class="search-form" autocomplete="off" placeholder="Search">
                     <i class="fa fa-search"></i>
                  </form>
                </div>
              </div>
            </div>--%>
          </div>
        </div><!--/.container-->
     </div><!--/.top-bar-->

    <nav class="navbar navbar-inverse" role="banner">
        <div class="container">
          <div class="navbar-header">
            <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
              <span class="sr-only">Toggle navigation</span>
              <span class="icon-bar"></span>
              <span class="icon-bar"></span>
              <span class="icon-bar"></span>
            </button>--%>
            <a class="navbar-brand" href="index.jsp">Chemical's</a>
          </div> <div class="collapse navbar-collapse navbar-right">
            <ul class="nav navbar-nav">
              <li><a href="aboutus.jsp">About</a></li>
              <li><a href="contact.jsp">contact</a></li>
              <li><a href="signin.jsp">Signin</a></li>
                <li><a href="adminsignin.jsp">Admin Signin</a></li>
                 <li><a href="signup.jsp">Signup</a></li>

                <%--<li><a href="portfolio.html"></a></li>--%>
```

```jsp
                <li class="dropdown">
                    <a href="#" class="dropdown-toggle" data-toggle="dropdown">Shop<i class="fa fa-angle-
down"></i></a>
                    <ul class="dropdown-menu">
                      <li><a href="SulfuricAcid.jsp">Sulfuric Acid</a></li>
                      <li><a href="Zinc.jsp">Zinc</a></li>
                     <li><a href="SodiunHydroxide.jsp">Sodiun Hydroxide</a></li>
                     <li><a href="NitricAcid.jsp">Nitric Acid</a></li>
                                                          <li><a href="AceticAcid.jsp">Acetic
Acid</a></li>

                    </ul>
                </li>
                <%--<li><a href="blog.html">Blog</a></li>
                <li><a href="contact-us.html">Contact</a></li>    --%>
            </ul>
          </div>
        </div><!--/.container-->
      </nav><!--/nav-->

  </header><!--/header-->

  <section id="about-us">
    <div class="container">
                            <div class="center wow fadeInDown">
                                    <h2>Nitric Acid</h2>
                                    <p class="lead"><%@page import ="java.sql.*"%>
<%@page import="java.util.*,java.io.*"%>

<%

try
{
   Class.forName("com.mysql.jdbc.Driver");
            Connection con=DriverManager.getConnection("jdbc:mysql://localhost:3306/nursery2020","root","mysql");
    Statement stmt=con.createStatement();
    ResultSet rs;
    ResultSetMetaData rmd;



          String s1="select pid,pic,pdesc,rate,gst from product where Category='Nitric Acid'";

   rs = stmt.executeQuery(s1);

                  out.println("<body><h1><div align=center><strong><span
class=style1>DETAILS</span></strong></div></h1></body>");

    out.println("<table border=2 align=center width=50% bordercolor=silver ><tr>");

    rmd =rs.getMetaData();
    int n=rmd.getColumnCount();
    for(int i=1;i<=n+1;i++)
    {
                  if(i<=n)
      out.println("<td><b><font size=5>"+rmd.getColumnName(i)+"</font></b></td>");
                          else
                          out.println("<td><b><font size=5>BUY</font></b></td>");
    }
    String id="",cat="",gst="",rate="",s="";
    while (rs.next())
    {
      out.println("<tr>");
```

```jsp
        for(int x=1;x<=n;x++)
        {
            s=rs.getString(x);
                                    if(x==1)
                                    {
    // out.println("<td><b><img src="+s+" width=100 height=100></img></b></td>");
            id=s;
            out.println("<td><b>"+id+"</b></td>");
    //          gst=s;
                                    }
                                    else if(x==2)
                                    {
                                    // cat=s;
    out.println("<td><b><img src="+s+" width=100 height=100></img></b></td>");


                                    }
                                            else if(x==4)
                                    {
                                    rate=s;
        out.println("<td><b>"+s+"</b></td>");
                                    }
                                            else if(x==5)
                                    {
                                    gst=s;
        out.println("<td><b>"+s+"</b></td>");
                                    }
                                    else
                                    {
                                            out.println("<td><b>"+s+"</b></td>");
                                    }


        }
            out.println("<td><b><a
href=addcart.jsp?d="+id+"&c=NitricAcid"+"&gst="+gst+"&rate="+rate+"></img></b><img
src='addtocart.png'></img><a/></td>");




     out.println("</tr>");
    }
                    out.println("</table><br></body></html>");
    rs.close();
                stmt.close();
                con.close();


}
  catch(Exception e)
  {

  out.println(e);
  }
%>

<div align="center">


            <p> </p>
    <p> </p>
            <p> </p>
            <p>           </p>
    </div>
```

```
<!-- about us slider -->

</section><!--/#bottom-->

<footer id="footer" class="midnight-blue">
   <div class="container">
      <div class="row">
         <div class="col-sm-6">
            &copy; 2020 All Rights Reserved.
         </div>

      </div>
   </div>
</footer><!--/#footer-->


<script src="js/jquery.js"></script>
<script type="text/javascript">
   $('.carousel').carousel()
</script>
<script src="js/bootstrap.min.js"></script>
<script src="js/jquery.prettyPhoto.js"></script>
<script src="js/jquery.isotope.min.js"></script>
<script src="js/main.js"></script>
<script src="js/wow.min.js"></script>
</body>
</html>
```

Sodium hydroxide.jsp:

```
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html lang="en">
<head>
   <meta charset="utf-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <meta name="description" content="">
   <meta name="author" content="">
   <title>About Us | Corlate</title>

         <!-- core CSS -->
   <link href="css/bootstrap.min.css" rel="stylesheet">
   <link href="css/font-awesome.min.css" rel="stylesheet">
   <link href="css/prettyPhoto.css" rel="stylesheet">
   <link href="css/animate.min.css" rel="stylesheet">
         <link href="css/main.css" rel="stylesheet">
   <link href="css/responsive.css" rel="stylesheet">

   <!--[if lt IE 9]>
   <script src="js/html5shiv.js"></script>
   <script src="js/respond.min.js"></script>
   <![endif]-->
   <link rel="shortcut icon" href="images/ico/favicon.ico">
   <link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
   <link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
   <link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
   <link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
</head><!--/head-->
```

```html
<body>

    <header id="header">
     <div class="top-bar">
        <div class="container">
          <div class="row">
            <%--<div class="col-sm-6 col-xs-4">
              <div class="top-number"><p><i class="fa fa-phone-square"></i>  +0123 456 70 90</p></div>
            </div>--%>
            <%--<div class="col-sm-6 col-xs-8">
              <div class="social">
                <ul class="social-share">
                  <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                  <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                  <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                  <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
                  <li><a href="#"><i class="fa fa-skype"></i></a></li>
                </ul>
                <div class="search">
                  <form role="form">
                     <input type="text" class="search-form" autocomplete="off" placeholder="Search">
                     <i class="fa fa-search"></i>
                  </form>
                </div>
              </div>
            </div>--%>
          </div>
        </div><!--/.container-->
     </div><!--/.top-bar-->

    <nav class="navbar navbar-inverse" role="banner">
        <div class="container">
          <div class="navbar-header">
            <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
              <span class="sr-only">Toggle navigation</span>
              <span class="icon-bar"></span>
              <span class="icon-bar"></span>
              <span class="icon-bar"></span>
            </button>--%>
            <a class="navbar-brand" href="index.jsp">Chemical Supply</a>
          </div> <div class="collapse navbar-collapse navbar-right">
            <ul class="nav navbar-nav">
              <li><a href="aboutus.jsp">About</a></li>
              <li><a href="contact.jsp">contact</a></li>
              <li><a href="signin.jsp">Signin</a></li>
                <li><a href="adminsignin.jsp">Admin Signin</a></li>
                 <li><a href="signup.jsp">Signup</a></li>

                <%--<li><a href="portfolio.html"></a></li>--%>

                <li class="dropdown">
                  <a href="#" class="dropdown-toggle" data-toggle="dropdown">Shop<i class="fa fa-angle-down"></i></a>
                   <ul class="dropdown-menu">
                     <li><a href="SulfuricAcid.jsp">Sulfuric Acid</a></li>
                     <li><a href="Zinc.jsp">Zinc</a></li>
                    <li><a href="SodiunHydroxide.jsp">Sodium Hydroxide</a></li>
                     <li><a href="NitricAcid.jsp">Nitric Acid</a></li>
                                                            <li><a href="AceticAcid.jsp">Acetic Acid</a></li>

                   </ul>
                </li>
                <%--<li><a href="blog.html">Blog</a></li>
                <li><a href="contact-us.html">Contact</a></li>    --%>
```
64

```
            </ul>
        </div>
      </div><!--/.container-->
    </nav><!--/nav-->

  </header><!--/header-->

  <section id="about-us">
    <div class="container">
                    <div class="center wow fadeInDown">
                          <h2>Sodium Hydroxide</h2>
                          <p class="lead"><%@page import ="java.sql.*"%>
<%@page import="java.util.*,java.io.*"%>

<%

try
{
   Class.forName("com.mysql.jdbc.Driver");
          Connection con=DriverManager.getConnection("jdbc:mysql://localhost:3306/nursery2020","root","mysql");
    Statement stmt=con.createStatement();
    ResultSet rs;
    ResultSetMetaData rmd;



          String s1="select pid,pic,pdesc,rate,gst from product where Category='Sodiun Hydroxide'";

   rs = stmt.executeQuery(s1);

                    out.println("<body><h1><div align=center><strong><span
class=style1>DETAILS</span></strong></div></h1></body>");

    out.println("<table border=2 align=center width=50% bordercolor=silver ><tr>");

    rmd =rs.getMetaData();
    int n=rmd.getColumnCount();
    for(int i=1;i<=n+1;i++)
    {
                    if(i<=n)
      out.println("<td><b><font size=5>"+rmd.getColumnName(i)+"</font></b></td>");
                          else
                          out.println("<td><b><font size=5>BUY</font></b></td>");
    }
    String id="",cat="",gst="",rate="",s="";
    while (rs.next())
    {
       out.println("<tr>");

         for(int x=1;x<=n;x++)
         {
             s=rs.getString(x);
                                    if(x==1)
                                    {
   // out.println("<td><b><img src="+s+" width=100 height=100></img></b></td>");
          id=s;
            out.println("<td><b>"+id+"</b></td>");
       //        gst=s;
                                    }
                                    else if(x==2)
                                    {
                                    // cat=s;
    out.println("<td><b><img src="+s+" width=100 height=100></img></b></td>");

                                65
```

```
                                                    }
                                                          else if(x==4)
                                              {
                                              rate=s;
          out.println("<td><b>"+s+"</b></td>");
                                              }
                                                   else if(x==5)
                                              {
                                              gst=s;
              out.println("<td><b>"+s+"</b></td>");
                                              }
                                              else
                                              {
                                                      out.println("<td><b>"+s+"</b></td>");
                                              }


              }
                   out.println("<td><b><a
href=addcart.jsp?d="+id+"&c=SodiunHydroxide"+"&gst="+gst+"&rate="+rate+"></img></b><img
src='addtocart.png'></img><a/></td>");




      out.println("</tr>");
      }
                        out.println("</table><br></body></html>");
      rs.close();
                        stmt.close();
                        con.close();


}
  catch(Exception e)
   {

    out.println(e);
   }
%>

<div align="center">


              <p> </p>
      <p> </p>
              <p> </p>
              <p>           </p>
      </div>

<!-- about us slider -->

   </section><!--/#bottom-->

   <footer id="footer" class="midnight-blue">
      <div class="container">
        <div class="row">
           <div class="col-sm-6">
              &copy; 2020 All Rights Reserved.
           </div>

        </div>
      </div>
   </footer><!--/#footer-->
```

```
<script src="js/jquery.js"></script>
<script type="text/javascript">
   $('.carousel').carousel()
</script>
<script src="js/bootstrap.min.js"></script>
<script src="js/jquery.prettyPhoto.js"></script>
<script src="js/jquery.isotope.min.js"></script>
<script src="js/main.js"></script>
<script src="js/wow.min.js"></script>
</body>
</html>
```

Sulfuric acid.jsp :
```
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html lang="en">
<head>
   <meta charset="utf-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <meta name="description" content="">
   <meta name="author" content="">
   <title>About Us | Corlate</title>

          <!-- core CSS -->
   <link href="css/bootstrap.min.css" rel="stylesheet">
   <link href="css/font-awesome.min.css" rel="stylesheet">
   <link href="css/prettyPhoto.css" rel="stylesheet">
   <link href="css/animate.min.css" rel="stylesheet">
          <link href="css/main.css" rel="stylesheet">
   <link href="css/responsive.css" rel="stylesheet">

   <!--[if lt IE 9]>
   <script src="js/html5shiv.js"></script>
   <script src="js/respond.min.js"></script>
   <![endif]-->
   <link rel="shortcut icon" href="images/ico/favicon.ico">
   <link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
   <link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
   <link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
   <link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
</head><!--/head-->

<body>

    <header id="header">
     <div class="top-bar">
        <div class="container">
           <div class="row">
              <%--<div class="col-sm-6 col-xs-4">
                 <div class="top-number"><p><i class="fa fa-phone-square"></i>  +0123 456 70 90</p></div>
              </div>--%>
              <%--<div class="col-sm-6 col-xs-8">
                 <div class="social">
                    <ul class="social-share">
                       <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                       <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                       <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
```

```html
                    <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
                    <li><a href="#"><i class="fa fa-skype"></i></a></li>
                  </ul>
                  <div class="search">
                    <form role="form">
                      <input type="text" class="search-form" autocomplete="off" placeholder="Search">
                      <i class="fa fa-search"></i>
                    </form>
                  </div>
                </div>
              </div>--%>
            </div>
          </div><!--/.container-->
       </div><!--/.top-bar-->

    <nav class="navbar navbar-inverse" role="banner">
        <div class="container">
          <div class="navbar-header">
            <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
              <span class="sr-only">Toggle navigation</span>
              <span class="icon-bar"></span>
              <span class="icon-bar"></span>
              <span class="icon-bar"></span>
            </button>--%>
            <a class="navbar-brand" href="index.jsp">Chemical Supply</a>
          </div> <div class="collapse navbar-collapse navbar-right">
            <ul class="nav navbar-nav">
              <li><a href="aboutus.jsp">About</a></li>
              <li><a href="contact.jsp">contact</a></li>
              <li><a href="signin.jsp">Signin</a></li>
                <li><a href="adminsignin.jsp">Admin Signin</a></li>
                 <li><a href="signup.jsp">Signup</a></li>

              <%--<li><a href="portfolio.html"></a></li>--%>

              <li class="dropdown">
                <a href="#" class="dropdown-toggle" data-toggle="dropdown">Shop<i class="fa fa-angle-
down"></i></a>
                <ul class="dropdown-menu">
                  <li><a href="SulfuricAcid.jsp">Sulfuric Acid</a></li>
                  <li><a href="Zinc.jsp">Zinc</a></li>
                 <li><a href="SodiunHydroxide.jsp">Sodiun Hydroxide</a></li>
                  <li><a href="NitricAcid.jsp">Nitric Acid</a></li>
                                                                     <li><a href="AceticAcid.jsp">Acetic
Acid</a></li>

                </ul>
              </li>
              <%--<li><a href="blog.html">Blog</a></li>
              <li><a href="contact-us.html">Contact</a></li>    --%>
            </ul>
          </div>
        </div><!--/.container-->
    </nav><!--/nav-->

  </header><!--/header-->

  <section id="about-us">
    <div class="container">
                        <div class="center wow fadeInDown">
                                <h2>Sulfuric Acid</h2>
                                <p class="lead"><%@page import ="java.sql.*"%>
<%@page import="java.util.*,java.io.*"%>

<%
```
68

```
try
{
   Class.forName("com.mysql.jdbc.Driver");
            Connection con=DriverManager.getConnection("jdbc:mysql://localhost:3306/nursery2020","root","mysql");
    Statement stmt=con.createStatement();
    ResultSet rs;
    ResultSetMetaData rmd;



            String s1="select pid,pic,pdesc,rate,gst from product where Category='Sulfuric Acid'";

   rs = stmt.executeQuery(s1);

                    out.println("<body><h1><div align=center><strong><span
class=style1>DETAILS</span></strong></div></h1></body>");

    out.println("<table border=2 align=center width=50% bordercolor=silver ><tr>");

    rmd =rs.getMetaData();
    int n=rmd.getColumnCount();
    for(int i=1;i<=n+1;i++)
    {
                    if(i<=n)
      out.println("<td><b><font size=5>"+rmd.getColumnName(i)+"</font></b></td>");
                            else
                            out.println("<td><b><font size=5>BUY</font></b></td>");
    }
    String id="",cat="",gst="",rate="",s="";
    while (rs.next())
    {
      out.println("<tr>");

         for(int x=1;x<=n;x++)
         {
             s=rs.getString(x);
                                        if(x==1)
                                        {
  // out.println("<td><b><img src="+s+" width=100 height=100></img></b></td>");
          id=s;
            out.println("<td><b>"+id+"</b></td>");
       //          gst=s;
                                        }
                                        else if(x==2)
                                        {
                                        // cat=s;
   out.println("<td><b><img src="+s+" width=100 height=100></img></b></td>");

                                        }
                                            else if(x==4)
                                        {
                                        rate=s;
       out.println("<td><b>"+s+"</b></td>");
                                        }
                                            else if(x==5)
                                        {
                                        gst=s;
        out.println("<td><b>"+s+"</b></td>");
                                        }
                                         else
                                        {
                                                out.println("<td><b>"+s+"</b></td>");
                                        }
                                            69
```

```
            }
                out.println("<td><b><a
href=addcart.jsp?d="+id+"&c=SulfuricAcid"+"&gst="+gst+"&rate="+rate+"></img></b><img
src='addtocart.png'></img><a/></td>");




     out.println("</tr>");
    }
                    out.println("</table><br></body></html>");
      rs.close();
                    stmt.close();
                    con.close();


}
  catch(Exception e)
   {

    out.println(e);
   }
%>

<div align="center">


                <p> </p>
      <p> </p>
                <p> </p>
                <p>           </p>
      </div>

<!-- about us slider -->

   </section><!--/#bottom-->

   <footer id="footer" class="midnight-blue">
      <div class="container">
        <div class="row">
          <div class="col-sm-6">
              &copy; 2020 All Rights Reserved.
          </div>

        </div>
      </div>
   </footer><!--/#footer-->


   <script src="js/jquery.js"></script>
   <script type="text/javascript">
      $('.carousel').carousel()
   </script>
   <script src="js/bootstrap.min.js"></script>
   <script src="js/jquery.prettyPhoto.js"></script>
   <script src="js/jquery.isotope.min.js"></script>
   <script src="js/main.js"></script>
   <script src="js/wow.min.js"></script>
</body>
</html>
```

Zinc.jsp :

```jsp
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="">
  <meta name="author" content="">
  <title>About Us | Corlate</title>

        <!-- core CSS -->
  <link href="css/bootstrap.min.css" rel="stylesheet">
  <link href="css/font-awesome.min.css" rel="stylesheet">
  <link href="css/prettyPhoto.css" rel="stylesheet">
  <link href="css/animate.min.css" rel="stylesheet">
        <link href="css/main.css" rel="stylesheet">
  <link href="css/responsive.css" rel="stylesheet">

  <!--[if lt IE 9]>
  <script src="js/html5shiv.js"></script>
  <script src="js/respond.min.js"></script>
  <![endif]-->
  <link rel="shortcut icon" href="images/ico/favicon.ico">
  <link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
  <link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
  <link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
  <link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
</head><!--/head-->

<body>

    <header id="header">
     <div class="top-bar">
        <div class="container">
          <div class="row">
            <%--<div class="col-sm-6 col-xs-4">
              <div class="top-number"><p><i class="fa fa-phone-square"></i>  +0123 456 70 90</p></div>
            </div>--%>
            <%--<div class="col-sm-6 col-xs-8">
              <div class="social">
                <ul class="social-share">
                  <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                  <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                  <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                  <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
                  <li><a href="#"><i class="fa fa-skype"></i></a></li>
                </ul>
                <div class="search">
                  <form role="form">
                    <input type="text" class="search-form" autocomplete="off" placeholder="Search">
                    <i class="fa fa-search"></i>
                  </form>
                </div>
              </div>
            </div>--%>
          </div>
        </div><!--/.container-->
      </div><!--/.top-bar-->
```

71

```jsp
    <nav class="navbar navbar-inverse" role="banner">
        <div class="container">
          <div class="navbar-header">
            <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
              <span class="sr-only">Toggle navigation</span>
              <span class="icon-bar"></span>
              <span class="icon-bar"></span>
              <span class="icon-bar"></span>
            </button>--%>
            <a class="navbar-brand" href="index.jsp">Chemical Supply</a>
          </div> <div class="collapse navbar-collapse navbar-right">
            <ul class="nav navbar-nav">
              <li><a href="aboutus.jsp">About</a></li>
              <li><a href="contact.jsp">contact</a></li>
              <li><a href="signin.jsp">Signin</a></li>
                <li><a href="adminsignin.jsp">Admin Signin</a></li>
                 <li><a href="signup.jsp">Signup</a></li>

              <%--<li><a href="portfolio.html"></a></li>--%>

              <li class="dropdown">
                <a href="#" class="dropdown-toggle" data-toggle="dropdown">Shop<i class="fa fa-angle-
down"></i></a>
                  <ul class="dropdown-menu">
                    <li><a href="SulfuricAcid.jsp">Sulfuric Acid</a></li>
                    <li><a href="Zinc.jsp">Zinc</a></li>
                    <li><a href="SodiunHydroxide.jsp">Sodiun Hydroxide</a></li>
                    <li><a href="NitricAcid.jsp">Nitric Acid</a></li>
                                                             <li><a href="AceticAcid.jsp">Acetic
Acid</a></li>

                  </ul>
                </li>
                <%--<li><a href="blog.html">Blog</a></li>
                <li><a href="contact-us.html">Contact</a></li>    --%>
            </ul>
          </div>
        </div><!--/.container-->
    </nav><!--/nav-->

  </header><!--/header-->

  <section id="about-us">
    <div class="container">
                        <div class="center wow fadeInDown">
                               <h2>Zinc</h2>
                               <p class="lead"><%@page import ="java.sql.*"%>
<%@page import="java.util.*,java.io.*"%>

<%

try
{
  Class.forName("com.mysql.jdbc.Driver");
          Connection con=DriverManager.getConnection("jdbc:mysql://localhost:3306/nursery2020","root","mysql");
    Statement stmt=con.createStatement();
    ResultSet rs;
    ResultSetMetaData rmd;

          String s1="select pid,pic,pdesc,rate,gst from product where Category='Zinc'";

    rs = stmt.executeQuery(s1);
```

```
                    out.println("<body><h1><div align=center><strong><span
class=style1>DETAILS</span></strong></div></h1></body>");

    out.println("<table border=2 align=center width=50% bordercolor=silver ><tr>");

    rmd =rs.getMetaData();
    int n=rmd.getColumnCount();
    for(int i=1;i<=n+1;i++)
    {
                    if(i<=n)
      out.println("<td><b><font size=5>"+rmd.getColumnName(i)+"</font></b></td>");
                              else
                              out.println("<td><b><font size=5>BUY</font></b></td>");
    }
    String id="",cat="",gst="",rate="",s="";
    while (rs.next())
    {
      out.println("<tr>");

        for(int x=1;x<=n;x++)
        {
              s=rs.getString(x);
                                            if(x==1)
                                            {
  //  out.println("<td><b><img src="+s+" width=100 height=100></img></b></td>");
          id=s;
            out.println("<td><b>"+id+"</b></td>");
        //          gst=s;

                                            }
                                            else if(x==2)
                                            {
                                            // cat=s;
    out.println("<td><b><img src="+s+" width=100 height=100></img></b></td>");

                                            }
                                                    else if(x==4)
                                            {
                                            rate=s;
        out.println("<td><b>"+s+"</b></td>");
                                            }
                                                    else if(x==5)
                                            {
                                            gst=s;
          out.println("<td><b>"+s+"</b></td>");
                                            }
                                             else
                                             {
                                                    out.println("<td><b>"+s+"</b></td>");
                                             }


        }
                out.println("<td><b><a
href=addcart.jsp?d="+id+"&c=Zinc"+"&gst="+gst+"&rate="+rate+"></img></b><img
src='addtocart.png'></img><a/></td>");




      out.println("</tr>");
    }
                    out.println("</table><br></body></html>");
    rs.close();
                                         73
```

```
                    stmt.close();
                    con.close();


}
 catch(Exception e)
  {

   out.println(e);
  }
%>

<div align="center">


             <p> </p>
     <p> </p>
             <p> </p>
             <p>           </p>
     </div>

<!-- about us slider -->

  </section><!--/#bottom-->

  <footer id="footer" class="midnight-blue">
    <div class="container">
      <div class="row">
        <div class="col-sm-6">
           &copy; 2020 All Rights Reserved.
        </div>

      </div>
    </div>
  </footer><!--/#footer-->


  <script src="js/jquery.js"></script>
  <script type="text/javascript">
    $('.carousel').carousel()
  </script>
  <script src="js/bootstrap.min.js"></script>
  <script src="js/jquery.prettyPhoto.js"></script>
  <script src="js/jquery.isotope.min.js"></script>
  <script src="js/main.js"></script>
  <script src="js/wow.min.js"></script>
</body>
</html>
```

About us.jsp:
```
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="">
  <meta name="author" content="">
  <title>About Us | Corlate</title>
```

```html
        <!-- core CSS -->
  <link href="css/bootstrap.min.css" rel="stylesheet">
  <link href="css/font-awesome.min.css" rel="stylesheet">
  <link href="css/prettyPhoto.css" rel="stylesheet">
  <link href="css/animate.min.css" rel="stylesheet">
          <link href="css/main.css" rel="stylesheet">
  <link href="css/responsive.css" rel="stylesheet">

  <!--[if lt IE 9]>
  <script src="js/html5shiv.js"></script>
  <script src="js/respond.min.js"></script>
  <![endif]-->
  <link rel="shortcut icon" href="images/ico/favicon.ico">
  <link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
  <link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
  <link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
  <link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
</head><!--/head-->

<body>

    <header id="header">
     <div class="top-bar">
        <div class="container">
          <div class="row">
            <%--<div class="col-sm-6 col-xs-4">
              <div class="top-number"><p><i class="fa fa-phone-square"></i>  +0123 456 70 90</p></div>
            </div>--%>
            <%--<div class="col-sm-6 col-xs-8">
              <div class="social">
                <ul class="social-share">
                  <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                  <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                  <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                  <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
                  <li><a href="#"><i class="fa fa-skype"></i></a></li>
                </ul>
                <div class="search">
                  <form role="form">
                     <input type="text" class="search-form" autocomplete="off" placeholder="Search">
                     <i class="fa fa-search"></i>
                  </form>
                </div>
              </div>
            </div>--%>
          </div>
        </div><!--/.container-->
     </div><!--/.top-bar-->

    <nav class="navbar navbar-inverse" role="banner">
        <div class="container">
          <div class="navbar-header">
            <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
              <span class="sr-only">Toggle navigation</span>
              <span class="icon-bar"></span>
              <span class="icon-bar"></span>
              <span class="icon-bar"></span>
            </button>--%>
            <a class="navbar-brand" href="index.jsp">Chemical Supply</a>
          </div>

           <div class="collapse navbar-collapse navbar-right">
            <ul class="nav navbar-nav">
                <li><a href="aboutus.jsp">About</a></li>
```

```html
        <li><a href="contact.jsp">contact</a></li>
        <li><a href="signin.jsp">Signin</a></li>
          <li><a href="adminsignin.jsp">Admin Signin</a></li>
         <li><a href="signup.jsp">Signup</a></li>

        <%--<li><a href="portfolio.html"></a></li>--%>

        <li class="dropdown">
          <a href="#" class="dropdown-toggle" data-toggle="dropdown">Shop<i class="fa fa-angle-
down"></i></a>
            <ul class="dropdown-menu">
              <li><a href="SulfuricAcid.jsp">Sulfuric Acid</a></li>
              <li><a href="Zinc.jsp">Zinc</a></li>
             <li><a href="SodiunHydroxide.jsp">Sodiun Hydroxide</a></li>
              <li><a href="NitricAcid.jsp">Nitric Acid</a></li>
                                                    <li><a href="AceticAcid.jsp">Acetic
Acid</a></li>

            </ul>
          </li>
        <%--<li><a href="blog.html">Blog</a></li>
        <li><a href="contact-us.html">Contact</a></li>    --%>
       </ul>
      </div>
    </div><!--/.container-->
  </nav><!--/nav-->
      </header><!--/header-->

  <section id="about-us">
<div class="container">
                    <div class="center wow fadeInDown">
                        <h2>About us</h2>
                        <p class="lead">This industry utilizes chemical processes such as chemical reactions
and refining methods to convert raw materials - such as oil,natural gas,air,water,metals and minerals into chemical
products.</p>
                        <p class="lead"> </p>
                        <p class="lead"> </p>
  </div>

                    <!-- about us slider -->
        </div>
<p> </p>
   <p> </p>
   <p> </p>
<p> </p>
<p> </p>
<p> </p>
<p> </p>
</section><!--#bottom-->

  <footer id="footer" class="midnight-blue">
    <div class="container">
      <div class="row">
        <div class="col-sm-6">
          &copy; 2020 All Rights Reserved.
        </div>

      </div>
    </div>
  </footer><!--#footer-->


  <script src="js/jquery.js"></script>
  <script type="text/javascript">
    $('.carousel').carousel()
```

```
    </script>
    <script src="js/bootstrap.min.js"></script>
    <script src="js/jquery.prettyPhoto.js"></script>
    <script src="js/jquery.isotope.min.js"></script>
    <script src="js/main.js"></script>
    <script src="js/wow.min.js"></script>
</body>
</html>


Add to cart.jsp:
<% @page import ="java.sql.*"%>
<%



try
{
     Class.forName("com.mysql.jdbc.Driver");
            Connection con=DriverManager.getConnection("jdbc:mysql://localhost:3306/nursery2020","root","mysql");
        //        out.println("test1");
         String t1=request.getParameter("d").trim();
                   String t2=request.getParameter("c").trim();
                   String t3=request.getParameter("gst").trim();
                   String t4=request.getParameter("rate").trim();

     Statement stmt=con.createStatement();
                   // out.println("test2");
           String s1="",s2="",s3="",s4="",s5="";
            ResultSet rs;
                 String s6="select * from "+t2+" where pid="+t1;
                 // out.println(s6);
         rs = stmt.executeQuery("select * from product where pid="+"'"+t1+"'");
//                  out.println("test3");
                   while(rs.next())
                   {
                   s1=rs.getString("pid");
                   s2=rs.getString("pdesc");
                   s3=rs.getString("rate");
                   s4=rs.getString("pic");
                   s5=rs.getString("gst");
                   }
                   rs.close();

  //   out.println("test4");

     PreparedStatement pstmt=con.prepareStatement("insert into carttemp values(?,?,?,?,?)");
           pstmt.setString(1,s1);
       pstmt.setString(2,t2);
       pstmt.setString(3,s3);
       pstmt.setString(4,s4);
       pstmt.setString(5,s2);
  //      out.println("test5");


       pstmt.executeUpdate();


       pstmt.close();
       con.close();
                   out.println("<script> alert('Added successfully'); </script>");
                           out.println("<a href=index.jsp>Return to Cart</a>");


  }
  catch(Exception e)
  {
   out.println("Exception occured" +e);
```

77

```
        }
%>


Admin page.jsp:
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="description" content="">
    <meta name="author" content="">
    <title>About Us | Corlate</title>

            <!-- core CSS -->
    <link href="css/bootstrap.min.css" rel="stylesheet">
    <link href="css/font-awesome.min.css" rel="stylesheet">
    <link href="css/prettyPhoto.css" rel="stylesheet">
    <link href="css/animate.min.css" rel="stylesheet">
            <link href="css/main.css" rel="stylesheet">
    <link href="css/responsive.css" rel="stylesheet">

    <!--[if lt IE 9]>
    <script src="js/html5shiv.js"></script>
    <script src="js/respond.min.js"></script>
    <![endif]-->
    <link rel="shortcut icon" href="images/ico/favicon.ico">
    <link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
    <link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
    <link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
    <link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
</head><!--/head-->


<body>

    <header id="header">
     <div class="top-bar">
        <div class="container">
            <div class="row">
                <%--<div class="col-sm-6 col-xs-4">
                    <div class="top-number"><p><i class="fa fa-phone-square"></i>  +0123 456 70 90</p></div>
                </div>--%>
                <%--<div class="col-sm-6 col-xs-8">
                    <div class="social">
                        <ul class="social-share">
                            <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                            <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                            <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                            <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
                            <li><a href="#"><i class="fa fa-skype"></i></a></li>
                        </ul>
                        <div class="search">
                            <form role="form">
                                <input type="text" class="search-form" autocomplete="off" placeholder="Search">
                                <i class="fa fa-search"></i>
                            </form>
                        </div>
                    </div>
                </div>--%>
            </div>
        </div><!--/.container-->
     </div><!--/.top-bar-->

    <nav class="navbar navbar-inverse" role="banner">
```

```html
<div class="container">
    <div class="navbar-header">
        <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
            <span class="sr-only">Toggle navigation</span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
        </button>--%>
        <a class="navbar-brand" href="index.jsp">Chemical Supply</a>
    </div>

    <ul class="nav navbar-nav">
        <li><a href="aepw.jsp">Edit Password</a></li>
        <li><a href="aproduct.jsp">Add Product</a></li>
        <li ><a href="eproduct.jsp">Edit Product</a></li>
        <li><a href="history.jsp">Payment History</a></li>
        <li><a href="dispatch.jsp">Dispatch Order View</a></li>
        <li><a href="feedview.jsp">Feedback View</a></li>
        <li><a href="index.jsp">signout</a></li>

    </ul>
    </div>
    </div><!--/.container-->
</nav><!--/nav-->
    </header><!--/header-->

<section id="about-us">
    <div class="container">
                        <div class="center wow fadeInDown">
                                <h2>Welcome to Admin Page</h2>
                                <p class="lead"> </p>
                        </div>

                        <p>
                         <!-- about us slider -->

                         </section>
</p>
                        <p> </p>
                        <p> </p>
                        <p>
                         <!--#bottom-->

                        </p>
<footer id="footer" class="midnight-blue">
    <div class="container">
        <div class="row">
            <div class="col-sm-6">
                &copy; 2020 All Rights Reserved.
            </div>

        </div>
    </div>
</footer><!--/#footer-->


<script src="js/jquery.js"></script>
<script type="text/javascript">
    $('.carousel').carousel()
</script>
<script src="js/bootstrap.min.js"></script>
<script src="js/jquery.prettyPhoto.js"></script>
<script src="js/jquery.isotope.min.js"></script>
<script src="js/main.js"></script>
<script src="js/wow.min.js"></script>
```

```
</body>
</html>

Admins.jsp:
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html>
        <head>
        <meta charset="utf-8">
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
        <title>kblock</title>
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <meta name="description" content="Free HTML5 Website Template by FreeHTML5.co" />
        <meta name="keywords" content="free website templates, free html5, free template, free bootstrap, free website
template, html5, css3, mobile first, responsive" />
        <meta name="author" content="FreeHTML5.co" />

        <!-- Facebook and Twitter integration -->
        <meta property="og:title" content=""/>
        <meta property="og:image" content=""/>
        <meta property="og:url" content=""/>
        <meta property="og:site_name" content=""/>
        <meta property="og:description" content=""/>
        <meta name="twitter:title" content="" />
        <meta name="twitter:image" content="" />
        <meta name="twitter:url" content="" />
        <meta name="twitter:card" content="" />

        <link href="https://fonts.googleapis.com/css?family=Merriweather:300,400|Montserrat:400,700" rel="stylesheet">

        <!-- Animate.css -->
        <link rel="stylesheet" href="css/animate.css">
        <!-- Icomoon Icon Fonts-->
        <link rel="stylesheet" href="css/icomoon.css">
        <!-- Themify Icons-->
        <link rel="stylesheet" href="css/themify-icons.css">
        <!-- Bootstrap  -->
        <link rel="stylesheet" href="css/bootstrap.css">

        <!-- Owl Carousel  -->
        <link rel="stylesheet" href="css/owl.carousel.min.css">
        <link rel="stylesheet" href="css/owl.theme.default.min.css">

        <!-- Theme style  -->
        <link rel="stylesheet" href="css/style.css">

        <!-- Modernizr JS -->
        <script src="js/modernizr-2.6.2.min.js"></script>
        <!-- FOR IE9 below -->
        <!--[if lt IE 9]>
        <script src="js/respond.min.js"></script>
        <![endif]-->

        </head>
        <body>

        <div class="gtco-loader"></div>

        <div id="page">

                <nav class="gtco-nav" role="navigation">
                        <div class="gtco-container">

                                <div class="row">
```
80

```html
                                    <div class="col-sm-2 col-xs-12">
                                            <div id="gtco-logo"><a href="index.jsp">kblock</div>
                                    </div>
                                    <div class="col-xs-10 text-right menu-1">
                                            <ul>
                                                    <li><a href="about.jsp">About</a></li>
                                                    <li><a href="admins.jsp">Admin Signin</a></li>
                                                    <li><a href="facultys.jsp">Faculty Signin</a></li>
                                                    <li><a href="students.jsp">Student Signin</a></li>
                                            </ul>
                                    </div>
                            </div>

                    </div>
            </nav>

            <div class="gtco-container">
                    <div class="row">
                            <div class="col-md-12">
                                    <div class="owl-carousel owl-carousel-fullwidth">
                                            <div class="item">
                                                    <a href="#">
                                                            <img src="images/slider_1.jpg" alt="Free
Website Template by FreeHTML5.co">

                                                            <div class="slider-copy">
                                                                    <h2>Architecture #1</h2>
                                                            </div>
                                                    </a>
                                            </div>
                                            <div class="item">
                                                    <a href="#">
                                                            <img src="images/slider_2.jpg" alt="Free
Website Template by FreeHTML5.co">

                                                            <div class="slider-copy">
                                                                    <h2>Architecture #1</h2>
                                                            </div>
                                                    </a>
                                            </div>
                                            <div class="item">
                                                    <a href="#">
                                                            <img src="images/slider_3.jpg" alt="Free
Website Template by FreeHTML5.co">

                                                            <div class="slider-copy">
                                                                    <h2>Architecture #1</h2>
                                                            </div>
                                                    </a>
                                            </div>
                                    </div>
                            </div>
                    </div>
            </div>

            <div class="gtco-section">
                    <div class="gtco-container">
                            <div class="row">
                                    <div class="col-md-8 col-md-offset-2 gtco-heading text-center">
                                            <h2>Work</h2>
                                            <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit.
Phasellus placerat enim et urna sagittis, rhoncus euismod erat tincidunt. Donec tincidunt volutpat erat.</p>
                                    </div>
                            </div>
                            <div class="row">

                                    <div class="col-md-12">
                                            <div class="owl-carousel owl-carousel-carousel">
```

src="images/img_1.jpg" alt="" class="img-responsive">

Arena</h2>

```
                            <div class="item">
                                    <div class="gtco-item">
                                            <a href="#"><img

                                            <h2><a href="#">New York

                                            <p class="role">New York</p>
                                    </div>
                            </div>
                            <div class="item">
                                    <div class="gtco-item">
                                            <a href="#"><img
```

src="images/img_2.jpg" alt="" class="img-responsive">

Park</h2>

```
                                            <h2><a href="#">Eagle

                                            <p class="role">London</p>
                                    </div>
                            </div>
                            <div class="item">
                                    <div class="gtco-item">
                                            <a href="#"><img
```

src="images/img_3.jpg" alt="" class="img-responsive">

Park</h2>

```
                                            <h2><a href="#">Nationals

                                            <p class="role">Paris, France</p>
                                    </div>
                            </div>

                            <div class="item">
                                    <div class="gtco-item">
                                            <a href="#"><img
```

src="images/img_1.jpg" alt="" class="img-responsive">

Arena</h2>

```
                                            <h2><a href="#">New York

                                            <p class="role">New York</p>
                                    </div>
                            </div>
                            <div class="item">
                                    <div class="gtco-item">
                                            <a href="#"><img
```

src="images/img_2.jpg" alt="" class="img-responsive">

Park</h2>

```
                                            <h2><a href="#">Eagle

                                            <p class="role">London</p>
                                    </div>
                            </div>
                            <div class="item">
                                    <div class="gtco-item">
                                            <a href="#"><img
```

src="images/img_3.jpg" alt="" class="img-responsive">

Park</h2>

```
                                            <h2><a href="#">Nationals

                                            <p class="role">Paris, France</p>
                                    </div>
                            </div>

                            <div class="item">
                                    <div class="gtco-item">
                                            <a href="#"><img
```

src="images/img_1.jpg" alt="" class="img-responsive">

Arena</h2>

```
                                            <h2><a href="#">New York

                                            <p class="role">New York</p>
                                    </div>
                            </div>
```

```html
                                                            <div class="item">
                                                                <div class="gtco-item">
                                                                    <a href="#"><img

src="images/img_2.jpg" alt="" class="img-responsive"></a>

Park</h2></a>

                                                                    <h2><a href="#">Eagle

                                                                    <p class="role">London</p>
                                                                </div>
                                                            </div>
                                                            <div class="item">
                                                                <div class="gtco-item">
                                                                    <a href="#"><img

src="images/img_3.jpg" alt="" class="img-responsive"></a>

Park</h2></a>

                                                                    <h2><a href="#">Nationals

                                                                    <p class="role">Paris, France</p>
                                                                </div>
                                                            </div>
                                                        </div>
                                                    </div>

                                                </div>
                                            </div>
                                        </div>
                                        <!-- END Work -->


                            <div class="gtco-copyright">
                                <div class="gtco-container">
                                    <div class="row">
                                        <div class="col-md-6 text-left">
                                            <p><small>&copy; 2016 Free HTML5. All Rights

Reserved. </small></p>
                                        </div>
                                        <div class="col-md-6 text-right">
                                            <p><small>Designed by <a
href="http://freehtml5.co/" target="_blank">FreeHTML5.co</a> Demo Images: <a href="http://pixeden.com/"
target="_blank">Pixeden</a> &amp; <a href="http://unsplash.com" target="_blank">Unsplash</a></small> </p>
                                        </div>
                                    </div>
                                </div>
                            </div>
                    </footer>
                    <!-- END footer -->

            </div>

            <div class="gototop js-top">
                <a href="#" class="js-gotop"><i class="icon-arrow-up"></i></a>
            </div>

            <!-- jQuery -->
            <script src="js/jquery.min.js"></script>
            <!-- jQuery Easing -->
            <script src="js/jquery.easing.1.3.js"></script>
            <!-- Bootstrap -->
            <script src="js/bootstrap.min.js"></script>
            <!-- Waypoints -->
            <script src="js/jquery.waypoints.min.js"></script>
            <!-- Carousel -->
            <script src="js/owl.carousel.min.js"></script>

            <!-- Main -->
            <script src="js/main.js"></script>
```

```
            </body>
</html>


Admin sigin.jsp ;
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="description" content="">
    <meta name="author" content="">
    <title>About Us | Corlate</title>

            <!-- core CSS -->
    <link href="css/bootstrap.min.css" rel="stylesheet">
    <link href="css/font-awesome.min.css" rel="stylesheet">
    <link href="css/prettyPhoto.css" rel="stylesheet">
    <link href="css/animate.min.css" rel="stylesheet">
            <link href="css/main.css" rel="stylesheet">
    <link href="css/responsive.css" rel="stylesheet">

    <!--[if lt IE 9]>
    <script src="js/html5shiv.js"></script>
    <script src="js/respond.min.js"></script>
    <![endif]-->
    <link rel="shortcut icon" href="images/ico/favicon.ico">
    <link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
    <link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
    <link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
    <link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
</head><!--/head-->

<body>

    <header id="header">
     <div class="top-bar">
        <div class="container">
          <div class="row">
            <%--<div class="col-sm-6 col-xs-4">
                <div class="top-number"><p><i class="fa fa-phone-square"></i>  +0123 456 70 90</p></div>
            </div>--%>
            <%--<div class="col-sm-6 col-xs-8">
              <div class="social">
                <ul class="social-share">
                    <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                    <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                    <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                    <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
                    <li><a href="#"><i class="fa fa-skype"></i></a></li>
                </ul>
                <div class="search">
                    <form role="form">
                        <input type="text" class="search-form" autocomplete="off" placeholder="Search">
                        <i class="fa fa-search"></i>
                    </form>
                </div>
              </div>
            </div>--%>
          </div>
        </div><!--/.container-->
     </div><!--/.top-bar-->
```

```html
<nav class="navbar navbar-inverse" role="banner">
    <div class="container">
        <div class="navbar-header">
            <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
                <span class="sr-only">Toggle navigation</span>
                <span class="icon-bar"></span>
                <span class="icon-bar"></span>
                <span class="icon-bar"></span>
            </button>--%>
            <a class="navbar-brand" href="index.jsp">Chemical Supply</a>
        </div> <div class="collapse navbar-collapse navbar-right">
            <ul class="nav navbar-nav">
                <li><a href="aboutus.jsp">About</a></li>
                <li><a href="contact.jsp">contact</a></li>
                <li><a href="signin.jsp">Sign in</a></li>
                <li><a href="adminsignin.jsp">Admin Sign in</a></li>
                <li><a href="signup.jsp">Sign up</a></li>

                <%--<li><a href="portfolio.html"></a></li>--%>

                <li class="dropdown">
                    <a href="#" class="dropdown-toggle" data-toggle="dropdown">Shop<i class="fa fa-angle-down"></i></a>
                    <ul class="dropdown-menu">
                        <li><a href="SulfuricAcid.jsp">Sulfuric Acid</a></li>
                        <li><a href="Zinc.jsp">Zinc</a></li>
                        <li><a href="SodiunHydroxide.jsp">Sodiun Hydroxide</a></li>
                        <li><a href="NitricAcid.jsp">Nitric Acid</a></li>
                                                                <li><a href="AceticAcid.jsp">Acetic Acid</a></li>

                    </ul>
                </li>
                <%--<li><a href="blog.html">Blog</a></li>
                <li><a href="contact-us.html">Contact</a></li>    --%>
            </ul>
        </div>
    </div><!--/.container-->
</nav><!--/nav-->

</header><!--/header-->

<section id="about-us">
    <div class="container">
                        <div class="center wow fadeInDown">
                            <h2>Admin Sign in</h2>
                            <p class="lead">
<form name="form1" method="post" action="">
    <table width="293" border="0" align="center">
    <caption> 
    </caption>
    <tr>
        <td width="68" scope="col"><span class="style1">Username</span></td>
        <td width="205" scope="col"><label>
        <input type="text" name="textfield" required="required" />
        </label></td>
        <td width="205" rowspan="3" scope="col"><table width="100%" border="0">
        <tr>
            <td><img src="images/signin.png" width="168" height="118" /></td>
        </tr>
        </table></td>
    </tr>
    <tr>
        <td height="44" rowspan="2" valign="top"><span class="style1">Password</span></td>
    <td><input type="password" name="textfield2" required="required"/>
```
85

```html
    <label><br />
     <a href="forgotpass.jsp"></a></label></td>
    </tr>
    <tr>
     <td height="24"> </td>
    </tr>
    <tr>
     <td colspan="3"><label>
       <div align="center">
        <input type="submit" name="Submit" value="Submit" />
        <input type="reset" name="Submit2" value="Reset" />
       </div>
      </label></td>
    </tr>
   </table>
</form>
     <div align="center">


              <p>
               <% @page import ="java.sql.*"%>
                  <% @page import="java.util.*,java.io.*,javax.servlet.http.Cookie"%>
                  <%
                                    if(request.getParameter("Submit")!= null)
         {
try
{

  Class.forName("com.mysql.jdbc.Driver");
   Connection con=DriverManager.getConnection("jdbc:mysql://localhost:3306/nursery2020","root","mysql");
   Statement stmt=con.createStatement();
   ResultSet rs,rs1;

  // String type=request.getParameter("select").trim();


   String u=request.getParameter("textfield").trim();
   String p=request.getParameter("textfield2").trim();



         rs=stmt.executeQuery("select * from admin where u="+""+u+""""+" and p="+""+p+"""");
         /// rs=stmt.executeQuery("select * from adminlogin");

   int found=0;
   while(rs.next())
   {

                          found++;
                }
        if(found==1)
                 {


                             ///Cookie cook1 = new Cookie("Admin",u);
                  ///cook1.setMaxAge(1200);
                 /// response.addCookie(cook1);
                 session.setAttribute("user",u);
                         response.sendRedirect("adminpage.jsp");
                }
                 else
                 {
       out.println("<h1 align=center style='color:red'>Invalid Login... </h1>");
```

```
                                    }
                rs.close();

                                stmt.close();
                                con.close();


    }

 catch(Exception e)
   {

   out.println("Exception occured" +e);
   }
           }
%>
                 </p>
                </p>
               <p> </p>
               <p> </p>
               <p>           </p>
       </div>

<!-- about us slider -->

    </section><!--/#bottom-->

    <footer id="footer" class="midnight-blue">
       <div class="container">
          <div class="row">
             <div class="col-sm-6">
                &copy; 2020 All Rights Reserved.
             </div>

          </div>
       </div>
    </footer><!--/#footer-->


    <script src="js/jquery.js"></script>
    <script type="text/javascript">
       $('.carousel').carousel()
    </script>
    <script src="js/bootstrap.min.js"></script>
    <script src="js/jquery.prettyPhoto.js"></script>
    <script src="js/jquery.isotope.min.js"></script>
    <script src="js/main.js"></script>
    <script src="js/wow.min.js"></script>
</body>
</html>




Aepw.jsp:
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="description" content="">
    <meta name="author" content="">
    <title>About Us | Corlate</title>
```

```html
        <!-- core CSS -->
    <link href="css/bootstrap.min.css" rel="stylesheet">
    <link href="css/font-awesome.min.css" rel="stylesheet">
    <link href="css/prettyPhoto.css" rel="stylesheet">
    <link href="css/animate.min.css" rel="stylesheet">
        <link href="css/main.css" rel="stylesheet">
    <link href="css/responsive.css" rel="stylesheet">

    <!--[if lt IE 9]>
    <script src="js/html5shiv.js"></script>
    <script src="js/respond.min.js"></script>
    <![endif]-->
    <link rel="shortcut icon" href="images/ico/favicon.ico">
    <link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
    <link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
    <link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
    <link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
</head><!--/head-->

<body>

    <header id="header">
     <div class="top-bar">
        <div class="container">
          <div class="row">
            <%--<div class="col-sm-6 col-xs-4">
              <div class="top-number"><p><i class="fa fa-phone-square"></i>  +0123 456 70 90</p></div>
            </div>--%>
            <%--<div class="col-sm-6 col-xs-8">
              <div class="social">
                 <ul class="social-share">
                   <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                   <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                   <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                   <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
                   <li><a href="#"><i class="fa fa-skype"></i></a></li>
                 </ul>
                 <div class="search">
                   <form role="form">
                      <input type="text" class="search-form" autocomplete="off" placeholder="Search">
                      <i class="fa fa-search"></i>
                   </form>
                 </div>
              </div>
            </div>--%>
          </div>
        </div><!--/.container-->
      </div><!--/.top-bar-->

    <nav class="navbar navbar-inverse" role="banner">
        <div class="container">
          <div class="navbar-header">
            <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
               <span class="sr-only">Toggle navigation</span>
               <span class="icon-bar"></span>
               <span class="icon-bar"></span>
               <span class="icon-bar"></span>
            </button>--%>
            <a class="navbar-brand" href="index.jsp">Chemical Supply</a>
          </div> <ul class="nav navbar-nav">
               <li class="active"><a href="aepw.jsp">Edit Password</a></li>
               <li><a href="aproduct.jsp">Add Product</a></li>
                <li ><a href="eproduct.jsp">Edit Product</a></li>
               <li><a href="history.jsp">Payment History</a></li>
```

```html
                <li><a href="dispatch.jsp">Dispatch Order View</a></li>
                 <li><a href="feedview.jsp">Feedback View</a></li>
                <li><a href="index.jsp">signout</a></li>


            </ul>
          </div>
        </div><!--/.container-->
      </nav><!--/nav-->
          </header><!--/header-->

  <section id="about-us">
    <div class="container">
                          <div class="center wow fadeInDown">
                                  <h2>Edit Password</h2>
                                  <p class="lead"><form id="form1" name="form1" method="post" action="#">
    <table width="38%" border="0" align="center" cellpadding="0" cellspacing="5">


    <tr>
     <td colspan="5"> </td>
    </tr>
    <tr>
     <td width="27%">Old Password :</td>
     <td width="3%"> </td>
     <td colspan="2"><input type="text" name="textfield" id="textfield" required="required" /></td>
     <td width="34%" rowspan="4"><img src="images/pwdchage.jpg" width="145" height="102" /></td>
    </tr>
    <tr>
     <td>New Password :</td>
     <td> </td>
     <td colspan="2"><input type="text" name="textfield2" id="textfield2" required="required" /></td>
    </tr>
    <tr>
     <td>Confirm Password :</td>
     <td> </td>
     <td colspan="2"><input type="text" name="textfield3" id="textfield3"  required="required"/></td>
    </tr>
    <tr>
     <td> </td>
     <td> </td>
     <td width="16%" valign="top"><input type="submit" name="Login" id="Login" value="Submit" /></td>
     <td width="20%" valign="top"><input type="reset" name="Login2" id="Login2" value="Reset" /></td>
    </tr>
   </table>
  </form>
  <%@page import ="java.sql.*"%>
        <%@page import="java.util.*,java.io.*,javax.servlet.http.Cookie"%>
        <%
         try
         {

          String b=request.getParameter("Login");
         if(request.getParameter("Login")!= null)
         {
           Class.forName("com.mysql.jdbc.Driver");
                    Connection
con=DriverManager.getConnection("jdbc:mysql://localhost:3306/nursery2020","root","mysql");
                    Statement stmt=con.createStatement();
                    ResultSet rs,rs1,rs2;

                    String s=request.getParameter("textfield").trim();//old
                    String s1=request.getParameter("textfield2").trim();//new
                    String s3=request.getParameter("textfield3").trim();//confirm
                    String email= (String)session.getAttribute("user");
```

```jsp
                rs=stmt.executeQuery("select * from admin where u="+""+email+"");
                        //String v1="",v2="";
                        int found=0;
                        while (rs.next())
                        {

                                        found=1;
                                break;

                                }

                        if(found==1)
                        {

                        String str="Update admin set p=? where u=?";
                        ///out.println(str);
                                        PreparedStatement psmt =con.prepareStatement(str);
                                        psmt.setString(1,s1);
                                        psmt.setString(2,email);
                                        psmt.executeUpdate();
                        //out.println(s1+","+s3);
                                        psmt.close();
                                        rs.close();
                                        //response.sendRedirect("adepwsaveack.jsp");

                                        con.close();

                        out.println("<h1 align=center ><b style='color:red'>Updated successfully</b></h1>");
        //  response.sendRedirect("donerregsaveack.jsp");
                        }

          else
                        {

                                        out.println("<h1 align=center  style='color:red'>Some thing has gone wrong ...Pls
chk</h1>");
//                          response.sendRedirect("donerregsaveinvalid.jsp");

                        }
                        }

          }
  catch(Exception e)
  {
  out.println("Exception occured" +e);
  }

%></p>
                                </div>

                                <!-- about us slider -->

  </section><!--/#bottom-->

  <footer id="footer" class="midnight-blue">
     <div class="container">
        <div class="row">
           <div class="col-sm-6">
              &copy; 2020 All Rights Reserved.
           </div>

        </div>
     </div>
  </footer><!--/#footer-->
```

```
<script src="js/jquery.js"></script>
<script type="text/javascript">
  $('.carousel').carousel()
</script>
<script src="js/bootstrap.min.js"></script>
<script src="js/jquery.prettyPhoto.js"></script>
<script src="js/jquery.isotope.min.js"></script>
<script src="js/main.js"></script>
<script src="js/wow.min.js"></script>
</body>
</html>
```

Aproduct.jsp:
```
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="">
  <meta name="author" content="">
  <title>About Us | Corlate</title>

          <!-- core CSS -->
  <link href="css/bootstrap.min.css" rel="stylesheet">
  <link href="css/font-awesome.min.css" rel="stylesheet">
  <link href="css/prettyPhoto.css" rel="stylesheet">
  <link href="css/animate.min.css" rel="stylesheet">
          <link href="css/main.css" rel="stylesheet">
  <link href="css/responsive.css" rel="stylesheet">

  <!--[if lt IE 9]>
  <script src="js/html5shiv.js"></script>
  <script src="js/respond.min.js"></script>
  <![endif]-->
  <link rel="shortcut icon" href="images/ico/favicon.ico">
  <link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
  <link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
  <link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
  <link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
</head><!--/head-->

<body>

  <header id="header">
   <div class="top-bar">
      <div class="container">
        <div class="row">
          <%--<div class="col-sm-6 col-xs-4">
            <div class="top-number"><p><i class="fa fa-phone-square"></i>  +0123 456 70 90</p></div>
          </div>--%>
          <%--<div class="col-sm-6 col-xs-8">
            <div class="social">
              <ul class="social-share">
                <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
                <li><a href="#"><i class="fa fa-skype"></i></a></li>
              </ul>
              <div class="search">
                <form role="form">
                  <input type="text" class="search-form" autocomplete="off" placeholder="Search">
```
91

```
                    <i class="fa fa-search"></i>
                </form>
            </div>
          </div>
        </div>--%>
      </div>
    </div><!--/.container-->
  </div><!--/.top-bar-->


  <nav class="navbar navbar-inverse" role="banner">
      <div class="container">
        <div class="navbar-header">
          <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
            <span class="sr-only">Toggle navigation</span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
          </button>--%>
          <a class="navbar-brand" href="index.jsp">Chemical supply</a>
        </div>

        <ul class="nav navbar-nav"> <li><a href="aepw.jsp">Edit Password</a></li>

            <li class="active"><a href="aproduct.jsp">Add Product</a></li>
             <li ><a href="eproduct.jsp">Edit Product</a></li>
            <li><a href="history.jsp">Payment History</a></li>
            <li><a href="dispatch.jsp">Dispatch Order View</a></li>
             <li><a href="feedview.jsp">Feedback View</a></li>
            <li><a href="index.jsp">signout</a></li>
        </ul>
      </div>
    </div><!--/.container-->
  </nav><!--/nav-->
        </header><!--/header-->


  <section id="about-us">
    <div class="container">
                            <div class="center wow fadeInDown">
                                    <h2>Add Product</h2>
                                    <form id="form1" name="form1" method="post" action="">
                                     <table width="391" height="456" align="center">
          <tr>
            <td width="80"><div align="left">Product ID </div></td>
            <td width="168"><label>
               <div align="left">
                 <input type="textfield" name="t1" id="textfield4" value="<%
Class.forName("com.mysql.jdbc.Driver");
        Connection cons=DriverManager.getConnection("jdbc:mysql://localhost:3306/nursery2020","root","mysql");
          Statement stmt=cons.createStatement();
    ResultSet rs;
    String s5="";
                                int cnt=1;
                                    rs=stmt.executeQuery("select * from  product");


    while(rs.next())
  {
                cnt++;
  }
    rs.close();
                String s="";
                s=s.valueOf(cnt);
                s="SP-"+s;
Cookie cook1=new Cookie("id",s);
        cook1.setMaxAge(1200);
        response.addCookie(cook1);
```

```
            out.println(s); %>" />
                </div>
              </label></td>
              <td width="168" rowspan="5"><div align="center"><img src="images/blog/girl.png" width="85" height="85"
/></div></td>
            </tr>
            <tr>
              <td><div align="left">Description</div></td>
              <td><label>
                <div align="left">
                  <textarea name="t2" id="t2"></textarea>
                </div>
              </label></td>
            </tr>
            <tr>
              <td><div align="left">Rate</div></td>
              <td><label>
                <div align="left">
                  <input name="t3" type="number" id="t3" required="required"/>
                </div>
              </label></td>
            </tr>
            <tr>
              <td><div align="left">Photo</div></td>
              <td><div align="left">
                  <input name="t4" id="t4" required="required" type="file"/>
              </div></td>
            </tr>
            <tr>
              <td><div align="left">Category</div></td>
              <td><label>
                <div align="left">
                  <select name="t5" id="t5">
                    <option value="Sulfuric Acid">Sulfuric Acid</option>
                    <option value="Zinc">Zinc</option>
                    <option value="Sodiun Hydroxide">Sodiun Hydroxide</option>
                                                      <option value="Nitric Acid">Nitric Acid</option>
                                                      <option value="Acetic Acid">Acetic Acid</option>

                  </select>
                </div>
              </label></td>
            </tr>
            <tr>
              <td><div align="left">GST % </div></td>
              <td><div align="left">
                  <input name="t6" type="number" id="t6" required="required"/>
              </div></td>
              <td> </td>
            </tr>
            <tr>
              <td colspan="3"><label>
                <div align="left">
                  <input type="submit" name="Submit" value="Submit" />
                </div>
              </label>
                <label>
                <div align="left">
                  <input type="reset" name="Submit2" value="Reset" />
                </div>
              </label>                </td>
            </tr>
          </table>
```

93

```
                </form>
                                          <p class="lead"> <% @page import ="java.sql.*"%>
            <% @page import="java.util.*,java.io.*,javax.servlet.http.Cookie"%>
    <%


try
{
if(request.getParameter("Submit")!= null)

            {
                    Class.forName("com.mysql.jdbc.Driver");
             Connection con=DriverManager.getConnection("jdbc:mysql://localhost:3306/nursery2020","root","mysql");
          String t1=request.getParameter("t1").trim();
                    String t2=request.getParameter("t2").trim();
                    String t3=request.getParameter("t3").trim();
            String t4=request.getParameter("t4").trim();
     String t5=request.getParameter("t5").trim();
     String t6=request.getParameter("t6").trim();
     //String t7=request.getParameter("t7").trim();

    //Statement stmt=con.createStatement();


    PreparedStatement pstmt=con.prepareStatement("insert into product values(?,?,?,?,?,?)");
        pstmt.setString(1,t1);
      pstmt.setString(2,t2);
      pstmt.setString(3,t3);
      pstmt.setString(4,t4);
      pstmt.setString(5,t5);
      pstmt.setString(6,t6);


       pstmt.executeUpdate();


      pstmt.close();
      con.close();
                          out.println("<h1 style='color:red'>SUCCESFULLY Added</h1>");
      //response.sendRedirect("http://localhost:8084/Quickmail/succsignup.html");
   }

        else
        {
        out.println("<h1 style='color:red'>Something Wrong</h1>");

        }

}
   catch(Exception e)
   {
    out.println("Exception occured" +e);

        }
%></p>
</div>

                          <!-- about us slider -->

   </section><!--/#bottom-->

   <footer id="footer" class="midnight-blue">
      <div class="container">
         <div class="row">
            <div class="col-sm-6">
```

```
            &copy; 2020 All Rights Reserved.
          </div>

        </div>
      </div>
  </footer><!--/#footer-->


    <script src="js/jquery.js"></script>
    <script type="text/javascript">
        $('.carousel').carousel()
    </script>
    <script src="js/bootstrap.min.js"></script>
    <script src="js/jquery.prettyPhoto.js"></script>
    <script src="js/jquery.isotope.min.js"></script>
    <script src="js/main.js"></script>
    <script src="js/wow.min.js"></script>
</body>
</html>


Artif.jsp:
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="description" content="">
    <meta name="author" content="">
    <title>About Us | Corlate</title>

        <!-- core CSS -->
    <link href="css/bootstrap.min.css" rel="stylesheet">
    <link href="css/font-awesome.min.css" rel="stylesheet">
    <link href="css/prettyPhoto.css" rel="stylesheet">
    <link href="css/animate.min.css" rel="stylesheet">
        <link href="css/main.css" rel="stylesheet">
    <link href="css/responsive.css" rel="stylesheet">

    <!--[if lt IE 9]>
    <script src="js/html5shiv.js"></script>
    <script src="js/respond.min.js"></script>
    <![endif]-->
    <link rel="shortcut icon" href="images/ico/favicon.ico">
    <link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
    <link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
    <link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
    <link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
</head><!--/head-->

<body>

    <header id="header">
     <div class="top-bar">
        <div class="container">
          <div class="row">
            <%--<div class="col-sm-6 col-xs-4">
              <div class="top-number"><p><i class="fa fa-phone-square"></i>  +0123 456 70 90</p></div>
            </div>--%>
            <%--<div class="col-sm-6 col-xs-8">
              <div class="social">
                <ul class="social-share">
                    <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                    <li><a href="#"><i class="fa fa-twitter"></i></a></li>
```

```html
          <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
          <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
          <li><a href="#"><i class="fa fa-skype"></i></a></li>
        </ul>
        <div class="search">
          <form role="form">
            <input type="text" class="search-form" autocomplete="off" placeholder="Search">
            <i class="fa fa-search"></i>
          </form>
        </div>
      </div>
    </div>--%>
  </div>
  </div><!--/.container-->
  </div><!--/.top-bar-->

<nav class="navbar navbar-inverse" role="banner">
    <div class="container">
      <div class="navbar-header">
        <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
          <span class="sr-only">Toggle navigation</span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
        </button>--%>
        <a class="navbar-brand" href="index.jsp">OnlineNursery</a>
      </div>

      <div class="collapse navbar-collapse navbar-right">
        <ul class="nav navbar-nav">
          <li><a href="aboutus.jsp">About</a></li>
          <li><a href="contact.jsp">contact</a></li>
          <li><a href="signin.jsp">Signin</a></li>
          <li><a href="adminsignin.jsp">Admin Signin</a></li>
          <li><a href="signup.jsp">Signup</a></li>

          <%--<li><a href="portfolio.html"></a></li>--%>
          <li class="dropdown">
            <a href="#" class="dropdown-toggle" data-toggle="dropdown">Servieces<i class="fa fa-angle-
down"></i></a>
              <ul class="dropdown-menu">
                <li><a href="rentp.jsp">Rent a Plant</a></li>
                <li><a href="gardenm.jsp">Garden Maintainance</a></li>
                <li><a href="vehgar.jsp">Vericle Gardens</a></li>
                <li><a href="irrig.jsp">Irrigation Services</a></li>
                <li><a href="artif.jsp">Artificial Lawns</a></li>
                <li><a href="artificial.jsp">Artificial Vertical Lawns</a></li>
              </ul>
          </li>
          <li class="dropdown">
            <a href="#" class="dropdown-toggle" data-toggle="dropdown">Shop<i class="fa fa-angle-
down"></i></a>
              <ul class="dropdown-menu">
                <li><a href="indoor.jsp">Indoor Plants</a></li>
                <li><a href="mplants.jsp">Medicinal Plants</a></li>
                <li><a href="floral.jsp">Floral Plants</a></li>
                <li><a href="fruit.jsp">Fruit Plants</a></li>
                <li><a href="vrplants.jsp">Vastu and Regional Plants</a></li>
                <li><a href="bt.jsp">Bonsai Tree</a></li>
                <li><a href="pots.jsp">Pots </a></li>
                <li><a href="soils.jsp">Soil </a></li>
                <li><a href="seeds.jsp">Seeds </a></li>
                <li><a href="fert.jsp">Fertilizers </a></li>

              </ul>
```

```
                </li>
                <%--<li><a href="blog.html">Blog</a></li>
                <li><a href="contact-us.html">Contact</a></li>    --%>
             </ul>
          </div>
        </div><!--/.container-->
      </nav><!--/nav-->
         </header><!--/header-->

   <section id="about-us">
      <div class="container">
                         <div class="center wow fadeInDown">
                                 <table width="75%" border="0" align="center">
          <tr>
           <td colspan="2"><div align="center">
              <h1 style="color:#993300;">Artificial Lawns</h1>
           </div></td>
          </tr>
          <tr>
           <td colspan="2"><div align="center"><img src="aftificiallawns.jpg" width="500" height="250" /></div>
              <div align="center"></div>
            <div align="center"></div></td>
          </tr>
          <tr>
           <td width="36%"> </td>
           <td width="64%"> </td>
          </tr>
        </table>
                                 <h2> </h2>
</div>

<!-- about us slider -->

   </section><!--/#bottom-->

   <footer id="footer" class="midnight-blue">
      <div class="container">
        <div class="row">
           <div class="col-sm-6">
              &copy; 2020 All Rights Reserved.
           </div>

        </div>
      </div>
   </footer><!--/#footer-->


   <script src="js/jquery.js"></script>
   <script type="text/javascript">
      $('.carousel').carousel()
   </script>
   <script src="js/bootstrap.min.js"></script>
   <script src="js/jquery.prettyPhoto.js"></script>
   <script src="js/jquery.isotope.min.js"></script>
   <script src="js/main.js"></script>
   <script src="js/wow.min.js"></script>
</body>
</html>
```

Artificial.jsp:

```
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html lang="en">
```

97

```html
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="">
  <meta name="author" content="">
  <title>About Us | Corlate</title>

        <!-- core CSS -->
  <link href="css/bootstrap.min.css" rel="stylesheet">
  <link href="css/font-awesome.min.css" rel="stylesheet">
  <link href="css/prettyPhoto.css" rel="stylesheet">
  <link href="css/animate.min.css" rel="stylesheet">
        <link href="css/main.css" rel="stylesheet">
  <link href="css/responsive.css" rel="stylesheet">

  <!--[if lt IE 9]>
  <script src="js/html5shiv.js"></script>
  <script src="js/respond.min.js"></script>
  <![endif]-->
  <link rel="shortcut icon" href="images/ico/favicon.ico">
  <link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
  <link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
  <link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
  <link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
</head><!--/head-->

<body>

    <header id="header">
     <div class="top-bar">
        <div class="container">
          <div class="row">
            <%--<div class="col-sm-6 col-xs-4">
              <div class="top-number"><p><i class="fa fa-phone-square"></i>  +0123 456 70 90</p></div>
            </div>--%>
            <%--<div class="col-sm-6 col-xs-8">
              <div class="social">
                <ul class="social-share">
                  <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                  <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                  <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                  <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
                  <li><a href="#"><i class="fa fa-skype"></i></a></li>
                </ul>
                <div class="search">
                  <form role="form">
                    <input type="text" class="search-form" autocomplete="off" placeholder="Search">
                    <i class="fa fa-search"></i>
                  </form>
                </div>
              </div>
            </div>--%>
          </div>
        </div><!--/.container-->
      </div><!--/.top-bar-->

    <nav class="navbar navbar-inverse" role="banner">
        <div class="container">
          <div class="navbar-header">
            <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
              <span class="sr-only">Toggle navigation</span>
              <span class="icon-bar"></span>
              <span class="icon-bar"></span>
              <span class="icon-bar"></span>
            </button>--%>
```

```html
            <a class="navbar-brand" href="index.jsp">OnlineNursery</a>
        </div>

        <div class="collapse navbar-collapse navbar-right">
          <ul class="nav navbar-nav">
            <li><a href="aboutus.jsp">About</a></li>
            <li><a href="contact.jsp">contact</a></li>
            <li><a href="signin.jsp">Signin</a></li>
              <li><a href="adminsignin.jsp">Admin Signin</a></li>
             <li><a href="signup.jsp">Signup</a></li>

            <%--<li><a href="portfolio.html"></a></li>--%>
            <li class="dropdown">
              <a href="#" class="dropdown-toggle" data-toggle="dropdown">Servieces<i class="fa fa-angle-
down"></i></a>
                  <ul class="dropdown-menu">
                    <li><a href="rentp.jsp">Rent a Plant</a></li>
                    <li><a href="gardenm.jsp">Garden Maintainance</a></li>
                    <li><a href="vehgar.jsp">Vericle Gardens</a></li>
                    <li><a href="irrig.jsp">Irrigation Services</a></li>
                    <li><a href="artif.jsp">Artificial Lawns</a></li>
                     <li><a href="artificial.jsp">Artificial Vertical Lawns</a></li>
                  </ul>
            </li>
            <li class="dropdown">
              <a href="#" class="dropdown-toggle" data-toggle="dropdown">Shop<i class="fa fa-angle-
down"></i></a>
                  <ul class="dropdown-menu">
                    <li><a href="indoor.jsp">Indoor Plants</a></li>
                    <li><a href="mplants.jsp">Medicinal Plants</a></li>
                    <li><a href="floral.jsp">Floral Plants</a></li>
                    <li><a href="fruit.jsp">Fruit Plants</a></li>
                    <li><a href="vrplants.jsp">Vastu and Regional Plants</a></li>
                     <li><a href="bt.jsp">Bonsai Tree</a></li>
                     <li><a href="pots.jsp">Pots </a></li>
                     <li><a href="soils.jsp">Soil </a></li>
                     <li><a href="seeds.jsp">Seeds </a></li>
                     <li><a href="fert.jsp">Fertilizers </a></li>

                 </ul>
              </li>
              <%--<li><a href="blog.html">Blog</a></li>
              <li><a href="contact-us.html">Contact</a></li>   --%>
          </ul>
        </div>
      </div><!--/.container-->
    </nav><!--/nav-->
        </header><!--/header-->

  <section id="about-us">
      <div class="container">
                            <div class="center wow fadeInDown">
                                    <table width="75%" border="0" align="center">
          <tr>
           <td colspan="2"><div align="center">
             <h1 style="color:#993300;">Artificial Vertical Lawns</h1>
           </div></td>
          </tr>
          <tr>
           <td colspan="2"><div align="center"><img src="artificialvlawns.jpg" width="411" height="443" /></div>
             <div align="center"></div>
             <div align="center"></div></td>
          </tr>
          <tr>
           <td width="36%"> </td>
```

99

```
            <td width="64%"> </td>
          </tr>
        </table>
                                        <h2> </h2>
</div>

<!-- about us slider -->

  </section><!--/#bottom-->

  <footer id="footer" class="midnight-blue">
    <div class="container">
      <div class="row">
        <div class="col-sm-6">
          &copy; 2020 All Rights Reserved.
        </div>

      </div>
    </div>
  </footer><!--/#footer-->


  <script src="js/jquery.js"></script>
  <script type="text/javascript">
    $('.carousel').carousel()
  </script>
  <script src="js/bootstrap.min.js"></script>
  <script src="js/jquery.prettyPhoto.js"></script>
  <script src="js/jquery.isotope.min.js"></script>
  <script src="js/main.js"></script>
  <script src="js/wow.min.js"></script>
</body>
</html>


Bt.jsp:
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="">
  <meta name="author" content="">
  <title>About Us | Corlate</title>

        <!-- core CSS -->
  <link href="css/bootstrap.min.css" rel="stylesheet">
  <link href="css/font-awesome.min.css" rel="stylesheet">
  <link href="css/prettyPhoto.css" rel="stylesheet">
  <link href="css/animate.min.css" rel="stylesheet">
        <link href="css/main.css" rel="stylesheet">
  <link href="css/responsive.css" rel="stylesheet">


  <!--[if lt IE 9]>
  <script src="js/html5shiv.js"></script>
  <script src="js/respond.min.js"></script>
  <![endif]-->
  <link rel="shortcut icon" href="images/ico/favicon.ico">
  <link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
  <link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
  <link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
  <link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
</head><!--/head-->
```

100

```html
<body>

    <header id="header">
    <div class="top-bar">
      <div class="container">
        <div class="row">
          <%--<div class="col-sm-6 col-xs-4">
            <div class="top-number"><p><i class="fa fa-phone-square"></i>  +0123 456 70 90</p></div>
          </div>--%>
          <%--<div class="col-sm-6 col-xs-8">
            <div class="social">
              <ul class="social-share">
                <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
                <li><a href="#"><i class="fa fa-skype"></i></a></li>
              </ul>
              <div class="search">
                <form role="form">
                  <input type="text" class="search-form" autocomplete="off" placeholder="Search">
                  <i class="fa fa-search"></i>
                </form>
              </div>
            </div>
          </div>--%>
        </div>
      </div><!--/.container-->
    </div><!--/.top-bar-->

  <nav class="navbar navbar-inverse" role="banner">
      <div class="container">
        <div class="navbar-header">
          <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
            <span class="sr-only">Toggle navigation</span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
          </button>--%>
          <a class="navbar-brand" href="index.jsp">OnlineNursery</a>
        </div> <div class="collapse navbar-collapse navbar-right">
          <ul class="nav navbar-nav">
            <li><a href="aboutus.jsp">About</a></li>
            <li><a href="contact.jsp">contact</a></li>
            <li><a href="signin.jsp">Signin</a></li>
              <li><a href="adminsignin.jsp">Admin Signin</a></li>
             <li><a href="signup.jsp">Signup</a></li>

            <%--<li><a href="portfolio.html"></a></li>--%>
            <li class="dropdown">
              <a href="#" class="dropdown-toggle" data-toggle="dropdown">Servieces<i class="fa fa-angle-down"></i></a>
              <ul class="dropdown-menu">
                <li><a href="rentp.jsp">Rent a Plant</a></li>
                <li><a href="gardenm.jsp">Garden Maintainance</a></li>
                <li><a href="vehgar.jsp">Vericle Gardens</a></li>
                <li><a href="irrig.jsp">Irrigation Services</a></li>
                <li><a href="artif.jsp">Artificial Lawns</a></li>
                 <li><a href="artificial.jsp">Artificial Vertical Lawns</a></li>
              </ul>
            </li>
            <li class="dropdown">
              <a href="#" class="dropdown-toggle" data-toggle="dropdown">Shop<i class="fa fa-angle-down"></i></a>
              <ul class="dropdown-menu">
```

```html
                    <li><a href="indoor.jsp">Indoor Plants</a></li>
                    <li><a href="mplants.jsp">Medicinal Plants</a></li>
                    <li><a href="floral.jsp">Floral Plants</a></li>
                    <li><a href="fruit.jsp">Fruit Plants</a></li>
                    <li><a href="vrplants.jsp">Vastu and Regional Plants</a></li>
                    <li><a href="bt.jsp">Bonsai Tree</a></li>
                    <li><a href="pots.jsp">Pots </a></li>
                    <li><a href="soils.jsp">Soil </a></li>
                    <li><a href="seeds.jsp">Seeds </a></li>
                    <li><a href="fert.jsp">Fertilizers </a></li>

                  </ul>
                </li>
                <%--<li><a href="blog.html">Blog</a></li>
                <li><a href="contact-us.html">Contact</a></li>    --%>
              </ul>
           </div>
         </div><!--/.container-->
       </nav><!--/nav-->

    </header><!--/header-->

    <section id="about-us">
       <div class="container">
                            <div class="center wow fadeInDown">
                                    <h2> Bonsai Tree</h2>
                                    <p class="lead"><%@page import ="java.sql.*"%>
<%@page import="java.util.*,java.io.*"%>

<%

try
{
   Class.forName("com.mysql.jdbc.Driver");
            Connection con=DriverManager.getConnection("jdbc:mysql://localhost:3306/nursery2020","root","mysql");
     Statement stmt=con.createStatement();
     ResultSet rs;
     ResultSetMetaData rmd;



            String s1="select pid,pic,pdesc,rate,gst from product where Category='Bonsai Tree'";

   rs = stmt.executeQuery(s1);

                 out.println("<body><h1><div align=center><strong><span
class=style1>DETAILS</span></strong></div></h1></body>");

     out.println("<table border=2 align=center width=50% bordercolor=silver ><tr>");

     rmd =rs.getMetaData();
     int n=rmd.getColumnCount();
     for(int i=1;i<=n+1;i++)
     {
                    if(i<=n)
       out.println("<td><b><font size=5>"+rmd.getColumnName(i)+"</font></b></td>");
                            else
                            out.println("<td><b><font size=5>BUY</font></b></td>");
     }
     String id="",cat="",gst="",rate="",s="";
     while (rs.next())
     {
       out.println("<tr>");
```

102

```
        for(int x=1;x<=n;x++)
        {
            s=rs.getString(x);
                                if(x==1)
                                {
  // out.println("<td><b><img src="+s+" width=100 height=100></img></b></td>");
        id=s;
          out.println("<td><b>"+id+"</b></td>");
      //        gst=s;
                                }
                                else if(x==2)
                                {
                                // cat=s;
   out.println("<td><b><img src="+s+" width=100 height=100></img></b></td>");


                                }
                                        else if(x==4)
                                {
                                rate=s;
      out.println("<td><b>"+s+"</b></td>");
                                }
                                        else if(x==5)
                                {
                                gst=s;
       out.println("<td><b>"+s+"</b></td>");
                                }
                                 else
                                 {
                                        out.println("<td><b>"+s+"</b></td>");
                                }


        }
            out.println("<td><b><a
href=addcart.jsp?d="+id+"&c=BonsaiTree"+"&gst="+gst+"&rate="+rate+"></img></b><img
src='addtocart.png'></img><a/></td>");




     out.println("</tr>");
    }
                    out.println("</table><br></body></html>");
    rs.close();
                stmt.close();
                con.close();


}
  catch(Exception e)
   {

   out.println(e);
   }
%>

<div align="center">


            <p> </p>
     <p> </p>
            <p> </p>
            <p>           </p>
     </div>
```

```html
<!-- about us slider -->

  </section><!--/#bottom-->

  <footer id="footer" class="midnight-blue">
    <div class="container">
      <div class="row">
        <div class="col-sm-6">
           &copy; 2020 All Rights Reserved.
        </div>

      </div>
    </div>
  </footer><!--/#footer-->


  <script src="js/jquery.js"></script>
  <script type="text/javascript">
    $('.carousel').carousel()
  </script>
  <script src="js/bootstrap.min.js"></script>
  <script src="js/jquery.prettyPhoto.js"></script>
  <script src="js/jquery.isotope.min.js"></script>
  <script src="js/main.js"></script>
  <script src="js/wow.min.js"></script>
</body>
</html>
```

Contact.jsp:

```jsp
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="">
  <meta name="author" content="">
  <title>About Us | Corlate</title>

        <!-- core CSS -->
  <link href="css/bootstrap.min.css" rel="stylesheet">
  <link href="css/font-awesome.min.css" rel="stylesheet">
  <link href="css/prettyPhoto.css" rel="stylesheet">
  <link href="css/animate.min.css" rel="stylesheet">
        <link href="css/main.css" rel="stylesheet">
  <link href="css/responsive.css" rel="stylesheet">

  <!--[if lt IE 9]>
  <script src="js/html5shiv.js"></script>
  <script src="js/respond.min.js"></script>
  <![endif]-->
  <link rel="shortcut icon" href="images/ico/favicon.ico">
  <link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
  <link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
  <link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
  <link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
</head><!--/head-->

<body>

    <header id="header">
     <div class="top-bar">
        <div class="container">
```

```
<div class="row">
  <%--<div class="col-sm-6 col-xs-4">
     <div class="top-number"><p><i class="fa fa-phone-square"></i>  +0123 456 70 90</p></div>
  </div>--%>
  <%--<div class="col-sm-6 col-xs-8">
    <div class="social">
       <ul class="social-share">
         <li><a href="#"><i class="fa fa-facebook"></i></a></li>
         <li><a href="#"><i class="fa fa-twitter"></i></a></li>
         <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
         <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
         <li><a href="#"><i class="fa fa-skype"></i></a></li>
       </ul>
       <div class="search">
         <form role="form">
            <input type="text" class="search-form" autocomplete="off" placeholder="Search">
            <i class="fa fa-search"></i>
         </form>
       </div>
    </div>
  </div>--%>
</div>
</div><!--/.container-->
</div><!--/.top-bar-->

<nav class="navbar navbar-inverse" role="banner">
  <div class="container">
    <div class="navbar-header">
      <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
        <span class="sr-only">Toggle navigation</span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
      </button>--%>
      <a class="navbar-brand" href="index.jsp">Chemical Supply</a>
    </div>

    <div class="collapse navbar-collapse navbar-right">
      <ul class="nav navbar-nav">
        <li><a href="aboutus.jsp">About</a></li>
        <li><a href="contact.jsp">contact</a></li>
        <li><a href="signin.jsp">Signin</a></li>
          <li><a href="adminsignin.jsp">Admin Signin</a></li>
          <li><a href="signup.jsp">Signup</a></li>

        <%--<li><a href="portfolio.html"></a></li>--%>

        <li class="dropdown">
          <a href="#" class="dropdown-toggle" data-toggle="dropdown">Shop<i class="fa fa-angle-
down"></i></a>
          <ul class="dropdown-menu">
           <li><a href="SulfuricAcid.jsp">Sulfuric Acid</a></li>
            <li><a href="Zinc.jsp">Zinc</a></li>
           <li><a href="SodiunHydroxide.jsp">Sodiun Hydroxide</a></li>
            <li><a href="NitricAcid.jsp">Nitric Acid</a></li>
                                                <li><a href="AceticAcid.jsp">Acetic
Acid</a></li>

          </ul>
        </li>
        <%--<li><a href="blog.html">Blog</a></li>
        <li><a href="contact-us.html">Contact</a></li>    --%>
      </ul>
    </div>
  </div><!--/.container-->
```

```html
    </nav><!--/nav-->
        </header><!--/header-->

  <section id="about-us">
    <div class="container">
                          <div class="center wow fadeInDown">
                                  <h2>contact us</h2>
                  <p class="lead">"Phone number:9110804483" "Email-id:kaushiknk18@gmail.com"</p>

                          </div>

                          <!-- about us slider -->

  </section><!--/#bottom-->

  <footer id="footer" class="midnight-blue">
    <div class="container">
      <div class="row">
        <div class="col-sm-6">
           &copy; 2020 All Rights Reserved.
        </div>

      </div>
    </div>
  </footer><!--/#footer-->


  <script src="js/jquery.js"></script>
  <script type="text/javascript">
    $('.carousel').carousel()
  </script>
  <script src="js/bootstrap.min.js"></script>
  <script src="js/jquery.prettyPhoto.js"></script>
  <script src="js/jquery.isotope.min.js"></script>
  <script src="js/main.js"></script>
  <script src="js/wow.min.js"></script>
</body>
</html>

Delete.jsp:
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="">
  <meta name="author" content="">
  <title>About Us | Corlate</title>

        <!-- core CSS -->
  <link href="css/bootstrap.min.css" rel="stylesheet">
  <link href="css/font-awesome.min.css" rel="stylesheet">
  <link href="css/prettyPhoto.css" rel="stylesheet">
  <link href="css/animate.min.css" rel="stylesheet">
        <link href="css/main.css" rel="stylesheet">
  <link href="css/responsive.css" rel="stylesheet">

  <!--[if lt IE 9]>
  <script src="js/html5shiv.js"></script>
  <script src="js/respond.min.js"></script>
  <![endif]-->
  <link rel="shortcut icon" href="images/ico/favicon.ico">
  <link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
```

```html
        <link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
        <link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
        <link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
</head><!--/head-->

<body>

    <header id="header">
     <div class="top-bar">
        <div class="container">
          <div class="row">
            <%--<div class="col-sm-6 col-xs-4">
              <div class="top-number"><p><i class="fa fa-phone-square"></i>  +0123 456 70 90</p></div>
            </div>--%>
            <%--<div class="col-sm-6 col-xs-8">
              <div class="social">
                <ul class="social-share">
                  <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                  <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                  <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                  <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
                  <li><a href="#"><i class="fa fa-skype"></i></a></li>
                </ul>
                <div class="search">
                  <form role="form">
                    <input type="text" class="search-form" autocomplete="off" placeholder="Search">
                    <i class="fa fa-search"></i>
                  </form>
                </div>
              </div>
            </div>--%>
          </div>
        </div><!--/.container-->
     </div><!--/.top-bar-->

    <nav class="navbar navbar-inverse" role="banner">
        <div class="container">
          <div class="navbar-header">
            <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
              <span class="sr-only">Toggle navigation</span>
              <span class="icon-bar"></span>
              <span class="icon-bar"></span>
              <span class="icon-bar"></span>
            </button>--%>
            <a class="navbar-brand" href="index.jsp">OnlineNursery</a>
          </div>

          <div class="collapse navbar-collapse navbar-right">
            <ul class="nav navbar-nav">
              <li ><a href="uepw.jsp">Edit Password</a></li>
              <li ><a href="viewcart.jsp">View Cart</a></li>
              <li ><a href="track.jsp">Track Order </a></li>
              <li><a href="index.jsp">signout</a></li>

            </ul>
          </div>
        </div><!--/.container-->
     </nav><!--/nav-->
        </header><!--/header-->

  <section id="about-us">
    <div class="container">
                            <div class="center wow fadeInDown">
                                <h2>Delete Page</h2>
                                <p class="lead"> </p>
```
107

```
                                    </div>

                                    <!-- about us slider --><div style="width:600px; alignment:center">

        <p> <%
                                        if(session.getAttribute("emailid").equals(""))
                                        {
                                                response.sendRedirect("index.jsp");
                                        }

            %></p>
        <p align="center"><% @page import ="java.sql.*"%>
<%
try
{

    String s=request.getParameter("d").trim();

     Class.forName("com.mysql.jdbc.Driver");
            Connection con=DriverManager.getConnection("jdbc:mysql://localhost:3306/nursery2020","root","mysql");
    Statement stmt=con.createStatement();
    //ResultSet rs;
    String s1="delete from carttemp where pid="+"'"+s+"'";
    //out.println("done");

    stmt.executeUpdate(s1);

  // rs.close();

   stmt.close();

   con.close();
                                    out.println("<script> alert('Deleted successfully'); </script>");
                                    out.println("<a href=viewcart.jsp>Return to Cart</a>");



}
  catch(Exception e)
   {

    out.println(e);
   }
%></p>

  </section><!--/#bottom-->

  <footer id="footer" class="midnight-blue">
     <div class="container">
        <div class="row">
           <div class="col-sm-6">
              &copy; 2020 All Rights Reserved.
           </div>

        </div>
     </div>
  </footer><!--/#footer-->


  <script src="js/jquery.js"></script>
  <script type="text/javascript">
     $('.carousel').carousel()
  </script>
  <script src="js/bootstrap.min.js"></script>
```

108

```
    <script src="js/jquery.prettyPhoto.js"></script>
    <script src="js/jquery.isotope.min.js"></script>
    <script src="js/main.js"></script>
    <script src="js/wow.min.js"></script>
</body>
</html>


Deleteall.jsp:
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="description" content="">
    <meta name="author" content="">
    <title>About Us | Corlate</title>

            <!-- core CSS -->
    <link href="css/bootstrap.min.css" rel="stylesheet">
    <link href="css/font-awesome.min.css" rel="stylesheet">
    <link href="css/prettyPhoto.css" rel="stylesheet">
    <link href="css/animate.min.css" rel="stylesheet">
            <link href="css/main.css" rel="stylesheet">
    <link href="css/responsive.css" rel="stylesheet">

    <!--[if lt IE 9]>
    <script src="js/html5shiv.js"></script>
    <script src="js/respond.min.js"></script>
    <![endif]-->
    <link rel="shortcut icon" href="images/ico/favicon.ico">
    <link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
    <link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
    <link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
    <link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
</head><!--/head-->

<body>

    <header id="header">
     <div class="top-bar">
        <div class="container">
          <div class="row">
            <%--<div class="col-sm-6 col-xs-4">
              <div class="top-number"><p><i class="fa fa-phone-square"></i>  +0123 456 70 90</p></div>
            </div>--%>
            <%--<div class="col-sm-6 col-xs-8">
              <div class="social">
                 <ul class="social-share">
                    <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                    <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                    <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                    <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
                    <li><a href="#"><i class="fa fa-skype"></i></a></li>
                 </ul>
                 <div class="search">
                    <form role="form">
                       <input type="text" class="search-form" autocomplete="off" placeholder="Search">
                       <i class="fa fa-search"></i>
                    </form>
                 </div>
              </div>
            </div>--%>
```

```html
            </div>
        </div><!--/.container-->
    </div><!--/.top-bar-->

<nav class="navbar navbar-inverse" role="banner">
    <div class="container">
        <div class="navbar-header">
            <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
                <span class="sr-only">Toggle navigation</span>
                <span class="icon-bar"></span>
                <span class="icon-bar"></span>
                <span class="icon-bar"></span>
            </button>--%>
            <a class="navbar-brand" href="index.jsp">OnlineNursery</a>
        </div>

        <div class="collapse navbar-collapse navbar-right">
            <ul class="nav navbar-nav">
                <li ><a href="uepw.jsp">Edit Password</a></li>
                <li ><a href="viewcart.jsp">View Cart</a></li>
                <li><a href="shhistory.jsp">Shoping  History</a></li>
                <li ><a href="track.jsp">Track Order </a></li>
                <li ><a href="feedback.jsp"> Feedback </a></li>
                <li><a href="index.jsp">signout</a></li>
                <%--<li><a href="portfolio.html"></a></li>--%>
                <%-- <li class="dropdown">
                    <a href="#" class="dropdown-toggle" data-toggle="dropdown">Ornamentals<i class="fa fa-angle-
down"></i></a>
                    <ul class="dropdown-menu">
                        <li><a href="#">Plants</a></li>
                        <li><a href="#">Gardan</a></li>
                        <li><a href="#">Seeds</a></li>
                        <li><a href="shortcodes.html">Shortcodes</a></li>
                    </ul>
                </li>--%>
                <%--<li><a href="blog.html">Blog</a></li>
                <li><a href="contact-us.html">Contact</a></li>    --%>
            </ul>
        </div>
    </div><!--/.container-->
</nav><!--/nav-->
        </header><!--/header-->

<section id="about-us">
    <div class="container">
                        <div class="center wow fadeInDown">
                                <h2><%
                                if(session.getAttribute("emailid").equals(""))
                                {
                                            response.sendRedirect("index.jsp");
                                }

        %></p>
    <p align="center"><% @page import ="java.sql.*"%>
<%
try
{



    Class.forName("com.mysql.jdbc.Driver");
            Connection con=DriverManager.getConnection("jdbc:mysql://localhost:3306/nursery2020","root","mysql");
    Statement stmt=con.createStatement();
    //ResultSet rs;
```

110

```
    String s1="delete  from carttemp";
    //out.println("done");

  stmt.executeUpdate(s1);

   // rs.close();

    stmt.close();

    con.close();
    out.println("<script> alert('Deleted successfully'); </script>");
                                  out.println("<a href=viewcart.jsp>Return to Cart</a>");



}
  catch(Exception e)
   {

    out.println(e);
    }
%></p>
                                  </div>

                                  <!-- about us slider -->

  </section><!--/#bottom-->

  <footer id="footer" class="midnight-blue">
     <div class="container">
        <div class="row">
           <div class="col-sm-6">
              &copy; 2020 All Rights Reserved.
           </div>

        </div>
     </div>
  </footer><!--/#footer-->


  <script src="js/jquery.js"></script>
  <script type="text/javascript">
     $('.carousel').carousel()
  </script>
  <script src="js/bootstrap.min.js"></script>
  <script src="js/jquery.prettyPhoto.js"></script>
  <script src="js/jquery.isotope.min.js"></script>
  <script src="js/main.js"></script>
  <script src="js/wow.min.js"></script>
</body>
</html>

Dispatch.jsp:
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html lang="en">
<head>
   <meta charset="utf-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <meta name="description" content="">
   <meta name="author" content="">
   <title>About Us | Corlate</title>

          <!-- core CSS -->
```

```html
<link href="css/bootstrap.min.css" rel="stylesheet">
<link href="css/font-awesome.min.css" rel="stylesheet">
<link href="css/prettyPhoto.css" rel="stylesheet">
<link href="css/animate.min.css" rel="stylesheet">
        <link href="css/main.css" rel="stylesheet">
<link href="css/responsive.css" rel="stylesheet">

<!--[if lt IE 9]>
<script src="js/html5shiv.js"></script>
<script src="js/respond.min.js"></script>
<![endif]-->
<link rel="shortcut icon" href="images/ico/favicon.ico">
<link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
<link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
<link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
<link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
</head><!--/head-->

<body>

    <header id="header">
     <div class="top-bar">
        <div class="container">
          <div class="row">
            <%--<div class="col-sm-6 col-xs-4">
              <div class="top-number"><p><i class="fa fa-phone-square"></i>  +0123 456 70 90</p></div>
            </div>--%>
            <%--<div class="col-sm-6 col-xs-8">
              <div class="social">
                <ul class="social-share">
                  <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                  <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                  <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                  <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
                  <li><a href="#"><i class="fa fa-skype"></i></a></li>
                </ul>
                <div class="search">
                  <form role="form">
                     <input type="text" class="search-form" autocomplete="off" placeholder="Search">
                     <i class="fa fa-search"></i>
                  </form>
                </div>
              </div>
            </div>--%>
          </div>
        </div><!--/.container-->
     </div><!--/.top-bar-->

    <nav class="navbar navbar-inverse" role="banner">
        <div class="container">
          <div class="navbar-header">
            <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
              <span class="sr-only">Toggle navigation</span>
              <span class="icon-bar"></span>
              <span class="icon-bar"></span>
              <span class="icon-bar"></span>
            </button>--%>
            <a class="navbar-brand" href="index.jsp">Chemical supply</a>
          </div> <ul class="nav navbar-nav"> <li><a href="aepw.jsp">Edit Password</a></li>
              <li ><a href="aproduct.jsp">Add Product</a></li>
               <li ><a href="eproduct.jsp">Edit Product</a></li>
              <li><a href="history.jsp">Payment History</a></li>
              <li  class="active"><a href="dispatch.jsp">Dispatch Order View</a></li>
               <li><a href="feedview.jsp">Feedback View</a></li>
              <li><a href="index.jsp">signout</a></li>
```
112

```
            </ul>
          </div>
        </div><!--/.container-->
      </nav><!--/nav-->
          </header><!--/header-->

  <section id="about-us">
    <div class="container">
                        <div class="center wow fadeInDown">
                            <h2>Dispatch Order</h2>
                            <p class="lead"><%@page import ="java.sql.*"%>
      <%@page import="java.util.*,java.io.*,javax.servlet.http.Cookie"%>
      <%

try
{
        Class.forName("com.mysql.jdbc.Driver");
         Connection con=DriverManager.getConnection("jdbc:mysql://localhost:3306/nursery2020","root","mysql");
    Statement stmt=con.createStatement();
    ResultSet rs;
    ResultSetMetaData rmd;




            String s1="select billno as InvoiceNo,fullname as Name,addr as Address,emailid as Email,ph as Mobile ,status
as Status from payment2";

    rs = stmt.executeQuery(s1);

                    out.println("<body><div align=center><strong><span class=style1>To be Dispatched
Details</span></strong></div></body>");

    out.println("<table border=2 align=center width=50% bordercolor=blue ><tr>");

    rmd =rs.getMetaData();
    int n=rmd.getColumnCount();
    for(int i=1;i<=n;i++)
    {

       out.println("<td><b><font size=5>"+rmd.getColumnName(i)+"</font></b></td>");

    }
                String s="",s11="";
    while (rs.next())
    {
       out.println("<tr>");


        for(int x=1;x<=n;x++)
        {

                                s=rs.getString(x);
                                if(x==1)
                                {
                                        s11=s;
                                 out.println("<td><b>"+s+"</td>");
                                }
                                else
                                {
                                out.println("<td><b>"+s+"</td>");
                                }
                        }
                                      113
```

```java
                                                                out.println("<td><b><a
href=dispatch1.jsp?id="+s11+"><h4>Dispatch</h4></b><a/></td>");
      }




      out.println("</tr>");


    rs.close();
                stmt.close();
                con.close();



}
  catch(Exception e)
   {

    out.println(e);
   }
%></p>
</div>

                                <!-- about us slider -->
          <div>
   </section><!--/#bottom-->

  <%-- <footer id="footer" class="midnight-blue">
     <div class="container">
        <div class="row">
           <div class="col-sm-6">
              &copy; 2020 All Rights Reserved.
           </div>

        </div>
     </div>
   </footer><!--%>


  <script src="js/jquery.js"></script>
  <script type="text/javascript">
     $('.carousel').carousel()
  </script>
  <script src="js/bootstrap.min.js"></script>
  <script src="js/jquery.prettyPhoto.js"></script>
  <script src="js/jquery.isotope.min.js"></script>
  <script src="js/main.js"></script>
  <script src="js/wow.min.js"></script>
</body>
</html>
```

Dispatch1.jsp:

```jsp
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="">
  <meta name="author" content="">
```

```html
<title>About Us | Corlate</title>

        <!-- core CSS -->
<link href="css/bootstrap.min.css" rel="stylesheet">
<link href="css/font-awesome.min.css" rel="stylesheet">
<link href="css/prettyPhoto.css" rel="stylesheet">
<link href="css/animate.min.css" rel="stylesheet">
        <link href="css/main.css" rel="stylesheet">
<link href="css/responsive.css" rel="stylesheet">

<!--[if lt IE 9]>
<script src="js/html5shiv.js"></script>
<script src="js/respond.min.js"></script>
<![endif]-->
<link rel="shortcut icon" href="images/ico/favicon.ico">
<link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
<link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
<link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
<link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
</head><!--/head-->

<body>

    <header id="header">
     <div class="top-bar">
        <div class="container">
          <div class="row">
            <%--<div class="col-sm-6 col-xs-4">
              <div class="top-number"><p><i class="fa fa-phone-square"></i>  +0123 456 70 90</p></div>
            </div>--%>
            <%--<div class="col-sm-6 col-xs-8">
              <div class="social">
                <ul class="social-share">
                  <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                  <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                  <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                  <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
                  <li><a href="#"><i class="fa fa-skype"></i></a></li>
                </ul>
                <div class="search">
                  <form role="form">
                     <input type="text" class="search-form" autocomplete="off" placeholder="Search">
                     <i class="fa fa-search"></i>
                  </form>
                </div>
              </div>
            </div>--%>
          </div>
        </div><!--/.container-->
     </div><!--/.top-bar-->

    <nav class="navbar navbar-inverse" role="banner">
        <div class="container">
          <div class="navbar-header">
            <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
              <span class="sr-only">Toggle navigation</span>
              <span class="icon-bar"></span>
              <span class="icon-bar"></span>
              <span class="icon-bar"></span>
            </button>--%>
            <a class="navbar-brand" href="index.jsp">OnlineNursery</a>
          </div>

           <ul class="nav navbar-nav"> <li><a href="aepw.jsp">Edit Password</a></li>
                <li><a href="aproduct.jsp">Add Product</a></li>
```
115

```
              <li ><a href="eproduct.jsp">Edit Product</a></li>
                <li><a href="history.jsp">Payment History</a></li>
                <li><a href="dispatch.jsp">Dispatch Order View</a></li>
                <li><a href="index.jsp">signout</a></li>

            </ul>
          </div>
        </div><!--/.container-->
      </nav><!--/nav-->
            </header><!--/header-->

   <section id="about-us">
     <div class="container">
                              <div class="center wow fadeInDown">
                                        <h2> <% @page import ="java.sql.*"%>
       <% @page import="java.util.*,java.io.*,javax.servlet.http.Cookie"%>
       <%

try
{
        Class.forName("com.mysql.jdbc.Driver");
          Connection con=DriverManager.getConnection("jdbc:mysql://localhost:3306/nursery2020","root","mysql");
     Statement stmt=con.createStatement();
     ResultSet rs;


      String bno=request.getParameter("id");
 PreparedStatement pstmt=con.prepareStatement("Update payment2 set status='Dispatched' where billno=?");
      pstmt.setString(1,bno);

      pstmt.executeUpdate();

       pstmt.close();

   out.println("<h1 align=center style='color:red'> Dispatched Successfully....");

}
  catch(Exception e)
   {

    out.println(e);
   }
%>
                              </div>

                              <p>
                               <!-- about us slider -->

                               </section>
</p>
                              <p> </p>
                              <p> </p>
                              <p>
                               <!--/#bottom-->

                          </p>
<footer id="footer" class="midnight-blue">
     <div class="container">
        <div class="row">
           <div class="col-sm-6">
              &copy; 2020 All Rights Reserved.
           </div>

        </div>
      </div>
```

```
    </footer><!--/#footer-->


    <script src="js/jquery.js"></script>
    <script type="text/javascript">
        $('.carousel').carousel()
    </script>
    <script src="js/bootstrap.min.js"></script>
    <script src="js/jquery.prettyPhoto.js"></script>
    <script src="js/jquery.isotope.min.js"></script>
    <script src="js/main.js"></script>
    <script src="js/wow.min.js"></script>
</body>
</html>


Dproduct.jsp:
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html>
<!--[if lt IE 7 ]><html class="ie ie6" lang="en"> <![endif]-->
<!--[if IE 7 ]><html class="ie ie7" lang="en"> <![endif]-->
<!--[if IE 8 ]><html class="ie ie8" lang="en"> <![endif]-->
<!--[if (gte IE 9)|!(IE)]><!--><html class="not-ie" lang="en"> <!--<![endif]-->
<!--
        ucorpora by freshdesignweb.com
        Twitter: https://twitter.com/freshdesignweb
        https://www.freshdesignweb.com/ucorpora/
-->
<head>
        <!-- Basic Meta Tags -->
  <meta charset="utf-8">
<title>Ucorpora Blog Detail</title>
        <meta name="description" content="ucorpora blog detail - Free Business Corporate HTML Template">
        <meta name="keywords" content="ucorpora, ucorpora blog detail, theme, template, corporate, clean, modern,
bootstrap, creative, design">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <!--[if (gte IE 9)|!(IE)]>
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta http-equiv="Content-Type" content="text/html;charset=utf-8">
  <![endif]-->

  <!-- Favicon -->
  <link href="file:///D|/JavaProjects-2020/Fashionhub/web/img/favicon.ico" rel="icon" type="image/png">

  <!-- Styles -->
  <link href="file:///D|/JavaProjects-2020/Fashionhub/web/css/styles.css" rel="stylesheet">
  <link href="file:///D|/JavaProjects-2020/Fashionhub/web/css/bootstrap-override.css" rel="stylesheet">

  <!-- Font Avesome Styles -->
  <link href="file:///D|/JavaProjects-2020/Fashionhub/web/css/font-awesome/font-awesome.css" rel="stylesheet">
        <!--[if IE 7]>
                <link href="css/font-awesome/font-awesome-ie7.min.css" rel="stylesheet">
        <![endif]-->

  <!-- FlexSlider Style -->
  <link rel="stylesheet" href="file:///D|/JavaProjects-2020/Fashionhub/web/css/flexslider.css" type="text/css"
media="screen">

        <!-- Internet Explorer condition - HTML5 shim, for IE6-8 support of HTML5 elements -->
        <!--[if lt IE 9]>
                <script src="http://html5shim.googlecode.com/svn/trunk/html5.js"></script>
        <![endif]-->

  <style type="text/css">
<!--
.style1 {color: #000000}
```

117

```html
-->
    </style>
</head>
<body>
  <!-- Header -->
  <header id="header">
   <div class="container">
    <div class="row t-container">


      <!-- Logo -->
      <div class="span3">
       <div class="logo">
        <a href="file:///D|/JavaProjects-2020/Fashionhub/web/index.jsp"><<h3>Aishwarya Hi-Tech.Com</h3></a>
       </div>
      </div>

      <div class="span9">
       <div class="row space60"></div>
         <nav id="nav" role="navigation">

                <ul class="clearfix">
           <li><a href="file:///D|/JavaProjects-2020/Fashionhub/web/aproduct.jsp">Add Product</a></li>
            <li><a href="file:///D|/JavaProjects-2020/Fashionhub/web/eproduct.jsp">Edit Product</a></li>
            <li><a href="file:///D|/JavaProjects-2020/Fashionhub/web/history.jsp">Payment History</a></li>
            <li><a href="file:///D|/JavaProjects-2020/Fashionhub/web/dispatch.jsp">Dispatch Order </a></li>
           <li><a href="file:///D|/JavaProjects-2020/Fashionhub/web/index.jsp" >Signout</a></li>
          <%-- <li><a href="components.jsp">Products</a>
                            <ul> <!-- Submenu -->
             <li><a href="components.htm" title="">Belts</a></li>
              <li><a href="blog.htm" title="">Buckles</a></li>
             <li><a href="blog-detail.htm" title="">Buttons</a></li>
                        </ul> <!-- End Submenu -->
          </li>--%>
                </ul>
       </nav>
      </div>
    </div>
     <div class="row space40"></div>

   </div>
</header><!-- Header End -->

<!-- Titlebar
================================================== -->
<section id="titlebar">
        <!-- Container -->
        <div class="container">


          <div class="eight columns">
                        <h3 class="left">Admin Page</h3>




        </div>
        <!-- Container / End -->
</section>

  <!-- Content -->
  <div id="content">

   <div class="container">
     <div class="row"><!-- Content End -->
     <div style="width:500px; alignment:center">
```
118

```
        <h1 align="center">Delete Product</h1>
        <p align="center">
         <% @page import ="java.sql.*"%>
         <%
try
{


     String s=request.getParameter("d").trim();
                //String t=request.getParameter("c").trim();


      Class.forName("com.mysql.jdbc.Driver");
             Connection con=DriverManager.getConnection("jdbc:mysql://localhost:3306/nursery2020","root","mysql");
      Statement stmt=con.createStatement();
      //ResultSet rs;
      String s1="delete from product where pid="+"'"+s+"'";
      out.println(s1);

      stmt.executeUpdate(s1);

   // rs.close();

    stmt.close();

    con.close();
                        out.println("<script> alert('Item Deleted Successfully..'); </script>");
                        //out.println("<a href=eproduct.jsp>Return to Edit Page</a>");
            response.sendRedirect("http://localhost:8080/onlinenursery2020/eproduct.jsp");




}
   catch(Exception e)
    {

     out.println(e);
    }
%>
     </p>
     <p> </p>
     </div>
 <!-- Footer -->
 <footer id="footer">


     <div class="span6 right">
       &copy; 2020. All rights reserved.
     </div>
    </div>


   </div>
  </footer>
  <!-- Footer End -->

  <!-- JavaScripts -->
  <script type="text/javascript" src="file:///D|/JavaProjects-2020/Fashionhub/web/js/jquery-1.8.3.min.js"></script>
<script type="text/javascript" src="file:///D|/JavaProjects-2020/Fashionhub/web/js/bootstrap.min.js"></script>
<script type="text/javascript" src="file:///D|/JavaProjects-2020/Fashionhub/web/js/functions.js"></script>
<script type="text/javascript" defer src="file:///D|/JavaProjects-2020/Fashionhub/web/js/jquery.flexslider.js"></script>

</body>
</html>
```

Eproduct.jsp:

```jsp
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="description" content="">
    <meta name="author" content="">
    <title>About Us | Corlate</title>

            <!-- core CSS -->
    <link href="css/bootstrap.min.css" rel="stylesheet">
    <link href="css/font-awesome.min.css" rel="stylesheet">
    <link href="css/prettyPhoto.css" rel="stylesheet">
    <link href="css/animate.min.css" rel="stylesheet">
            <link href="css/main.css" rel="stylesheet">
    <link href="css/responsive.css" rel="stylesheet">

    <!--[if lt IE 9]>
    <script src="js/html5shiv.js"></script>
    <script src="js/respond.min.js"></script>
    <![endif]-->
    <link rel="shortcut icon" href="images/ico/favicon.ico">
    <link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
    <link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
    <link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
    <link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
</head><!--/head-->

<body>

    <header id="header">
     <div class="top-bar">
        <div class="container">
           <div class="row">
             <%--<div class="col-sm-6 col-xs-4">
                <div class="top-number"><p><i class="fa fa-phone-square"></i>  +0123 456 70 90</p></div>
             </div>--%>
             <%--<div class="col-sm-6 col-xs-8">
               <div class="social">
                  <ul class="social-share">
                     <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                     <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                     <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                     <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
                     <li><a href="#"><i class="fa fa-skype"></i></a></li>
                  </ul>
                  <div class="search">
                    <form role="form">
                       <input type="text" class="search-form" autocomplete="off" placeholder="Search">
                       <i class="fa fa-search"></i>
                    </form>
                  </div>
               </div>
             </div>--%>
           </div>
        </div><!--/.container-->
     </div><!--/.top-bar-->

    <nav class="navbar navbar-inverse" role="banner">
        <div class="container">
```

120

```html
        <div class="navbar-header">
          <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
            <span class="sr-only">Toggle navigation</span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
          </button>--%>
          <a class="navbar-brand" href="index.jsp">Chemical supply</a>
        </div>

          <ul class="nav navbar-nav"> <li><a href="aepw.jsp">Edit Password</a></li>
            <li ><a href="aproduct.jsp">Add Product</a></li>
             <li  class="active"><a href="eproduct.jsp">Edit Product</a></li>
            <li><a href="history.jsp">Payment History</a></li>
            <li><a href="dispatch.jsp">Dispatch Order View</a></li>
             <li><a href="feedview.jsp">Feedback View</a></li>
            <li><a href="index.jsp">signout</a></li>

          </ul>
        </div>
      </div><!--/.container-->
    </nav><!--/nav-->
        </header><!--/header-->

  <section id="about-us">
    <div class="container">
                        <div class="center wow fadeInDown">
                              <h2>
                                 <% @page import ="java.sql.*"%>
          <% @page import="java.util.*,java.io.*"%>
          <%

try
{
   Class.forName("com.mysql.jdbc.Driver");
          Connection con=DriverManager.getConnection("jdbc:mysql://localhost:3306/nursery2020","root","mysql");
    Statement stmt=con.createStatement();
    ResultSet rs;
    ResultSetMetaData rmd;




          String s1="select pic,rate,pdesc,gst,pid from product";

   rs = stmt.executeQuery(s1);

                    out.println("<body><h1><div align=center><strong><span
class=style1>DETAILS</span></strong></div></h1></body>");

    out.println("<table border=2 align=center width=50% bordercolor=blue ><tr>");

    rmd =rs.getMetaData();
    int n=rmd.getColumnCount();
    for(int i=1;i<=n+1;i++)
    {
                    if(i<=n)
      out.println("<td><b><font size=5>"+rmd.getColumnName(i)+"</font></b></td>");
                            else
                            out.println("<td><b><font size=5>Review</font></b></td>");
    }
    String s="",s5="";
    while (rs.next())
    {
       out.println("<tr>");
```

121

```
        for(int x=1;x<=n;x++)
        {
                s=rs.getString(x);
                                        if(x==1)
                                        {
    out.println("<td><b><img src="+s+" width=50 height=50></img></b></td>");
                                        }
                                        else
                                        {
                                                out.println("<td><b>"+s+"</b></td>");
                                        }
                                        if (x==n)
                                        s5=s;

        }
            out.println("<td><b><a href=eproduct1.jsp?d="+s5+"><p style='color:#000'><img src=edititemicon.jpg
width=50 height=50></img></p></b><a/>");
                                        out.println("<b><a href=dproduct.jsp?d="+s5+"><p
style='color:#000'><img src=deleteicon.jpg width=50 height=50></img></p></b><a/></td>");
                                        //out.println("<td><b><a href=dproduct.jsp?d="+s5+"><img
src=deleteicon.jpg width=50 height=50></img></b><a/></td>");




    out.println("</tr>");
  }
                out.println("</table><br></body></html>");
    rs.close();
                stmt.close();
                con.close();


}
 catch(Exception e)
  {

  out.println(e);
  }
%>
         </h2>
</div>

<p>
                                <!-- about us slider -->

                                </section>
</p>
                                <p> </p>
                                <p> </p>
                                <p>
                                 <!--/#bottom-->

                        </p>
<footer id="footer" class="midnight-blue">
    <div class="container">
      <div class="row">
        <div class="col-sm-6">
          &copy; 2020 All Rights Reserved.
        </div>

      </div>
    </div>
```

122

```
    </footer><!--/#footer-->


    <script src="js/jquery.js"></script>
    <script type="text/javascript">
       $('.carousel').carousel()
    </script>
    <script src="js/bootstrap.min.js"></script>
    <script src="js/jquery.prettyPhoto.js"></script>
    <script src="js/jquery.isotope.min.js"></script>
    <script src="js/main.js"></script>
    <script src="js/wow.min.js"></script>
</body>
</html>

Eproduct1.jsp:
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="description" content="">
    <meta name="author" content="">
    <title>About Us | Corlate</title>

            <!-- core CSS -->
    <link href="css/bootstrap.min.css" rel="stylesheet">
    <link href="css/font-awesome.min.css" rel="stylesheet">
    <link href="css/prettyPhoto.css" rel="stylesheet">
    <link href="css/animate.min.css" rel="stylesheet">
            <link href="css/main.css" rel="stylesheet">
    <link href="css/responsive.css" rel="stylesheet">

    <!--[if lt IE 9]>
    <script src="js/html5shiv.js"></script>
    <script src="js/respond.min.js"></script>
    <![endif]-->
    <link rel="shortcut icon" href="images/ico/favicon.ico">
    <link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
    <link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
    <link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
    <link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
    <style type="text/css">
<!--
.style2 {font-size: 14px; }
-->
    </style>
</head><!--/head-->

<body>

    <header id="header">
     <div class="top-bar">
        <div class="container">
           <div class="row">
              <%--<div class="col-sm-6 col-xs-4">
                  <div class="top-number"><p><i class="fa fa-phone-square"></i>  +0123 456 70 90</p></div>
              </div>--%>
              <%--<div class="col-sm-6 col-xs-8">
                  <div class="social">
                     <ul class="social-share">
                        <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                        <li><a href="#"><i class="fa fa-twitter"></i></a></li>
```
123

```html
                    <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                    <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
                    <li><a href="#"><i class="fa fa-skype"></i></a></li>
                </ul>
                <div class="search">
                    <form role="form">
                        <input type="text" class="search-form" autocomplete="off" placeholder="Search">
                        <i class="fa fa-search"></i>
                    </form>
                </div>
            </div>
        </div>--%>
    </div>
</div><!--/.container-->
</div><!--/.top-bar-->

<nav class="navbar navbar-inverse" role="banner">
    <div class="container">
        <div class="navbar-header">
            <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
                <span class="sr-only">Toggle navigation</span>
                <span class="icon-bar"></span>
                <span class="icon-bar"></span>
                <span class="icon-bar"></span>
            </button>--%>
            <a class="navbar-brand" href="index.jsp">Chemical supply</a>
        </div>

        <ul class="nav navbar-nav">
            <li><a href="aepw.jsp">Edit Password</a></li>
            <li><a href="aproduct.jsp">Add Product</a></li>
            <li class="active" ><a href="eproduct.jsp">Edit Product</a></li>
            <li><a href="history.jsp">Payment History</a></li>
            <li><a href="dispatch.jsp">Dispatch Order View</a></li>
            <li><a href="feedbackv.jsp">Feedback </a></li>
            <li><a href="index.jsp">signout</a></li>
            <%--<li><a href="portfolio.html"></a></li>--%>
            <%-- <li class="dropdown">
                <a href="#" class="dropdown-toggle" data-toggle="dropdown">Ornamentals<i class="fa fa-angle-
down"></i></a>
                <ul class="dropdown-menu">
                    <li><a href="#">Plants</a></li>
                    <li><a href="#">Gardan</a></li>
                    <li><a href="#">Seeds</a></li>
                    <li><a href="shortcodes.html">Shortcodes</a></li>
                </ul>
            </li>--%>
            <%--<li><a href="blog.html">Blog</a></li>
            <li><a href="contact-us.html">Contact</a></li>    --%>
        </ul>
    </div>
</div><!--/.container-->
</nav><!--/nav-->
    </header><!--/header-->

<section id="about-us">
    <div class="container">
                        <div class="center wow fadeInDown">

    <form name="form1" method="post" action="">
     <table width="391" height="456" border="0px" align="center">
      <tr>
        <td width="80"><div align="left" class="style1">Product ID </div></td>
        <td width="168"><label>
```

```jsp
<%
                        String s2="",s3="",s4="",s5="",s6="",s="";

                %>
        <div align="left">
         <input type="textfield" name="t1" id="textfield4" value="<%        try

                                                {
                                                        String id=request.getParameter("d");
                                                        out.println(id);

                                                         Class.forName("com.mysql.jdbc.Driver");
        Connection con=DriverManager.getConnection("jdbc:mysql://localhost:3306/nursery2020","root","mysql");
          Statement stmt=con.createStatement();
    ResultSet rs;


         String s1="select * from product where pid="+"'"+id+"'";
         //out.println(s1);
         rs = stmt.executeQuery(s1);

         while(rs.next())
                 {

                 s2=rs.getString("pdesc");
                 s3=rs.getString("rate");
                 s4=rs.getString("pic");
                 s5=rs.getString("Category");
                 s6=rs.getString("gst");


                 }
                                                }

                                                catch(Exception e)
 {

  out.println(e);
 }
                                                %>" />
          </div>
        </label></td>
        <td width="17" rowspan="5"> </td>
      </tr>
      <tr>
        <td><div align="left" class="style2">Description</div></td>
<td><label>
         <div align="left">
          <input name="t2" type="text" id="t2" value="<% out.println(s2); %>"/>
         </div>
        </label></td>
      </tr>
      <tr>
        <td><div align="left" class="style2">Rate</div></td>
<td><label>
         <div align="left">
          <input name="t3" type="text" id="t3" value="<% out.println(s3); %>"/>
         </div>
        </label></td>
      </tr>
      <tr>
        <td><div align="left" class="style2">Photo</div></td>
  <td><div align="left">
         <input name="t4" id="t4" required="required" type="file"/>
```

```
          </div></td>
        </tr>
        <tr>
         <td><div align="left" class="style2">Category</div></td>
  <td><label>
           <div align="left">
            <select name="t5" id="t5">
              <option value="sulfuric acid">sulfuric acid</option>
              <option value="Zinc">Zinc</option>
              <option value="Sodiun Hydroxide">Sodiun Hydroxide</option>
              <option value="Nitric Acid">Nitric Acid</option>
              <option value="Acetic Acid">Acetic Acid</option>


            </select>
           </div>
         </label></td>
        </tr>
        <tr>
         <td><div align="left" class="style2">GST % </div></td>
  <td><div align="left">
            <input name="t6" type="text" id="t6" value="<% out.println(s6); %>"/>
         </div></td>
         <td> </td>
        </tr>
        <tr>
         <td colspan="3"><label>

          <div align="center">
           <input type="submit" name="Submit" value="Submit" />
           <input type="reset" name="Submit2" value="Reset" />
           </div>
         </label>
          <label>
          <div align="left"></div>
         </label>            </td>
        </tr>
       </table>
       </form>
     <p align="center"> <% @page import ="java.sql.*"%>
            <% @page import="java.util.*,java.io.*,javax.servlet.http.Cookie"%>
     <%


try
{
if(request.getParameter("Submit")!= null)


        {
                 Class.forName("com.mysql.jdbc.Driver");
          Connection con=DriverManager.getConnection("jdbc:mysql://localhost:3306/nursery2020","root","mysql");
          String t1=request.getParameter("t1").trim();
                 String t2=request.getParameter("t2").trim();
                 String t3=request.getParameter("t3").trim();
            String t4=request.getParameter("t4").trim();
     String t5=request.getParameter("t5").trim();
     String t6=request.getParameter("t6").trim();
     //String t7=request.getParameter("t7").trim();

     Statement stmt=con.createStatement();

  String ss="Update product set pdesc="+"'"+t2+"'"+",rate="+"'"+t3+"'"+",pic="+"'"+t4+"'"+",gst="+"'"+t6+"'"+" where
pid="+"'"+t1+"'";
          out.println(ss);
          stmt.executeUpdate(ss);
```

126

```
            con.close();
                                out.println("<h1 style='color:red'>SUCCESFULLY Added</h1>");
            //response.sendRedirect("http://localhost:8084/Quickmail/succsignup.html");
    }

            /*else
            {
            out.println("<h1 style='color:red'>Something Wrong</h1>");

            }*/

}
    catch(Exception e)
    {
     out.println("Exception occured" +e);

            }
%></h2>
</div>

<p>
                                <!-- about us slider -->

                                </section>
</p>
                                <p> </p>
                                <p> </p>
                                <p>
                                 <!--/#bottom-->

                                </p>
<footer id="footer" class="midnight-blue">
      <div class="container">
        <div class="row">
          <div class="col-sm-6">
             &copy; 2020 All Rights Reserved.
          </div>

        </div>
      </div>
    </footer><!--/#footer-->


    <script src="js/jquery.js"></script>
    <script type="text/javascript">
      $('.carousel').carousel()
    </script>
    <script src="js/bootstrap.min.js"></script>
    <script src="js/jquery.prettyPhoto.js"></script>
    <script src="js/jquery.isotope.min.js"></script>
    <script src="js/main.js"></script>
    <script src="js/wow.min.js"></script>
</body>
</html>

Feedback.jsp:
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="description" content="">
    <meta name="author" content="">
```

```html
<title>About Us | Corlate</title>

        <!-- core CSS -->
<link href="css/bootstrap.min.css" rel="stylesheet">
<link href="css/font-awesome.min.css" rel="stylesheet">
<link href="css/prettyPhoto.css" rel="stylesheet">
<link href="css/animate.min.css" rel="stylesheet">
        <link href="css/main.css" rel="stylesheet">
<link href="css/responsive.css" rel="stylesheet">

<!--[if lt IE 9]>
<script src="js/html5shiv.js"></script>
<script src="js/respond.min.js"></script>
<![endif]-->
<link rel="shortcut icon" href="images/ico/favicon.ico">
<link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
<link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
<link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
<link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
</head><!--/head-->

<body>

    <header id="header">
     <div class="top-bar">
        <div class="container">
          <div class="row">
            <%--<div class="col-sm-6 col-xs-4">
              <div class="top-number"><p><i class="fa fa-phone-square"></i>  +0123 456 70 90</p></div>
            </div>--%>
            <%--<div class="col-sm-6 col-xs-8">
              <div class="social">
                <ul class="social-share">
                  <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                  <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                  <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                  <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
                  <li><a href="#"><i class="fa fa-skype"></i></a></li>
                </ul>
                <div class="search">
                  <form role="form">
                    <input type="text" class="search-form" autocomplete="off" placeholder="Search">
                    <i class="fa fa-search"></i>
                  </form>
                </div>
              </div>
            </div>--%>
          </div>
        </div><!--/.container-->
      </div><!--/.top-bar-->

  <nav class="navbar navbar-inverse" role="banner">
        <div class="container">
          <div class="navbar-header">
            <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
              <span class="sr-only">Toggle navigation</span>
              <span class="icon-bar"></span>
              <span class="icon-bar"></span>
              <span class="icon-bar"></span>
            </button>--%>
            <a class="navbar-brand" href="index.jsp">OnlineNursery</a>
          </div>

          <div class="collapse navbar-collapse navbar-right">
            <ul class="nav navbar-nav">
```

128

```html
            <li ><a href="uepw.jsp">Edit Password</a></li>
            <li ><a href="viewcart.jsp">View Cart</a></li>
            <li ><a href="track.jsp">Track Order </a></li>
            <li  class="active"><a href="feedback.jsp"> Feedback </a></li>
            <li><a href="index.jsp">signout</a></li>
          </ul>
        </div>
      </div><!--/.container-->
    </nav><!--/nav-->
        </header><!--/header-->

<section id="about-us">
    <div class="container">
                        <div class="center wow fadeInDown">
                                <form id="form1" name="form1" method="post" action="">
                                  <table width="42%" border="0">
          <tr>
           <td width="19%"><div align="right">Full Name</div></td>
           <td width="3%"> </td>
           <td width="78%"><div align="left">
            <input type="text" name="t1" id="t1" />
           </div></td>
          </tr>
          <tr>
           <td><div align="right">Feed Back</div></td>
           <td> </td>
           <td><div align="left">
            <textarea name="t2" id="t2"></textarea>
           </div></td>
          </tr>
          <tr>
           <td><div align="right">Mobile</div></td>
           <td> </td>
           <td><div align="left">
            <input name="t3" type="text" id="t3" maxlength="10" />
           </div></td>
          </tr>
          <tr>
           <td><div align="right">Email</div></td>
           <td> </td>
           <td><div align="left">
            <input type="text" name="t4" id="t4" />
           </div></td>
          </tr>
          <tr>
           <td><div align="right">Rate</div></td>
           <td> </td>
           <td><div align="left">
            <input type="text" name="t5" id="t5" />
           </div></td>
          </tr>
          <tr>
           <td><div align="right"></div></td>
           <td> </td>
           <td><div align="left">
            <input type="submit" name="Submit" id="button" value="Submit" />
            <input type="reset" name="button2" id="button2" value="Reset" />
           </div></td>
          </tr>
         </table>
       </form>
                                 <h2>
                                 <% @page import ="java.sql.*"%>
         <% @page import="java.util.*,java.io.*,javax.servlet.http.Cookie"%>
         <%
```

```jsp
    if(request.getParameter("Submit")!= null)

        {

try
{

                Class.forName("com.mysql.jdbc.Driver");
          Connection con=DriverManager.getConnection("jdbc:mysql://localhost:3306/nursery2020","root","mysql");
          String t1=request.getParameter("t1").trim();
                    String t2=request.getParameter("t2").trim();
                    String t3=request.getParameter("t3").trim();
            String t4=request.getParameter("t4").trim();
     String t5=request.getParameter("t5").trim();

    PreparedStatement pstmt=con.prepareStatement("insert into fback values(?,?,?,?,?)");
        pstmt.setString(1,t1);
      pstmt.setString(2,t2);
      pstmt.setString(3,t3);
      pstmt.setString(4,t4);
      pstmt.setString(5,t5);


     pstmt.executeUpdate();


     pstmt.close();
     con.close();
                        out.println("<h1 style='color:red'>Added Feedback Successfully</h1>");
     //response.sendRedirect("http://localhost:8084/Quickmail/succsignup.html");
  }


  catch(Exception e)
  {
   out.println("Exception occured" +e);
  }

        }
%>
        </p>
        </p>
</h2>
                    </div>

<!-- about us slider -->

  </section><!--/#bottom-->

  <footer id="footer" class="midnight-blue">
    <div class="container">
      <div class="row">
        <div class="col-sm-6">
          &copy; 2020 All Rights Reserved.
        </div>

      </div>
    </div>
  </footer><!--/#footer-->


  <script src="js/jquery.js"></script>
  <script type="text/javascript">
```

```
            $('.carousel').carousel()
        </script>
    <script src="js/bootstrap.min.js"></script>
    <script src="js/jquery.prettyPhoto.js"></script>
    <script src="js/jquery.isotope.min.js"></script>
    <script src="js/main.js"></script>
    <script src="js/wow.min.js"></script>
</body>
</html>
```

Feedbackv.jsp:

```
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="description" content="">
    <meta name="author" content="">
    <title>About Us | Corlate</title>


            <!-- core CSS -->
    <link href="css/bootstrap.min.css" rel="stylesheet">
    <link href="css/font-awesome.min.css" rel="stylesheet">
    <link href="css/prettyPhoto.css" rel="stylesheet">
    <link href="css/animate.min.css" rel="stylesheet">
            <link href="css/main.css" rel="stylesheet">
    <link href="css/responsive.css" rel="stylesheet">

    <!--[if lt IE 9]>
    <script src="js/html5shiv.js"></script>
    <script src="js/respond.min.js"></script>
    <![endif]-->
    <link rel="shortcut icon" href="images/ico/favicon.ico">
    <link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
    <link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
    <link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
    <link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">

</head><!--/head-->

<body>

    <header id="header">
     <div class="top-bar">
        <div class="container">
           <div class="row">
              <%--<div class="col-sm-6 col-xs-4">
                 <div class="top-number"><p><i class="fa fa-phone-square"></i> +0123 456 70 90</p></div>
              </div>--%>
              <%--<div class="col-sm-6 col-xs-8">
                 <div class="social">
                    <ul class="social-share">
                       <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                       <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                       <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                       <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
                       <li><a href="#"><i class="fa fa-skype"></i></a></li>
                    </ul>
                    <div class="search">
                       <form role="form">
                          <input type="text" class="search-form" autocomplete="off" placeholder="Search">
                          <i class="fa fa-search"></i>
                       </form>
```

131

```html
                </div>
             </div>
           </div>--%>
         </div>
       </div><!--/.container-->
     </div><!--/.top-bar-->

  <nav class="navbar navbar-inverse" role="banner">
       <div class="container">
          <div class="navbar-header">
            <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
              <span class="sr-only">Toggle navigation</span>
              <span class="icon-bar"></span>
              <span class="icon-bar"></span>
              <span class="icon-bar"></span>
            </button>--%>
            <a class="navbar-brand" href="index.jsp">OnlineNursery</a>
          </div>

          <ul class="nav navbar-nav"> <li><a href="aepw.jsp">Edit Password</a></li>
              <li><a href="aproduct.jsp">Add Product</a></li>
               <li ><a href="eproduct.jsp">Edit Product</a></li>
              <li><a href="history.jsp">Payment History</a></li>
              <li><a href="dispatch.jsp">Dispatch Order View</a></li>
              <li><a href="index.jsp">signout</a></li>

           </ul>
         </div>
      </div><!--/.container-->
    </nav><!--/nav-->
        </header><!--/header-->

  <section id="about-us">
    <div class="container">
                         <div class="center wow fadeInDown">

                               <p class="lead">          <% @page import ="java.sql.*"%>
               <% @page import="java.util.*,java.io.*"%>
               <%

try
{
  //  Class.forName("sun.jdbc.odbc.JdbcOdbcDriver");
   // Connection con = DriverManager.getConnection("JDBC:ODBC:shopping","","");
   Class.forName("com.mysql.jdbc.Driver");
//    Connection con = DriverManager.getConnection("JDBC:ODBC:DON","","");
Connection con=DriverManager.getConnection(
"jdbc:mysql://localhost:3306/nursery2020","root","mysql");
          Statement stmt=con.createStatement();
    ResultSet rs;
    ResultSetMetaData rmd;


          String s1="select * from fback";

  rs = stmt.executeQuery(s1);

                out.println("<body><h1><div align=center><strong><span class=formhead>Feedback
View</span></strong></div></h1></body>");

    out.println("<table border=1 align=center width=100% id=customers ><tr>");

    rmd =rs.getMetaData();
    int n=rmd.getColumnCount();
    for(int i=1;i<=n+1;i++)
```
132

```
                {
                        if(i<=n)
            out.println("<td><b><font size=5 color=black>"+rmd.getColumnName(i)+"</font></b></td>");

                }
            String s="",s5="";
            while (rs.next())
            {
               out.println("<tr>");

                   for(int x=1;x<=n;x++)
                   {
                        s=rs.getString(x);
                                                if(x==5)
                                                {
                                                s5=s;
                                                int t=Integer.parseInt(s5);
                                                out.println("<td>");
                                                for(int k=1;k<=t;k++)
                                                        out.println("<b><img src=stars1.png width=15
height=15></img></b>");
                                                }
                                                else
                                                        {

out.println("<td><b>"+s+"</b></td>");
                                                        }



                   }
                   // out.println("<td><b><a href=addtocart.jsp?d="+s5+"&c=tables>Add to cart</b><a/></td>");




               out.println("</tr>");
            }
                        out.println("</table><br></body></html>");
            rs.close();
                        stmt.close();
                        con.close();


}
  catch(Exception e)
   {

    out.println(e);
   }
%></p>
                                </div>

                                <!-- about us slider -->

   </section><!--/#bottom-->

   <footer id="footer" class="midnight-blue">
      <div class="container">
         <div class="row">
            <div class="col-sm-6">
               &copy; 2020 All Rights Reserved.
            </div>
```

```
            </div>
          </div>
       </footer><!--/#footer-->


    <script src="js/jquery.js"></script>
    <script type="text/javascript">
       $('.carousel').carousel()
    </script>
    <script src="js/bootstrap.min.js"></script>
    <script src="js/jquery.prettyPhoto.js"></script>
    <script src="js/jquery.isotope.min.js"></script>
    <script src="js/main.js"></script>
    <script src="js/wow.min.js"></script>
</body>
</html>


Feedview.jsp:
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="description" content="">
    <meta name="author" content="">
    <title>About Us | Corlate</title>

            <!-- core CSS -->
    <link href="css/bootstrap.min.css" rel="stylesheet">
    <link href="css/font-awesome.min.css" rel="stylesheet">
    <link href="css/prettyPhoto.css" rel="stylesheet">
    <link href="css/animate.min.css" rel="stylesheet">
            <link href="css/main.css" rel="stylesheet">
    <link href="css/responsive.css" rel="stylesheet">

    <!--[if lt IE 9]>
    <script src="js/html5shiv.js"></script>
    <script src="js/respond.min.js"></script>
    <![endif]-->
    <link rel="shortcut icon" href="images/ico/favicon.ico">
    <link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
    <link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
    <link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
    <link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
    <style>
#customers {
 font-family: "Trebuchet MS", Arial, Helvetica, sans-serif;
 border-collapse: collapse;
 width: 100%;
}

#customers td, #customers th {
 border: 1px solid #BEEDFC;
 padding: 8px;
}

#customers tr:nth-child(even){background-color:#B4E7FA;}

#customers tr:hover {background-color:#BEEDFC;}

#customers th {
 padding-top: 12px;
```
134

```
        padding-bottom: 12px;
        text-align: left;
        background-color: #4CAF50;
        color: black;
}
</style>
</head><!--head-->

<body>

    <header id="header">
     <div class="top-bar">
        <div class="container">
           <div class="row">
              <%--<div class="col-sm-6 col-xs-4">
                 <div class="top-number"><p><i class="fa fa-phone-square"></i>  +0123 456 70 90</p></div>
              </div>--%>
              <%--<div class="col-sm-6 col-xs-8">
                 <div class="social">
                    <ul class="social-share">
                       <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                       <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                       <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                       <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
                       <li><a href="#"><i class="fa fa-skype"></i></a></li>
                    </ul>
                    <div class="search">
                       <form role="form">
                          <input type="text" class="search-form" autocomplete="off" placeholder="Search">
                          <i class="fa fa-search"></i>
                       </form>
                    </div>
                 </div>
              </div>--%>
           </div>
        </div><!--/.container-->
     </div><!--/.top-bar-->

   <nav class="navbar navbar-inverse" role="banner">
        <div class="container">
           <div class="navbar-header">
              <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
                 <span class="sr-only">Toggle navigation</span>
                 <span class="icon-bar"></span>
                 <span class="icon-bar"></span>
                 <span class="icon-bar"></span>
              </button>--%>
              <a class="navbar-brand" href="index.jsp">Chemical supply</a>
           </div>

           <ul class="nav navbar-nav">
               <li><a href="aepw.jsp">Edit Password</a></li>
               <li><a href="aproduct.jsp">Add Product</a></li>
                <li ><a href="eproduct.jsp">Edit Product</a></li>
               <li><a href="history.jsp">Payment History</a></li>
               <li><a href="dispatch.jsp">Dispatch Order View</a></li>
                <li class="active"><a href="feedview.jsp">Feedback View</a></li>
               <li><a href="index.jsp">signout</a></li>


           </ul>
        </div>
     </div><!--/.container-->
   </nav><!--/nav-->
        </header><!--/header-->
```

```
    <section id="about-us">
      <div class="container">
                                <div class="center wow fadeInDown">
                                        <h2>View Feedback</h2>
                                        <p><span class="lead">
        <% @page import ="java.sql.*"%>
        <% @page import="java.util.*,java.io.*"%>
        <%

try
{
  //  Class.forName("sun.jdbc.odbc.JdbcOdbcDriver");
    // Connection con = DriverManager.getConnection("JDBC:ODBC:shopping","","");
   Class.forName("com.mysql.jdbc.Driver");
//     Connection con = DriverManager.getConnection("JDBC:ODBC:DON","","");
Connection con=DriverManager.getConnection(
"jdbc:mysql://localhost:3306/nursery2020","root","mysql");
          Statement stmt=con.createStatement();
    ResultSet rs;
    ResultSetMetaData rmd;


          String s1="select * from feedback";

   rs = stmt.executeQuery(s1);

                  out.println("<body><h1><div align=center><strong><span class=formhead>Feedback
View</span></strong></div></h1></body>");

    out.println("<table border=1 align=center width=100% id=customers ><tr>");

    rmd =rs.getMetaData();
    int n=rmd.getColumnCount();
    for(int i=1;i<=n+1;i++)
    {
                    if(i<=n)
      out.println("<td><b><font size=5 color=black>"+rmd.getColumnName(i)+"</font></b></td>");

    }
    String s="",s5="";
    while (rs.next())
    {
      out.println("<tr>");

        for(int x=1;x<=n;x++)
        {
              s=rs.getString(x);
                                        if(x==5)
                                        {
                                        s5=s;
                                        int t=Integer.parseInt(s5);
                                        out.println("<td>");
                                        for(int k=1;k<=t;k++)
                                                out.println("<b><img src=stars1.png width=15
height=15></img></b>");
                                        }
                                        else
                                                {


out.println("<td><b>"+s+"</b></td>");
                                                        }

                                                136
```

```
                }
          // out.println("<td><b><a href=addtocart.jsp?d="+s5+"&c=tables>Add to cart</b></a/></td>");




     out.println("</tr>");
    }
                    out.println("</table><br></body></html>");
     rs.close();
                    stmt.close();
                    con.close();



}
  catch(Exception e)
   {

    out.println(e);
   }
%>
                                    </span></p>
                             <p class="lead"> </p>
                            </div>

                            <p>
                             <!-- about us slider -->

                             </section>
</p>
                            <p> </p>
                            <p> </p>
                            <p>
                             <!--/#bottom-->

                            </p>
<footer id="footer" class="midnight-blue">
     <div class="container">
        <div class="row">
           <div class="col-sm-6">
             &copy; 2020 All Rights Reserved.
           </div>

        </div>
     </div>
  </footer><!--/#footer-->


  <script src="js/jquery.js"></script>
  <script type="text/javascript">
     $('.carousel').carousel()
  </script>
  <script src="js/bootstrap.min.js"></script>
  <script src="js/jquery.prettyPhoto.js"></script>
  <script src="js/jquery.isotope.min.js"></script>
  <script src="js/main.js"></script>
  <script src="js/wow.min.js"></script>
</body>
</html>

History.jsp:
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
```

```html
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="description" content="">
    <meta name="author" content="">
    <title>About Us | Corlate</title>

            <!-- core CSS -->
    <link href="css/bootstrap.min.css" rel="stylesheet">
    <link href="css/font-awesome.min.css" rel="stylesheet">
    <link href="css/prettyPhoto.css" rel="stylesheet">
    <link href="css/animate.min.css" rel="stylesheet">
            <link href="css/main.css" rel="stylesheet">
    <link href="css/responsive.css" rel="stylesheet">

    <!--[if lt IE 9]>
    <script src="js/html5shiv.js"></script>
    <script src="js/respond.min.js"></script>
    <![endif]-->
    <link rel="shortcut icon" href="images/ico/favicon.ico">
    <link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
    <link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
    <link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
    <link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
</head><!--/head-->

<body>

    <header id="header">
     <div class="top-bar">
        <div class="container">
          <div class="row">
            <%--<div class="col-sm-6 col-xs-4">
               <div class="top-number"><p><i class="fa fa-phone-square"></i>  +0123 456 70 90</p></div>
            </div>--%>
            <%--<div class="col-sm-6 col-xs-8">
              <div class="social">
                 <ul class="social-share">
                    <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                    <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                    <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                    <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
                    <li><a href="#"><i class="fa fa-skype"></i></a></li>
                 </ul>
                 <div class="search">
                   <form role="form">
                      <input type="text" class="search-form" autocomplete="off" placeholder="Search">
                      <i class="fa fa-search"></i>
                   </form>
                 </div>
              </div>
            </div>--%>
          </div>
        </div><!--/.container-->
     </div><!--/.top-bar-->

    <nav class="navbar navbar-inverse" role="banner">
        <div class="container">
          <div class="navbar-header">
            <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
              <span class="sr-only">Toggle navigation</span>
              <span class="icon-bar"></span>
              <span class="icon-bar"></span>
              <span class="icon-bar"></span>
```

138

```html
        </button>--%>
          <a class="navbar-brand" href="index.jsp">Chemical supply</a>
        </div>
                        <ul class="nav navbar-nav"> <li><a href="aepw.jsp">Edit Password</a></li>
            <li ><a href="aproduct.jsp">Add Product</a></li>
             <li ><a href="eproduct.jsp">Edit Product</a></li>
            <li class="active"><a href="history.jsp">Payment History</a></li>
            <li><a href="dispatch.jsp">Dispatch Order View</a></li>
             <li><a href="feedview.jsp">Feedback View</a></li>
            <li><a href="index.jsp">signout</a></li>


          </ul>
        </div>
      </div><!--/.container-->
    </nav><!--/nav-->
        </header><!--/header-->

  <section id="about-us">
    <div class="container">
                        <div class="center wow fadeInDown">
                            <h2>Payment History</h2>
                            <p class="lead"><% @page import ="java.sql.*"%>
    <% @page import="java.util.*,java.io.*"%>
    <%
```

```java
try
{
  // Class.forName("sun.jdbc.odbc.JdbcOdbcDriver");
   // Connection con = DriverManager.getConnection("JDBC:ODBC:shopping","","");
   Class.forName("com.mysql.jdbc.Driver");
//    Connection con = DriverManager.getConnection("JDBC:ODBC:DON","","");
Connection con=DriverManager.getConnection(
"jdbc:mysql://localhost:3306/nursery2020","root","mysql");
          Statement stmt=con.createStatement();
    ResultSet rs;
    ResultSetMetaData rmd;


          String s1="select billno as Billnumber,bdate as BillDate,famt as TotalAmount,emailid as EmailID,status as
Status from payment2";

   rs = stmt.executeQuery(s1);

                //out.println("<body><h1><div align=center><strong><span
class=style1>DETAILS</span></strong></div></h1></body>");

    out.println("<table border=2 align=center width=50% bordercolor=blue ><tr>");

    rmd =rs.getMetaData();
    int n=rmd.getColumnCount();
    for(int i=1;i<=n+1;i++)
    {
                    if(i<=n)
      out.println("<td><b><font size=5>"+rmd.getColumnName(i)+"</font></b></td>");

    }
    String s="",s5="";
    while (rs.next())
    {
      out.println("<tr>");

        for(int x=1;x<=n;x++)
        {
            s=rs.getString(x);
```

139

```java
                                                out.println("<td><b>"+s+"</b></td>");



        }
            // out.println("<td><b><a href=addtocart.jsp?d="+s5+"&c=tables>Add to cart</b></a></td>");




     out.println("</tr>");
    }
                        out.println("</table><br></body></html>");
     rs.close();
                        stmt.close();
                        con.close();


}
  catch(Exception e)
   {

    out.println(e);
   }
%></p>
</div>
```

```html
                                <!-- about us slider -->

   </section><!--/#bottom-->

   <footer id="footer" class="midnight-blue">
     <div class="container">
        <div class="row">
           <div class="col-sm-6">
              &copy; 2020 All Rights Reserved.
           </div>

        </div>
     </div>
   </footer><!--/#footer-->


   <script src="js/jquery.js"></script>
   <script type="text/javascript">
      $('.carousel').carousel()
   </script>
   <script src="js/bootstrap.min.js"></script>
   <script src="js/jquery.prettyPhoto.js"></script>
   <script src="js/jquery.isotope.min.js"></script>
   <script src="js/main.js"></script>
   <script src="js/wow.min.js"></script>
</body>
</html>

Index.jsp:
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<html lang="en">
<head>
   <meta charset="utf-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <meta name="description" content="">
   <meta name="author" content="">
   <title>Home | Corlate</title>
```

```html
      <!-- core CSS -->
  <link href="css/bootstrap.min.css" rel="stylesheet">
  <link href="css/font-awesome.min.css" rel="stylesheet">
  <link href="css/animate.min.css" rel="stylesheet">
  <link href="css/prettyPhoto.css" rel="stylesheet">
  <link href="css/main.css" rel="stylesheet">
  <link href="css/responsive.css" rel="stylesheet">
  <!--[if lt IE 9]>
  <script src="js/html5shiv.js"></script>
  <script src="js/respond.min.js"></script>
  <![endif]-->
  <link rel="shortcut icon" href="images/ico/favicon.ico">
  <link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
  <link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
  <link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
  <link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
</head><!--/head-->

<body class="homepage">

  <header id="header">
    <div class="top-bar">
      <div class="container">
        <div class="row">
          <%--<div class="col-sm-6 col-xs-4">
            <div class="top-number"><p><i class="fa fa-phone-square"></i> +0123 456 70 90</p></div>
          </div>--%>
          <%--<div class="col-sm-6 col-xs-8">
            <div class="social">
              <ul class="social-share">
                <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
                <li><a href="#"><i class="fa fa-skype"></i></a></li>
              </ul>
              <div class="search">
                <form role="form">
                  <input type="text" class="search-form" autocomplete="off" placeholder="Search">
                  <i class="fa fa-search"></i>
                </form>
              </div>
            </div>
          </div>--%>
        </div>
      </div><!--/.container-->
    </div><!--/.top-bar-->

    <nav class="navbar navbar-inverse" role="banner">
      <div class="container">
        <div class="navbar-header">
          <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
            <span class="sr-only">Toggle navigation</span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
          </button>--%>
          <a class="navbar-brand" href="index.jsp">Chemical Supply</a>
        </div> <div class="collapse navbar-collapse navbar-right">
          <ul class="nav navbar-nav">
            <li><a href="aboutus.jsp">About</a></li>
            <li><a href="contact.jsp">contact</a></li>
            <li><a href="signin.jsp">Signin</a></li>
              <li><a href="adminsignin.jsp">Admin Signin</a></li>
```

```
            <li><a href="signup.jsp">Signup</a></li>

            <%--<li><a href="portfolio.html"></a></li>--%>

            <li class="dropdown">
              <a href="#" class="dropdown-toggle" data-toggle="dropdown">Shop<i class="fa fa-angle-
down"></i></a>
                <ul class="dropdown-menu">
                  <li><a href="SulfuricAcid.jsp">Sulfuric Acid</a></li>
                  <li><a href="Zinc.jsp">Zinc</a></li>
                  <li><a href="SodiunHydroxide.jsp">Sodiun Hydroxide</a></li>
                  <li><a href="NitricAcid.jsp">Nitric Acid</a></li>
                                                        <li><a href="AceticAcid.jsp">Acetic
Acid</a></li>
              </ul>
            </li>
            <%--<li><a href="blog.html">Blog</a></li>
            <li><a href="contact-us.html">Contact</a></li>    --%>
          </ul>
        </div>
      </div><!--/.container-->
    </nav><!--/nav-->

  </header><!--/header-->

  <section id="main-slider" class="no-margin">
    <div class="carousel slide">
      <ol class="carousel-indicators">
        <li data-target="#main-slider" data-slide-to="0" class="active"></li>
        <li data-target="#main-slider" data-slide-to="1"></li>
        <li data-target="#main-slider" data-slide-to="2"></li>
      </ol>
      <div class="carousel-inner">

        <div class="item active" style="background-image: url(3.jpg)">
          <div class="container">
            <div class="row slide-margin">
              <div class="col-sm-6">
                <div class="carousel-content">
                  <h1 class="animation animated-item-1">FACTS : A rubber tyre is actually one single giant
molecular.</h1>
                  <h2 class="animation animated-item-2">Buy all type of chemicals...</h2>
                  <a class="btn-slide animation animated-item-3" href="#">Read More</a>                </div>
              </div>

              <div class="col-sm-6 hidden-xs animation animated-item-4">
                <div class="slider-img">
                                    </div>
              </div>
            </div>
          </div>
        </div>
        <!--/.item-->

        <div class="item" style="background-image: url(1.jpg)">
          <div class="container">
            <div class="row slide-margin">
              <div class="col-sm-6">
                <div class="carousel-content">
                  <h1 class="animation animated-item-1">FACTS : Air becomes liquid at about minus 190 degree
celsius .</h1>
                  <h2 class="animation animated-item-2">Buy all type of chemicals...</h2>
                  <a class="btn-slide animation animated-item-3" href="#">Read More</a>                </div>
              </div>
```

```html
          <div class="col-sm-6 hidden-xs animation animated-item-4">
            <div class="slider-img">
                              </div>
          </div>
        </div>
      </div>
    </div>
  <!--/.item-->

    <div class="item" style="background-image: url(2.jpg)">
      <div class="container">
        <div class="row slide-margin">
          <div class="col-sm-6">
            <div class="carousel-content">
              <h1 class="animation animated-item-1">FACTS : Hydrofluoric acid will dissolve glass.</h1>
              <h2 class="animation animated-item-2">Buy all type of chemicals...</h2>
              <a class="btn-slide animation animated-item-3" href="#">Read More</a>                    </div>
          </div>
          <div class="col-sm-6 hidden-xs animation animated-item-4">
            <div class="slider-img">
                              </div>
          </div>
        </div>
      </div>
    </div>
  <!--/.item-->
  </div><!--/.carousel-inner-->
</div><!--/.carousel-->
<a class="prev hidden-xs" href="#main-slider" data-slide="prev">
  <i class="fa fa-chevron-left"></i>        </a>
<a class="next hidden-xs" href="#main-slider" data-slide="next">
  <i class="fa fa-chevron-right"></i>      </a>   </section>
<!--/#main-slider-->


<section id="conatcat-info">
  <div class="container">
    <div class="row">
      <div class="col-sm-8">
        <div class="media contact-info wow fadeInDown" data-wow-duration="1000ms" data-wow-delay="600ms">
          <div class="pull-left">
            <i class="fa fa-phone"></i>
          </div>
          <div class="media-body">
            <h2>"Have a question?"</h2>
            <p>Contact us:9110804483</p>
          </div>
        </div>
      </div>
    </div>
  </div><!--/.container-->
</section><!--/#conatcat-info-->

<section id="bottom">
  <div class="container wow fadeInDown" data-wow-duration="1000ms" data-wow-delay="600ms">
    <div class="row">
      <div class="col-md-3 col-sm-6">
        <div class="widget">
          <h3>Company</h3>
          <ul>
            <li><a href="#">About us</a></li>
            <li><a href="#">We are hiring</a></li>
            <li><a href="#">Meet the team</a></li>
            <li><a href="#">Copyright</a></li>
            <li><a href="#">Terms of use</a></li>
```

143

```
            <li><a href="#">Privacy policy</a></li>
            <li><a href="#">Contact us</a></li>
          </ul>
        </div>
      </div><!--/.col-md-3-->

      <div class="col-md-3 col-sm-6">
        <div class="widget">
          <h3>Support</h3>
          <ul>
            <li><a href="#">Faq</a></li>
            <li><a href="#">Blog</a></li>
            <li><a href="#">Forum</a></li>
            <li><a href="#">Documentation</a></li>
            <li><a href="#">Refund policy</a></li>
            <li><a href="#">Ticket system</a></li>
            <li><a href="#">Billing system</a></li>
          </ul>
        </div>
      </div><!--/.col-md-3-->

      <div class="col-md-3 col-sm-6">
        <div class="widget">
          <h3>Developers</h3>
          <ul>
            <li><a href="#">Web Development</a></li>
            <li><a href="#">SEO Marketing</a></li>
            <li><a href="#">Theme</a></li>
            <li><a href="#">Development</a></li>
            <li><a href="#">Email Marketing</a></li>
            <li><a href="#">Plugin Development</a></li>
            <li><a href="#">Article Writing</a></li>
          </ul>
        </div>
      </div><!--/.col-md-3-->

      <div class="col-md-3 col-sm-6">
        <div class="widget">
          <h3>Our Partners</h3>
          <ul>
            <li><a href="#">Adipisicing Elit</a></li>
            <li><a href="#">Eiusmod</a></li>
            <li><a href="#">Tempor</a></li>
            <li><a href="#">Veniam</a></li>
            <li><a href="#">Exercitation</a></li>
            <li><a href="#">Ullamco</a></li>
            <li><a href="#">Laboris</a></li>
          </ul>
        </div>
      </div><!--/.col-md-3-->
    </div>
  </div>
</section><!--/#bottom-->

<footer id="footer" class="midnight-blue">
  <div class="container">
    <div class="row">
      <div class="col-sm-6">
        &copy; 2013 <a target="_blank" href="http://shapebootstrap.net/" title="Free Twitter Bootstrap WordPress
Themes and HTML templates">ShapeBootstrap</a>. All Rights Reserved.
      </div>
      <div class="col-sm-6">
        <ul class="pull-right">
          <li><a href="#">Home</a></li>
          <li><a href="#">About Us</a></li>
```
144

```
                <li><a href="#">Faq</a></li>
                <li><a href="#">Contact Us</a></li>
            </ul>
        </div>
      </div>
    </div>
  </footer><!--/#footer-->

  <script src="js/jquery.js"></script>
  <script src="js/bootstrap.min.js"></script>
  <script src="js/jquery.prettyPhoto.js"></script>
  <script src="js/jquery.isotope.min.js"></script>
  <script src="js/main.js"></script>
  <script src="js/wow.min.js"></script>
</body>
</html>
Indoor.jsp:

<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="">
  <meta name="author" content="">
  <title>About Us | Corlate</title>

          <!-- core CSS -->
  <link href="css/bootstrap.min.css" rel="stylesheet">
  <link href="css/font-awesome.min.css" rel="stylesheet">
  <link href="css/prettyPhoto.css" rel="stylesheet">
  <link href="css/animate.min.css" rel="stylesheet">
          <link href="css/main.css" rel="stylesheet">
  <link href="css/responsive.css" rel="stylesheet">

  <!--[if lt IE 9]>
  <script src="js/html5shiv.js"></script>
  <script src="js/respond.min.js"></script>
  <![endif]-->
  <link rel="shortcut icon" href="images/ico/favicon.ico">
  <link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
  <link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
  <link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
  <link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
</head><!--/head-->

<body>

    <header id="header">
     <div class="top-bar">
        <div class="container">
          <div class="row">
            <%--<div class="col-sm-6 col-xs-4">
              <div class="top-number"><p><i class="fa fa-phone-square"></i>  +0123 456 70 90</p></div>
            </div>--%>
            <%--<div class="col-sm-6 col-xs-8">
              <div class="social">
                <ul class="social-share">
                  <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                  <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                  <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                  <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
                  <li><a href="#"><i class="fa fa-skype"></i></a></li>
```
145

```html
          </ul>
          <div class="search">
            <form role="form">
              <input type="text" class="search-form" autocomplete="off" placeholder="Search">
              <i class="fa fa-search"></i>
            </form>
          </div>
        </div>
      </div>--%>
    </div>
  </div><!--/.container-->
</div><!--/.top-bar-->

<nav class="navbar navbar-inverse" role="banner">
    <div class="container">
      <div class="navbar-header">
        <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
          <span class="sr-only">Toggle navigation</span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
        </button>--%>
        <a class="navbar-brand" href="index.jsp">OnlineNursery</a>
      </div> <div class="collapse navbar-collapse navbar-right">
        <ul class="nav navbar-nav">
          <li><a href="aboutus.jsp">About</a></li>
          <li><a href="contact.jsp">contact</a></li>
          <li><a href="signin.jsp">Signin</a></li>
            <li><a href="adminsignin.jsp">Admin Signin</a></li>
            <li><a href="signup.jsp">Signup</a></li>

          <%--<li><a href="portfolio.html"></a></li>--%>
          <li class="dropdown">
            <a href="#" class="dropdown-toggle" data-toggle="dropdown">Servieces<i class="fa fa-angle-
down"></i></a>
              <ul class="dropdown-menu">
                <li><a href="rentp.jsp">Rent a Plant</a></li>
                <li><a href="gardenm.jsp">Garden Maintainance</a></li>
                <li><a href="vehgar.jsp">Vericle Gardens</a></li>
                <li><a href="irrig.jsp">Irrigation Services</a></li>
                <li><a href="artif.jsp">Artificial Lawns</a></li>
                 <li><a href="artificial.jsp">Artificial Vertical Lawns</a></li>
              </ul>
          </li>
          <li class="dropdown">
            <a href="#" class="dropdown-toggle" data-toggle="dropdown">Shop<i class="fa fa-angle-
down"></i></a>
              <ul class="dropdown-menu">
                <li><a href="indoor.jsp">Indoor Plants</a></li>
                <li><a href="mplants.jsp">Medicinal Plants</a></li>
                <li><a href="floral.jsp">Floral Plants</a></li>
                <li><a href="fruit.jsp">Fruit Plants</a></li>
                <li><a href="vrplants.jsp">Vastu and Regional Plants</a></li>
                 <li><a href="bt.jsp">Bonsai Tree</a></li>
                 <li><a href="pots.jsp">Pots </a></li>
                 <li><a href="soils.jsp">Soil </a></li>
                 <li><a href="seeds.jsp">Seeds </a></li>
                 <li><a href="fert.jsp">Fertilizers </a></li>

              </ul>
          </li>
          <%--<li><a href="blog.html">Blog</a></li>
          <li><a href="contact-us.html">Contact</a></li>    --%>
        </ul>
      </div>
```

```
        </div><!--/.container-->
    </nav><!--/nav-->

  </header><!--/header-->

  <section id="about-us">
    <div class="container">
                        <div class="center wow fadeInDown">
                                <h2>Indoor Plants</h2>
                                <p class="lead"><%@page import ="java.sql.*"%>
<%@page import="java.util.*,java.io.*"%>

<%

try
{
   Class.forName("com.mysql.jdbc.Driver");
           Connection con=DriverManager.getConnection("jdbc:mysql://localhost:3306/nursery2020","root","mysql");
    Statement stmt=con.createStatement();
    ResultSet rs;
    ResultSetMetaData rmd;


            String s1="select pid,pic,pdesc,rate,gst from product where Category='Indoor Plants'";

   rs = stmt.executeQuery(s1);

                    out.println("<body><h1><div align=center><strong><span
class=style1>DETAILS</span></strong></div></h1></body>");

    out.println("<table border=2 align=center width=50% bordercolor=silver ><tr>");

    rmd =rs.getMetaData();
    int n=rmd.getColumnCount();
    for(int i=1;i<=n+1;i++)
    {
                    if(i<=n)
      out.println("<td><b><font size=5>"+rmd.getColumnName(i)+"</font></b></td>");
                            else
                            out.println("<td><b><font size=5>BUY</font></b></td>");
    }
    String id="",cat="",gst="",rate="",s="";
    while (rs.next())
    {
       out.println("<tr>");

          for(int x=1;x<=n;x++)
          {
                s=rs.getString(x);
                                        if(x==1)
                                        {
  // out.println("<td><b><img src="+s+" width=100 height=100></img></b></td>");
           id=s;
             out.println("<td><b>"+id+"</b></td>");
        //          gst=s;
                                        }
                                        else if(x==2)
                                        {
                                        // cat=s;
    out.println("<td><b><img src="+s+" width=100 height=100></img></b></td>");

                                        }
                                                else if(x==4)
                                            147
```

```java
                                                      {
                                                      rate=s;
        out.println("<td><b>"+s+"</b></td>");         }
                                                                  else if(x==5)
                                                      {
                                                      gst=s;
        out.println("<td><b>"+s+"</b></td>");         }
                                                       else
                                                       {
                                                                  out.println("<td><b>"+s+"</b></td>");
                                                       }


          }
               out.println("<td><b><a
href=addcart.jsp?d="+id+"&c=IndoorPlants"+"&gst="+gst+"&rate="+rate+"></img></b><img
src='addtocart.png'></img><a/></td>");




     out.println("</tr>");
    }
                      out.println("</table><br></body></html>");
    rs.close();
                      stmt.close();
                      con.close();


}
  catch(Exception e)
   {

    out.println(e);
   }
%>

<div align="center">


               <p> </p>
      <p> </p>
               <p> </p>
               <p>           </p>
     </div>

<!-- about us slider -->

   </section><!--/#bottom-->

   <footer id="footer" class="midnight-blue">
     <div class="container">
        <div class="row">
          <div class="col-sm-6">
             &copy; 2020 All Rights Reserved.
          </div>

        </div>
     </div>
   </footer><!--/#footer-->
```

```
    <script src="js/jquery.js"></script>
    <script type="text/javascript">
       $('.carousel').carousel()
    </script>
    <script src="js/bootstrap.min.js"></script>
    <script src="js/jquery.prettyPhoto.js"></script>
    <script src="js/jquery.isotope.min.js"></script>
    <script src="js/main.js"></script>
    <script src="js/wow.min.js"></script>
</body>
</html>
```

Index.jsp:
```
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="description" content="">
    <meta name="author" content="">
    <title>Home | Corlate</title>


           <!-- core CSS -->
    <link href="css/bootstrap.min.css" rel="stylesheet">
    <link href="css/font-awesome.min.css" rel="stylesheet">
    <link href="css/animate.min.css" rel="stylesheet">
    <link href="css/prettyPhoto.css" rel="stylesheet">
    <link href="css/main.css" rel="stylesheet">
    <link href="css/responsive.css" rel="stylesheet">
    <!--[if lt IE 9]>
    <script src="js/html5shiv.js"></script>
    <script src="js/respond.min.js"></script>
    <![endif]-->
    <link rel="shortcut icon" href="images/ico/favicon.ico">
    <link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
    <link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
    <link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
    <link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
</head><!--/head-->

<body class="homepage">

    <header id="header">
        <div class="top-bar">
            <div class="container">
                <div class="row">
                    <%--<div class="col-sm-6 col-xs-4">
                        <div class="top-number"><p><i class="fa fa-phone-square"></i>  +0123 456 70 90</p></div>
                    </div>--%>
                    <%--<div class="col-sm-6 col-xs-8">
                        <div class="social">
                            <ul class="social-share">
                                <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                                <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                                <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                                <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
                                <li><a href="#"><i class="fa fa-skype"></i></a></li>
                            </ul>
                            <div class="search">
                                <form role="form">
                                    <input type="text" class="search-form" autocomplete="off" placeholder="Search">
                                    <i class="fa fa-search"></i>
                                </form>
                            </div>
                        </div>
```

149

```html
        </div>--%>
      </div>
    </div><!--/.container-->
  </div><!--/.top-bar-->

  <nav class="navbar navbar-inverse" role="banner">
    <div class="container">
      <div class="navbar-header">
        <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
          <span class="sr-only">Toggle navigation</span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
        </button>--%>
        <a class="navbar-brand" href="index.jsp">Chemical Supply</a>
      </div> <div class="collapse navbar-collapse navbar-right">
        <ul class="nav navbar-nav">
          <li><a href="aboutus.jsp">About</a></li>
          <li><a href="contact.jsp">contact</a></li>
          <li><a href="signin.jsp">Signin</a></li>
            <li><a href="adminsignin.jsp">Admin Signin</a></li>
           <li><a href="signup.jsp">Signup</a></li>

          <%--<li><a href="portfolio.html"></a></li>--%>

          <li class="dropdown">
            <a href="#" class="dropdown-toggle" data-toggle="dropdown">Shop<i class="fa fa-angle-
down"></i></a>
            <ul class="dropdown-menu">
              <li><a href="SulfuricAcid.jsp">Sulfuric Acid</a></li>
              <li><a href="Zinc.jsp">Zinc</a></li>
             <li><a href="SodiunHydroxide.jsp">Sodiun Hydroxide</a></li>
             <li><a href="NitricAcid.jsp">Nitric Acid</a></li>
                                                   <li><a href="AceticAcid.jsp">Acetic
Acid</a></li>
             </ul>
          </li>
          <%--<li><a href="blog.html">Blog</a></li>
          <li><a href="contact-us.html">Contact</a></li>   --%>
        </ul>
      </div>
    </div><!--/.container-->
  </nav><!--/nav-->

  </header><!--/header-->

  <section id="main-slider" class="no-margin">
    <div class="carousel slide">
      <ol class="carousel-indicators">
        <li data-target="#main-slider" data-slide-to="0" class="active"></li>
       <li data-target="#main-slider" data-slide-to="1"></li>
       <li data-target="#main-slider" data-slide-to="2"></li>
      </ol>
      <div class="carousel-inner">

        <div class="item active" style="background-image: url(3.jpg)">
          <div class="container">
            <div class="row slide-margin">
              <div class="col-sm-6">
                <div class="carousel-content">
                  <h1 class="animation animated-item-1">FACTS : A rubber tyre is actually one single giant
molecular.</h1>
                  <h2 class="animation animated-item-2">Buy all type of chemicals...</h2>
                  <a class="btn-slide animation animated-item-3" href="#">Read More</a>                </div>
              </div>
```
150

```html
              <div class="col-sm-6 hidden-xs animation animated-item-4">
                <div class="slider-img">
                                  </div>
              </div>
            </div>
          </div>
        </div>
      <!--/.item-->

        <div class="item" style="background-image: url(1.jpg)">
          <div class="container">
            <div class="row slide-margin">
              <div class="col-sm-6">
                <div class="carousel-content">
                  <h1 class="animation animated-item-1">FACTS : Air becomes liquid at about minus 190 degree
celsius .</h1>
                  <h2 class="animation animated-item-2">Buy all type of chemicals...</h2>
                  <a class="btn-slide animation animated-item-3" href="#">Read More</a>                 </div>
              </div>

              <div class="col-sm-6 hidden-xs animation animated-item-4">
                <div class="slider-img">
                                  </div>
              </div>
            </div>
          </div>
        </div>
      <!--/.item-->

        <div class="item" style="background-image: url(2.jpg)">
          <div class="container">
            <div class="row slide-margin">
              <div class="col-sm-6">
                <div class="carousel-content">
                  <h1 class="animation animated-item-1">FACTS : Hydrofluoric acid will dissolve glass.</h1>
                  <h2 class="animation animated-item-2">Buy all type of chemicals...</h2>
                  <a class="btn-slide animation animated-item-3" href="#">Read More</a>                 </div>
              </div>
              <div class="col-sm-6 hidden-xs animation animated-item-4">
                <div class="slider-img">
                                  </div>
              </div>
            </div>
          </div>
        </div>
      <!--/.item-->
      </div><!--/.carousel-inner-->
   </div><!--/.carousel-->
   <a class="prev hidden-xs" href="#main-slider" data-slide="prev">
     <i class="fa fa-chevron-left"></i>        </a>
   <a class="next hidden-xs" href="#main-slider" data-slide="next">
     <i class="fa fa-chevron-right"></i>        </a>    </section>
<!--/#main-slider-->


   <section id="conatcat-info">
     <div class="container">
       <div class="row">
         <div class="col-sm-8">
           <div class="media contact-info wow fadeInDown" data-wow-duration="1000ms" data-wow-delay="600ms">
             <div class="pull-left">
               <i class="fa fa-phone"></i>
             </div>
             <div class="media-body">
```

151

```
            <h2>"Have a question?"</h2>
            <p>Contact us:9110804483</p>
         </div>
       </div>
     </div>
   </div><!--/.container-->
</section><!--/#conatcat-info-->

<section id="bottom">
  <div class="container wow fadeInDown" data-wow-duration="1000ms" data-wow-delay="600ms">
    <div class="row">
      <div class="col-md-3 col-sm-6">
        <div class="widget">
          <h3>Company</h3>
          <ul>
            <li><a href="#">About us</a></li>
            <li><a href="#">We are hiring</a></li>
            <li><a href="#">Meet the team</a></li>
            <li><a href="#">Copyright</a></li>
            <li><a href="#">Terms of use</a></li>
            <li><a href="#">Privacy policy</a></li>
            <li><a href="#">Contact us</a></li>
          </ul>
        </div>
      </div><!--/.col-md-3-->

      <div class="col-md-3 col-sm-6">
        <div class="widget">
          <h3>Support</h3>
          <ul>
            <li><a href="#">Faq</a></li>
            <li><a href="#">Blog</a></li>
            <li><a href="#">Forum</a></li>
            <li><a href="#">Documentation</a></li>
            <li><a href="#">Refund policy</a></li>
            <li><a href="#">Ticket system</a></li>
            <li><a href="#">Billing system</a></li>
          </ul>
        </div>
      </div><!--/.col-md-3-->

      <div class="col-md-3 col-sm-6">
        <div class="widget">
          <h3>Developers</h3>
          <ul>
            <li><a href="#">Web Development</a></li>
            <li><a href="#">SEO Marketing</a></li>
            <li><a href="#">Theme</a></li>
            <li><a href="#">Development</a></li>
            <li><a href="#">Email Marketing</a></li>
            <li><a href="#">Plugin Development</a></li>
            <li><a href="#">Article Writing</a></li>
          </ul>
        </div>
      </div><!--/.col-md-3-->

      <div class="col-md-3 col-sm-6">
        <div class="widget">
          <h3>Our Partners</h3>
          <ul>
            <li><a href="#">Adipisicing Elit</a></li>
            <li><a href="#">Eiusmod</a></li>
            <li><a href="#">Tempor</a></li>
            <li><a href="#">Veniam</a></li>
```

```html
            <li><a href="#">Exercitation</a></li>
              <li><a href="#">Ullamco</a></li>
              <li><a href="#">Laboris</a></li>
            </ul>
          </div>
        </div><!--/.col-md-3-->
      </div>
    </div>
  </section><!--/#bottom-->

  <footer id="footer" class="midnight-blue">
    <div class="container">
      <div class="row">
        <div class="col-sm-6">
            &copy; 2013 <a target="_blank" href="http://shapebootstrap.net/" title="Free Twitter Bootstrap WordPress
Themes and HTML templates">ShapeBootstrap</a>. All Rights Reserved.
        </div>
        <div class="col-sm-6">
          <ul class="pull-right">
            <li><a href="#">Home</a></li>
            <li><a href="#">About Us</a></li>
            <li><a href="#">Faq</a></li>
            <li><a href="#">Contact Us</a></li>
          </ul>
        </div>
      </div>
    </div>
  </footer><!--/#footer-->

  <script src="js/jquery.js"></script>
  <script src="js/bootstrap.min.js"></script>
  <script src="js/jquery.prettyPhoto.js"></script>
  <script src="js/jquery.isotope.min.js"></script>
  <script src="js/main.js"></script>
  <script src="js/wow.min.js"></script>
</body>
</html>

Signin.jsp:
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="">
  <meta name="author" content="">
  <title>About Us | Corlate</title>


        <!-- core CSS -->
  <link href="css/bootstrap.min.css" rel="stylesheet">
  <link href="css/font-awesome.min.css" rel="stylesheet">
  <link href="css/prettyPhoto.css" rel="stylesheet">
  <link href="css/animate.min.css" rel="stylesheet">
        <link href="css/main.css" rel="stylesheet">
  <link href="css/responsive.css" rel="stylesheet">

  <!--[if lt IE 9]>
  <script src="js/html5shiv.js"></script>
  <script src="js/respond.min.js"></script>
  <![endif]-->
  <link rel="shortcut icon" href="images/ico/favicon.ico">
  <link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
  <link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
```

```html
    <link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
    <link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
</head><!--/head-->

<body>

    <header id="header">
     <div class="top-bar">
        <div class="container">
           <div class="row">
              <%--<div class="col-sm-6 col-xs-4">
                 <div class="top-number"><p><i class="fa fa-phone-square"></i>  +0123 456 70 90</p></div>
              </div>--%>
              <%--<div class="col-sm-6 col-xs-8">
                 <div class="social">
                    <ul class="social-share">
                       <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                       <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                       <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                       <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
                       <li><a href="#"><i class="fa fa-skype"></i></a></li>
                    </ul>
                    <div class="search">
                       <form role="form">
                          <input type="text" class="search-form" autocomplete="off" placeholder="Search">
                          <i class="fa fa-search"></i>
                       </form>
                    </div>
                 </div>
              </div>--%>
           </div>
        </div><!--/.container-->
     </div><!--/.top-bar-->

   <nav class="navbar navbar-inverse" role="banner">
        <div class="container">
           <div class="navbar-header">
              <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
                 <span class="sr-only">Toggle navigation</span>
                 <span class="icon-bar"></span>
                 <span class="icon-bar"></span>
                 <span class="icon-bar"></span>
              </button>--%>
              <a class="navbar-brand" href="index.jsp">Chemical Supply</a>
           </div> <div class="collapse navbar-collapse navbar-right">
              <ul class="nav navbar-nav">
                 <li><a href="aboutus.jsp">About</a></li>
                 <li><a href="contact.jsp">contact</a></li>
                 <li><a href="signin.jsp">Sign in</a></li>
                  <li><a href="adminsignin.jsp">Admin Sign in</a></li>
                  <li><a href="signup.jsp">Sign up</a></li>

                 <%--<li><a href="portfolio.html"></a></li>--%>

                 <li class="dropdown">
                    <a href="#" class="dropdown-toggle" data-toggle="dropdown">Shop<i class="fa fa-angle-down"></i></a>
                    <ul class="dropdown-menu">
                        <li><a href="SulfuricAcid.jsp">Sulfuric Acid</a></li>
                       <li><a href="Zinc.jsp">Zinc</a></li>
                      <li><a href="SodiunHydroxide.jsp">Sodiun Hydroxide</a></li>
                       <li><a href="NitricAcid.jsp">Nitric Acid</a></li>
                                                        <li><a href="AceticAcid.jsp">Acetic Acid</a></li>
```

```html
            </ul>
          </li>
          <%--<li><a href="blog.html">Blog</a></li>
          <li><a href="contact-us.html">Contact</a></li>   --%>
        </ul>
      </div>
    </div><!--/.container-->
  </nav><!--/nav-->
    </header><!--/header-->

  <section id="about-us">
    <div class="container">
                    <div class="center wow fadeInDown">
                        <h2>User Signin</h2>
                        <p class="lead">
<form name="form1" method="post" action="">
  <table width="293" border="0" align="center">
    <caption> 
    </caption>
    <tr>
      <td width="68" scope="col"><span class="style1">Username</span></td>
      <td width="205" scope="col"><label>
        <input type="text" name="textfield" required="required" />
      </label></td>
      <td width="205" rowspan="3" scope="col"><table width="100%" border="0">
        <tr>
          <td><img src="images/signin.png" width="168" height="118" /></td>
        </tr>
      </table></td>
    </tr>
    <tr>
      <td height="44" rowspan="2" valign="top"><span class="style1">Password</span></td>
  <td><input type="password" name="textfield2" required="required"/>
  <label><br />
    <a href="forgotpass.jsp"></a></label></td>
    </tr>
    <tr>
      <td height="24"> </td>
    </tr>
    <tr>
      <td colspan="3"><label>
        <div align="center">
          <input type="submit" name="Submit" value="Submit" />
          <input type="reset" name="Submit2" value="Reset" />
        </div>
      </label></td>
    </tr>
  </table>
</form>
    <div align="center">


            <p>
             <% @page import ="java.sql.*"%>
                 <% @page import="java.util.*,java.io.*,javax.servlet.http.Cookie"%>
                 <%
                                if(request.getParameter("Submit")!= null)
        {
try
{

  Class.forName("com.mysql.jdbc.Driver");
   Connection con=DriverManager.getConnection("jdbc:mysql://localhost:3306/nursery2020","root","mysql");
    Statement stmt=con.createStatement();
    ResultSet rs,rs1;
```

155

```
    // String type=request.getParameter("select").trim();


   String u=request.getParameter("textfield").trim();
   String p=request.getParameter("textfield2").trim();



        rs=stmt.executeQuery("select * from signup where emailid="+"'"+u+"'"+" and pwd="+"'"+p+"'");
        /// rs=stmt.executeQuery("select * from adminlogin");

   String f="",a="",m="";
    int found=0;
    while(rs.next())
    {
                f=rs.getString(3);
                        a=rs.getString(6);
                                m=rs.getString(7);

                        found++;
                }
        if(found==1)
                 {


                                ///Cookie cook1 = new Cookie("Admin",u);
                 ///cook1.setMaxAge(1200);
                 /// response.addCookie(cook1);
                 session.setAttribute("emailid",u);
                 session.setAttribute("fname",f);
                 session.setAttribute("addr",a);
                 session.setAttribute("mobile",m);
                 session.setAttribute("emailid",u);
                        response.sendRedirect("userpage.jsp");
                 }
                  else
                  {
        out.println("<h1 align=center style='color:red'>Invalid Login... </h1>");


                  }
         rs.close();

                        stmt.close();
                        con.close();


}

 catch(Exception e)
   {

   out.println("Exception occured" +e);
   }
         }
%>
                </p>
                </p>
                <p> </p>
                <p> </p>
                <p>           </p>
     </div>

<!-- about us slider -->
```

```
        </section><!--/#bottom-->

        <footer id="footer" class="midnight-blue">
          <div class="container">
            <div class="row">
              <div class="col-sm-6">
                &copy; 2020 All Rights Reserved.
              </div>

            </div>
          </div>
        </footer><!--/#footer-->


        <script src="js/jquery.js"></script>
        <script type="text/javascript">
          $('.carousel').carousel()
        </script>
        <script src="js/bootstrap.min.js"></script>
        <script src="js/jquery.prettyPhoto.js"></script>
        <script src="js/jquery.isotope.min.js"></script>
        <script src="js/main.js"></script>
        <script src="js/wow.min.js"></script>
</body>
</html>

Signup.jsp:
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="description" content="">
    <meta name="author" content="">
    <title>About Us | Corlate</title>

            <!-- core CSS -->
    <link href="css/bootstrap.min.css" rel="stylesheet">
    <link href="css/font-awesome.min.css" rel="stylesheet">
    <link href="css/prettyPhoto.css" rel="stylesheet">
    <link href="css/animate.min.css" rel="stylesheet">
            <link href="css/main.css" rel="stylesheet">
    <link href="css/responsive.css" rel="stylesheet">

    <!--[if lt IE 9]>
    <script src="js/html5shiv.js"></script>
    <script src="js/respond.min.js"></script>
    <![endif]-->
    <link rel="shortcut icon" href="images/ico/favicon.ico">
    <link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
    <link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
    <link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
    <link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
</head><!--/head-->

<body>

    <header id="header">
     <div class="top-bar">
        <div class="container">
          <div class="row">
              <%--<div class="col-sm-6 col-xs-4">
```

```html
                    <div class="top-number"><p><i class="fa fa-phone-square"></i> +0123 456 70 90</p></div>
                </div>--%>
                <%--<div class="col-sm-6 col-xs-8">
                    <div class="social">
                        <ul class="social-share">
                            <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                            <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                            <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                            <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
                            <li><a href="#"><i class="fa fa-skype"></i></a></li>
                        </ul>
                        <div class="search">
                            <form role="form">
                                <input type="text" class="search-form" autocomplete="off" placeholder="Search">
                                <i class="fa fa-search"></i>
                            </form>
                        </div>
                    </div>
                </div>--%>
            </div>
        </div><!--/.container-->
    </div><!--/.top-bar-->

    <nav class="navbar navbar-inverse" role="banner">
        <div class="container">
            <div class="navbar-header">
                <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
                    <span class="sr-only">Toggle navigation</span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                </button>--%>
                <a class="navbar-brand" href="index.jsp">Chemical Supply</a>
            </div> <div class="collapse navbar-collapse navbar-right">
                <ul class="nav navbar-nav">
                    <li><a href="aboutus.jsp">About</a></li>
                    <li><a href="contact.jsp">contact</a></li>
                    <li><a href="signin.jsp">Sign in</a></li>
                      <li><a href="adminsignin.jsp">Admin Sign in</a></li>
                      <li><a href="signup.jsp">Sign up</a></li>

                    <%--<li><a href="portfolio.html"></a></li>--%>

                    <li class="dropdown">
                        <a href="#" class="dropdown-toggle" data-toggle="dropdown">Shop<i class="fa fa-angle-
down"></i></a>
                        <ul class="dropdown-menu">
                            <li><a href="SulfuricAcid.jsp">Sulfuric Acid</a></li>
                            <li><a href="Zinc.jsp">Zinc</a></li>
                           <li><a href="SodiunHydroxide.jsp">Sodiun Hydroxide</a></li>
                            <li><a href="NitricAcid.jsp">Nitric Acid</a></li>
                                                                <li><a href="AceticAcid.jsp">Acetic
Acid</a></li>
                        </ul>
                    </li>
                    <%--<li><a href="blog.html">Blog</a></li>
                    <li><a href="contact-us.html">Contact</a></li>    --%>
                </ul>
            </div>
        </div><!--/.container-->
    </nav><!--/nav-->
        </header><!--/header-->

    <section id="about-us">
        <div class="container">
```
158

```html
                              <div class="center wow fadeInDown">
                                   <h2>User Signup</h2>
                                   <p class="lead">
<form name="form1" method="post" action="">
     <table width="35%" border="0px" align="center" bgcolor="#FFFFFF">
      <tr>
       <td width="90"><div align="right"><span class="style1">Email-ID </span></div></td>
       <td width="16"> </td>
       <td width="151"><label>
         <div align="left">
           <input name="t1" type="email" id="t1" required="required" />
           </div>
        </label></td>
       <td width="181" rowspan="7"><img src="images/login3.jpg" width="225" height="225" /></td>
      </tr>
      <tr>
       <td><div align="right"><span class="style1">Password</span></div></td>
       <td> </td>
       <td><label>
         <div align="left">
          <input type="password" name="t2"   placeholder="Password:" required="required" id="t10"
pattern="(?=.*\d)(?=.*[a-z])(?=.*[A-Z]).{8,}" title="Must contain at least one number and one uppercase and lowercase
letter, and at least 8 or more characters"/>
         </div>
        </label></td>
      </tr>
      <tr>
       <td><div align="right"><span class="style1">Name</span></div></td>
       <td> </td>
       <td><label>
         <div align="left">
          <input name="t3" type="text" id="t3" title="letters only" pattern="[A-Za-z]+" required="required" />
         </div>
        </label></td>
      </tr>
      <tr>
       <td><div align="right"><span class="style1">Gender</span></div></td>
       <td> </td>
       <td><label>

         <select name="t4" id="t4">
           <option value="Male">Male</option>
           <option value="Female">Female</option>
          </select>
        </label></td>
      </tr>
      <tr>
       <td><div align="right"><span class="style1">Date of birth </span></div></td>
       <td> </td>
       <td><label>
         <div align="left">
          <input name="t5" type="date" id="t5" required="required"/>
         </div>
        </label></td>
      </tr>
      <tr>
       <td><div align="right"><span class="style1">Address</span></div></td>
       <td> </td>
       <td><label>
         <div align="left">
          <textarea name="t6" id="t6"></textarea>
         </div>
        </label></td>
      </tr>
      <tr>
```

159

```html
      <td height="28"><div align="right"><span class="style1">Phone</span></div></td>
      <td> </td>
      <td><label>
        <div align="left">
         <input name="t7" id="t7" title="only nos should be 10 digits" maxlength="10" placeholder="Phone or Mobile
no"  pattern="^\d{10}$" required="required"/>
        </div>
      </label></td>
    </tr>
    <tr>
      <td height="47" colspan="4"><label>
        <div align="center">
         <input type="submit" name="Submit" value="Submit" />
         <input type="reset" name="Submit2" value="Reset" />
        </div>
      </label></td>
    </tr>
  </table>
  </form>
  <% @page import ="java.sql.*"%>
        <% @page import="java.util.*,java.io.*,javax.servlet.http.Cookie"%>
  <%
```

```java
try
{
if(request.getParameter("Submit")!= null)

        {
                    Class.forName("com.mysql.jdbc.Driver");
             Connection con=DriverManager.getConnection("jdbc:mysql://localhost:3306/nursery2020","root","mysql");
            String t1=request.getParameter("t1").trim();
                    String t2=request.getParameter("t2").trim();
                    String t3=request.getParameter("t3").trim();
              String t4=request.getParameter("t4").trim();
     String t5=request.getParameter("t5").trim();
     String t6=request.getParameter("t6").trim();
     String t7=request.getParameter("t7").trim();

    Statement stmt=con.createStatement();
                        int count=0;
            ResultSet rs,rs1;
                            rs=stmt.executeQuery("select * from signup where emailid="+""+t1+"");

    int found=0;
    while(rs.next())
    {
                        count++;
                }

                        if(count==0)
        {



    PreparedStatement pstmt=con.prepareStatement("insert into signup values(?,?,?,?,?,?,?)");
          pstmt.setString(1,t1);
       pstmt.setString(2,t2);
       pstmt.setString(3,t3);
       pstmt.setString(4,t4);
       pstmt.setString(5,t5);
       pstmt.setString(6,t6);
       pstmt.setString(7,t7);
```

```java
            pstmt.executeUpdate();


            pstmt.close();
            con.close();
                                out.println("<h1 style='color:red'>SUCCESFULLY REGISTERED</h1>");
            //response.sendRedirect("http://localhost:8084/Quickmail/succsignup.html");
    }

        else
                {
                                out.println("<h1 style='color:red'>User already Registrered with us ....</h1>");
                }
                }
}
    catch(Exception e)
    {
     out.println("Exception occured" +e);
    }
%>              </p>
                </p>
                <p> </p>
                <p> </p>
                <p>            </p>
        </div>
```

```html
<!-- about us slider -->

    </section><!--/#bottom-->

    <footer id="footer" class="midnight-blue">
        <div class="container">
            <div class="row">
                <div class="col-sm-6">
                    &copy; 2020 All Rights Reserved.
                </div>

            </div>
        </div>
    </footer><!--/#footer-->


    <script src="js/jquery.js"></script>
    <script type="text/javascript">
        $('.carousel').carousel()
    </script>
    <script src="js/bootstrap.min.js"></script>
    <script src="js/jquery.prettyPhoto.js"></script>
    <script src="js/jquery.isotope.min.js"></script>
    <script src="js/main.js"></script>
    <script src="js/wow.min.js"></script>
</body>
</html>

Track.jsp:
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="description" content="">
    <meta name="author" content="">
```

```html
<title>About Us | Corlate</title>

        <!-- core CSS -->
<link href="css/bootstrap.min.css" rel="stylesheet">
<link href="css/font-awesome.min.css" rel="stylesheet">
<link href="css/prettyPhoto.css" rel="stylesheet">
<link href="css/animate.min.css" rel="stylesheet">
        <link href="css/main.css" rel="stylesheet">
<link href="css/responsive.css" rel="stylesheet">

<!--[if lt IE 9]>
<script src="js/html5shiv.js"></script>
<script src="js/respond.min.js"></script>
<![endif]-->
<link rel="shortcut icon" href="images/ico/favicon.ico">
<link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
<link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
<link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
<link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
</head><!--/head-->

<body>

    <header id="header">
     <div class="top-bar">
        <div class="container">
          <div class="row">
            <%--<div class="col-sm-6 col-xs-4">
              <div class="top-number"><p><i class="fa fa-phone-square"></i>  +0123 456 70 90</p></div>
            </div>--%>
            <%--<div class="col-sm-6 col-xs-8">
              <div class="social">
                <ul class="social-share">
                  <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                  <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                  <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                  <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
                  <li><a href="#"><i class="fa fa-skype"></i></a></li>
                </ul>
                <div class="search">
                  <form role="form">
                     <input type="text" class="search-form" autocomplete="off" placeholder="Search">
                     <i class="fa fa-search"></i>
                  </form>
                </div>
              </div>
            </div>--%>
          </div>
        </div><!--/.container-->
     </div><!--/.top-bar-->

    <nav class="navbar navbar-inverse" role="banner">
        <div class="container">
          <div class="navbar-header">
            <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
              <span class="sr-only">Toggle navigation</span>
              <span class="icon-bar"></span>
              <span class="icon-bar"></span>
              <span class="icon-bar"></span>
            </button>--%>
            <a class="navbar-brand" href="index.jsp">Chemical Supply</a>
          </div>

          <div class="collapse navbar-collapse navbar-right">
            <ul class="nav navbar-nav">
```
162

```html
            <li ><a href="uepw.jsp">Edit Password</a></li>
            <li ><a href="viewcart.jsp">View Cart</a></li>
            <li ><a href="track.jsp">Track Order </a></li>
            <li><a href="index.jsp">signout</a></li>

          </ul>
        </div>
      </div><!--/.container-->
    </nav><!--/nav-->
        </header><!--/header-->

  <section id="about-us">
     <div class="container">
                        <div class="center wow fadeInDown">
                                <h2>Welcome To User Page</h2>
                                <p class="lead">
         <%

                                if(session.getAttribute("emailid").equals(""))
                                {
                                                response.sendRedirect("index.jsp");
                                }

         %></p>
     <p align="center">
      <%@page import ="java.sql.*"%>
     <%@page import="java.util.*,java.io.*,javax.servlet.http.Cookie"%>
     <%

try
{
        Class.forName("com.mysql.jdbc.Driver");
         Connection con=DriverManager.getConnection("jdbc:mysql://localhost:3306/nursery2020","root","mysql");
     Statement stmt=con.createStatement();
     ResultSet rs;
     ResultSetMetaData rmd;



          String s1="select billno as InvoiceNo,fullname as Name,addr as Address,emailid as Email,ph as Mobile ,status
as Status from payment2";

   rs = stmt.executeQuery(s1);

                    out.println("<body><div align=center><strong><span class=style1>To be Dispatched
Details</span></strong></div></body>");

     out.println("<table border=1 align=center width=100% bordercolor=blue ><tr>");

     rmd =rs.getMetaData();
     int n=rmd.getColumnCount();
     for(int i=1;i<=n;i++)
     {

       out.println("<td><b><font size=5>"+rmd.getColumnName(i)+"</font></b></td>");

     }
                    String s="",s11="";
     while (rs.next())
     {
       out.println("<tr>");


         for(int x=1;x<=n;x++)
         {
```
163

```
                                                    s=rs.getString(x);
                                                    if(x==1)
                                                    {
                                                            s11=s;
                                                     out.println("<td><b>"+s+"</td>");
                                                    }
                                                    else
                                                    {
                                                    out.println("<td><b>"+s+"</td>");
                                                    }
                                         }


                                                              out.println("<td><b><a
href=tracknew.jsp?id="+s11+"><p style='color:#000'>Rate Us</p></b><a/></td>");
        }




        out.println("</tr>");


     rs.close();
                     stmt.close();
                     con.close();


}
  catch(Exception e)
   {

    out.println(e);
   }
%>


          </p>
                                    </div>

                                    <!-- about us slider -->

   </section><!--/#bottom-->

   <%--<footer id="footer" class="midnight-blue">
     <div class="container">
       <div class="row">
         <div class="col-sm-6">
            &copy; 2020 All Rights Reserved.
         </div>

       </div>
     </div>
   </footer>--%>


   <script src="js/jquery.js"></script>
   <script type="text/javascript">
      $('.carousel').carousel()
   </script>
   <script src="js/bootstrap.min.js"></script>
   <script src="js/jquery.prettyPhoto.js"></script>
   <script src="js/jquery.isotope.min.js"></script>
   <script src="js/main.js"></script>
```

```
    <script src="js/wow.min.js"></script>
</body>
</html>
Userpage.jsp:
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="">
  <meta name="author" content="">
  <title>About Us | Corlate</title>

        <!-- core CSS -->
  <link href="css/bootstrap.min.css" rel="stylesheet">
  <link href="css/font-awesome.min.css" rel="stylesheet">
  <link href="css/prettyPhoto.css" rel="stylesheet">
  <link href="css/animate.min.css" rel="stylesheet">
        <link href="css/main.css" rel="stylesheet">
  <link href="css/responsive.css" rel="stylesheet">

  <!--[if lt IE 9]>
  <script src="js/html5shiv.js"></script>
  <script src="js/respond.min.js"></script>
  <![endif]-->
  <link rel="shortcut icon" href="images/ico/favicon.ico">
  <link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
  <link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
  <link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
  <link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
</head><!--/head-->

<body>

    <header id="header">
     <div class="top-bar">
        <div class="container">
           <div class="row">
             <%--<div class="col-sm-6 col-xs-4">
                <div class="top-number"><p><i class="fa fa-phone-square"></i>  +0123 456 70 90</p></div>
             </div>--%>
             <%--<div class="col-sm-6 col-xs-8">
               <div class="social">
                  <ul class="social-share">
                    <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                    <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                    <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                    <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
                    <li><a href="#"><i class="fa fa-skype"></i></a></li>
                  </ul>
                  <div class="search">
                    <form role="form">
                       <input type="text" class="search-form" autocomplete="off" placeholder="Search">
                       <i class="fa fa-search"></i>
                    </form>
                  </div>
                </div>
             </div>--%>
           </div>
        </div><!--/.container-->
     </div><!--/.top-bar-->

  <nav class="navbar navbar-inverse" role="banner">
```

```html
    <div class="container">
        <div class="navbar-header">
            <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
                <span class="sr-only">Toggle navigation</span>
                <span class="icon-bar"></span>
                <span class="icon-bar"></span>
                <span class="icon-bar"></span>
            </button>--%>
            <a class="navbar-brand" href="index.jsp">Chemical Supply</a>
        </div>

        <div class="collapse navbar-collapse navbar-right">
            <ul class="nav navbar-nav">
                <li ><a href="uepw.jsp">Edit Password</a></li>
                <li ><a href="viewcart.jsp">View Cart</a></li>
                <li ><a href="track.jsp">Track Order </a></li>
                <li><a href="index.jsp">signout</a></li>

            </ul>
        </div>
    </div><!--/.container-->
</nav><!--/nav-->
        </header><!--/header-->

<section id="about-us">
    <div class="container">
                    <div class="center wow fadeInDown">
                            <h2>Welcome To User Page</h2>
                            <p class="lead"> </p>
                    </div>

                    <!-- about us slider -->

</section><!--/#bottom-->

<footer id="footer" class="midnight-blue">
    <div class="container">
        <div class="row">
            <div class="col-sm-6">
                &copy; 2020 All Rights Reserved.
            </div>

        </div>
    </div>
</footer><!--/#footer-->


<script src="js/jquery.js"></script>
<script type="text/javascript">
    $('.carousel').carousel()
</script>
<script src="js/bootstrap.min.js"></script>
<script src="js/jquery.prettyPhoto.js"></script>
<script src="js/jquery.isotope.min.js"></script>
<script src="js/main.js"></script>
<script src="js/wow.min.js"></script>
</body>
</html>
```
Viewcart.jsp:

```jsp
<%@ page contentType="text/html; charset=utf-8" language="java" import="java.sql.*" errorPage="" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html lang="en">
<head>
```

166

```html
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta name="description" content="">
<meta name="author" content="">
<title>About Us | Corlate</title>

        <!-- core CSS -->
<link href="css/bootstrap.min.css" rel="stylesheet">
<link href="css/font-awesome.min.css" rel="stylesheet">
<link href="css/prettyPhoto.css" rel="stylesheet">
<link href="css/animate.min.css" rel="stylesheet">
        <link href="css/main.css" rel="stylesheet">
<link href="css/responsive.css" rel="stylesheet">

<!--[if lt IE 9]>
<script src="js/html5shiv.js"></script>
<script src="js/respond.min.js"></script>
<![endif]-->
<link rel="shortcut icon" href="images/ico/favicon.ico">
<link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
<link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
<link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
<link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">
</head><!--/head-->

<body>

    <header id="header">
     <div class="top-bar">
        <div class="container">
          <div class="row">
            <%--<div class="col-sm-6 col-xs-4">
              <div class="top-number"><p><i class="fa fa-phone-square"></i>  +0123 456 70 90</p></div>
            </div>--%>
            <%--<div class="col-sm-6 col-xs-8">
              <div class="social">
                <ul class="social-share">
                   <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                   <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                   <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                   <li><a href="#"><i class="fa fa-dribbble"></i></a></li>
                   <li><a href="#"><i class="fa fa-skype"></i></a></li>
                </ul>
                <div class="search">
                   <form role="form">
                      <input type="text" class="search-form" autocomplete="off" placeholder="Search">
                      <i class="fa fa-search"></i>
                   </form>
                </div>
              </div>
            </div>--%>
          </div>
        </div><!--/.container-->
     </div><!--/.top-bar-->

    <nav class="navbar navbar-inverse" role="banner">
        <div class="container">
          <div class="navbar-header">
            <%--<button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse">
               <span class="sr-only">Toggle navigation</span>
               <span class="icon-bar"></span>
               <span class="icon-bar"></span>
               <span class="icon-bar"></span>
            </button>--%>
            <a class="navbar-brand" href="index.jsp">Chemical Supply</a>
```

```html
                </div>

                <div class="collapse navbar-collapse navbar-right">
                    <ul class="nav navbar-nav">
                        <li ><a href="uepw.jsp">Edit Password</a></li>
                        <li ><a href="viewcart.jsp">View Cart</a></li>
                        <li ><a href="track.jsp">Track Order </a></li>
                        <li><a href="index.jsp">signout</a></li>
                    </ul>
                </div>
            </div><!--/.container-->
        </nav><!--/nav-->
        </header><!--/header-->

    <section id="about-us">
        <div class="container">
                            <div class="center wow fadeInDown">
                                    <h2>View Cart</h2>
            <p> <%

                                if(session.getAttribute("emailid").equals(""))
                                {
                                            response.sendRedirect("index.jsp");
                                }

            %></p>
                                <p class="lead">
                                 <% @page import ="java.sql.*"%>
            <% @page import="java.util.*,java.io.*,javax.servlet.http.Cookie"%>
            <%
```
```java
try
{
        Class.forName("com.mysql.jdbc.Driver");
         Connection con=DriverManager.getConnection("jdbc:mysql://localhost:3306/nursery2020","root","mysql");
    Statement stmt=con.createStatement();
    ResultSet rs;
    ResultSetMetaData rmd;

        String s1="select pid as ProductId,pdesc as ProductDescription,rate as Rate,pic as Photo from carttemp";

//   String s1="select billno as InvoiceNo,emailid as Email,fullname as Fullname,addr as Address,ph as Mobile,status as
Status from payment2";

    rs = stmt.executeQuery(s1);

                    out.println("<body><div align=center>CART
DETAILS</div></body>");

    out.println("<table border=2 align=center width=50% bordercolor=blue ><tr>");

    rmd =rs.getMetaData();
    int n=rmd.getColumnCount();
    for(int i=1;i<=n;i++)
    {

        out.println("<td>"+rmd.getColumnName(i)+"</td>");

    }
    String s="",s5="",s6="",s111="";
                    int count=0;
                    double sum=0;
                    double temp=0;
                    double mgst=0,mgsttemp=0;
```

168

```java
                    String pid="";
    while (rs.next())
    {
        out.println("<tr>");
        count++;

        for(int x=1;x<=n;x++)
        {
                        /*          if(x==1)
                            {
                             s=rs.getString(x);
                             out.println("<td><b>"+s+"</td>");
                             mgsttemp=mgsttemp+Float.parseFloat(s);
            } */

                                    if(x==1)
                        {
                                s=rs.getString(x);
                                pid=s;
                         out.println("<td><b>"+s+"</b></td>");
                }

                                    else if(x==5)
                        {
                                s=rs.getString(x);
                         out.println("<td><b><img src="+s+" width=100
height=100></img></b></td>");
                }

                                    else if(x==3)
                        {
                         s111=rs.getString(x);
                            temp=temp+Float.parseFloat(s111);
                        //  sum=sum+temp;
                         out.println("<td><b>"+s111+"</b></td>");
                     }

                                     else
                                     {
                                      s=rs.getString(x);
                                            out.println("<td><b>"+s+"</b></td>");
                                                                }

                        }


                out.println("<td><b><a href=delete.jsp?d="+pid+"><p style='color:black'>Delete from
cart</p></b><a/></td>");



     out.println("</tr>");
    }
                    session.setAttribute("gst",mgsttemp);
                    out.println("</table><br>");
                    out.println("<a href=payment.jsp?total="+temp+"&no="+count+"&gst="+mgsttemp+"><p
style='color:black'>Proceed to Payment</p></a>");
                    out.println("<a href=deleteall.jsp><p style='color:black'>Delete all from cart</p><a>");
                    out.println("<h3  align=center ><p style='color:black'> Total items="+count+" Total Cart
Value="+temp+"</p></h3>");
//                  out.println("<h3  align=center > Total items="+count+" Total Cart Value GST="+mgsttemp+"%</h3>");
                    out.println("</table><br></body></html>");
    rs.close();
                    stmt.close();
                    con.close();
```

169

```
      }
    catch(Exception e)
     {

      out.println(e);
     }
%>
</p>
</div>

                           <!-- about us slider -->

  </section><!--/#bottom-->

  <footer id="footer" class="midnight-blue">
     <div class="container">
        <div class="row">
          <div class="col-sm-6">
             &copy; 2020 All Rights Reserved.
          </div>

        </div>
     </div>
  </footer><!--/#footer-->


  <script src="js/jquery.js"></script>
  <script type="text/javascript">
     $('.carousel').carousel()
  </script>
  <script src="js/bootstrap.min.js"></script>
  <script src="js/jquery.prettyPhoto.js"></script>
  <script src="js/jquery.isotope.min.js"></script>
  <script src="js/main.js"></script>
  <script src="js/wow.min.js"></script>
</body>
</html>
```

SNAPSHOTS

Chemical Supply

FACTS : A rubber tyre is actually one single giant molecular.

Buy all type of chemicals...

Read More

Chemical Supply

About us

This industry utilizes chemical processes such as chemical reactions and refining methods to convert raw materials - such as oil,natural gas,air,water,metals and minerals into chemical products.

Chemical Supply

contact us

"Phone number:9110804483" "Email-id:kaushiknk18@gmail.com"

Chemical Supply About contact Sign in Admin Sign in Sign up Shop⌄

User Signin

Username [_____]   Sign in

Password [_____]

Submit Reset

Chemical Supply About contact Sign in Admin Sign in Sign up Shop⌄

Admin Sign in

Username [_____]   Sign in

Password [_____]

Submit Reset

Chemical Supply About contact Sign in Admin Sign in Sign up Shop⌄

User Signup

Email-ID [_____]

Password [Password: ____]

Name [_____]

Gender [Male ⌄]

Date of birth [mm/dd/yyyy 🗓]

Address [_____]

Phone [Phone or Mobile no]

Submit Reset

Chemical Supply About contact Signin Admin Signin Signup Shop⌄

Sulfuric Acid

pid	pic	pdesc	rate	gst	BUY
SP-1		100 ml	500	18	Add to Cart 🛒

About contact Signin Admin Signin Signup Shop˅

Zinc

pid	pic	pdesc	rate	gst	BUY
ZI-4		ZINC	400	18	Add to Cart 🛒

Sodium Hydroxide

pid	pic	pdesc	rate	gst	BUY
SH-4		sodium hydroxide	200	18	Add to Cart 🛒

Nitric Acid

pid	pic	pdesc	rate	gst	BUY
NA-5		Nitric acid	800	18	Add to Cart 🛒

Acetic Acid

pid	pic	pdesc	rate	gst	BUY
AA-6		Acetic acid	600	18	Add to Cart 🛒

Welcome To User Page

To be Dispatched Details

InvoiceNo	Name	Address	Email	Mobile	Status	
1000	a	abc	a@g.com	9000000000	Ordered	Rate Us
1001	surya	madehalli	surya@gmail.com	9886760618	Dispatched	Rate Us
1001	surya	madehalli	surya@gmail.com	9886760618	Dispatched	Rate Us
1003	kaushik	hoskote	kaushik@gmail.com	9110804483	Dispatched	Rate Us

Chemical Supply   Edit Password   View Cart   Track Order   signout

Edit Password

Old Password :
New Password :
Confirm Password :
Submit   Reset

Change Password

Chemical Supply   Edit Password   View Cart   Track Order   signout

View Cart

CART DETAILS

ProductId	ProductDescription	Rate	Photo	
ZI-4	Zinc	400	Zinc.jpg	Delete from cart

Proceed to Payment

Delete all from cart

Total items=1 Total Cart Value=400.0

Chemical Supply

Edit Password Add Product Edit Product Payment History Dispatch Order View Feedback View signout

Welcome to Admin Page

Chemical supply

Edit Password Add Product Edit Product Payment History Dispatch Order View Feedback View signout

Add Product

Product ID	SP-6
Description	
Rate	
Photo	Choose file No file chosen
Category	Sulfuric Acid
GST %	

Submit Reset

Chemical supply

Edit Password Add Product Edit Product Payment History Dispatch Order View Feedback View signout

pic	rate	pdesc	gst	pid	Review
	500	100 ml	18	SP-1	
	400	ZINC	18	ZI-4	
	200	sodium hydroxide	18	SH-4	

Chemical supply

View Feedback

fullname	feedback	mobile	email	rate
a	good	9000000000	a@g.com	★★★★★

Chemical supply

Dispatch Order

To be Dispatched Details

InvoiceNo	Name	Address	Email	Mobile	Status	
1000	a	abc	a@g.com	9000000000	Ordered	Dispatch
1001	surya	madehalli	surya@gmail.com	9886760618	Dispatched	Dispatch
1001	surya	madehalli	surya@gmail.com	9886760618	Dispatched	Dispatch
1003	kaushik	hoskote	kaushik@gmail.com	9110804483	Dispatched	Dispatch

Chemical supply

Payment History

Billnumber	BillDate	TotalAmount	EmailID	Status
1000	8/31/2022 13:55	500.0	a@g.com	Ordered
1001	9/6/2022 18:24	500.0	surya@gmail.com	Dispatched
1001	9/6/2022 18:25	500.0	surya@gmail.com	Dispatched
1003	9/7/2022 17:31	3000.0	kaushik@gmail.com	Dispatched

DATA TABLES

u	p
a	a
(NULL)	(NULL)

pid	pdesc	rate	pic	category
ZI-4	Zinc	400	Zinc.jpg	ZINC
(NULL)	(NULL)	(NULL)	(NULL)	(NULL)

fullname	feedback	mobile	email	rate
a	good	9000000000	a@g.com	5
(NULL)	(NULL)	(NULL)	(NULL)	(NULL)

billno	bdate	famt	emailid	fullname	addr	ph	status
1000	8/31/2022 13:55	500.0	a@g.com	a	abc	9000000000	Ordered
1001	9/6/2022 18:24	500.0	surya@gmail.com	surya	madehalli	9886760618	Dispatched
1001	9/6/2022 18:25	500.0	surya@gmail.com	surya	madehalli	9886760618	Dispatched
1003	9/7/2022 17:31	3000.0	kaushik@gmail.com	kaushik	hoskote	9110804483	Dispatched
(NULL)	(NULL)	(NULL)	(NULL)	(NULL)	(NULL)	(NULL)	(NULL)

| 1 Messages | 2 Table Data | 3 Info |

emailid	pwd	fullname	gender	dob	addr	ph
a@g.com	Aa123456789	a	Male	2022-08-08	abc	9000000000
kaushik@gmail.com	Kaush1234567	kaushik	Male	2001-07-18	hoskote	9110804483
dhanu@gmail.com	Dhanu1234567	ray	Male	2001-02-14	tan road	9845867472
surya@gmail.com	Surya@1234567	surya	Male	2000-10-22	madehalli	9886760618
(NULL)	(NULL)	(NULL)	(NULL)	(NULL)	(NULL)	(NULL)

| 1 Messages | 2 Table Data | 3 Info |

pid	pdesc	rate	pic	Category	gst
SP-1	100 ml	500	SulfuricAcid.jpg	Sulfuric Acid	18
ZI-4	ZINC	400	Zinc.jpg	Zinc	18
SH-4	sodium hydroxide	200	sodiumhydroxide.jpg	Sodiun Hydroxide	18
NA-5	Nitric acid	800	nitricacid.jpg	Nitric Acid	18
AA-6	Acetic acid	600	aceticacid.jpg	Acetic Acid	18
(NULL)	(NULL)	(NULL)	(NULL)	(NULL)	(NULL)

TESTING

TESTING The testing phase is the stage that follows the implementation of the program with the aim to verify whether it responds to the existing problem or it does what it has to do. It also involves the examination of the functionality of program in general to ensure that the software responds to the needs of the users. This will verify the performance of the program in matters of security and portability. The bottom line is that the software should be delivered, not only working correctly but also satisfying other attributes such as usability and maintainability. The following test methods were used to try to uncover all possible errors and verify that the system fully satisfies its requirements. It is worth mentioning that we have tried to follow the best practices suggested by all software engineering researchers.

Software testing

It is the process of testing the functionality and correctness of software by running it. Process of executing a program with the intent of finding an error. A successful test is one that uncovers an as yet discovered error.

Software testing is usually performed for one of two reasons

• Defect detection

• Reliability estimation

Basics of software testing:

There are two basics of software testing: black box testing and white box testing.

White box Testing

White box testing is a testing technique that occurs into each and every part of the program. It is also called structural testing and glass box testing. White box testing is often used for verification.

Black box Testing

Black box testing is a testing technique that ignores the internal mechanism of the system and focuses on the output. It is also called functional testing. Black box testing is often used for validation.

TYPES OF TESTING

Unit Testing Unit testing is the testing of an individual unit or group of related units. It falls under the class of white box testing. It is often done by the programmer to test that the unit he/she has implemented is producing expected output against given input.

Integration Testing: Integration testing is testing in which a group of components are combined to produce output. Also, the interaction between software and hardware is tested in integration testing if software and hardware components have any relation. It may fall under both white box testing and black box testing.

There are two types of integration testing

• Top-down integration testing: is testing that takes place from top to the bottom of the system.

• Bottom- up integration testing: is a testing that takes place from bottom the control flow upwards.

System Testing : System testing is the testing to ensure that by putting the software in different environments (e.g., Operating Systems) it still works. System testing is done with full system implementation and environment. It falls under the class of black box testing.

| Component Testing | Integration Testing | Unit Testing |

TEST CASE TABLE FOR EACH MODULE:

Table Admin Module Test Cases

Case Number	Test Case	Given Input	Expected Output	Actual Output	Remarks
1	Admin Login	Enter valid username and password	Admin login should be successful	Admin login is successful	Pass
2	Admin Login	Enter invalid username and password	Error message should be displayed	Error message should be displayed	Pass
3	Add/Delete User details	Enter valid details	Details are updated	Details are updated	Pass
4	View User Details	Employee details	Details are viewed	Details are viewed	Pass
5	Add/Update delete items	Enter valid details	Details are updated	Details are updated	Pass

Test Case for Module

Case no	Test Case	Given Input	Expected Output	Actual Output	Remarks
1	User Login	Enter valid username and password	Employee login should be successful	Employee login is successful	Pass
2	User Login	Enter invalid username and password	Error message should be displayed	Error message should be displayed	Pass
3	Customer Billing	Enter Items	Bill is produced	Bill is produced	Pass

SYSTEM MAINTENANCE

INTRODUCTION:

Once the software is delivered and deployed, it enters the maintenance phase. Software needs to be maintained not because some of its components wear out and need to be replaced, but because there are often some residual errors remaining in the system that must be removed as they are discovered.

The objectives of this maintenance work are to make sure that the system gets into work all time without any bug. Provision must be for environmental changes which may affect the computer or software system. This is called the maintenance of the system. Nowadays there is the rapid change in the software world. Due to this rapid change, the system should be capable of adapting these changes. In our project the process can be added without affecting other parts of the system. Maintenance plays a vital role. The system is liable to accept any modification after its implementation. This system has been designed to favour all new changes. Doing this will not affect the system „s performance or its accuracy. Maintenance covers a wide range of activities [1], including correcting coding and design errors, updating documents and test data also upgrading user support.

Maintenance can be classified as:
• Corrective maintenance
• Adaptive maintenance
• Preventive maintenance

CORRECTIVE MAINTENANCE

Almost all developed software has residual errors. Corrective maintenance means repairing of processing or performance failures or making changes because of previously uncorrected problems or false assumptions.

ADAPTIVE MAINTENANCE

Even without bugs, software frequently undergoes change because it must be upgraded and enhanced to include more features and provide services. Once software is deployed, the environment in which it operates changes with time. This changing requires changing or modification in software, called Adaptive maintenance.

PREVENTIVE MAINTENANCE

Preventive maintenance is used to ensure the risks of future are minimized. This is one of the best ways to react to risk proactively.

Many activities classified as maintenance are actually enhancements. Maintenance means restoring something to its original condition. Unlike hardware, however software does no wear out; it is corrected. In contrast, enhancement means adding [2], modifying

or redeveloping the code to support changes in the specifications. It is necessary to keep up with changing user needs and the operational environment.

CONCLUSION

"Online Chemical Supply System" software developed for a company has been designed to reduce the time taken to handle the sales activity. It is designed to replace an existing manual record system for reducing time taken for calculations and for storing data. The system uses HTML, JSP as front end and SERVLET, MySQL server as a backend for the database. The system is strong to handle daily operations where the database is cleared over certain time. This system will reduce manual work, calculations and will also provide periodic reports any time.

FUTURE WORK

Online Chemical Supply, maintenance and control are a vital tool in any business. The tool which management use in its control is of vital importance. To know to place order for a new item and update current status will depend on how information processing is handled. In today's fast paced society, it's very hard to be competitive without using cutting-edge technology available in market. After years of business, the data has grown much. It is becoming a challenge for person to manage that data in an effective way. To be more productive in order processing, he needs a solution which can facilitate their current processes with use of technology and software. With increased amount of orders, it is becoming difficult for salesperson to manage orders in effective and efficient manner. It is very hard to go through all paper work and backtracking orders. If there is any complain or review of any order, it takes large amount of effort and time to backtrack and fix the problem. By using this application, we can check the items present or not from the current location and purchase the items

<u>BIBLIOGRAPHY</u>

During this development of our system, we have extracted the reference's from few websites, which we would like to mention in this section.

WEB REFERNCES:

[1] http://www.bestprojectsidea.com/vb-6-0-synopsis/supermarket-management-system/[Last accesses:Dec20, 2014].

[2] http://www.scribd.com/doc/27828662/ABSTRACT-the-Project-supermarket-Deals-WithThe [Last accesses: Jan 15, 2015].

[3]http://www.memoireonline.com/07/12/5995/Online-ordering-and-inventory system.html[Last accesses: Jan 16, 2015].

[4] http://www.scribd.com/doc/37762263/Online-Supermarket-System [Last accesses: Jan 16, 2015].

[5]http://pdfebooklibrary.com/pdf/all-uml-diagrams-for-supermarket-managementsystem.pdf.[Last accesses: Jan 16, 2015].

[6] http://www.webopedia.com/TERM/E/entity_relationship_diagram.html [Last accesses: Jan18, 2015].

[7] https://www.scribd.com/doc/88753639/8/Data-Dictionary [Last accesses: Jan 25, 2015].
[8]http://faculty.mu.edu.sa/public/uploads/1414260422.4274vb2008book_ed2.pdf[Last accesses: Feb 05, 2015].

[9] http://www.ijeee.net/uploadfile/2013/0702/20130702101737944.pdf [Last accesses: Feb 10, 2015].

[10]http://www.scribd.com/doc/140997151/Supermarket-Management-System-ProjectReport#scribd[Last accesses: Feb12, 2015].

[11]http://www.slideshare.net/rajeshroky1/the-main-purpose-of-the-project-is-to-managethesupermarket-efficiently-repaired2-1 [Last accesses: Mar 02, 2015].

[12]http://www.scribd.com/doc/135087179/Online-Shopping-System-ProjectReport#scribd.[Last accesses: Mar 10, 2015].

[13] http://www.slideshare.net/gajapandiyan/online-shopping-16603063 [Last accesses: Mar 10, 2015].

[14]http://library.ndsu.edu/tools/dspace/load/?file=/repository/bitstream/handle/10365/23054 / Swati_Online%20Shopping%20Cart%20Application.pdf?sequence=1 [Last accesses: Mar 15, 2015].

[15]http://www.scribd.com/doc/135087179/Online-Shopping-SystemProjectReport#scribd.[Lastaccesses: Mar15, 2015].