



Network Data Security Policy

Overview

As computer networks increasingly grow larger in size and complexity, they also become increasingly difficult to navigate. It is possible, and not unusual, that Information could be spread over multiple computers and multiple networks. Without intimate knowledge of the network infrastructure, how does one find the information needed to be productive in a timely fashion?

Purpose

The purpose of this document is to provide a guideline as to how files should be located and how to provide end users with a common and familiar interface to those files.

Policy

Departmental Folders

- Each department is to have its own 'shared folder' on a file server. These will be called 'Departmental Folders', see Figure 1.
- The transparency of the TLD Filing system means that it is NOT necessary for Departmental Folders to be all located on the same server. They can therefore be spread over multiple machines and networks.
- Departmental folders are to use Windows 'share' level permission as in Figure 2.
- Each department head determines who outside of their department can access their Departmental Folder and with what type of access: READ ONLY or READ/WRITE access.




Figure 1, Departmental folders




Figure 2, Departmental Folder Sharing

Departmental Public Folder

- Within each departmental folder there is to be a folder called a 'Departmental Public folder'.
- The naming convention is that it starts with 'PUB_' followed by text identifying the department it belongs to, see Figure 3.
- Departmental Public Folders contain files that are under the control of a particular department but are made available to, READ ONLY, to all DOMAIN USERS.
- As an example, MIS stores all device drivers in PUB_MIS and makes them available for everyone to use.




Figure 3, Public Departmental Folder

Inter-Company

- Each location is to provide a shared folder called 'Interco', see Figure 4
- Interco is used to provide a secure environment for 'cross location' file sharing.
- Domain users from all TLD network domains are to be given Share level access to Interco folders.
- To protect the contents of Interco, each folder within Interco is to be protected with File Level permissions, see Figure 5.
- As you can see from the example, even though all domain users have access to Interco they may not necessarily have access to the contents due to file level permissions being in effect.




Figure 4, Interco folder




Figure 5, File level permissions for Ranger folder

Public Folders

- In order to facilitate internal file transfers, each network on the TLD WAN should have one shared folder called Public.
- Public is for TEMPORARY storage of files only.
- All Public folders should be purged of any files that have been saved there for more than 3 months.
- Public allows read and write access to DOMAIN USERS from all TLD Network Domains: Windsor, devtec and tld_europe.
- Active users are to each have a folder within Public for easy identification.




Figure 6, Public folder



Links Folder

- The links folder is to be controlled by MIS and published READ ONLY via PUB_MIS.
- The structure of the LINKS folder is based on departments, see Figure 7.
- Each department has a folder within the LINKS folder to store links to data used on a daily basis, see Figure 8.
- A folder called COMMON holds links to data that all DOMAIN USERS require access to e.g. since PUBLIC is accessed by all DOMAIN USERS, a link is provided within the COMMON folder.
- A folder called GLOBAL holds links to other location's LINKS folders.




Figure 7, Links Folder




Figure 8, Department Links Folder

Cross Shares

- Cross shares permit the sharing of files between multiple groups and multiple users.



- An example would be Proposals which contains files used in creating bids. Multiple groups, such as Sales, Product support and Production all require full access to these files.
- Cross shares are stored separately from other shared folders to easily identify them.
- If a cross share is moved, close attention must be made to existing access permissions applied to a cross share BEFORE it is moved. If this is not done then it will be difficult to recreate the same permissions.
- It is for this reason that Cross Shares are treated differently from all other shared folder types.




Figure 9

Access Rights

Below are guidelines for determining access to network data.

Non permanent users

- Any users not permanently employed by TLD are to be given access to data on a need to know basis.
- They should not have direct Write access to department folders.
- They should be given Write access to only Public folders. Users with appropriate access should be the ones to move the data, on behalf of the temporary user, to the required destinations.

Common to all user levels

- Each user has Read/Write access to their Primary Departmental Folder. Users belonging to multiple departments must obtain permission from each department head before being allowed access. The type of access, whether Read Only or Read/Write is also to be determined by the department head.



- Each user has Read Only access to Public Department Folders of departments that they do not belong to e.g. PUB_ENG, PUB_PUR, etc.
- Each user has Read/Write access to Public Folders.

For executives

- Company executives for each region, i.e. America, Europe and Asia, have Read/Write access to all departmental folders for their region only.

Special cases

- Any cases, that do not fit within the above guidelines, are to be determined by Human Resources after consulting with the person responsible for the data in question.

Enforcement

Definitions

Revision History