### Instructions

- You need to solve one programming problem in this challenge.
- The duration of this challenge is **120 Minutes**.
- Programming questions have a **Compile and Run** option where you can run your solution against sample test cases before submitting it.
- Click **Evaluate** button only if your code compiles successfully.
- This challenge covers the following topic(s).
  - · Class and Objects
  - Functions
  - ADO.Net

### Scenario:

The transport department of your company wants to have an application through which they can add employees commute records to database, display all commute records from database and also display records of all those employees commute that are paying the lowest commute fare. Help the transport department by creating the application.

#### **Functionalities:**

- Add employee commute records to database
- Display all employee commute records from database
- Display the records of those employees who are paying the lowest commute fare.

## Data Design:

| Tablename:      | tblOfficeCommuteApp |                       |  |
|-----------------|---------------------|-----------------------|--|
| Column Name     | Data type           | Constraints           |  |
| Employee_Id     | varchar(100)        | Primary Key, Not Null |  |
| Employee_Name   | varchar(100)        | Not Null              |  |
| Employee_Type   | varchar(100)        | Not Null              |  |
| Travel_Distance | float               | Not Null              |  |
| Commute_Charge  | float               | Not Null              |  |

The database connection information is specified in the "App.config" file, which is also provided as part of code skeleton. **THIS IS GIVEN ONLY FOR YOUR REFERENCE**. You need **NOT** change this. The code skeleton will be available in the Tekstac platform.

# **Component Specification**

• Create a model class called **OfficeCommuteDAO** with the below public auto-implemented properties:

| Type (Class)     | Data Types | Properties     |
|------------------|------------|----------------|
|                  | string     | EmployeeId     |
| OfficeCommuteDAO | string     | EmployeeName   |
|                  | string     | EmployeeType   |
|                  | float      | TravelDistance |
|                  | float      | CommuteCharge  |

Also create a default constructor and a parameterized constructor under this class.

• Create a Class called **OfficeCommuteBO** with the below methods:

| Type(Class)     | Methods                          | Responsibilities                             |
|-----------------|----------------------------------|--|
|                 | public int                       | This method should accept an                 |
| OfficeCommuteBO | InsertRecords(OfficeCommuteDAO   | OfficeCommuteDAO object and execute          |
|                 | commuteData)                     | a sql query to insert an employee            |
|                 |                                  | commute record into the database. It         |
|                 |                                  | returns 1 if the insertion is successful and |
|                 |                                  | 0 if it fails to insert.                     |
|                 | public IList< OfficeCommuteDAO > | This method will retrieve all commute        |
|                 | DisplayAllRecords()              | records from the database. Store each        |
|                 |                                  | record in OfficeCommuteDAO object.           |
|                 |                                  | Add these objects to a 'List'.               |
|                 | public IList< OfficeCommuteDAO > | This method will retrieve all those          |
|                 | DisplayRecordsByLowestCommuteF   | employees commute records from the           |
|                 | are()                            | database whose is paying the lowest          |
|                 |                                  | fare. Store each record in                   |
|                 |                                  | OfficeCommuteDAO object. Add these           |
|                 |                                  | objects to a 'List'.                         |

• Create a class called **Program** with main method. Call the **OfficeCommuteBO** methods under the Program class and test your application.

# **Fare Calculation Formula:**

| Employee Type | Travel Distance | Fare Calculation                      |
|---------------|-----------------|---------------------------------------|
| INTERNAL      | <=10            | commuteFare = travelDistance * 70     |
|               | >10 and <=20    | commuteFare = travelDistance * 90     |
|               | >20             | commuteFare = travelDistance * 110    |
| EXTERNAL      | <=10            | commuteFare = travelDistance * 110    |
|               | >10 and <=20    | commuteFare = travelDistance * 130    |
|               | >20             | travelDistance = travelDistance * 150 |

#### **Business Rules:**

- 1. Employee Id should be in the format: The first 3 should be letters (either EXT or INT only) and the next 4 should be numbers (example: EXT1001 is valid, INT001 is valid where as VEN1001 is invalid, ext1001 is invalid, int1001 is invalid). If validation fails return false; else return true
- 2. Duplicate Employee Id should not be present in the data table. If same Id already exists in table return false; else return true
- 3. Employee Type should be either INTERNAL or EXTERNAL. If any other value is entered return false; else return true.
- 4. The Employee Type first 3 letters should be checked if it matches with the first 3 letters of Employee Id. If data matches return true; else return false. [Note: The match checking should be case insensitive].
- 5. The travel distance should be between 2 km and 30 km. If value is entered outside the specified range return false; else return true.
- 6. The fare should be rounded to 2 decimal places for display.
- 7. Enclose all DML and DQL operations in **OfficeCommuteBO** class under try-catch block.

Sample Input / Output

```
Welcome Admin to Office Commute System
Enter 1 to Add Employee Commute Records
Enter 2 to Display All Employee Commute Records
Enter 3 to Display All Employee Commute Records Who Are Paying Lowest Fare
Enter Employee Id:
INT1001
Enter Employee Name:
Sam
Enter Employee Type(External or Internal):
INTERNAL
Enter Travel Distance:
Data Insertion Successful
Press yes to continue your work..Any other key to terminate operation
yes
Menu:
Enter 1 to Add Employee Commute Records
Enter 2 to Display All Employee Commute Records
Enter 3 to Display All Employee Commute Records Who Are Paying Lowest Fare
Enter Employee Id:
EXT1001
Enter Employee Name:
Joe
Enter Employee Type(External or Internal):
```

```
EXTERNAL
Enter Travel Distance:
Data Insertion Successful
Press yes to continue your work..Any other key to terminate operation
Menu:
Enter 1 to Add Employee Commute Records
Enter 2 to Display All Employee Commute Records
Enter 3 to Display All Employee Commute Records Who Are Paying Lowest Fare
Enter Employee Id:
EXT1002
Enter Employee Name:
Merry
Enter Employee Type(External or Internal):
EXTERNAL
Enter Travel Distance:
Data Insertion Successful
Press yes to continue your work..Any other key to terminate operation
yes
Menu:
Enter 1 to Add Employee Commute Records
Enter 2 to Display All Employee Commute Records
Enter 3 to Display All Employee Commute Records Who Are Paying Lowest Fare
Display All Employees Commute Infomation:
Employee Id
                Name
                                Employee Type Distance
                                                                 Commute Fare
EXT1001
                Joe
                                EXTERNAL
                                                8
                                                                 880.00
EXT1002
                                EXTERNAL
                                                3
                                                                 330.00
                Merry
INT1001
                Sam
                                INTERNAL
                                                                 350.00
Press yes to continue your work..Any other key to terminate operation
yes
Menu:
Enter 1 to Add Employee Commute Records
Enter 2 to Display All Employee Commute Records
Enter 3 to Display All Employee Commute Records Who Are Paying Lowest Fare
Display Employees With Lowest Commute Fare:
Employee Id
                               Employee Type Distance Commute Fare
                Name
EXT1002
                               EXTERNAL
                Merry
                                                                 330.00
Press yes to continue your work..Any other key to terminate operation
no
```

Thank you for using the app. Have a nice day