





POSTMAN

NewImportRunner

My WorkspaceInvite

CFP Hub dev

Filter

HistoryCollections

Trash

CFP Hub2 requests

Security conferences - CFPTIME.org

- Fetch CFPTIME list
- Post to Slack

[CDC] Log retrieval - Blueprint1 request

[CDC] Log retrieval - Contract1 request

[CDC] Log retrieval - Contract co...1 request

Air Quality Monitor - India2 requests

Community Pulse2 requests

Dummy workspaces detector2 requests

Generate JWT2 requests

Fetch CFPTIME list

GEThttps://www.cfptime.org/api/cfps/

SendSave

ParamsAuthorizationHeadersBodyPre-request ScriptTests

```
24 if (cfpTimestamp < nextWeek && cfpTimestamp > now) {
25   events.push({
26     name: event.name,
27     cfp_deadline: cfpDate.toDateString(),
28     cfp_deadline_timestamp: cfpTimestamp,
29     event_date: eventDate.toDateString(),
30     event_date_timestamp: eventTimestamp,
31     url: event.website,
32     location: `${event.city}, ${event.country}`
33   });
34 }
35
36
37 if (events.length) {
38   pm.variables.set("events", JSON.stringify(events));
39 } else {
40   console.log("No security conference CFPs closing in next 7 days");
41   postman.setNextRequest(null);
42 }
```

Response


Hit the Send button to get a response.

Bootcamp

BuildBrowse

Icons





The screenshot displays the Postman application window. The left sidebar shows a 'Collections' view with a tree structure. The 'CFP Hub' collection is expanded, showing a 'Fetch CFPTIME list' request. The main panel shows the details of this request, including the URL, method, and a test script. The test script is a JavaScript function that checks if the current time is within the next 7 days of a security conference closing. If it is, it pushes the event details to a local array. If not, it logs a message and sets the next request to null. The interface includes a top bar with navigation buttons, a sidebar with a search filter, and a bottom bar with a 'Hit the Send button to get a response.' message.

Postman

New Import Runner +

My Workspace Invite

CFP Hub dev

Filter

History Collections

Trash

CFP Hub 2 requests

Security conferences - CFPTIME.org

GET Fetch CFPTIME list

POST Post to Slack

[CDC] Log retrieval - Blueprint 1 request

[CDC] Log retrieval - Contract 1 request

[CDC] Log retrieval - Contract co... 1 request

Air Quality Monitor - India 2 requests

Community Pulse 2 requests

Dummy workspaces detector 2 requests

Generate JWT 2 requests

Fetch CFPTIME list

GET https://www.cfptime.org/api/cfps/ Send Save

Params Authorization Headers Body Pre-request Script Tests Cookies Code Comments (0)

```
24 if (cfpTimestamp < nextWeek && cfpTimestamp > now) {
25   events.push({
26     name: event.name,
27     cfp_deadline: cfpDate.toDateString(),
28     cfp_deadline_timestamp: cfpTimestamp,
29     event_date: eventDate.toDateString(),
30     event_date_timestamp: eventTimestamp,
31     url: event.website,
32     location: `${event.city}, ${event.country}`
33   });
34 }
35 }
36
37 if (events.length) {
38   pm.variables.set("events", JSON.stringify(events));
39 } else {
40   console.log("No security conference CFPs closing in next 7 days");
41   postman.setNextRequest(null);
42 }
```

Response

Hit the Send button to get a response.

Bootcamp Build Browse

# Three ways to run a collection

- In the Postman app
- On the command line
- On the cloud

