
FIR Filter Classifier

Table of Contents

Linear Phase FIR Filter	1
Initialization	1
Transfer function in Z domain	2
For Type A Filter	2
Developer's Mode	2
Generating Poles for Linear FIR Filter	2
Flags to declare type of system.	2
Global Variable Declaration	2
Getting Transfer Function h(n)	3
If ODD	3
If even	4
Final OUTPUT	6
Graph Plot in Z domain	6
Required Responses	8
Initialization	10
For Type B Filter	10
Developer's Mode	10
Generating Poles for Linear FIR Filter	10
Flags to declare type of system.	11
Global Variable Declaration	11
Getting Transfer Function h(n)	11
If ODD	11
If even	12
Final OUTPUT	14
Graph Plot in Z domain	14
Required Responses	16
Function Termination	18
Author: Kaustubh Shivdikar	18

Linear Phase FIR Filter

The Discrete FIR Filter block independently filters each channel of the input signal with the specified digital FIR filter. The block can implement static filters with fixed coefficients, as well as time-varying filters with coefficients that change over time. You can tune the coefficients of a static filter during simulation. This block filters each channel of the input signal independently over time. The Input processing parameter allows you to specify whether the block treats each element of the input as an independent channel (sample-based processing), or each column of the input as an independent channel (frame-based processing). To perform frame-based processing, you must have a DSP System Toolbox™ license. The output dimensions equal those of the input, except when you specify a matrix of filter taps for the Coefficients parameter. When you do so, the output dimensions depend on the number of different sets of filter taps you specify.

Initialization

```
clear all
clc
```

Transfer function in Z domain

This input will be received from the user end.

For Type A Filter

```
num = [ 1 1 2 1 1];
```

Developer's Mode

```
dmode = 0;
```

Generating Poles for Linear FIR Filter

```
[~,k] = size(num);  
  
den(1) = 1;  
  
for i=2:k  
  
    den(k) = 0;  
  
end  
  
n_roots = roots(num);  
d_roots = roots(den);  
  
  
[number_of_coefficients, ~] = size(d_roots);  
  
number_of_coefficients = number_of_coefficients + 1;  
noc = number_of_coefficients;
```

Flags to declare type of system.

```
flag_A = false;  
flag_B = false;  
flag_C = false;  
flag_D = false;  
flag_sym = 1;
```

Global Variable Declaration

```
check_sym(1) = 100;  
  
if (rem(noc,2) == 1) %% ODD Coeffs
```

```
flag_A = true;
flag_C = true;

else    %% Even Coeffs
    flag_B = true;
    flag_D = true;

end
```

Getting Transfer Function $h(n)$

```
if (flag_A == true)
```

If ODD

```
if (dmode)
    disp('KTB ODD')
end
h = num;

[~,n] = size(h);
N = n;
n = n - 1;
n = n/2;

for i = 1:n
    if (h(i) == h(N+1-i))
        if (dmode)
            disp('KTB SYMM');
        end
        check_sym(i) = 1;
        flag_sym = flag_sym * 1;

    else if (h(i) == (-1 * h(N+1-i)))
        flag_sym = flag_sym * -1;
        check_sym(i) = -1;
        if (dmode)
            disp('KTB ANTI SYMM');
        end

        else
            flag_sym = 0;
            if (dmode)
                disp('KTB Nothing');
            end
        end
    end
end
```

```
end

    if (check_sym(1)>0)

        flag_C = false;

    else

        flag_A = false;

    end

else
```

IF even

```
if (dmode)
disp('KTb EVEN')
end
h = num;

[~,n] = size(h);
N = n;
n = n/2;

for i = 1:n
    if (h(i) == h(N+1-i))
        if (dmode)
            disp('KTb SYMM');
        end
        check_sym(i) = 1;
        flag_sym = flag_sym * 1;

    else

        if (dmode)
            disp('KTb Reached')
        end
        if (h(i) == (-1 * h(N+1-i)))
            flag_sym = flag_sym * -1;
            check_sym(i) = -1;
        end
        if (dmode)
            disp('KTb ANTI SYMM');
        end

    else
```

```
        flag_sym = 0;
        if (dmode)
            disp('KTB Nothing');
        end
    end

end

end

end

if (check_sym(1)>0)
    flag_D = false;
else
    flag_B = false;
end
end

[~, lc] = size(check_sym);

lfir = 1;

for p = 1:(lc-1)

    if (check_sym(p) ~= check_sym(p+1))
        lfir = lfir *0;
    end

end

end
```

Final OUTPUT

Answers

```
if (lfir)

    if (flag_A)
        disp('Given Filter classified as type: A')
    end

    if (flag_B)
        disp('Given Filter classified as type: B')
    end
    if (flag_C)
        disp('Given Filter classified as type: C')
    end
    if (flag_D)
        disp('Given Filter classified as type: D')
    end

else

    disp('NOT A LINEAR FINITE IMPULSE RESPONSE FILTER!')

end
```

Given Filter classified as type: A

Graph Plot in Z domain

```
r = 1;
xc = 0;
yc = 0;
grid on
hold on
theta = linspace(0,2*pi);
x = r*cos(theta) + xc;
y = r*sin(theta) + yc;
plot(x,y)

[l1, ~] = size(n_roots);

[l2, ~] = size(d_roots);

for i=1:l1

plot(real(n_roots(i)),imag(n_roots(i)),'o');

end
```

```
for i=1:12

plot(real(d_roots(i)),imag(d_roots(i)),'*');

end

axis equal

equity = 0;

equity_num = 0;
equity_den = 0;

%syms z;

w = 1:180;

x = cos((w*pi)/180) + i*sin((w*pi)/180);

z = x;

for k = 1:(11)
%disp('KTB');
equity_num = equity_num + z.^k * num(11 - k + 1);
end

equity_num = equity_num + num(11+1);


for m = 1:(12)

equity_den = equity_den + z.^m * den(12 - m + 1);

end


equity_den = equity_den + den(12+1);


equity = equity_num / equity_den;
```



Reuired Responses

```
figure();  
freqz(n_roots,d_roots);  
figure();  
fvtool(num);
```



Initialization

```
clear all
clc
```

For Type B Filter

```
num = [ 1 2 2 1 ];
```

Developer's Mode

```
dmode = 0;
```

Generating Poles for Linear FIR Filter

```
[~,k] = size(num);

den(1) = 1;

for i=2:k

    den(k) = 0;

end

n_roots = roots(num);
d_roots = roots(den);

[number_of_coefficients, ~] = size(d_roots);
```

```
number_of_coefficients = number_of_coefficients + 1;  
noc = number_of_coefficients;
```

Flags to declare type of system.

```
flag_A = false;  
flag_B = false;  
flag_C = false;  
flag_D = false;  
flag_sym = 1;
```

Global Variable Declaration

```
check_sym(1) = 100;  
  
if (rem(noc,2) == 1) %% ODD Coeffs  
  
    flag_A = true;  
    flag_C = true;  
  
else    %% Even Coeffs  
    flag_B = true;  
    flag_D = true;  
  
end
```

Getting Transfer Function $h(n)$

```
if (flag_A == true)
```

If ODD

```
if (dmode)  
    disp('KTB ODD')  
end  
h = num;  
  
[~,n] = size(h);  
N = n;  
n = n - 1;  
n = n/2;  
  
for i = 1:n  
    if (h(i) == h(N+1-i))  
        if (dmode)  
            disp('KTB SYMM');  
        end  
    end  
end
```

```
        check_sym(i) = 1;
        flag_sym = flag_sym * 1;

    else if (h(i) == (-1 * h(N+1-i)))
        flag_sym = flag_sym * -1;
        check_sym(i) = -1;
        if (dmode)
            disp('KTB ANTI SYMM');
        end

        else
            flag_sym = 0;
            if (dmode)
                disp('KTB Nothing');
            end
        end
    end
end

if (check_sym(1)>0)

    flag_C = false;

else

    flag_A = false;

end

else
```

IF even

```
if (dmode)
    disp('KTB EVEN')
end
h = num;

[~,n] = size(h);
N = n;
n = n/2;

for i = 1:n
    if (h(i) == h(N+1-i))
        if (dmode)
            disp('KTB SYMM');
        end
    end
end
```

```
        check_sym(i) = 1;
        flag_sym = flag_sym * 1;

    else

        if (dmode)
            disp('KTB Reached')
        end
        if (h(i) == (-1 * h(N+1-i)))
            flag_sym = flag_sym * -1;
            check_sym(i) = -1;
            if (dmode)
                disp('KTB ANTI SYMM');
            end

        else
            flag_sym = 0;
            if (dmode)
                disp('KTB Nothing');
            end
        end
    end

end

end

if (check_sym(1)>0)

    flag_D = false;

else

    flag_B = false;

end
```

```
end

[~, lc] = size(check_sym);

lfir = 1;

for p = 1:(lc-1)

    if (check_sym(p) ~= check_sym(p+1))
        lfir = lfir * 0;
    end

end

end
```

Final OUTPUT

Answers

```
if (lfir)

    if (flag_A)
        disp('Given Filter classified as type: A')
    end

    if (flag_B)
        disp('Given Filter classified as type: B')
    end
    if (flag_C)
        disp('Given Filter classified as type: C')
    end
    if (flag_D)
        disp('Given Filter classified as type: D')
    end

else

    disp('NOT A LINEAR FINITE IMPULSE RESPONSE FILTER!')

end
```

Given Filter classified as type: B

Graph Plot in Z domain

```
r = 1;
```

```
xc = 0;
yc = 0;
grid on
hold on
theta = linspace(0,2*pi);
x = r*cos(theta) + xc;
y = r*sin(theta) + yc;
plot(x,y)

[l1, ~] = size(n_roots);

[l2, ~] = size(d_roots);

for i=1:l1

plot(real(n_roots(i)),imag(n_roots(i)),'o');

end

for i=1:l2

plot(real(d_roots(i)),imag(d_roots(i)),'*');

end

axis equal

equity = 0;

equity_num = 0;
equity_den = 0;

%syms z;

w = 1:180;

x = cos((w*pi)/180) + i*sin((w*pi)/180);

z = x;

for k = 1:(l1)
%disp('KTB');
equity_num = equity_num + z.^k * num(l1 - k + 1);

end

equity_num = equity_num + num(l1+1);


for m = 1:(l2)
```

```
equity_den = equity_den + z.^m * den(12 - m + 1);
```

```
end
```


```
equity_den = equity_den + den(12+1);
```


```
equity = equity_num / equity_den;
```



Reuired Responses

```
figure();  
freqz(n_roots,d_roots);  
figure();  
fvtool(num);
```




Function Termination

```
disp ('Function Termination');  
% end
```

Function Termination

Author: Kaustubh Shivdikar

MATLAB Lab experiment of FIR Filter Classifier.



Published with MATLAB® R2015a