


Step 1 - Go to object manager



👉 Now:

- Click **Create** (top right)
- Click **Custom Object**

👉 Fill this form:

Label - Student

Plural - Students

Object Name - Student

✓ Tick:

- Allow Reports
- Allow Activities

Step - 2 Create fields (Go to Fields and relations)

The screenshot shows the Salesforce 'Details' page for 'Fields & Relationships'. The left sidebar contains a navigation menu with the following items: Details, Fields & Relationships (selected), Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, Related Lookup Filters, Restriction Rules, Scoping Rules, Object Access, and Triggers. The main content area is titled 'Details' and has an 'Edit' button in the top right corner. It is divided into two columns. The left column contains a table with the following rows: Description, API Name (Students__c), Custom (checked), Singular Label (Student), Plural Label (Students), and Studentes. The right column contains a table with the following rows: Enable Reports (checked), Track Activities (checked), Track Field History, Customization Status (Deployed), Help Settings, and Standard Salesforce.com Help Window.

➤ Create Field 1: Student Name

Click:

- **Fields & Relationships**
- Click **New**

Fill:

- Data Type → **Text**
- Click Next

Then:

- Field Label → **Student Name**
- Length → **100**

Click:

- Next → Next → Save

Similarly create other fields :

➤ Create Field 2: Roll Number

Click **New**

- Type → Number
- Label → **Roll Number**
- Length → 5

👉 Save

➤ Create Field 3: Course

- Type → Text
- Label → **Course**

👉 Save

➤ Create Field 4: Marks

- Type → Number
- Label → **Marks**

👉 Save

Step - 3 Open Developer Console:

In Developer Console:

👉 Click:

File → New → Apex Class

👉 Name:

StudentManagement

Click OK

Paste Below Code :

```
public class StudentManagement {

    public Student__c studentRec {get; set;}
    public Id editId {get; set;}

    public StudentManagement() {

        studentRec = new Student__c();
    }

    // Save or Update Student
    public PageReference saveStudent() {

        if(editId == null) {

            insert studentRec;

            ApexPages.addMessage(
                new ApexPages.Message(
                    ApexPages.Severity.CONFIRM,
                    'Student Added Successfully'
                )
            );
        } else {

            update studentRec;

            ApexPages.addMessage(
                new ApexPages.Message(
                    ApexPages.Severity.CONFIRM,
                    'Student Updated Successfully'
                )
            );
        }
    }
}
```

```

        editId = null;
    }

    studentRec = new Student__c();

    return null;
}

// View Students
public List<Student__c> getStudents() {

    return [
        SELECT Id,
            Student_Name__c,
            Roll_Number__c,
            Class__c,
            Mobile_Number__c
        FROM Student__c
    ];
}

// Edit Student
public PageReference editStudent() {

    Id sid = ApexPages.currentPage()
        .getParameters()
        .get('sid');

    studentRec = [
        SELECT Id,
            Student_Name__c,
            Roll_Number__c,
            Class__c,
            Mobile_Number__c
        FROM Student__c
        WHERE Id = :sid
    ];

    editId = sid;

    return null;
}

// Delete Student
public PageReference deleteStudent() {

    Id sid = ApexPages.currentPage()
        .getParameters()

```

```

        .get('sid');

    Student__c s = [
        SELECT Id
        FROM Student__c
        WHERE Id = :sid
    ];

    delete s;

    return null;
}
}

```

Setup -> home -> Visualforce Page -> new

```

<apex:page controller="StudentManagement">

    <apex:form>

        <apex:pageBlock title="Student Record Management">

            <apex:pageMessages/>

            <apex:pageBlockSection columns="1">

                <apex:inputText
                    value="{!studentRec.Student_Name__c}"
                    label="Student Name"/>

                <apex:inputText
                    value="{!studentRec.Roll_Number__c}"
                    label="Roll Number"/>

                <apex:inputText
                    value="{!studentRec.Class__c}"
                    label="Class"/>

                <apex:inputText
                    value="{!studentRec.Mobile_Number__c}"
                    label="Mobile Number"/>

            </apex:pageBlockSection>

```

```
<apex:commandButton
    value="Save"
    action="{!saveStudent}"/>
```

```
</apex:pageBlock>
```

```
<br/>
```

```
<apex:pageBlock title="Student List">
```

```
<apex:pageBlockTable
    value="{!students}"
    var="s">
```

```
<apex:column
    value="{!s.Student_Name__c}"
    headerValue="Name"/>
```

```
<apex:column
    value="{!s.Roll_Number__c}"
    headerValue="Roll No"/>
```

```
<apex:column
    value="{!s.Class__c}"
    headerValue="Class"/>
```

```
<apex:column
    value="{!s.Mobile_Number__c}"
    headerValue="Mobile"/>
```

```
<!-- Edit Button -->
```

```
<apex:column headerValue="Edit">
```

```
<apex:commandLink
    value="Edit"
    action="{!editStudent}">
```

```
<apex:param
    name="sid"
    value="{!s.Id}"/>
```

```
</apex:commandLink>
```

```
</apex:column>
```

```
<!-- Delete Button -->
```

```
<apex:column headerValue="Delete">
```

```
<apex:commandLink  
  value="Delete"  
  action="{!deleteStudent}">
```

```
<apex:param  
  name="sid"  
  value="{!s.Id}"/>
```

```
</apex:commandLink>
```

```
</apex:column>
```

```
</apex:pageBlockTable>
```

```
</apex:pageBlock>
```

```
</apex:form>
```

```
</apex:page>
```