

Step 1: Create Custom Object

Go to:

Setup → Object Manager → Create → Custom Object

Fill:

Property	Value
Label	Product
Object Name	Product

Save.

Step 2: Create Fields

Inside `Product__c` create these fields:

Field Label	Data Type	API Name
Product Name	Text	Product_Name__c
Serial No	Number	Serial_No__c
Manufacture Date	Date	Manufacture_Date__c
Expiry Date	Date	Expiry_Date__c

Step 3: Create Apex Class

Go to:

Setup → Apex Classes → New

```

public class ProductManagement {

    public Product__c productRec {get; set;}
    public Id editId {get; set;}

    // Constructor
    public ProductManagement() {

        productRec = new Product__c();
    }

    // Save or Update Product
    public PageReference saveProduct() {

        if(editId == null) {

            insert productRec;

            ApexPages.addMessage(
                new ApexPages.Message(
                    ApexPages.Severity.CONFIRM,
                    'Product Added Successfully'
                )
            );

        } else {

            update productRec;

            ApexPages.addMessage(
                new ApexPages.Message(
                    ApexPages.Severity.CONFIRM,
                    'Product Updated Successfully'
                )
            );

            editId = null;
        }

        productRec = new Product__c();

        return null;
    }

    // View Products
    public List<Product__c> getProducts() {

        return [

```

```

        SELECT Id,
               Product_Name__c,
               Serial_No__c,
               Manufacture_Date__c,
               Expiry_Date__c
        FROM Product__c
    ];
}

// Edit Product
public PageReference editProduct() {

    Id pid = ApexPages.currentPage()
        .getParameters()
        .get('pid');

    productRec = [

        SELECT Id,
               Product_Name__c,
               Serial_No__c,
               Manufacture_Date__c,
               Expiry_Date__c
        FROM Product__c
        WHERE Id = :pid
    ];

    editId = pid;

    return null;
}

// Delete Product
public PageReference deleteProduct() {

    Id pid = ApexPages.currentPage()
        .getParameters()
        .get('pid');

    Product__c p = [

        SELECT Id
        FROM Product__c
        WHERE Id = :pid
    ];

    delete p;
}

```

```
        return null;
    }
}
```

Step 4: Create Visualforce Page

Go to:

Setup → Visualforce Pages → New

Page Name:

ProductPage

```
<apex:page controller="ProductManagement">

    <apex:form>

        <apex:pageBlock title="Product Inventory Management">

            <apex:pageMessages/>

            <apex:pageBlockSection columns="1">

                <apex:inputText
                    value="{!productRec.Product_Name__c}"
                    label="Product Name"/>

                <apex:inputText
                    value="{!productRec.Serial_No__c}"
                    label="Serial No"/>

                <apex:inputField
                    value="{!productRec.Manufacture_Date__c}"/>

                <apex:inputField
                    value="{!productRec.Expiry_Date__c}"/>

            </apex:pageBlockSection>

            <apex:commandButton
                value="Save"
                action="{!saveProduct}"/>

        </apex:pageBlock>

    </apex:form>

</apex:page>
```


<apex:pageBlock title="Product List">

<apex:pageBlockTable
value="{!products}"
var="p">

<apex:column
value="{!p.Product_Name__c}"
headerValue="Product Name"/>

<apex:column
value="{!p.Serial_No__c}"
headerValue="Serial No"/>

<apex:column
value="{!p.Manufacture_Date__c}"
headerValue="Manufacture Date"/>

<apex:column
value="{!p.Expiry_Date__c}"
headerValue="Expiry Date"/>

<!-- Edit -->

<apex:column headerValue="Edit">

<apex:commandLink
value="Edit"
action="{!editProduct}">

<apex:param
name="pid"
value="{!p.Id}"/>

</apex:commandLink>

</apex:column>

<!-- Delete -->

<apex:column headerValue="Delete">

<apex:commandLink
value="Delete"
action="{!deleteProduct}">

<apex:param

```
name="pid"  
value="{!p.Id}"/>
```

```
</apex:commandLink>
```

```
</apex:column>
```

```
</apex:pageBlockTable>
```

```
</apex:pageBlock>
```

```
</apex:form>
```

```
</apex:page>
```