

Step 1: Create Apex Class

Go to:

Setup → Apex Classes → New

Class Name:

EmailController

Paste this code:

```
public class EmailController {

    public String toEmail {get; set;}
    public String subject {get; set;}
    public String bodyText {get; set;}

    // Send Email Method
    public PageReference sendMail() {

        // Email Validation
        Pattern pattern = Pattern.compile(
            '^[A-Za-z0-9+_.-]+@[A-Za-z0-9.-]+$'
        );

        Matcher matcher = pattern.matcher(toEmail);

        if(!matcher.matches()) {

            ApexPages.addMessage(

                new ApexPages.Message(

                    ApexPages.Severity.ERROR,
                    'Invalid Email ID'

                )
            );

            return null;
        }

        // Create Email
        Messaging.SingleEmailMessage mail =
            new Messaging.SingleEmailMessage();
```

```

// Recipient
mail.setToAddresses(
    new String[] {toEmail}
);

// Subject
mail.setSubject(subject);

// Body
mail.setPlainTextBody(bodyText);

//attachment
Messaging.EmailFileAttachment attachment =
    new Messaging.EmailFileAttachment();

    attachment.setFileName('sample.txt');

    attachment.setBody(
        Blob.valueOf('This is sample attachment')
    );

    attachment.setContentType('text/plain');

    mail.setFileAttachments(
        new Messaging.EmailFileAttachment[] {attachment}
    );

// Send Email
Messaging.sendEmail(

    new Messaging.SingleEmailMessage[] {mail}
);

ApexPages.addMessage(

    new ApexPages.Message(

        ApexPages.Severity.CONFIRM,
        'Email Sent Successfully'

    )
);

return null;
}
}

```

Save.

Step 2: Create Visualforce Page

Go to:

Setup → Visualforce Pages → New

Page Name:

EmailPage

Paste:

```
<apex:page controller="EmailController">

    <apex:form>

        <apex:pageBlock title="Send Email">

            <apex:pageMessages/>

            <apex:pageBlockSection columns="1">

                <!-- Email -->
                <apex:inputText
                    value="{!toEmail}"
                    label="Recipient Email"/>

                <!-- Subject -->
                <apex:inputText
                    value="{!subject}"
                    label="Subject"/>

                <!-- Body -->
                <apex:inputTextarea
                    value="{!bodyText}"
                    label="Message Body"/>

            </apex:pageBlockSection>

            <!-- Button -->
            <apex:commandButton
                value="Send Email"
                action="{!sendMail}"/>

        </apex:pageBlock>

    </apex:form>

</apex:page>
```

```
</apex:pageBlock>
```

```
</apex:form>
```

```
</apex:page>
```

Save.

Step 3: Run Visualforce Page

Click:

Preview

OR open:

/apex/EmailPage

How It Works

Valid Email

Example:

abc@gmail.com

Output:

- Email sent successfully
 - Success message shown
-

Invalid Email

Example:

abcmail.com

Output:

- Email not sent
- Error message:

Invalid Email ID

shown on frontend.