

Experiment 1.1

Student Name: Kaushik Bhadra UID: 23BAI70483

Branch: BE-AIT-CSE Section/Group: 23AML KRG-1

Semester: 5th Date of Performance: 7 July 2025

Subject Name: Full Stack Subject Code: 23CSP-339

1. **Problem Title:** To create a responsive banking interface with deposit/withdrawal functionality using HTML5, CSS3, and JavaScript.

2. Problem Description:

- a. Design a banking UI with balance display
- b. Implement deposit/withdrawal buttons
- c. Make the interface responsive using media queries
- d. Add interactive elements with JavaScript
- e. Validate form inputs

3. Hardware Requirements:

- a. Processor: Intel i3/ Ryzen 3 or higher.
- b. RAM: 4GB minimum.
- c. Display: 1366x768 resolution.
- **4. HTML:**

```
<body>
13.
14.
        <div class="bank-container">
15.
         <h2>Bank Account</h2>
16.
17.
         <div class="balance">
18.
            Current Balance: ₹<span
  id="balance">0</span>
19.
          </div>
20.
        <div class="transaction">
21.
            <input type="number" id="amount"</pre>
22.
  placeholder="Enter amount">
           <div class="buttons">
23.
24.
              <button</pre>
  onclick="deposit()">Deposit</button>
25.
              <button</pre>
  onclick="withdraw()">Withdraw</button>
26.
           </div>
27.
         </div>
28.
29.
          <div id="message" class="message"></div>
30.
      </div>
       <div class="summary">
31.
        Total Deposited: ₹<span
32.
  id="totalDeposit">0</span>
33.
        Total Withdrawn: ₹<span
  id="totalWithdraw">0</span>
34.
      </div>
35.
36.
37.
38. <div class="table">
39.
        40.
         <thead>
```

```
41.
         Type
42.
          Amount (₹)
43.
          Balance (₹)
44.
45.
          Time
46.
         47.
       </thead>
       48.
      49.
50. </div>
51.
      <script src="script.js"></script>
52.
    </body>
53.
    </html>
54.
55.
```

5. CSS:

```
6.* {
7. margin: 0;
8. padding: 0;
9. box-sizing: border-box;
10.
11.
      body {
12.
13.
        font-family: 'Segoe UI', sans-serif;
        background-color: #f0f2f5;
14.
        display: flex;
15.
        flex-direction: column;
16.
        justify-content: center;
17.
        align-items: center;
18.
        height: 100vh;
19.
20.
21.
22.
       .bank-container {
```

```
background-color: white;
23.
        padding: 30px;
24.
        border-radius: 12px;
25.
        box-shadow: 0 4px 15px rgba(0, 0, 0, 0.1);
26.
27.
        width: 90%:
28.
        max-width: 400px;
29.
        text-align: center;
30.
      }
31.
       .balance {
32.
33.
        font-size: 1.4rem;
        margin: 20px 0;
34.
        color: #333;
35.
36.
37.
38.
       .transaction input {
39.
        padding: 10px;
40.
        width: 80%;
        margin-bottom: 10px;
41.
42.
        border: 1px solid #ccc;
43.
        border-radius: 6px;
44.
45.
       .buttons button {
46.
47.
        padding: 10px 15px;
48.
        margin: 5px;
        font-size: 1rem;
49.
50.
        border: none;
        border-radius: 6px;
51.
        cursor: pointer;
52.
        transition: background-color 0.3s ease;
53.
54.
      }
55.
      button:hover {
56.
```

```
57.
        background-color: #0077cc;
        color: white;
58.
59.
      }
60.
      .message {
61.
62.
        margin-top: 10px;
       color: red;
63.
64.
        font-size: 0.95rem;
65.
66.
67.
      @media (max-width: 600px) {
         .bank-container {
68.
          padding: 20px;
69.
70.
71.
         .balance {
72.
          font-size: 1.2rem;
73.
74.
75.
76.
         .buttons button {
77.
          width: 100%;
78.
          margin-top: 5px;
79.
80.
         .transaction input {
81.
82.
          width: 100%;
83.
84.
85.
      .table {
86.
87.
        margin-top: 20px;
        overflow-x: auto;
88.
89.
90.
```

```
table {
91.
        width: 100%;
92.
        border-collapse: collapse;
93.
        margin-top: 10px;
94.
95.
96.
97.
     th, td {
        padding: 8px 12px;
98.
        border: 1px solid #ccc;
99.
        text-align: center;
100.
101.
102.
      th {
103.
        background-color: #f2f2f2;
104.
105.
      }
106.
      @media (max-width: 600px) {
107.
108.
        th, td {
109.
          font-size: 0.85rem;
110.
          padding: 6px 8px;
111.
112.
113.
114. .summary {
        margin-top: 15px;
115.
        text-align: left;
116.
        font-weight: 500;
117.
118.
119.
120.
      .summary p {
        margin: 5px 0;
121.
122.
123.
124.
       .deposit-row {
```

```
125. background-color: #e6ffed;
126. color: green;
127. }
128.
129. .withdraw-row {
130. background-color: #ffe6e6;
131. color: red;
```

6. JavaScript:

```
let balance = 0;
let totalDeposit = 0;
let totalWithdraw = 0;
function updateBalance() {
  document.getElementById('balance').innerText = balance;
  document.getElementById('totalDeposit').innerText =
totalDeposit;
  document.getElementById('totalWithdraw').innerText =
totalWithdraw;
function showMessage(msg, isError = true) {
  const messageDiv = document.getElementById('message');
  messageDiv.innerText = msg;
  messageDiv.style.color = isError ? 'red' : 'green';
  setTimeout(() => {
    messageDiv.innerText = '';
  }, 3000);
function addToHistory(type, amount, currentBalance) {
  const table =
```

```
document.getElementById('historyTable').getElementsByTagNam
e('tbody')[0];
  const row = table.insertRow();
  const typeCell = row.insertCell(0);
  const amountCell = row.insertCell(1);
  const balanceCell = row.insertCell(2);
  const timeCell = row.insertCell(3);
  const time = new Date().toLocaleTimeString();
 typeCell.innerText = type;
  amountCell.innerText = `₹${amount}`;
  balanceCell.innerText = `₹${currentBalance}`;
 timeCell.innerText = time;
 // Add styling class
 row.classList.add(type === "Deposit" ? 'deposit-row' :
'withdraw-row');
function deposit() {
  const amount =
parseFloat(document.getElementById('amount').value);
  if (isNaN(amount) || amount <= 0) {</pre>
    showMessage('Please enter a valid deposit amount.');
    return;
  balance += amount;
 totalDeposit += amount;
  updateBalance();
  addToHistory("Deposit", amount, balance);
  showMessage(`Deposited ₹${amount}`, false);
```

```
document.getElementById('amount').value = '';
function withdraw() {
  const amount =
parseFloat(document.getElementById('amount').value);
  if (isNaN(amount) || amount <= 0) {</pre>
    showMessage('Please enter a valid withdrawal amount.');
    return;
  }
  if (amount > balance) {
    showMessage('Insufficient balance!');
    return;
  balance -= amount;
  totalWithdraw += amount;
  updateBalance();
  addToHistory("Withdraw", amount, balance);
  showMessage(`Withdrew ₹${amount}`, false);
  document.getElementById('amount').value = '';
```

132. Learning Outcome:

- a. I learnt how to link and connect the script.js and css file with the Html.
- b. I learnt how to work with html file.
- c. I learnt how to write js file and css.