



Q.1

- **Basic GitLab Repository Management – A team is starting a new project and needs to set up a GitLab repository by performing following tasks –**

a. Create a new repository in GitLab.

Click on create project >> Blank Project



b. Add a simple script file, commit changes, and push them to GitLab.

Copy this repository URL and paste in gitbash to clone

P

Pract3_Q1

Free

Code

The repository for this project is empty

To get started, clone the repository or upload some files.

Command line instructions

You can also upload existing files from your computer using the instructions below

Configure your Git identity

Get started with Git and learn how to configure it.

Local

Global

Git local setup

Configure your Git identity locally to use it only for this project:

```
git config --local user.name "KAVERI KADAM"
```

Clone with SSH

```
git@gitlab.com:a250007-group1/
```

Your account does not have an SSH key.
Add SSH key

Clone with HTTPS

```
https://gitlab.com/a250007-gro
```

Open with

Web IDE

Visual Studio Code

IntelliJ IDEA

Your workspaces

A workspace is a virtual sandbox environment for your code in GitLab.

No agents available to create workspaces. Please

```
kaver@KAVERI MINGW64 ~
$ cd D:

kaver@KAVERI MINGW64 /d
$ cd MCA/"SEM II"/"DevOps Lab"

kaver@KAVERI MINGW64 /d/MCA/SEM II/DevOps Lab
$ mkdir gitlabq1

kaver@KAVERI MINGW64 /d/MCA/SEM II/DevOps Lab
$ cd gitlabq1

kaver@KAVERI MINGW64 /d/MCA/SEM II/DevOps Lab/gitlabq1
$ git clone https://gitlab.com/a250007-group1/pract3_q1.git
Cloning into 'pract3_q1'...
warning: You appear to have cloned an empty repository.
```

Move to the folder

```
kaver@KAVERI MINGW64 /d/MCA/SEM II/DevOps Lab/gitlabq1
$ cd pract3_q1

kaver@KAVERI MINGW64 /d/MCA/SEM II/DevOps Lab/gitlabq1/pract3_q1 (main)
$ echo 'echo "Hello, Gitlab!"'>>script.sh

kaver@KAVERI MINGW64 /d/MCA/SEM II/DevOps Lab/gitlabq1/pract3_q1 (main)
$ git add script.sh
warning: in the working copy of 'script.sh', LF will be replaced by CRLF the next time Git touches it

kaver@KAVERI MINGW64 /d/MCA/SEM II/DevOps Lab/gitlabq1/pract3_q1 (main)
$ git commit -m "Added script file"
[main (root-commit) cfcc895] Added script file
1 file changed, 1 insertion(+)
create mode 100644 script.sh

kaver@KAVERI MINGW64 /d/MCA/SEM II/DevOps Lab/gitlabq1/pract3_q1 (main)
$ git push origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 238 bytes | 238.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://gitlab.com/a250007-group1/pract3_q1.git
* [new branch]      main -> main
```

(Refresh)

The screenshot shows a GitLab repository page for 'Pract3_Q1' under the 'a250007-group'. The page includes a search bar at the top, a sidebar with a file tree, and a main content area. The main content area shows the 'main' branch with a file named 'pract3_q1'. A recent commit is displayed, titled 'Added script file' by 'KAVERI KADAM', made 40 seconds ago. Below this, a table lists the commit details:

Name	Last commit	Last update
script.sh	Added script file	40 seconds ago

c. Create and switch branches for different features.

```
kaver@KAVERI MINGW64 /d/MCA/SEM II/DevOps Lab/GitlabQ1/pract3_q1 (main)
$ git branch feature-login

kaver@KAVERI MINGW64 /d/MCA/SEM II/DevOps Lab/GitlabQ1/pract3_q1 (main)
$ git checkout feature-login
Switched to branch 'feature-login'

kaver@KAVERI MINGW64 /d/MCA/SEM II/DevOps Lab/GitlabQ1/pract3_q1 (feature-login)
$ echo 'echo "Login Feature"'>>script.sh

kaver@KAVERI MINGW64 /d/MCA/SEM II/DevOps Lab/GitlabQ1/pract3_q1 (feature-login)
$ git add script.sh
warning: in the working copy of 'script.sh', LF will be replaced by CRLF the next time Git touches it

kaver@KAVERI MINGW64 /d/MCA/SEM II/DevOps Lab/GitlabQ1/pract3_q1 (feature-login)
$ git commit -m "Added login feature branch"
[feature-login 6a18900] Added login feature branch
1 file changed, 1 insertion(+)

kaver@KAVERI MINGW64 /d/MCA/SEM II/DevOps Lab/GitlabQ1/pract3_q1 (feature-login)
$ git push origin feature-login
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Writing objects: 100% (3/3), 292 bytes | 292.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: To create a merge request for feature-login, visit:
remote:   https://gitlab.com/a250007-group1/pract3_q1/-/merge_requests/new?merge_request%5Bsource_branch%5D=feature-login
remote:
To https://gitlab.com/a250007-group1/pract3_q1.git
* [new branch]      feature-login -> feature-login
```

To verify: Click on main >>select feature-login

P **Pract3_Q1** Free

main pract3_q1

Select Git revision

Search by Git revision

Selected

✓ main default protected

Branches 1

feature-login

✓ You pushed to **feature-login** 4 minutes ago ×

[Create merge request](#)

Files feature-login pract3_q1

Search files (*.vue, *.rb...)

script.sh

pract3_q1 Find file [Code](#)

Added login feature branch
KAVERI KADAM authored 4 minutes ago 6a18900d [History](#)

Name	Last commit	Last update
script.sh	Added login feature branch	5 minutes ago

script.sh 43 B

```

1 echo "Hello, GitLab!"
2 echo "Login Feature"
3

```


```

kaver@KAVERI MINGW64 /d/MCA/SEM II/DevOps Lab/GitlabQ1/pract3_q1 (feature-login)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

```



Q.2

- **Setting Up GitLab CI/CD Pipeline – Automate build and testing for a Java project.**
- a. **Write a `.gitlab-ci.yml` file to define pipeline stages.**
- b. **Use an appropriate Docker image for Java compilation.**
- c. **Configure stages for Build, Test, and Deploy.**
- d. **Commit and push changes to trigger the pipeline.**




Creating ``.gitlab-ci.yml`` file using web editor and then editing using pipeline editor


After writing click on source control and commit



File created:



Create HelloWorld.java



Commit changes

Commit message

Java file added

Branch

☒ Commit to the current `main` branch

☐ Commit to a new branch

Cancel

Commit changes

Now click on file name(.yaml) >> edit >> edit in pipeline editor

main

javaproject / .gitlab-ci.yml

Find file

Blame

Edit

Initial Commit for .yaml file

KAVERI KADAM authored 30 seconds ago

.gitlab-ci.yml

40 B

1

2

3

4

stages:

- build

- test

- deploy

Edit in pipeline editor

Edit, lint, and visualize your pipeline.

Open in Web IDE

Quickly and easily edit multiple files in your project.

Edit single file

Edit this file only.

Your workspaces

A workspace is a virtual sandbox environment for your code in GitLab.

No agents available to create workspaces. Please consult [Workspaces documentation](#) for troubleshooting.

```
1  #define stages of pipeline
2  stages:
3    - build
4    - test
5    - deploy
6
7  #use a docker image with Java installed
8  image: eclipse-temurin:17
9
10 #build stage
11 build_job:
12   stage: build
13   script:
14     - echo "Building the java project"
15     - javac HelloWorld.java
16   artifacts:
17     paths:
18       - HelloWorld.class
19
20 test_job:
21   stage: test
22   script:
23     - echo "Running test"
24     - java HelloWorld
25
```

```
26 deploy_job:
27   stage: deploy
28   script:
29     - echo "Deploying the application"
30     - echo "Application deployed successfully!"
31   only:
32     - main #only run this stage on main branch
33
```

Commit message

Updated `.gitlab-ci.yml` file

Passed pipeline: (from Build>>pipeline)

Status	Pipeline	Created by	Stages	Actions
✓ Passed 🕒 00:01:03 📅 5 minutes ago	#2418640863 Update .gitlab-ci.yml file 🔗 main → b6c1b21d 🌐 latest branch		✓ ✓ ✓	📄 ⌵

a250007-group / JavaProject / Pipelines / #2418640863

#2418640863

✓ Passed

 Created 1 minute ago by **KAVERI KADAM**, finished 28 seconds ago

For commit `b6c1b21d`  Update .gitlab-ci.yml file

In `main`

latest

branch

👤 3 jobs

🕒 1.06

🕒 1 minute 3 seconds, queued for 0 seconds

Pipeline

Jobs 3

Tests 0

build

✓ build_job

🔄

test

✓ test_job

🔄

deploy

✓ deploy_job

🔄

Build_job log:

a250007-group / JavaProject / Jobs / #13711735807

Log timestamps in UTC.

Search visible log output

11 16:57:13

Running on runner-nthfetyxq-project-80828126-concurrent-0 via runner-nthfetyxq-s-l-s-amd64-1774889773-a9a74fe3...

12 16:57:13

Getting source from Git repository

00:01

13 16:57:14

Gitily correlation ID: 4a16a9a1e30c45f7a9be1847a0acb046

14 16:57:14

Fetching changes with git depth set to 20...

15 16:57:14

Initialized empty Git repository in /builds/a250007-group1/javaproject/.git/

16 16:57:14

Created fresh repository.

17 16:57:14

Checking out b6c1b21d as detached HEAD (ref is main)...

18 16:57:14

Skipping Git submodules setup

19 16:57:14

\$ git remote set-url origin "\${CI_REPOSITORY_URL}" || echo 'Not a git repository; skipping'

20 16:57:14

Executing "step_script" stage of the job script

00:02

21 16:57:14

Using effective pull policy of [always] for container eclipse-temurin:17

22 16:57:14

Using docker image sha256:0570c277c08bf28ed7152071600f8fae1ff3465b89d0703c44c8cc6d968ce08a for eclipse-temurin:17 with digest eclipse-temurin@sha256:2cffc61cde3d5bd27a764c87508eb7714856fe396ab56a0f37e180a9e876bca2 ...

23 16:57:15

\$ echo "Building the java project"

24 16:57:15

Building the java project

25 16:57:15

\$ javac HelloWorld.java

26 16:57:16

Uploading artifacts for successful job

00:01

27 16:57:16

Uploading artifacts...

28 16:57:16

HelloWorld.class: found 1 matching artifact files and directories

29 16:57:17

Uploading artifacts as "archive" to coordinator... 201 Created correlation_id=6f723412e0a64cd682890f85347ce076 id=13711735807 responseStatus=201 Created token=eyJraWQiO

30 16:57:17

Cleaning up project directory and file based variables

00:01

31 16:57:18

Job succeeded

Test_job log:

```
11 16:57:35 Running on runner-nthfetyxq-project-80828126-concurrent-0 via runner-nthfetyxq-s-l-s-amd64-177
4889797-1bcb68e4...
✓ 12 16:57:35 Getting source from Git repository 00:02
13 16:57:36 Gitaly correlation ID: 61ed3cf91c754ebba778cabb18eab8cd
14 16:57:36 Fetching changes with git depth set to 20...
15 16:57:36 Initialized empty Git repository in /builds/a250007-group1/javaproject/.git/
16 16:57:36 Created fresh repository.
17 16:57:36 Checking out b6c1b21d as detached HEAD (ref is main)...
18 16:57:36 Skipping Git submodules setup
19 16:57:36 $ git remote set-url origin "${CI_REPOSITORY_URL}" || echo 'Not a git repository; skipping'
✓ 20 16:57:37 Downloading artifacts 00:01
21 16:57:37 Downloading artifacts for build_job (13711735807)...
22 16:57:37 Downloading artifacts from coordinator... ok correlation_id=8831663f6c074656b43a03633b5
9adbd host=storage.googleapis.com id=13711735807 responseStatus=200 OK token=eyJraWQiO
✓ 23 16:57:38 Executing "step_script" stage of the job script 00:00
24 16:57:38 Using effective pull policy of [always] for container eclipse-temurin:17
25 16:57:38 Using docker image sha256:0570c277c08bf28ed7152071600f8fae1ff3465b89d0703c44c8cc6d968ce08a for
eclipse-temurin:17 with digest eclipse-temurin@sha256:2cffc61cde3d5bd27a764c87508eb7714856fe39
6ab56a0f37e180a9e876bca2 ...
26 16:57:38 $ echo "Running test"
27 16:57:38 Running test
28 16:57:38 $ java HelloWorld
29 16:57:38 Hello World
✓ 30 16:57:38 Cleaning up project directory and file based variables 00:01
31 16:57:39 Job succeeded
```

Deploy_job log:

```
44f0c0ff2c39240270011197f1920345
11 16:57:57 Running on runner-ns46nmmjt-project-80828126-concurrent-0 via runner-ns46nmmjt-s-l-s-amd64-177
4889819-5e8f9b57...
✓ 12 16:57:57 Getting source from Git repository 00:02
13 16:57:58 Gitaly correlation ID: 222cd1a5519c4f5ab3762e93c32a09fd
14 16:57:58 Fetching changes with git depth set to 20...
15 16:57:58 Initialized empty Git repository in /builds/a250007-group1/javaproject/.git/
16 16:57:58 Created fresh repository.
17 16:57:58 Checking out b6c1b21d as detached HEAD (ref is main)...
18 16:57:58 Skipping Git submodules setup
19 16:57:58 $ git remote set-url origin "${CI_REPOSITORY_URL}" || echo 'Not a git repository; skipping'
✓ 20 16:57:59 Downloading artifacts 00:01
21 16:57:59 Downloading artifacts for build_job (13711735807)...
22 16:57:59 Downloading artifacts from coordinator... ok correlation_id=00061cc8573549feb277e11d9cc
21094 host=storage.googleapis.com id=13711735807 responseStatus=200 OK token=eyJraWQiO
✓ 23 16:58:00 Executing "step_script" stage of the job script 00:00
24 16:58:00 Using effective pull policy of [always] for container eclipse-temurin:17
25 16:58:00 Using docker image sha256:0570c277c08bf28ed7152071600f8fae1ff3465b89d0703c44c8cc6d968ce08a for
eclipse-temurin:17 with digest eclipse-temurin@sha256:2cffc61cde3d5bd27a764c87508eb7714856fe39
6ab56a0f37e180a9e876bca2 ...
26 16:58:00 $ echo "Deploying the application"
27 16:58:00 Deploying the application
28 16:58:00 $ echo "Application deployed successfully!"
29 16:58:00 Application deployed successfully!
✓ 30 16:58:00 Cleaning up project directory and file based variables 00:01
31 16:58:01 Job succeeded
```


Q.3

- Deploying a Static Website Using GitLab Pages – A company wants to host a simple HTML website on GitLab Pages.
- a. Create an HTML/CSS website and push it to GitLab.
- b. Define `.gitlab-ci.yml` to generate and deploy the site using GitLab Pages.
- c. Test the deployed website from the provided GitLab Pages URL.

```
kaver@KAVERI MINGW64 /d/MCA/SEM II/DevOps Lab
$ mkdir gitlabQ3

kaver@KAVERI MINGW64 /d/MCA/SEM II/DevOps Lab
$ cd gitlabQ3

kaver@KAVERI MINGW64 /d/MCA/SEM II/DevOps Lab/gitlabQ3
$ git clone https://gitlab.com/a250007-group1/staticwebsite.git
Cloning into 'staticwebsite'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.

kaver@KAVERI MINGW64 /d/MCA/SEM II/DevOps Lab/gitlabQ3
$ cd staticwebsite
```

```
kaver@KAVERI MINGW64 /d/MCA/SEM II/DevOps Lab/gitlabQ3/staticwebsite (main)
$ touch index.html

kaver@KAVERI MINGW64 /d/MCA/SEM II/DevOps Lab/gitlabQ3/staticwebsite (main)
$ touch style.css

kaver@KAVERI MINGW64 /d/MCA/SEM II/DevOps Lab/gitlabQ3/staticwebsite (main)
$ touch .gitlab-ci.yml
```

Open file and enter code:

```
<> index.html ●
D: > MCA > SEM II > DevOps Lab > GitlabQ3 > staticwebsite > <> index.html >
2  <html>
3    <head>
4      <title>My Website</title>
5      <link rel="stylesheet" href="style.css" />
6    </head>
7    <body>
8      <h1>Welcome to My Website</h1>
9      <p>This is deployed using GitLab Pages</p>
10   </body>
11 </html>
12
```

```
body {
  font-family: Arial;
  background-color: lightblue;
  text-align: center;
}

h1 {
  color: darkblue;
}
```

```
gitlab-ci.yml ●  <> index.html ●
> MCA > SEM II > DevOps Lab > GitlabQ3 > staticw
1  stages:
2  |   - deploy
3
4  pages:
5  |   stage: deploy
6  |   script:
7  |     - mkdir public
8  |     - cp index.html public/
9  |     - cp style.css public/
0  |   artifacts:
1  |     paths:
2  |     |   - public
3  |   only:
4  |     - main
5
```

```
kaver@KAVERI MINGW64 /d/MCA/SEM II/DevOps Lab/GitlabQ3/staticwebsite (main)
$ git add .

kaver@KAVERI MINGW64 /d/MCA/SEM II/DevOps Lab/GitlabQ3/staticwebsite (main)
$ git commit -m "Added static website and GitLab Pages config"
[main d8ecfea] Added static website and GitLab Pages config
3 files changed, 34 insertions(+)
create mode 100644 .gitlab-ci.yml
create mode 100644 index.html
create mode 100644 style.css

kaver@KAVERI MINGW64 /d/MCA/SEM II/DevOps Lab/GitlabQ3/staticwebsite (main)
$ git push origin main
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 12 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (5/5), 733 bytes | 733.00 KiB/s, done.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://gitlab.com/a250007-group1/staticwebsite.git
6a7e5c6..d8ecfea  main -> main
```

a250007-group / StaticWebsite

S

StaticWebsite

Free

main

staticwebsite

+ Find file Code

Added static website and GitLab Pages config

KAVERI KADAM authored 1 minute ago

d8ecfea6

History

Name	Last commit	Last update
.gitlab-ci.yml	Added static website and GitLab Pag...	1 minute ago
README.md	Initial commit	11 minutes ago
index.html	Added static website and GitLab Pag...	1 minute ago
style.css	Added static website and GitLab Pag...	1 minute ago

Verify pipeline

Project

StaticWebsite

Pinned

Work items

Merge requests

Manage

Plan

Code

Build

Pipelines

Jobs

a250007-group / StaticWebsite / Pipelines

All 1 Finished Branches Tags

View analytics Clear runner caches New pipeline

Filter pipelines

Status	Pipeline	Created by	Stages	Actions
Passed 00:00:37 8 minutes ago	#2418696810 Added static website and GitLab Page... main d8ecfea6 latest branch			

a250007-group / StaticWebsite / Pipelines / #2418696810

#2418696810

Passed

Created 1 minute ago by KAVERI KADAM, finished 1 minute ago

For commit d8ecfea6 Added static website and GitLab Pages config

In main

latest branch

2 jobs

0.62

37 seconds, queued for 3 seconds

Pipeline

Jobs 2

Tests 0

deploy

pages


pages:deploy

```


13 17:28:42 Running on Runner-xsozv2pvoq-project-80835761-concurrent-0 via Runner-xsozv2pvoq-s-l-s-aml064-17/
4891649-d73e3518...
14 17:28:42 Getting source from Git repository 00:01
15 17:28:42 Gitaly correlation ID: 8b615debca0448198546aa8d430ddf85
16 17:28:42 Fetching changes with git depth set to 20...
17 17:28:42 Initialized empty Git repository in /builds/a250007-group1/staticwebsite/.git/
18 17:28:42 Created fresh repository.
19 17:28:43 Checking out d8ecfea6 as detached HEAD (ref is main)...
20 17:28:43 Skipping Git submodules setup
21 17:28:43 $ git remote set-url origin "${CI_REPOSITORY_URL}" || echo 'Not a git repository; skipping'
22 17:28:43 Executing "step_script" stage of the job script 00:01
23 17:28:43 Using default image
24 17:28:43 Using effective pull policy of [always] for container ruby:3.1
25 17:28:43 Using docker image sha256:9981df1d883b246c27c62f8ccb9b57d3e07d14cee8092299e102b4a69c35ea61 for
ruby:3.1 with digest ruby@sha256:91627f55e8969006aab67d15c92fb930500ff73948803da1330b8a853fece
bb5 ...
26 17:28:44 $ mkdir public
27 17:28:44 $ cp index.html public/
28 17:28:44 $ cp style.css public/
29 17:28:44 Uploading artifacts for successful job 00:01
30 17:28:44 Uploading artifacts...
31 17:28:44 public: found 3 matching artifact files and directories
32 17:28:45 Uploading artifacts as "archive" to coordinator... 201 Created correlation_id=fe02837ee5674d6
ea7389736f85d6486 id=13712155010 responseStatus=201 Created token=eyJraWQ10
33 17:28:45 Cleaning up project directory and file based variables 00:01
34 17:28:46 Job succeeded

```

Test the Website: Go to Deploy >> Pages and click on the site link:



The screenshot shows the GitLab web interface. On the left is a sidebar with a 'Project' menu where 'Pages' is selected. The main content area is titled 'Pages' and includes a sub-header 'With GitLab Pages you can host your static website directly from your GitLab repository. How do I publish my site with Pages?'. Below this, there are two tabs: 'Overview' (selected) and 'Domains & settings'. In the 'Overview' tab, a message states 'Your Pages site is live at <https://staticwebsite-f488c7.gitlab.io>'. A blue arrow points to this URL. Below the message, it says 'Deploy job 13712155010 · Last updated 4 minutes ago'. Further down, a 'Deployments' section shows a single deployment that is 'Active' with the same URL, deployment job ID, and file information.



The screenshot shows a web browser window with the address bar displaying 'staticwebsite-f488c7.gitlab.io'. The page content is a simple light blue background with the text 'Welcome to My Website' in a large, bold, dark blue font. Below this, in a smaller font, it says 'This is deployed using GitLab Pages'. The browser's tab bar at the top shows several open tabs, including 'Running CI/CD pipeline in GitLab', 'DO_Practical_3.docx - Google', 'IDE - a250007-group / JavaPro', 'Pages - a250007-group / Static', 'My Website', and 'Ask Gemini'.

d. Configure a scheduled pipeline for this web site.

Go to Build>> Pipeline schedules >>Create a new pipeline schedule >>

Project

Pinned

Work items New

Merge requests 0

Manage

Plan

Code

Build

Pipelines

Jobs

Pipeline editor

Pipeline schedules

Artifacts

Secure

Deploy

Operate

Monitor

Analyze

Settings

Help

Collapse sidebar

Search or go to...

a250007-group / StaticWebsite / Pipelines / Schedules

Schedule a new pipeline

Description

My website's scheduled pipeline

Cron timezone

[UTC+5.5] Chennai

Interval Pattern

Pipelines cannot run more frequently than the pipeline schedule worker cron setting (*/*5 * * * *) allows. [Learn more.](#)

☐ Every day (at 5:59am)

☐ Every week (Tuesday at 5:59am)

☐ Every month (Day 0 at 5:59am)

☒ Custom ?

59 5 * * *

Set a custom interval with Cron syntax. [What is Cron syntax?](#)

Select target branch or tag

main

Inputs

Specify the input values to use in this pipeline. Any inputs left unselected will use their default values.

There are no inputs for this configuration. [How do I use inputs?](#)


a250007-group / StaticWebsite / Schedules

All 1	Active	Inactive	New schedule			
Description	Interval	Target	Last Pipeline	Next Run	Owner	
My website's scheduled pipeline	59 5 * * * Asia/Kolkata	main	None	in 7 hours		



Q.4

- **Configure a CI/CD pipeline file to include a scheduled job that runs every minute using GitLab's scheduling feature. Verify the pipeline execution by checking the job logs.**

Create a project named 'ScheduledPipeline'. Add '.gitlab-ci.yml' file.



```
.gitlab-ci.yml X
.gitlab-ci.yml
1  stages:
2    - test
3
4  scheduled_job:
5    stage: test
6    script:
7      - echo "Running scheduled job"
8      - date
9    only:
10     - schedules
11
```





Pipeline schedules

A scheduled pipeline starts automatically at regular intervals, like daily or weekly.

The pipeline:

- Runs for a specific branch or tag.
- Can have custom CI/CD variables.
- Runs with the same project permissions as the schedule owner.

Learn more in the [scheduled pipelines documentation](#).

[Create a new pipeline schedule](#)

Give description, enter timezone and interval pattern (* * * * * means Every minute, Every hour, Every day, Every month, Every weekday)

a250007-group / ScheduledPipeline / Pipelines / Schedules

Schedule a new pipeline

Description

run every minute

Cron timezone

[UTC+5.5] Chennai

Interval Pattern

Pipelines cannot run more frequently than the pipeline schedule worker cron setting (* / 5 * * * *) allows. [Learn more](#).

- ☐ Every day (at 10:21pm)
- ☐ Every week (Saturday at 10:21pm)
- ☐ Every month (Day 16 at 10:21pm)
- ☒ Custom ?

* * * * *

Set a custom interval with Cron syntax. [What is Cron syntax?](#)

Select target branch or tag

main

Inputs

Specify the input values to use in this pipeline. Any inputs left unselected will use their default values.

There are no inputs for this configuration. [How do I use inputs?](#)

a250007-group / ScheduledPipeline / Schedules

All 1 Active Inactive

[New schedule](#)

Description	Interval	Target	Last Pipeline	Next Run	Owner
run every minute	* * * * * Asia/Kolkata	main	None	in 56 minutes	



Run scheduled pipeline

a250007-group / ScheduledPipeline / Pipelines

All 2

Finished

Branches

Tags

View analytics

Clear runner caches

New pipeline

Filter pipelines

Show Pipeline ID

Status	Pipeline	Created by	Stages	Actions
Passed 00:00:28 2 minutes ago	#2419900841 run every minute main dc68caf9 scheduled latest branch			

a250007-group / ScheduledPipeline / Pipelines / #2419900841

#2419900841

Passed

Created 3 minutes ago by KAVERI KADAM, finished 2 minutes ago

For commit dc68caf9 added yml file

In main

Scheduled

latest

branch

1 job 0.48 28 seconds, queued for 2 seconds

Pipeline

Jobs 1

Tests 0

test

scheduled_job

a250007-group / ScheduledPipeline / Jobs / #13719094494

Log timestamps in UTC.

Search visible log output

11 06:10:06 Preparing environment 00:04

12 06:10:06 Using effective pull policy of [always] for container sha256:2ef71b0fbb0286d5e0cb3b1a7a8764a808b4d640e278a7acd8fba7edbbeb34a3

13 06:10:10 Running on runner-jlguopmmv-project-80868595-concurrent-0 via runner-jlguopmmv-s-l-s-amd64-1774937241-550a4086...

14 06:10:10 Getting source from Git repository 00:02

15 06:10:11 Gitlty correlation ID: 592fde6a546b45319085bd3abd6b3977

16 06:10:11 Fetching changes with git depth set to 20...

17 06:10:11 Initialized empty Git repository in /builds/a250007-group1/scheduledpipeline/.git/

18 06:10:11 Created fresh repository.

19 06:10:11 Checking out dc68caf9 as detached HEAD (ref is main)...

20 06:10:11 Skipping Git submodules setup

21 06:10:11 \$ git remote set-url origin "\${CI_REPOSITORY_URL}" || echo 'Not a git repository; skipping'

22 06:10:12 Executing "step_script" stage of the job script 00:00

23 06:10:12 Using default image

24 06:10:12 Using effective pull policy of [always] for container ruby:3.1

25 06:10:12 Using docker image sha256:9981df1d883b246c27c62f8ccb9b57d3e07d14cee8092299e102b4a69c35ea61 for ruby:3.1 with digest ruby@sha256:91627f55e8969006aab67d15c92fb930500ff73948803da1330b8a853fecebb5 ...

26 06:10:12 \$ echo "Running scheduled job"

27 06:10:12 Running scheduled job

28 06:10:12 \$ date

29 06:10:12 Tue Mar 31 06:10:12 UTC 2026

30 06:10:12 Cleaning up project directory and file based variables 00:01

31 06:10:13 Job succeeded

Duration: 28 seconds

Finished: 3 minutes ago

Queued: 0 seconds

Timeout: 1h (from project)

Runner: #12270845 (JLgUopmM) 1-green.saas-linux-small-amd64.runners-manager.gitlab.com/default

Source: Schedule

Commit dc68caf9 added yml file

Pipeline #2419900841 Passed for main

test

Related jobs

→ scheduled_job