

ZAP by Checkmarx

Scanning Report

Generated with  ZAP on Sat 20 Jun 2026, at 22:20:24

ZAP Version: 2.17.0

ZAP by [Checkmarx](#)

Contents

- [About This Report](#)
 - [Report Parameters](#)
- [Summaries](#)
 - [Alert Counts by Risk and Confidence](#)
 - [Alert Counts by Site and Risk](#)
 - [Alert Counts by Alert Type](#)
 - [Insights](#)
- [Alerts](#)
 - [Risk=High, Confidence=Medium \(1\)](#)
 - [Risk=Medium, Confidence=High \(1\)](#)
 - [Risk=Medium, Confidence=Medium \(3\)](#)

- [Risk=Medium, Confidence=Low \(1\).](#)
- [Risk=Low, Confidence=High \(3\).](#)
- [Risk=Low, Confidence=Medium \(2\).](#)
- [Risk=Low, Confidence=Low \(1\).](#)
- [Risk=Informational, Confidence=High \(1\).](#)
- [Risk=Informational, Confidence=Medium \(3\).](#)
- [Risk=Informational, Confidence=Low \(1\).](#)
- [Appendix](#)
 - [Alert Types](#)

About This Report

Report Parameters

Contexts

No contexts were selected, so all contexts were included by default.

Sites

The following sites were included:

- <https://firefox-settings-attachments.cdn.mozilla.net>
- <http://zero.webappsecurity.com>

(If no sites were selected, all sites were included by default.)

An included site must also be within one of the included contexts for its data to be included in the report.

Risk levels

Included: High, Medium, Low, Informational

Excluded: None

Confidence levels

Included: User Confirmed, High, Medium, Low

Excluded: User Confirmed, High, Medium, Low, False Positive

Summaries

Alert Counts by Risk and Confidence

This table shows the number of alerts for each level of risk and confidence included in the report.

(The percentages in brackets represent the count as a percentage of the total number of alerts included in the report, rounded to one decimal place.)

		Confidence				
		User Confirmed	High	Medium	Low	Total
Risk	High	0 (0.0%)	0 (0.0%)	1 (5.9%)	0 (0.0%)	1 (5.9%)
	Medium	0 (0.0%)	1 (5.9%)	3 (17.6%)	1 (5.9%)	5 (29.4%)
	Low	0 (0.0%)	3 (17.6%)	2 (11.8%)	1 (5.9%)	6 (35.3%)
	Informational	0 (0.0%)	1 (5.9%)	3 (17.6%)	1 (5.9%)	5 (29.4%)
	1					

Confidence

	User Confirmed	High	Medium	Low	Total
Total	0 (0.0%)	5 (29.4%)	9 (52.9%)	3 (17.6%)	17 (100%)

Alert Counts by Site and Risk

This table shows, for each site for which one or more alerts were raised, the number of alerts raised at each risk level.

Alerts with a confidence level of "False Positive" have been excluded from these counts.

(The numbers in brackets are the number of alerts raised for the site at or above that risk level.)

Risk

	High (= High)	Medium (>= Medium)	Low (>= Low)	Informational (>= Informational)
Site				
https://firefox-settings-attachments.cdn.mozilla.net	0 (0)	0 (0)	2 (2)	1 (3)
http://zero.webappsecurity.com	1 (1)	5 (6)	4 (10)	4 (14)

Alert Counts by Alert Type

This table shows the number of alerts of each alert type, together with the alert type's risk level.

(The percentages in brackets represent each count as a percentage, rounded to one decimal place, of the total number of alerts included in this report.)

Alert type	Risk	Count
SQL Injection - SQLite (Time Based)	High	3 (17.6%)
Absence of Anti-CSRF Tokens	Medium	3 (17.6%)
Content Security Policy (CSP) Header Not Set	Medium	5 (29.4%)
Cross-Domain Misconfiguration	Medium	5 (29.4%)
Missing Anti-clickjacking Header	Medium	5 (29.4%)
Vulnerable JS Library	Medium	2 (11.8%)
Cookie without SameSite Attribute	Low	2 (11.8%)
In Page Banner Information Leak	Low	5 (29.4%)
Server Leaks Version Information via "Server" HTTP Response Header Field	Low	5 (29.4%)
Strict-Transport-Security Header Not Set	Low	1 (5.9%)
Total		17

Alert type	Risk	Count
Timestamp Disclosure - Unix	Low	5 (29.4%)
X-Content-Type-Options Header Missing	Low	6 (35.3%)
Authentication Request Identified	Informational	3 (17.6%)
Information Disclosure - Suspicious Comments	Informational	2 (11.8%)
Modern Web Application	Informational	3 (17.6%)
Retrieved from Cache	Informational	1 (5.9%)
User Agent Fuzzer	Informational	5 (29.4%)
Total		17

Insights

This table shows information that is likely to be very relevant to you, but which is not related to vulnerabilities, or potentially even related to the application in question.

Level	Reason	Site	Description	Statistic
Low	Exceeded High	http://zero.webappsecurity.com	Percentage of slow responses	100 %

Level	Reason	Site	Description	Statistic
Info	Informational	http://zero.webappsecurity.com	Percentage of responses with status code 2xx	54 %
Info	Informational	http://zero.webappsecurity.com	Percentage of responses with status code 3xx	37 %
Info	Exceeded Low	http://zero.webappsecurity.com	Percentage of responses with status code 4xx	7 %
Info	Informational	http://zero.webappsecurity.com	Percentage of endpoints with content type application/javascript	10 %
Info	Informational	http://zero.webappsecurity.com	Percentage of endpoints with content type application/x-font-woff	2 %
Info	Informational	http://zero.webappsecurity.com	Percentage of endpoints with content type image/jpeg	10 %
Info	Informational	http://zero.webappsecurity.com	Percentage of endpoints with content type text/css	7 %

Level	Reason	Site	Description	Statistic
Info	Informational	http://zero.webappsecurity.com	Percentage of endpoints with content type text/html	55 %
Info	Informational	http://zero.webappsecurity.com	Percentage of endpoints with content type text/plain	13 %
Info	Informational	http://zero.webappsecurity.com	Percentage of endpoints with method GET	89 %
Info	Informational	http://zero.webappsecurity.com	Percentage of endpoints with method POST	10 %
Info	Informational	http://zero.webappsecurity.com	Count of total endpoints	38
Info	Informational	https://firefox-settings-attachments.cdn.mozilla.net	Percentage of responses with status code 2xx	100 %
Info	Informational	https://firefox-settings-attachments.cdn.mozilla.net	Percentage of endpoints with content type application/octet-stream	100 %

Level	Reason	Site	Description	Statistic
Info	Informational	https://firefox-settings-attachments.cdn.mozilla.net	Percentage of endpoints with method GET	100 %
Info	Informational	https://firefox-settings-attachments.cdn.mozilla.net	Count of total endpoints	1
Info	Informational	https://firefox-settings-attachments.cdn.mozilla.net	Percentage of slow responses	100 %

Alerts

Risk=High, Confidence=Medium (1)

<http://zero.webappsecurity.com> (1)

SQL Injection - SQLite (Time Based) (1)

► GET http://zero.webappsecurity.com/login.html?login_error=true

Risk=Medium, Confidence=High (1)

<http://zero.webappsecurity.com> (1)

Content Security Policy (CSP) Header Not Set (1)

► GET <http://zero.webappsecurity.com>

Risk=Medium, Confidence=Medium (3)

<http://zero.webappsecurity.com> (3)

Cross-Domain Misconfiguration (1)

► GET <http://zero.webappsecurity.com>

Missing Anti-clickjacking Header (1)

► GET <http://zero.webappsecurity.com>

Vulnerable JS Library (1)

► GET <http://zero.webappsecurity.com/resources/js/jquery-1.8.2.min.js>

Risk=Medium, Confidence=Low (1)

<http://zero.webappsecurity.com> (1)

Absence of Anti-CSRF Tokens (1)

► GET <http://zero.webappsecurity.com/login.html>

Risk=Low, Confidence=High (3)

<https://firefox-settings-attachments.cdn.mozilla.net> (1)

Strict-Transport-Security Header Not Set (1)

► GET <https://firefox-settings-attachments.cdn.mozilla.net/bundles/startup.json.mozl4>

<http://zero.webappsecurity.com> (2)

In Page Banner Information Leak (1)

► GET <http://zero.webappsecurity.com/robots.txt>

Server Leaks Version Information via "Server" HTTP Response Header Field (1)

► GET <http://zero.webappsecurity.com>

Risk=Low, Confidence=Medium (2)

<http://zero.webappsecurity.com> (2)

Cookie without SameSite Attribute (1)

► POST <http://zero.webappsecurity.com/signin.html>

X-Content-Type-Options Header Missing (1)

► GET <http://zero.webappsecurity.com>

Risk=Low, Confidence=Low (1)

<https://firefox-settings-attachments.cdn.mozilla.net> (1)

Timestamp Disclosure - Unix (1)

► GET https://firefox-settings-attachments.cdn.mozilla.net/bundles/startup.json.mozlz4

Risk=Informational, Confidence=High (1)

<http://zero.webappsecurity.com> (1)

Authentication Request Identified (1)

► POST http://zero.webappsecurity.com/signin.html

Risk=Informational, Confidence=Medium (3)

<https://firefox-settings-attachments.cdn.mozilla.net> (1)

Retrieved from Cache (1)

► GET https://firefox-settings-attachments.cdn.mozilla.net/bundles/startup.json.mozlz4

<http://zero.webappsecurity.com> (2)

Modern Web Application (1)

► GET http://zero.webappsecurity.com

User Agent Fuzzer (1)

► POST http://zero.webappsecurity.com/signin.html

Risk=Informational, Confidence=Low (1)

<http://zero.webappsecurity.com> (1)

Information Disclosure - Suspicious Comments (1)

► GET <http://zero.webappsecurity.com/resources/js/jquery-1.8.2.min.js>

Appendix

Alert Types

This section contains additional information on the types of alerts in the report.

SQL Injection - SQLite (Time Based)

Source	raised by an active scanner (SQL Injection - SQLite (Time Based) .)
CWE ID	89
WASC ID	19
Reference	■ https://cheatsheetseries.owasp.org/cheatsheets/SQL_Injection_Prevention_Cheat_Sheet.html

Absence of Anti-CSRF Tokens

Source	raised by a passive scanner (Absence of Anti-CSRF Tokens)
CWE ID	352

WASC ID 9

- Reference**
- https://cheatsheetseries.owasp.org/cheatsheets/Cross-Site_Request_Forgery_Prevention_Cheat_Sheet.html
 - <https://cwe.mitre.org/data/definitions/352.html>

Content Security Policy (CSP) Header Not Set

Source raised by a passive scanner ([Content Security Policy \(CSP\) Header Not Set](#))

CWE ID [693](#)

WASC ID 15

- Reference**
- <https://developer.mozilla.org/en-US/docs/Web/HTTP/Guides/CSP>
 - https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html
 - <https://www.w3.org/TR/CSP/>
 - <https://w3c.github.io/webappsec-csp/>
 - <https://web.dev/articles/csp>
 - <https://caniuse.com/#feat=contentsecuritypolicy>
 - <https://content-security-policy.com/>

Cross-Domain Misconfiguration

Source	raised by a passive scanner (Cross-Domain Misconfiguration)
CWE ID	264
WASC ID	14
Reference	▪ https://vulncat.fortify.com/en/detail?category=HTML5&subcategory=Overly%20Permissive%20CORS%20Policy

Missing Anti-clickjacking Header

Source	raised by a passive scanner (Anti-clickjacking Header)
CWE ID	1021
WASC ID	15
Reference	▪ https://developer.mozilla.org/en-US/docs/Web/HTTP/Reference/Headers/X-Frame-Options

Vulnerable JS Library

Source	raised by a passive scanner (Vulnerable JS Library (Powered by Retire.js))
CWE ID	1395
Reference	▪ https://owasp.org/Top10/A06_2021-Vulnerable_and_Outdated_Components/

Cookie without SameSite Attribute

Source	raised by a passive scanner (Cookie without SameSite Attribute)
CWE ID	1275
WASC ID	13
Reference	▪ https://datatracker.ietf.org/doc/html/draft-ietf-httpbis-cookie-same-site

In Page Banner Information Leak

Source	raised by a passive scanner (In Page Banner Information Leak)
CWE ID	497
WASC ID	13
Reference	▪ https://owasp.org/www-project-web-security-testing-guide/v41/4-Web_Application_Security_Testing/08-Testing_for_Error_Handling/

Server Leaks Version Information via "Server" HTTP Response Header Field

Source	raised by a passive scanner (HTTP Server Response Header)
CWE ID	497
WASC ID	13
Reference	▪ https://httpd.apache.org/docs/current/mod/core.html#servertokens

- [https://learn.microsoft.com/en-us/previous-versions/msp-n-p/ff648552\(v=pandp.10\)](https://learn.microsoft.com/en-us/previous-versions/msp-n-p/ff648552(v=pandp.10))
- <https://www.troyhunt.com/shhh-dont-let-your-response-headers/>

Strict-Transport-Security Header Not Set

Source	raised by a passive scanner (Strict-Transport-Security Header)
CWE ID	319
WASC ID	15
Reference	▪ https://cheatsheetseries.owasp.org/cheatsheets/HTTP_Strict_Transport_Security_Cheat_Sheet.html ▪ https://owasp.org/www-community/Security-Headers ▪ https://en.wikipedia.org/wiki/HTTP_Strict_Transport_Security ▪ https://caniuse.com/stricttransportsecurity ▪ https://datatracker.ietf.org/doc/html/rfc6797

Timestamp Disclosure - Unix

Source	raised by a passive scanner (Timestamp Disclosure)
CWE ID	497

WASC ID 13

Reference ■ <https://cwe.mitre.org/data/definitions/200.html>

X-Content-Type-Options Header Missing

Source raised by a passive scanner ([X-Content-Type-Options Header Missing](#))

CWE ID [693](#)

WASC ID 15

Reference ■ [https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/compatibility/gg622941\(v=vs.85\)](https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/compatibility/gg622941(v=vs.85))

■ <https://owasp.org/www-community/Security-Headers>

Authentication Request Identified

Source raised by a passive scanner ([Authentication Request Identified](#))

Reference ■ <https://www.zaproxy.org/docs/desktop/addons/authentication-helper/auth-req-id/>

Information Disclosure - Suspicious Comments

Source raised by a passive scanner ([Information Disclosure - Suspicious Comments](#))

CWE ID [615](#)

Modern Web Application

Source raised by a passive scanner ([Modern Web Application](#))

Retrieved from Cache

Source raised by a passive scanner ([Retrieved from Cache](#))

CWE ID [525](#)

Reference

- <https://datatracker.ietf.org/doc/html/rfc7234>
- <https://datatracker.ietf.org/doc/html/rfc7231>
- <https://www.rfc-editor.org/rfc/rfc9110.html>

User Agent Fuzzer

Source raised by an active scanner ([User Agent Fuzzer](#))

Reference

- <https://owasp.org/wstg>