2


IMPLEMENT A LEXICALANALYZER TO COUNT THE NUMBER OF WORDS USING LEX TOOL

AIM:

To implement the program to count the number of words in a string using LEX tool.

STUDY:

Lex is a tool in lexical analysis phase to recognize tokens using regular expression. Lex tool itself is a lex compiler.



- lex.l is an a input file written in a language which describes the generation of lexical analyzer. The lex compiler transforms lex.l to a C program known as lex.yy.c.
- lex.yy.c is compiled by the C compiler to a file called a.out.
- The output of C compiler is the working lexical analyzer which takes stream of input characters and produces a stream of tokens.
- yylval is a global variable which is shared by lexical analyzer and parser to return the name and an attribute value of token.
- The attribute value can be numeric code, pointer to symbol table or nothing.
- Another tool for lexical analyzer generation is Flex.

STRUCTURE OF LEX PROGRAMS:

Lex program will be in following form declarations

%%

translation rules

%%

auxiliary functions

ALGORITHM:

Roll Number: 210701113

Name: Kavin chakravarthy

Exp No:

Date:

- 1. Initialize counters for line count (lc), space count (sc), tab count (tc), character count (ch), and word count (wc).
- 2. Define rules to match newline, space, tab, and non-space/tab/newline characters. Increment corresponding counters based on matches.
- 3. Prompt the user to enter a sentence.
- 4. Invoke lexical analysis using yylex().
- 5. Signal the end of input.
- 6. Display the total word count.

PROGRAM:

OUTPUT:

```
(kali@ kali)-[~/Documents/cdlab]
$ vi exp2.l

(kali@ kali)-[~/Documents/cdlab]
$ lex exp2.l

(kali@ kali)-[~/Documents/cdlab]
$ cc lex.yy.c

(kali@ kali)-[~/Documents/cdlab]
$ ./a.out
Enter the Sentence : Introduction to Lex Tool
Number of words: 4
```

RESULT:

Thus, the program to count the number of words in a string using LEX tool has been implemented.

Roll Number: 210701113

Name: Kavin chakravrthy