CC1

NAME:kavinashri

ROLL NUM:727721EUIT073

Screenshot 1 (top):

Block Public Access settings for this bucket

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to this bucket and its objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to this bucket or objects within, you can customize the individual settings below to suit your specific storage use cases. Learn more

☐ **Block *all* public access**
Turning this setting on is the same as turning on all four settings below. Each of the following settings are independent of one another.

☐ **Block public access to buckets and objects granted through *new* access control lists (ACLs)**
S3 will block public access permissions applied to newly added buckets or objects, and prevent the creation of new public access ACLs for existing buckets and objects. This setting doesn't change any existing permissions that allow public access to S3 resources using ACLs.

☐ **Block public access to buckets and objects granted through *any* access control lists (ACLs)**
S3 will ignore all ACLs that grant public access to buckets and objects.

Screenshot 2 (bottom):

S3 will ignore all ACLs that grant public access to buckets and objects.

☐ **Block public access to buckets and objects granted through *new* public bucket or access point policies**
S3 will block new bucket and access point policies that grant public access to buckets and objects. This setting doesn't change any existing policies that allow public access to S3 resources.

☐ **Block public and cross-account access to buckets and objects through *any* public bucket or access point policies**
S3 will ignore public and cross-account access for buckets or access points with policies that grant public access to buckets and objects.

⚠ **Turning off block all public access might result in this bucket and the objects within becoming public**
AWS recommends that you turn on block all public access, unless public access is required for specific and verified use cases such as static website hosting.

☑ I acknowledge that the current settings might result in this bucket and the objects within becoming public.

Bucket Versioning

Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore

s3.console.aws.amazon.com/s3/bucket/create?region=eu-north-1

aws · Services · Search [Alt+S] · N. Virginia · kavina

EC2

Bucket Versioning

◉ Disable

○ Enable

Tags (0) - *optional*

You can use bucket tags to track storage costs and organize buckets. Learn more 🔗

No tags associated with this bucket.

Add tag

Default encryption Info

Server-side encryption is automatically applied to new objects stored in this bucket.

Encryption key type Info

CloudShell · Feedback · Language · Privacy · Terms · Cookie preferences

ec2usecase1 (1).pem · ec2usecase1.pem · Show all

32°C Partly sunny · ENG IN · 15:38 03-05-2023