





Power Supply
TR1
AC
D1
D2
D3
D4
U2
C1
C2
R1
D5
LCD Display
LCD1
E-VEHICLE & BAT.
FAULT DET. SYS.
Battery Voltage
RV1
R28
TO PC
Arduino NANO
NANO1
ARDUINO NANO V3
BUZ1
BUZZER
Battery Temp
U3
EngineTemp
U1
RV2
VEHICLE MOTOR
RL1
Q1
R3
VIB1
www.TheEngineeringProjects.com
Vibration Sensor
Flame Sensor
FLAME1
FLAME SENSOR
FAN
Q2
R2


SIM_EV_Fault_Detection - Proteus 8 Professional - Schematic Capture
File Edit View Tool Design Graph Debug Library Template System Help
Schematic Capture
DEVICES
1N4007
7805
7812
ALTERNATOR
ARDUINO NANO V2.0
ARDUINO UNO R3
BC547
BUTTON
BUZZER
CAP-POL
DHT11
DS18B20
FLAME SENSOR
LED-BIRG
LED-GREEN
LM016L
LM35
MOTOR-DC
POT-HG
RELAY
RESISTOR
TRAN-2P2S
VIBRATION SW-420
Power Supply
LCD Display
E-VEHICLE & BAT.
FAULT DET. SYS.
Battery Voltage
Battery Temp
EngineTemp
Arduino NANO
TO PC
VEHICLE MOTOR
FAN
Flame Sensor
Vibration Sensor
ANIMATING: 0.285199110s (CPU load 78%)
x: -5400.0 y: -1200.0



SIM_EV_Fault_Detection - Proteus 8 Professional - Schematic Capture
File Edit View Tool Design Graph Debug Library Template System Help
Schematic Capture
DEVICES
1N4007
7805
7812
ALTERNATOR
ARDUINO NANO V2.0
ARDUINO UNO R3
BC547
BUTTON
BUZZER
CAP-POL
DHT11
DS18B20
FLAME SENSOR
LED-BIRG
LED-GREEN
LM016L
LM35
MOTOR-DC
POT-HG
RELAY
RESISTOR
TRAN-2P2S
VIBRATION SW-420
Power Supply
LCD Display
Battery Voltage
Battery Temp
EngineTemp
Arduino NANO
TO PC
VEHICLE MOTOR
FAN
Flame Sensor
Vibration Sensor
No Messages
ROOT - Root sheet 1
x: -4100.0 y: +1000.0



Field 3 Chart
EV
3.00
2.50
2.00
1.50
Battery Voltage
15 May
17 May
19 May
21 May
Date
ThingSpeak.com


Field 1 Chart
EV
80.0
70.0
60.0
50.0
40.0
30.0
Battery Temperature
15 May
17 May
19 May
21 May
Date
ThingSpeak.com

Field 2 Chart




Field 3 Chart
EV
6.00
5.00
4.00
3.00
2.00
Battery Voltage
15 May
17 May
19 May
21 May
Date
ThingSpeak.com


mail_send()
Run:
main_EV_BMS
Voltage LOW - Abnormal
['30', '30', '1.98', '1', '0']
Battery Temp.: 30
Motor Temp.: 30
Battery Volt.: 1.98
Vibration : 0
Fire : 1
Voltage LOW - Abnormal
4: Run
6: TODO
Terminal
Python Console





sampletestmai... 11:11 AM

to me

Why is this message in spam?

It is similar to messages that were identified as spam in the past.

Report not spam

EV Vehicle and Battery Fault Management System Details...!

Bat. Temp : 86 Engine Temp : 33 Battery Voltage : : 3.00 - Abnormal

sampletestm... 11:09 AM

to me

Why is this message in spam?

It is similar to messages that were identified as spam in the past.

Report not spam

EV Vehicle and Battery Fault Management System Details...!

Bat. Temp : 29 Engine Temp : 43 Battery Voltage : : 3.00 - Abnormal