ZUNO ERP

Phase 1–4 Database Table & Column Catalogue

Proposed PostgreSQL logical schema • Table names • Column names • Data types • Column descriptions

Phase	Scope	Tables
1	SaaS Foundation	48
2	Business Master Data	56
3	Daily Business Operations	69
4	Finance & Compliance	70
Total	**All phases**	**243**

Document status: planning catalogue, not final executable DDL. Column sets and data types are proposed and must be validated during detailed module design.

Important design conventions

• All tenant-owned tables should carry tenant_id, either directly or through a tenant-safe parent relationship. Use composite foreign keys such as (tenant_id, company_id) to prevent cross-tenant references.

• Use UUID primary keys. Add created_by, created_time, updated_by and updated_time to transactional/master tables where useful. Not every lookup, log or junction table needs every audit column.

• Use NUMERIC for money and quantities; do not use FLOAT for financial values. Store timestamps as TIMESTAMPTZ and store the tenant/company timezone separately.

• Store uploaded files in private object storage; database columns should contain a storage key, not public file bytes or permanent public links.

• Use status columns for business lifecycle. Do not rely on is_active alone to represent payment, approval, payroll or document status.

• Sensitive data such as PAN, bank accounts, salary and identity documents requires encryption, masking, strict permissions and audit logging.

• Phase 1 table count is normalized to 48 by leaving tb_coupon_usage as an optional future table; coupon redemption can initially be audited through invoice/subscription records.

Master table index

No.	Phase	Module	Table name	Purpose
1	Phase 1	Company Management	tb_tenant	A customer account boundary that owns one or more companies in Zuno.
2	Phase 1	Company Management	tb_tenant_owner	Owner and primary contact details for a tenant account.
3	Phase 1	Company Management	tb_company	Legal/business entity registered under a tenant.
4	Phase 1	Company Management	tb_company_address	Registered, billing, office or other company addresses.
5	Phase 1	Company Management	tb_company_contact	Named company contacts and their communication details.
6	Phase 1	Company Management	tb_company_registration	Government and statutory registration identifiers for a company.
7	Phase 1	Company Management	tb_company_branch	A shop, office, factory, warehouse or other operating branch.
8	Phase 1	Company Management	tb_company_document	Secure metadata for company certificates and uploaded documents.
9	Phase 1	Company Management	tb_company_financial_year	Financial-year periods configured for a company.
10	Phase 1	Company Management	tb_company_settings	Company-level regional, currency, date and application settings.
11	Phase 1	SaaS Platform & Subscription	tb_module_category	Shared catalogue grouping for Zuno modules.
12	Phase 1	SaaS Platform & Subscription	tb_module	Shared catalogue of purchasable Zuno modules.
13	Phase 1	SaaS Platform & Subscription	tb_submodule	Functional sections within a main module.
14	Phase 1	SaaS Platform & Subscription	tb_module_feature	Individual application features within a submodule.
15	Phase 1	SaaS Platform & Subscription	tb_module_dependency	Rules describing modules required by other modules.
16	Phase 1	SaaS Platform & Subscription	tb_module_price	Versioned fixed prices for modules by currency and billing cycle.
17	Phase 1	SaaS Platform & Subscription	tb_tax_rate	Tax rates and effective dates used for subscription billing.
18	Phase 1	SaaS Platform & Subscription	tb_discount_coupon	Promotional discount codes and their validity rules.
19	Phase 1	SaaS Platform & Subscription	tb_subscription	A tenant or company subscription contract and billing period.
20	Phase 1	SaaS Platform & Subscription	tb_subscription_item	A purchased module line and its agreed price snapshot.
21	Phase 1	SaaS Platform & Subscription	tb_subscription_entitlement	Effective permission to access a subscribed module.
22	Phase 1	SaaS Platform & Subscription	tb_subscription_feature	Feature-level entitlements within an activated module.
23	Phase 1	SaaS Platform & Subscription	tb_subscription_history	Audit trail of subscription status and commercial changes.
24	Phase 1	SaaS Platform & Subscription	tb_invoice	Zuno sales invoice issued to a subscribing customer.
25	Phase 1	SaaS Platform & Subscription	tb_invoice_detail	Individual module or service lines on a subscription invoice.
26	Phase 1	SaaS Platform & Subscription	tb_payment	Payment transaction against a Zuno invoice.
27	Phase 1	SaaS Platform & Subscription	tb_payment_attempt	Individual checkout/payment attempts, including retries.
28	Phase 1	SaaS Platform & Subscription	tb_payment_webhook	Verified gateway event inbox for idempotent payment processing.
29	Phase 1	SaaS Platform & Subscription	tb_refund	Refund request and gateway refund result.
30	Phase 1	SaaS Platform & Subscription	tb_subscription_change_request	Customer request to add, remove or change subscribed modules.
31	Phase 1	SaaS Platform & Subscription	tb_subscription_change_detail	Module-level changes within a subscription change request.
32	Phase 1	SaaS Platform & Subscription	tb_subscription_renewal	Renewal periods and renewal processing status.

No.	Phase	Module	Table name	Purpose
33	Phase 1	SaaS Platform & Subscription	tb_subscription_limit	Quantitative limits included in a subscription.
34	Phase 1	SaaS Platform & Subscription	tb_subscription_module_usage	Measured module usage against subscription limits.
35	Phase 1	Administration & Management	tb_user	Customer-side user identity within a tenant.
36	Phase 1	Administration & Management	tb_user_credential	Password hash and credential security state for a user.
37	Phase 1	Administration & Management	tb_user_otp	Hashed one-time verification codes and expiry details.
38	Phase 1	Administration & Management	tb_user_session	Refresh-token session and device login information.
39	Phase 1	Administration & Management	tb_login_history	Successful and failed customer login activity.
40	Phase 1	Administration & Management	tb_role	Tenant-defined role such as HR Manager or Accountant.
41	Phase 1	Administration & Management	tb_permission	Permission catalogue for module actions.
42	Phase 1	Administration & Management	tb_role_permission	Permissions granted or denied to a role.
43	Phase 1	Administration & Management	tb_user_role	Role assignments for users and optional company scope.
44	Phase 1	Administration & Management	tb_user_company_access	Company-level access granted to a user.
45	Phase 1	Administration & Management	tb_user_branch_access	Branch-level access granted to a user.
46	Phase 1	Administration & Management	tb_approval_workflow	Configurable approval process for a business activity.
47	Phase 1	Administration & Management	tb_approval_workflow_step	Ordered approval steps and approver rules.
48	Phase 1	Administration & Management	tb_platform_admin	Separate internal Zuno administrator identity.
49	Phase 2	Product & Material Management	tb_product_category	Stores product category information for the related Zuno ERP business process.
50	Phase 2	Product & Material Management	tb_product_subcategory	Stores product subcategory information for the related Zuno ERP business process.
51	Phase 2	Product & Material Management	tb_product_master	Stores product master information for the related Zuno ERP business process.
52	Phase 2	Product & Material Management	tb_product_variant	Stores product variant information for the related Zuno ERP business process.
53	Phase 2	Product & Material Management	tb_product_unit	Stores product unit information for the related Zuno ERP business process.
54	Phase 2	Product & Material Management	tb_product_unit_conversion	Stores product unit conversion information for the related Zuno ERP business process.
55	Phase 2	Product & Material Management	tb_product_barcode	Stores product barcode information for the related Zuno ERP business process.
56	Phase 2	Product & Material Management	tb_product_price	Stores product price information for the related Zuno ERP business process.
57	Phase 2	Product & Material Management	tb_product_tax	Stores product tax information for the related Zuno ERP business process.
58	Phase 2	Product & Material Management	tb_product_batch	Stores product batch information for the related Zuno ERP business process.
59	Phase 2	Product & Material Management	tb_product_brand	Stores product brand information for the related Zuno ERP business process.
60	Phase 2	Product & Material Management	tb_product_document	Stores product document information for the related Zuno ERP business process.
61	Phase 2	HR & Employee Management	tb_department	Stores department information for the related Zuno ERP business process.
62	Phase 2	HR & Employee Management	tb_designation	Stores designation information for the related Zuno ERP business process.
63	Phase 2	HR & Employee Management	tb_employee_master	Stores employee master information for the related Zuno ERP business process.
64	Phase 2	HR & Employee Management	tb_employee_personal	Stores employee personal information for the related Zuno ERP business process.
65	Phase 2	HR & Employee Management	tb_employee_address	Stores employee address information for the related Zuno ERP business process.
66	Phase 2	HR & Employee Management	tb_employee_contact	Stores employee contact information for the related Zuno ERP business process.

No.	Phase	Module	Table name	Purpose
67	Phase 2	HR & Employee Management	tb_employee_bank	Stores employee bank information for the related Zuno ERP business process.
68	Phase 2	HR & Employee Management	tb_employee_document	Stores employee document information for the related Zuno ERP business process.
69	Phase 2	HR & Employee Management	tb_employee_education	Stores employee education information for the related Zuno ERP business process.
70	Phase 2	HR & Employee Management	tb_employee_experience	Stores employee experience information for the related Zuno ERP business process.
71	Phase 2	HR & Employee Management	tb_employee_family	Stores employee family information for the related Zuno ERP business process.
72	Phase 2	HR & Employee Management	tb_employee_job_history	Stores employee job history information for the related Zuno ERP business process.
73	Phase 2	HR & Employee Management	tb_employee_salary_history	Stores employee salary history information for the related Zuno ERP business process.
74	Phase 2	HR & Employee Management	tb_employee_bgv	Stores employee bgv information for the related Zuno ERP business process.
75	Phase 2	HR & Employee Management	tb_employee_nominee	Stores employee nominee information for the related Zuno ERP business process.
76	Phase 2	HR & Employee Management	tb_employee_status_history	Stores employee status history information for the related Zuno ERP business process.
77	Phase 2	Customer & Supplier Master	tb_customer_master	Stores customer master information for the related Zuno ERP business process.
78	Phase 2	Customer & Supplier Master	tb_customer_address	Stores customer address information for the related Zuno ERP business process.
79	Phase 2	Customer & Supplier Master	tb_customer_contact	Stores customer contact information for the related Zuno ERP business process.
80	Phase 2	Customer & Supplier Master	tb_customer_document	Stores customer document information for the related Zuno ERP business process.
81	Phase 2	Customer & Supplier Master	tb_supplier_master	Stores supplier master information for the related Zuno ERP business process.
82	Phase 2	Customer & Supplier Master	tb_supplier_address	Stores supplier address information for the related Zuno ERP business process.
83	Phase 2	Customer & Supplier Master	tb_supplier_contact	Stores supplier contact information for the related Zuno ERP business process.
84	Phase 2	Customer & Supplier Master	tb_supplier_document	Stores supplier document information for the related Zuno ERP business process.
85	Phase 2	Land & Building Management	tb_property_master	Stores property master information for the related Zuno ERP business process.
86	Phase 2	Land & Building Management	tb_property_owner	Stores property owner information for the related Zuno ERP business process.
87	Phase 2	Land & Building Management	tb_property_address	Stores property address information for the related Zuno ERP business process.
88	Phase 2	Land & Building Management	tb_property_document	Stores property document information for the related Zuno ERP business process.
89	Phase 2	Land & Building Management	tb_property_legal_verification	Stores property legal verification information for the related Zuno ERP business process.
90	Phase 2	Land & Building Management	tb_property_approval	Stores property approval information for the related Zuno ERP business process.
91	Phase 2	Land & Building Management	tb_construction_project	Stores construction project information for the related Zuno ERP business process.
92	Phase 2	Land & Building Management	tb_construction_phase	Stores construction phase information for the related Zuno ERP business process.
93	Phase 2	Land & Building Management	tb_construction_contractor	Stores construction contractor information for the related Zuno ERP business process.
94	Phase 2	Land & Building Management	tb_construction_material	Stores construction material information for the related Zuno ERP business process.
95	Phase 2	Land & Building Management	tb_construction_expense	Stores construction expense information for the related Zuno ERP business process.
96	Phase 2	Land & Building Management	tb_construction_progress	Stores construction progress information for the related Zuno ERP business process.
97	Phase 2	Assets & Maintenance Master	tb_asset_category	Stores asset category information for the related Zuno ERP business process.
98	Phase 2	Assets & Maintenance Master	tb_asset_master	Stores asset master information for the related Zuno ERP business process.
99	Phase 2	Assets & Maintenance Master	tb_asset_location	Stores asset location information for the related Zuno ERP business process.
100	Phase 2	Assets & Maintenance Master	tb_asset_allocation	Stores asset allocation information for the related Zuno ERP business process.

No.	Phase	Module	Table name	Purpose
101	Phase 2	Assets & Maintenance Master	tb_asset_document	Stores asset document information for the related Zuno ERP business process.
102	Phase 2	Assets & Maintenance Master	tb_asset_warranty	Stores asset warranty information for the related Zuno ERP business process.
103	Phase 2	Assets & Maintenance Master	tb_asset_vendor	Stores asset vendor information for the related Zuno ERP business process.
104	Phase 2	Assets & Maintenance Master	tb_asset_depreciation_setup	Stores asset depreciation setup information for the related Zuno ERP business process.
105	Phase 3	Purchase & Supplier Operations	tb_purchase_request	Stores purchase request information for the related Zuno ERP business process.
106	Phase 3	Purchase & Supplier Operations	tb_purchase_request_detail	Stores purchase request detail information for the related Zuno ERP business process.
107	Phase 3	Purchase & Supplier Operations	tb_purchase_order	Stores purchase order information for the related Zuno ERP business process.
108	Phase 3	Purchase & Supplier Operations	tb_purchase_order_detail	Stores purchase order detail information for the related Zuno ERP business process.
109	Phase 3	Purchase & Supplier Operations	tb_goods_receipt	Stores goods receipt information for the related Zuno ERP business process.
110	Phase 3	Purchase & Supplier Operations	tb_goods_receipt_detail	Stores goods receipt detail information for the related Zuno ERP business process.
111	Phase 3	Purchase & Supplier Operations	tb_supplier_invoice	Stores supplier invoice information for the related Zuno ERP business process.
112	Phase 3	Purchase & Supplier Operations	tb_supplier_invoice_detail	Stores supplier invoice detail information for the related Zuno ERP business process.
113	Phase 3	Purchase & Supplier Operations	tb_purchase_return	Stores purchase return information for the related Zuno ERP business process.
114	Phase 3	Purchase & Supplier Operations	tb_purchase_return_detail	Stores purchase return detail information for the related Zuno ERP business process.
115	Phase 3	Purchase & Supplier Operations	tb_supplier_payment_allocation	Stores supplier payment allocation information for the related Zuno ERP business process.
116	Phase 3	Purchase & Supplier Operations	tb_purchase_approval_history	Stores purchase approval history information for the related Zuno ERP business process.
117	Phase 3	Inventory & Warehouse	tb_warehouse_master	Stores warehouse master information for the related Zuno ERP business process.
118	Phase 3	Inventory & Warehouse	tb_warehouse_location	Stores warehouse location information for the related Zuno ERP business process.
119	Phase 3	Inventory & Warehouse	tb_stock_balance	Stores stock balance information for the related Zuno ERP business process.
120	Phase 3	Inventory & Warehouse	tb_stock_ledger	Stores stock ledger information for the related Zuno ERP business process.
121	Phase 3	Inventory & Warehouse	tb_stock_inward	Stores stock inward information for the related Zuno ERP business process.
122	Phase 3	Inventory & Warehouse	tb_stock_inward_detail	Stores stock inward detail information for the related Zuno ERP business process.
123	Phase 3	Inventory & Warehouse	tb_stock_outward	Stores stock outward information for the related Zuno ERP business process.
124	Phase 3	Inventory & Warehouse	tb_stock_outward_detail	Stores stock outward detail information for the related Zuno ERP business process.
125	Phase 3	Inventory & Warehouse	tb_stock_transfer	Stores stock transfer information for the related Zuno ERP business process.
126	Phase 3	Inventory & Warehouse	tb_stock_transfer_detail	Stores stock transfer detail information for the related Zuno ERP business process.
127	Phase 3	Inventory & Warehouse	tb_stock_adjustment	Stores stock adjustment information for the related Zuno ERP business process.
128	Phase 3	Inventory & Warehouse	tb_stock_adjustment_detail	Stores stock adjustment detail information for the related Zuno ERP business process.
129	Phase 3	Inventory & Warehouse	tb_stock_audit	Stores stock audit information for the related Zuno ERP business process.
130	Phase 3	Inventory & Warehouse	tb_stock_audit_detail	Stores stock audit detail information for the related Zuno ERP business process.
131	Phase 3	Sales & Customer Operations	tb_sales_enquiry	Stores sales enquiry information for the related Zuno ERP business process.
132	Phase 3	Sales & Customer Operations	tb_sales_quotation	Stores sales quotation information for the related Zuno ERP business process.
133	Phase 3	Sales & Customer Operations	tb_sales_quotation_detail	Stores sales quotation detail information for the related Zuno ERP business process.
134	Phase 3	Sales & Customer Operations	tb_sales_order	Stores sales order information for the related Zuno ERP business process.

No.	Phase	Module	Table name	Purpose
135	Phase 3	Sales & Customer Operations	tb_sales_order_detail	Stores sales order detail information for the related Zuno ERP business process.
136	Phase 3	Sales & Customer Operations	tb_sales_invoice	Stores sales invoice information for the related Zuno ERP business process.
137	Phase 3	Sales & Customer Operations	tb_sales_invoice_detail	Stores sales invoice detail information for the related Zuno ERP business process.
138	Phase 3	Sales & Customer Operations	tb_sales_return	Stores sales return information for the related Zuno ERP business process.
139	Phase 3	Sales & Customer Operations	tb_sales_return_detail	Stores sales return detail information for the related Zuno ERP business process.
140	Phase 3	Sales & Customer Operations	tb_customer_receipt	Stores customer receipt information for the related Zuno ERP business process.
141	Phase 3	Sales & Customer Operations	tb_customer_receipt_allocation	Stores customer receipt allocation information for the related Zuno ERP business process.
142	Phase 3	Sales & Customer Operations	tb_sales_delivery	Stores sales delivery information for the related Zuno ERP business process.
143	Phase 3	Attendance & Leave Management	tb_shift_master	Stores shift master information for the related Zuno ERP business process.
144	Phase 3	Attendance & Leave Management	tb_employee_shift	Stores employee shift information for the related Zuno ERP business process.
145	Phase 3	Attendance & Leave Management	tb_shift_roster	Stores shift roster information for the related Zuno ERP business process.
146	Phase 3	Attendance & Leave Management	tb_attendance	Stores attendance information for the related Zuno ERP business process.
147	Phase 3	Attendance & Leave Management	tb_attendance_punch	Stores attendance punch information for the related Zuno ERP business process.
148	Phase 3	Attendance & Leave Management	tb_attendance_device	Stores attendance device information for the related Zuno ERP business process.
149	Phase 3	Attendance & Leave Management	tb_attendance_location	Stores attendance location information for the related Zuno ERP business process.
150	Phase 3	Attendance & Leave Management	tb_attendance_correction	Stores attendance correction information for the related Zuno ERP business process.
151	Phase 3	Attendance & Leave Management	tb_leave_type	Stores leave type information for the related Zuno ERP business process.
152	Phase 3	Attendance & Leave Management	tb_leave_balance	Stores leave balance information for the related Zuno ERP business process.
153	Phase 3	Attendance & Leave Management	tb_leave_request	Stores leave request information for the related Zuno ERP business process.
154	Phase 3	Attendance & Leave Management	tb_leave_approval	Stores leave approval information for the related Zuno ERP business process.
155	Phase 3	Attendance & Leave Management	tb_employee_permission_request	Stores employee permission request information for the related Zuno ERP business process.
156	Phase 3	Attendance & Leave Management	tb_employee_on_duty	Stores employee on duty information for the related Zuno ERP business process.
157	Phase 3	Attendance & Leave Management	tb_overtime	Stores overtime information for the related Zuno ERP business process.
158	Phase 3	Production & Manufacturing	tb_bom_master	Stores bom master information for the related Zuno ERP business process.
159	Phase 3	Production & Manufacturing	tb_bom_detail	Stores bom detail information for the related Zuno ERP business process.
160	Phase 3	Production & Manufacturing	tb_production_plan	Stores production plan information for the related Zuno ERP business process.
161	Phase 3	Production & Manufacturing	tb_production_plan_detail	Stores production plan detail information for the related Zuno ERP business process.
162	Phase 3	Production & Manufacturing	tb_work_order	Stores work order information for the related Zuno ERP business process.
163	Phase 3	Production & Manufacturing	tb_work_order_detail	Stores work order detail information for the related Zuno ERP business process.
164	Phase 3	Production & Manufacturing	tb_material_issue	Stores material issue information for the related Zuno ERP business process.
165	Phase 3	Production & Manufacturing	tb_material_issue_detail	Stores material issue detail information for the related Zuno ERP business process.
166	Phase 3	Production & Manufacturing	tb_material_return	Stores material return information for the related Zuno ERP business process.
167	Phase 3	Production & Manufacturing	tb_material_return_detail	Stores material return detail information for the related Zuno ERP business process.
168	Phase 3	Production & Manufacturing	tb_production_entry	Stores production entry information for the related Zuno ERP business process.

No.	Phase	Module	Table name	Purpose
169	Phase 3	Production & Manufacturing	tb_production_entry_detail	Stores production entry detail information for the related Zuno ERP business process.
170	Phase 3	Production & Manufacturing	tb_work_in_progress	Stores work in progress information for the related Zuno ERP business process.
171	Phase 3	Production & Manufacturing	tb_production_quality_check	Stores production quality check information for the related Zuno ERP business process.
172	Phase 3	Production & Manufacturing	tb_production_rejection	Stores production rejection information for the related Zuno ERP business process.
173	Phase 3	Production & Manufacturing	tb_production_wastage	Stores production wastage information for the related Zuno ERP business process.
174	Phase 4	Banking & Accounting	tb_account_group	Stores account group information for the related Zuno ERP business process.
175	Phase 4	Banking & Accounting	tb_account_ledger	Stores account ledger information for the related Zuno ERP business process.
176	Phase 4	Banking & Accounting	tb_accounting_voucher	Stores accounting voucher information for the related Zuno ERP business process.
177	Phase 4	Banking & Accounting	tb_accounting_voucher_detail	Stores accounting voucher detail information for the related Zuno ERP business process.
178	Phase 4	Banking & Accounting	tb_voucher_type	Stores voucher type information for the related Zuno ERP business process.
179	Phase 4	Banking & Accounting	tb_fiscal_period	Stores fiscal period information for the related Zuno ERP business process.
180	Phase 4	Banking & Accounting	tb_bank_master	Stores bank master information for the related Zuno ERP business process.
181	Phase 4	Banking & Accounting	tb_company_bank_account	Stores company bank account information for the related Zuno ERP business process.
182	Phase 4	Banking & Accounting	tb_bank_statement	Stores bank statement information for the related Zuno ERP business process.
183	Phase 4	Banking & Accounting	tb_bank_statement_detail	Stores bank statement detail information for the related Zuno ERP business process.
184	Phase 4	Banking & Accounting	tb_bank_reconciliation	Stores bank reconciliation information for the related Zuno ERP business process.
185	Phase 4	Banking & Accounting	tb_cash_transaction	Stores cash transaction information for the related Zuno ERP business process.
186	Phase 4	Banking & Accounting	tb_expense_category	Stores expense category information for the related Zuno ERP business process.
187	Phase 4	Banking & Accounting	tb_expense_claim	Stores expense claim information for the related Zuno ERP business process.
188	Phase 4	Banking & Accounting	tb_expense_claim_detail	Stores expense claim detail information for the related Zuno ERP business process.
189	Phase 4	Banking & Accounting	tb_payment_voucher	Stores payment voucher information for the related Zuno ERP business process.
190	Phase 4	Banking & Accounting	tb_receipt_voucher	Stores receipt voucher information for the related Zuno ERP business process.
191	Phase 4	Banking & Accounting	tb_journal_voucher	Stores journal voucher information for the related Zuno ERP business process.
192	Phase 4	Payroll & Benefits	tb_salary_component	Stores salary component information for the related Zuno ERP business process.
193	Phase 4	Payroll & Benefits	tb_salary_structure	Stores salary structure information for the related Zuno ERP business process.
194	Phase 4	Payroll & Benefits	tb_salary_structure_detail	Stores salary structure detail information for the related Zuno ERP business process.
195	Phase 4	Payroll & Benefits	tb_employee_salary	Stores employee salary information for the related Zuno ERP business process.
196	Phase 4	Payroll & Benefits	tb_payroll_period	Stores payroll period information for the related Zuno ERP business process.
197	Phase 4	Payroll & Benefits	tb_payroll_run	Stores payroll run information for the related Zuno ERP business process.
198	Phase 4	Payroll & Benefits	tb_payroll_detail	Stores payroll detail information for the related Zuno ERP business process.
199	Phase 4	Payroll & Benefits	tb_payroll_component_detail	Stores payroll component detail information for the related Zuno ERP business process.
200	Phase 4	Payroll & Benefits	tb_payroll_deduction	Stores payroll deduction information for the related Zuno ERP business process.
201	Phase 4	Payroll & Benefits	tb_payroll_overtime	Stores payroll overtime information for the related Zuno ERP business process.
202	Phase 4	Payroll & Benefits	tb_pf_contribution	Stores pf contribution information for the related Zuno ERP business process.

No.	Phase	Module	Table name	Purpose
203	Phase 4	Payroll & Benefits	tb_esi_contribution	Stores esi contribution information for the related Zuno ERP business process.
204	Phase 4	Payroll & Benefits	tb_bonus_calculation	Stores bonus calculation information for the related Zuno ERP business process.
205	Phase 4	Payroll & Benefits	tb_gratuity_calculation	Stores gratuity calculation information for the related Zuno ERP business process.
206	Phase 4	Payroll & Benefits	tb_payslip	Stores payslip information for the related Zuno ERP business process.
207	Phase 4	Payroll & Benefits	tb_full_final_settlement	Stores full final settlement information for the related Zuno ERP business process.
208	Phase 4	Licence & Compliance	tb_licence_type	Stores licence type information for the related Zuno ERP business process.
209	Phase 4	Licence & Compliance	tb_company_licence	Stores company licence information for the related Zuno ERP business process.
210	Phase 4	Licence & Compliance	tb_licence_document	Stores licence document information for the related Zuno ERP business process.
211	Phase 4	Licence & Compliance	tb_licence_renewal	Stores licence renewal information for the related Zuno ERP business process.
212	Phase 4	Licence & Compliance	tb_compliance_type	Stores compliance type information for the related Zuno ERP business process.
213	Phase 4	Licence & Compliance	tb_compliance_master	Stores compliance master information for the related Zuno ERP business process.
214	Phase 4	Licence & Compliance	tb_compliance_calendar	Stores compliance calendar information for the related Zuno ERP business process.
215	Phase 4	Licence & Compliance	tb_compliance_task	Stores compliance task information for the related Zuno ERP business process.
216	Phase 4	Licence & Compliance	tb_compliance_submission	Stores compliance submission information for the related Zuno ERP business process.
217	Phase 4	Licence & Compliance	tb_compliance_payment	Stores compliance payment information for the related Zuno ERP business process.
218	Phase 4	Licence & Compliance	tb_compliance_notice	Stores compliance notice information for the related Zuno ERP business process.
219	Phase 4	Licence & Compliance	tb_compliance_document	Stores compliance document information for the related Zuno ERP business process.
220	Phase 4	Government Integration & Statutory	tb_government_portal	Stores government portal information for the related Zuno ERP business process.
221	Phase 4	Government Integration & Statutory	tb_government_api_config	Stores government api config information for the related Zuno ERP business process.
222	Phase 4	Government Integration & Statutory	tb_government_api_log	Stores government api log information for the related Zuno ERP business process.
223	Phase 4	Government Integration & Statutory	tb_statutory_form_master	Stores statutory form master information for the related Zuno ERP business process.
224	Phase 4	Government Integration & Statutory	tb_statutory_form_version	Stores statutory form version information for the related Zuno ERP business process.
225	Phase 4	Government Integration & Statutory	tb_statutory_submission	Stores statutory submission information for the related Zuno ERP business process.
226	Phase 4	Government Integration & Statutory	tb_statutory_submission_detail	Stores statutory submission detail information for the related Zuno ERP business process.
227	Phase 4	Government Integration & Statutory	tb_statutory_acknowledgement	Stores statutory acknowledgement information for the related Zuno ERP business process.
228	Phase 4	Government Integration & Statutory	tb_statutory_rule_master	Stores statutory rule master information for the related Zuno ERP business process.
229	Phase 4	Government Integration & Statutory	tb_statutory_rule_version	Stores statutory rule version information for the related Zuno ERP business process.
230	Phase 4	Government Integration & Statutory	tb_minimum_wage_master	Stores minimum wage master information for the related Zuno ERP business process.
231	Phase 4	Government Integration & Statutory	tb_minimum_wage_detail	Stores minimum wage detail information for the related Zuno ERP business process.
232	Phase 4	Government Integration & Statutory	tb_statutory_calculation_log	Stores statutory calculation log information for the related Zuno ERP business process.
233	Phase 4	Government Integration & Statutory	tb_statutory_rule_impact	Stores statutory rule impact information for the related Zuno ERP business process.
234	Phase 4	Investment & Finance	tb_investment_type	Stores investment type information for the related Zuno ERP business process.
235	Phase 4	Investment & Finance	tb_investment_master	Stores investment master information for the related Zuno ERP business process.
236	Phase 4	Investment & Finance	tb_investment_transaction	Stores investment transaction information for the related Zuno ERP business process.

No.	Phase	Module	Table name	Purpose
237	Phase 4	Investment & Finance	tb_capital_contribution	Stores capital contribution information for the related Zuno ERP business process.
238	Phase 4	Investment & Finance	tb_loan_master	Stores loan master information for the related Zuno ERP business process.
239	Phase 4	Investment & Finance	tb_loan_schedule	Stores loan schedule information for the related Zuno ERP business process.
240	Phase 4	Investment & Finance	tb_loan_transaction	Stores loan transaction information for the related Zuno ERP business process.
241	Phase 4	Investment & Finance	tb_interest_calculation	Stores interest calculation information for the related Zuno ERP business process.
242	Phase 4	Investment & Finance	tb_financial_budget	Stores financial budget information for the related Zuno ERP business process.
243	Phase 4	Investment & Finance	tb_financial_budget_detail	Stores financial budget detail information for the related Zuno ERP business process.

Phase 1 – SaaS Foundation

Company Management

1. tb_tenant

A customer account boundary that owns one or more companies in Zuno.

Column name	Data type	Description
id	UUID	Unique tenant identifier.
tenant_code	VARCHAR(30)	Unique customer account code.
tenant_name	VARCHAR(200)	Customer account or business group name.
account_status	VARCHAR(30)	PENDING, ACTIVE, SUSPENDED or CANCELLED.
registration_source	VARCHAR(30)	WEB, MOBILE, ADMIN or referral source.
registered_time	TIMESTAMPTZ	Account registration time.
activated_time	TIMESTAMPTZ	Account activation time.
suspended_time	TIMESTAMPTZ	Time account was suspended.
suspension_reason	TEXT	Reason for suspension.
created_time	TIMESTAMPTZ	Creation time.
updated_time	TIMESTAMPTZ	Last update time.

2. tb_tenant_owner

Owner and primary contact details for a tenant account.

Column name	Data type	Description
id	UUID	Unique owner-contact row.
tenant_id	UUID	Tenant account reference.
owner_name	VARCHAR(150)	Owner/contact full name.
email	VARCHAR(150)	Email address.
mobile	VARCHAR(20)	Mobile number.
designation	VARCHAR(100)	Owner, director, partner or contact designation.
is_primary	BOOLEAN	Whether this is the primary contact.
is_verified	BOOLEAN	Whether contact details are verified.
created_time	TIMESTAMPTZ	Creation time.

3. tb_company

Legal/business entity registered under a tenant.

Column name	Data type	Description
id	UUID	Unique company identifier.
tenant_id	UUID	Owning tenant.

Column name	Data type	Description
company_code	VARCHAR(30)	Company code unique within tenant.
company_name	VARCHAR(200)	Display/business name.
legal_name	VARCHAR(200)	Registered legal name.
business_type	VARCHAR(50)	Retail, manufacturing, service or other business type.
ownership_type	VARCHAR(50)	Proprietorship, partnership, LLP, private limited, etc.
industry_type	VARCHAR(100)	Industry classification.
pan_number	VARCHAR(20)	PAN, where applicable; protect as sensitive data.
tan_number	VARCHAR(20)	TAN, where applicable.
gstin	VARCHAR(20)	GST registration number, if registered.
cin_number	VARCHAR(30)	Corporate identification number, if applicable.
udyam_number	VARCHAR(30)	Udyam/MSME registration number, if applicable.
incorporation_date	DATE	Incorporation or establishment date.
financial_year_start	DATE	Configured financial-year start date.
currency_code	VARCHAR(3)	Default ISO currency code, e.g. INR.
country_code	VARCHAR(2)	ISO country code.
company_status	VARCHAR(30)	ACTIVE, INACTIVE or CLOSED.
created_by	UUID	Creator user reference.
created_time	TIMESTAMPTZ	Creation time.
updated_by	UUID	Last updater user reference.
updated_time	TIMESTAMPTZ	Last update time.

4. tb_company_address

Registered, billing, office or other company addresses.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
company_id	UUID	Related company identifier.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

5. tb_company_contact

Named company contacts and their communication details.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
company_id	UUID	Related company identifier.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

6. tb_company_registration

Government and statutory registration identifiers for a company.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

7. tb_company_branch

A shop, office, factory, warehouse or other operating branch.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
name	VARCHAR(200)	Name or display value.

Column name	Data type	Description
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

8. tb_company_document

Secure metadata for company certificates and uploaded documents.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
company_id	UUID	Related company identifier.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
file_name	VARCHAR(255)	Original uploaded file name.
storage_key	TEXT	Private object-storage key; not a public URL.
file_type	VARCHAR(80)	MIME type or file extension.
uploaded_by	UUID	User who uploaded the file.
uploaded_time	TIMESTAMPTZ	Upload timestamp.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

9. tb_company_financial_year

Financial-year periods configured for a company.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.

Column name	Data type	Description
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

10. tb_company_settings

Company-level regional, currency, date and application settings.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

SaaS Platform & Subscription

11. tb_module_category

Shared catalogue grouping for Zuno modules.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

12. tb_module

Shared catalogue of purchasable Zuno modules.

Column name	Data type	Description
id	UUID	Unique module identifier.
category_id	UUID	Module category reference.
module_code	VARCHAR(40)	Stable unique module code.
module_name	VARCHAR(150)	Display name.
description	TEXT	What the module provides.
icon_name	VARCHAR(80)	Frontend icon identifier.
display_order	INTEGER	Display sequence.
is_selectable	BOOLEAN	Whether customers can purchase it.
is_active	BOOLEAN	Whether the module is available on the platform.
created_time	TIMESTAMPTZ	Creation time.

13. tb_submodule

Functional sections within a main module.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

14. tb_module_feature

Individual application features within a submodule.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.

Column name	Data type	Description
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

15. tb_module_dependency

Rules describing modules required by other modules.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

16. tb_module_price

Versioned fixed prices for modules by currency and billing cycle.

Column name	Data type	Description
id	UUID	Unique price version identifier.
module_id	UUID	Module being priced.
price_name	VARCHAR(100)	Name of price option.
billing_cycle	VARCHAR(20)	MONTHLY, YEARLY or ONE_TIME.
currency_code	VARCHAR(3)	Currency code.
fixed_amount	NUMERIC(12,2)	Published fixed module price.
effective_from	DATE	First date this price applies.
effective_to	DATE	Last date this price applies; nullable for current price.
price_version	INTEGER	Sequential price version.
is_active	BOOLEAN	Whether price can be selected.

17. tb_tax_rate

Tax rates and effective dates used for subscription billing.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

18. tb_discount_coupon

Promotional discount codes and their validity rules.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

19. tb_subscription

A tenant or company subscription contract and billing period.

Column name	Data type	Description
id	UUID	Unique subscription identifier.
tenant_id	UUID	Tenant purchasing the subscription.
company_id	UUID	Company scope; nullable for tenant-wide subscription.
subscription_number	VARCHAR(50)	Human-readable subscription reference.
billing_cycle	VARCHAR(20)	MONTHLY or YEARLY.

Column name	Data type	Description
currency_code	VARCHAR(3)	Billing currency.
start_date	DATE	Subscription period start.
end_date	DATE	Subscription period end.
next_billing_date	DATE	Next scheduled billing date.
subtotal_amount	NUMERIC(12,2)	Amount before discount and tax.
discount_amount	NUMERIC(12,2)	Total discount.
tax_amount	NUMERIC(12,2)	Total tax.
total_amount	NUMERIC(12,2)	Final payable amount.
subscription_status	VARCHAR(30)	PENDING, TRIAL, ACTIVE, PAST_DUE, SUSPENDED, CANCELLED or EXPIRED.
auto_renew	BOOLEAN	Whether renewal is automatic.
trial_end_date	DATE	Trial end date, if applicable.
grace_period_end	DATE	Last date of payment grace period.
cancelled_time	TIMESTAMPTZ	Cancellation timestamp.
created_time	TIMESTAMPTZ	Creation time.

20. tb_subscription_item

A purchased module line and its agreed price snapshot.

Column name	Data type	Description
id	UUID	Unique subscription line identifier.
subscription_id	UUID	Parent subscription.
module_id	UUID	Purchased module.
module_price_id	UUID	Catalogue price version used.
module_name_snapshot	VARCHAR(150)	Module name preserved at purchase.
billing_cycle	VARCHAR(20)	Billing cycle for this item.
unit_price	NUMERIC(12,2)	Agreed price snapshot.
discount_amount	NUMERIC(12,2)	Line discount.
tax_amount	NUMERIC(12,2)	Line tax.
final_amount	NUMERIC(12,2)	Final line amount.
item_status	VARCHAR(30)	PENDING, ACTIVE, SUSPENDED, CANCELLED or EXPIRED.
activation_time	TIMESTAMPTZ	Module activation time.
expiry_time	TIMESTAMPTZ	Module expiry time.

21. tb_subscription_entitlement

Effective permission to access a subscribed module.

Column name	Data type	Description
id	UUID	Unique access entitlement identifier.
tenant_id	UUID	Tenant receiving access.
company_id	UUID	Company scope; nullable for tenant-wide access.
subscription_id	UUID	Source subscription.
subscription_item_id	UUID	Purchased module line.
module_id	UUID	Module granted.
entitlement_status	VARCHAR(30)	PENDING, ACTIVE, SUSPENDED, REVOKED or EXPIRED.
valid_from	TIMESTAMPTZ	Access start.
valid_until	TIMESTAMPTZ	Access end.
activation_source	VARCHAR(30)	PAYMENT, TRIAL, ADMIN or PROMOTION.
activated_by	UUID	User/admin that activated access.
activated_time	TIMESTAMPTZ	Activation timestamp.

22. tb_subscription_feature

Feature-level entitlements within an activated module.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

23. tb_subscription_history

Audit trail of subscription status and commercial changes.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
action_type	VARCHAR(50)	Action or event type.
action_by	UUID	User or system actor.

Column name	Data type	Description
action_time	TIMESTAMPTZ	Event timestamp.
details	JSONB	Structured event details.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

24. tb_invoice

Zuno sales invoice issued to a subscribing customer.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

25. tb_invoice_detail

Individual module or service lines on a subscription invoice.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
line_number	INTEGER	Line sequence within the parent document.
description	TEXT	Line description.
quantity	NUMERIC(14,3)	Transaction quantity.
unit_price	NUMERIC(14,2)	Unit rate, where applicable.
line_amount	NUMERIC(14,2)	Calculated line amount.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.

Column name	Data type	Description
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

26. tb_payment

Payment transaction against a Zuno invoice.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

27. tb_payment_attempt

Individual checkout/payment attempts, including retries.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
created_by	UUID	User who created the row, where applicable.

Column name	Data type	Description
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

28. tb_payment_webhook

Verified gateway event inbox for idempotent payment processing.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

29. tb_refund

Refund request and gateway refund result.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

30. tb_subscription_change_request

Customer request to add, remove or change subscribed modules.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

31. tb_subscription_change_detail

Module-level changes within a subscription change request.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
line_number	INTEGER	Line sequence within the parent document.
description	TEXT	Line description.
quantity	NUMERIC(14,3)	Transaction quantity.
unit_price	NUMERIC(14,2)	Unit rate, where applicable.
line_amount	NUMERIC(14,2)	Calculated line amount.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

32. tb_subscription_renewal

Renewal periods and renewal processing status.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

33. tb_subscription_limit

Quantitative limits included in a subscription.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

34. tb_subscription_module_usage

Measured module usage against subscription limits.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.

Column name	Data type	Description
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

Administration & Management

35. tb_user

Customer-side user identity within a tenant.

Column name	Data type	Description
id	UUID	Unique customer user identifier.
tenant_id	UUID	Tenant owning this user.
username	VARCHAR(100)	Login username, unique within tenant.
full_name	VARCHAR(150)	User's display name.
email	VARCHAR(150)	Email address.
mobile	VARCHAR(20)	Mobile number.
user_type	VARCHAR(30)	OWNER, ADMIN, MANAGER or EMPLOYEE.
user_status	VARCHAR(30)	PENDING, ACTIVE, LOCKED or DISABLED.
email_verified	BOOLEAN	Email verification flag.
mobile_verified	BOOLEAN	Mobile verification flag.
last_login_time	TIMESTAMPTZ	Most recent successful login.
created_time	TIMESTAMPTZ	Creation time.
updated_time	TIMESTAMPTZ	Last update time.

36. tb_user_credential

Password hash and credential security state for a user.

Column name	Data type	Description
id	UUID	Unique credential row.
user_id	UUID	User reference; unique per user.
password_hash	TEXT	Argon2id or other approved password hash; never plaintext.
password_changed_time	TIMESTAMPTZ	Last password change.
failed_attempts	INTEGER	Consecutive failed login count.
locked_until	TIMESTAMPTZ	Account lock expiry.
force_password_change	BOOLEAN	Require password reset at next login.

Column name	Data type	Description
created_time	TIMESTAMPTZ	Creation time.
updated_time	TIMESTAMPTZ	Last update time.

37. tb_user_otp

Hashed one-time verification codes and expiry details.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

38. tb_user_session

Refresh-token session and device login information.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

39. tb_login_history

Successful and failed customer login activity.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.

Column name	Data type	Description
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
action_type	VARCHAR(50)	Action or event type.
action_by	UUID	User or system actor.
action_time	TIMESTAMPTZ	Event timestamp.
details	JSONB	Structured event details.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

40. tb_role

Tenant-defined role such as HR Manager or Accountant.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

41. tb_permission

Permission catalogue for module actions.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.

Column name	Data type	Description
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

42. tb_role_permission

Permissions granted or denied to a role.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

43. tb_user_role

Role assignments for users and optional company scope.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

44. tb_user_company_access

Company-level access granted to a user.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

45. tb_user_branch_access

Branch-level access granted to a user.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

46. tb_approval_workflow

Configurable approval process for a business activity.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
effective_from	DATE	Effective/start date.

Column name	Data type	Description
effective_to	DATE	End/expiry date, if applicable.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

47. tb_approval_workflow_step

Ordered approval steps and approver rules.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

48. tb_platform_admin

Separate internal Zuno administrator identity.

Column name	Data type	Description
id	UUID	Unique internal administrator identifier.
admin_code	VARCHAR(30)	Internal admin code.
admin_name	VARCHAR(150)	Administrator name.
email	VARCHAR(150)	Login email.
mobile	VARCHAR(20)	Mobile number.
password_hash	TEXT	Secure password hash.
admin_role	VARCHAR(50)	SUPER_ADMIN, SUPPORT or BILLING_ADMIN.
admin_status	VARCHAR(30)	ACTIVE, LOCKED or DISABLED.

Column name	Data type	Description
last_login_time	TIMESTAMPTZ	Last successful login.
created_time	TIMESTAMPTZ	Creation time.

Phase 2 – Business Master Data

Product & Material Management

49. tb_product_category

Stores product category information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

50. tb_product_subcategory

Stores product subcategory information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

51. tb_product_master

Stores product master information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.

Column name	Data type	Description
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

52. tb_product_variant

Stores product variant information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

53. tb_product_unit

Stores product unit information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

54. tb_product_unit_conversion

Stores product unit conversion information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
product_id	UUID	Related product/material identifier.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

55. tb_product_barcode

Stores product barcode information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

56. tb_product_price

Stores product price information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.

Column name	Data type	Description
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

57. tb_product_tax

Stores product tax information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

58. tb_product_batch

Stores product batch information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

59. tb_product_brand

Stores product brand information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

60. tb_product_document

Stores product document information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
product_id	UUID	Related product/material identifier.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
file_name	VARCHAR(255)	Original uploaded file name.
storage_key	TEXT	Private object-storage key; not a public URL.
file_type	VARCHAR(80)	MIME type or file extension.
uploaded_by	UUID	User who uploaded the file.
uploaded_time	TIMESTAMPTZ	Upload timestamp.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

HR & Employee Management

61. tb_department

Stores department information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.

Column name	Data type	Description
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

62. tb_designation

Stores designation information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

63. tb_employee_master

Stores employee master information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

64. tb_employee_personal

Stores employee personal information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

65. tb_employee_address

Stores employee address information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
employee_id	UUID	Related employee identifier.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

66. tb_employee_contact

Stores employee contact information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
employee_id	UUID	Related employee identifier.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.

Column name	Data type	Description
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

67. tb_employee_bank

Stores employee bank information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

68. tb_employee_document

Stores employee document information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
employee_id	UUID	Related employee identifier.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
file_name	VARCHAR(255)	Original uploaded file name.
storage_key	TEXT	Private object-storage key; not a public URL.
file_type	VARCHAR(80)	MIME type or file extension.
uploaded_by	UUID	User who uploaded the file.
uploaded_time	TIMESTAMPTZ	Upload timestamp.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

69. tb_employee_education

Stores employee education information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

70. tb_employee_experience

Stores employee experience information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

71. tb_employee_family

Stores employee family information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.

Column name	Data type	Description
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

72. tb_employee_job_history

Stores employee job history information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
employee_id	UUID	Related employee identifier.
action_type	VARCHAR(50)	Action or event type.
action_by	UUID	User or system actor.
action_time	TIMESTAMPTZ	Event timestamp.
details	JSONB	Structured event details.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

73. tb_employee_salary_history

Stores employee salary history information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
employee_id	UUID	Related employee identifier.
action_type	VARCHAR(50)	Action or event type.
action_by	UUID	User or system actor.
action_time	TIMESTAMPTZ	Event timestamp.
details	JSONB	Structured event details.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

74. tb_employee_bgv

Stores employee bgv information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

75. tb_employee_nominee

Stores employee nominee information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

76. tb_employee_status_history

Stores employee status history information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
employee_id	UUID	Related employee identifier.
action_type	VARCHAR(50)	Action or event type.
action_by	UUID	User or system actor.
action_time	TIMESTAMPTZ	Event timestamp.
details	JSONB	Structured event details.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.

Column name	Data type	Description
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

Customer & Supplier Master

77. tb_customer_master

Stores customer master information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

78. tb_customer_address

Stores customer address information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
customer_id	UUID	Related customer identifier.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

79. tb_customer_contact

Stores customer contact information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
customer_id	UUID	Related customer identifier.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

80. tb_customer_document

Stores customer document information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
customer_id	UUID	Related customer identifier.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
file_name	VARCHAR(255)	Original uploaded file name.
storage_key	TEXT	Private object-storage key; not a public URL.
file_type	VARCHAR(80)	MIME type or file extension.
uploaded_by	UUID	User who uploaded the file.
uploaded_time	TIMESTAMPTZ	Upload timestamp.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

81. tb_supplier_master

Stores supplier master information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.

Column name	Data type	Description
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

82. tb_supplier_address

Stores supplier address information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
supplier_id	UUID	Related supplier identifier.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

83. tb_supplier_contact

Stores supplier contact information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
supplier_id	UUID	Related supplier identifier.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

84. tb_supplier_document

Stores supplier document information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
supplier_id	UUID	Related supplier identifier.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
file_name	VARCHAR(255)	Original uploaded file name.
storage_key	TEXT	Private object-storage key; not a public URL.
file_type	VARCHAR(80)	MIME type or file extension.
uploaded_by	UUID	User who uploaded the file.
uploaded_time	TIMESTAMPTZ	Upload timestamp.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

Land & Building Management

85. tb_property_master

Stores property master information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

86. tb_property_owner

Stores property owner information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

87. tb_property_address

Stores property address information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

88. tb_property_document

Stores property document information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
file_name	VARCHAR(255)	Original uploaded file name.
storage_key	TEXT	Private object-storage key; not a public URL.

Column name	Data type	Description
file_type	VARCHAR(80)	MIME type or file extension.
uploaded_by	UUID	User who uploaded the file.
uploaded_time	TIMESTAMPTZ	Upload timestamp.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

89. tb_property_legal_verification

Stores property legal verification information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

90. tb_property_approval

Stores property approval information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.

Column name	Data type	Description
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

91. tb_construction_project

Stores construction project information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

92. tb_construction_phase

Stores construction phase information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

93. tb_construction_contractor

Stores construction contractor information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.

Column name	Data type	Description
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

94. tb_construction_material

Stores construction material information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

95. tb_construction_expense

Stores construction expense information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.

Column name	Data type	Description
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

96. tb_construction_progress

Stores construction progress information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

Assets & Maintenance Master

97. tb_asset_category

Stores asset category information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

98. tb_asset_master

Stores asset master information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.

Column name	Data type	Description
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

99. tb_asset_location

Stores asset location information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

100. tb_asset_allocation

Stores asset allocation information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

101. tb_asset_document

Stores asset document information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
file_name	VARCHAR(255)	Original uploaded file name.
storage_key	TEXT	Private object-storage key; not a public URL.
file_type	VARCHAR(80)	MIME type or file extension.
uploaded_by	UUID	User who uploaded the file.
uploaded_time	TIMESTAMPTZ	Upload timestamp.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

102. tb_asset_warranty

Stores asset warranty information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

103. tb_asset_vendor

Stores asset vendor information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

104. tb_asset_depreciation_setup

Stores asset depreciation setup information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

Phase 3 – Daily Business Operations

Purchase & Supplier Operations

105. tb_purchase_request

Stores purchase request information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

106. tb_purchase_request_detail

Stores purchase request detail information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
line_number	INTEGER	Line sequence within the parent document.
description	TEXT	Line description.
quantity	NUMERIC(14,3)	Transaction quantity.
unit_price	NUMERIC(14,2)	Unit rate, where applicable.
line_amount	NUMERIC(14,2)	Calculated line amount.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

107. tb_purchase_order

Stores purchase order information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

108. tb_purchase_order_detail

Stores purchase order detail information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
line_number	INTEGER	Line sequence within the parent document.
description	TEXT	Line description.
quantity	NUMERIC(14,3)	Transaction quantity.
unit_price	NUMERIC(14,2)	Unit rate, where applicable.
line_amount	NUMERIC(14,2)	Calculated line amount.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

109. tb_goods_receipt

Stores goods receipt information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.

Column name	Data type	Description
remarks	TEXT	Additional notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

110. tb_goods_receipt_detail

Stores goods receipt detail information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
line_number	INTEGER	Line sequence within the parent document.
description	TEXT	Line description.
quantity	NUMERIC(14,3)	Transaction quantity.
unit_price	NUMERIC(14,2)	Unit rate, where applicable.
line_amount	NUMERIC(14,2)	Calculated line amount.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

111. tb_supplier_invoice

Stores supplier invoice information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.

Column name	Data type	Description
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

112. tb_supplier_invoice_detail

Stores supplier invoice detail information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
supplier_id	UUID	Related supplier identifier.
line_number	INTEGER	Line sequence within the parent document.
description	TEXT	Line description.
quantity	NUMERIC(14,3)	Transaction quantity.
unit_price	NUMERIC(14,2)	Unit rate, where applicable.
line_amount	NUMERIC(14,2)	Calculated line amount.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

113. tb_purchase_return

Stores purchase return information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

114. tb_purchase_return_detail

Stores purchase return detail information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
line_number	INTEGER	Line sequence within the parent document.
description	TEXT	Line description.
quantity	NUMERIC(14,3)	Transaction quantity.
unit_price	NUMERIC(14,2)	Unit rate, where applicable.
line_amount	NUMERIC(14,2)	Calculated line amount.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

115. tb_supplier_payment_allocation

Stores supplier payment allocation information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
supplier_id	UUID	Related supplier identifier.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

116. tb_purchase_approval_history

Stores purchase approval history information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.

Column name	Data type	Description
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
action_type	VARCHAR(50)	Action or event type.
action_by	UUID	User or system actor.
action_time	TIMESTAMPTZ	Event timestamp.
details	JSONB	Structured event details.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

Inventory & Warehouse

117. tb_warehouse_master

Stores warehouse master information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

118. tb_warehouse_location

Stores warehouse location information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.

Column name	Data type	Description
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

119. tb_stock_balance

Stores stock balance information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
product_id	UUID	Related product/material identifier.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
quantity	NUMERIC(14,3)	Quantity or units, when relevant.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

120. tb_stock_ledger

Stores stock ledger information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
product_id	UUID	Related product/material identifier.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
quantity	NUMERIC(14,3)	Quantity or units, when relevant.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.

Column name	Data type	Description
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

121. tb_stock_inward

Stores stock inward information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
quantity	NUMERIC(14,3)	Quantity or units, when relevant.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

122. tb_stock_inward_detail

Stores stock inward detail information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
product_id	UUID	Related product/material identifier.
line_number	INTEGER	Line sequence within the parent document.
description	TEXT	Line description.
quantity	NUMERIC(14,3)	Transaction quantity.
unit_price	NUMERIC(14,2)	Unit rate, where applicable.
line_amount	NUMERIC(14,2)	Calculated line amount.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

123. tb_stock_outward

Stores stock outward information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
quantity	NUMERIC(14,3)	Quantity or units, when relevant.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

124. tb_stock_outward_detail

Stores stock outward detail information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
product_id	UUID	Related product/material identifier.
line_number	INTEGER	Line sequence within the parent document.
description	TEXT	Line description.
quantity	NUMERIC(14,3)	Transaction quantity.
unit_price	NUMERIC(14,2)	Unit rate, where applicable.
line_amount	NUMERIC(14,2)	Calculated line amount.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

125. tb_stock_transfer

Stores stock transfer information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
document_number	VARCHAR(50)	Unique document/reference number.

Column name	Data type	Description
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
quantity	NUMERIC(14,3)	Quantity or units, when relevant.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

126. tb_stock_transfer_detail

Stores stock transfer detail information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
product_id	UUID	Related product/material identifier.
line_number	INTEGER	Line sequence within the parent document.
description	TEXT	Line description.
quantity	NUMERIC(14,3)	Transaction quantity.
unit_price	NUMERIC(14,2)	Unit rate, where applicable.
line_amount	NUMERIC(14,2)	Calculated line amount.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

127. tb_stock_adjustment

Stores stock adjustment information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.

Column name	Data type	Description
remarks	TEXT	Additional notes.
quantity	NUMERIC(14,3)	Quantity or units, when relevant.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

128. tb_stock_adjustment_detail

Stores stock adjustment detail information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
product_id	UUID	Related product/material identifier.
line_number	INTEGER	Line sequence within the parent document.
description	TEXT	Line description.
quantity	NUMERIC(14,3)	Transaction quantity.
unit_price	NUMERIC(14,2)	Unit rate, where applicable.
line_amount	NUMERIC(14,2)	Calculated line amount.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

129. tb_stock_audit

Stores stock audit information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
quantity	NUMERIC(14,3)	Quantity or units, when relevant.

Column name	Data type	Description
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

130. tb_stock_audit_detail

Stores stock audit detail information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
product_id	UUID	Related product/material identifier.
line_number	INTEGER	Line sequence within the parent document.
description	TEXT	Line description.
quantity	NUMERIC(14,3)	Transaction quantity.
unit_price	NUMERIC(14,2)	Unit rate, where applicable.
line_amount	NUMERIC(14,2)	Calculated line amount.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

Sales & Customer Operations

131. tb_sales_enquiry

Stores sales enquiry information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.

Column name	Data type	Description
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

132. tb_sales_quotation

Stores sales quotation information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

133. tb_sales_quotation_detail

Stores sales quotation detail information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
customer_id	UUID	Related customer identifier.
line_number	INTEGER	Line sequence within the parent document.
description	TEXT	Line description.
quantity	NUMERIC(14,3)	Transaction quantity.
unit_price	NUMERIC(14,2)	Unit rate, where applicable.
line_amount	NUMERIC(14,2)	Calculated line amount.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

134. tb_sales_order

Stores sales order information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

135. tb_sales_order_detail

Stores sales order detail information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
customer_id	UUID	Related customer identifier.
line_number	INTEGER	Line sequence within the parent document.
description	TEXT	Line description.
quantity	NUMERIC(14,3)	Transaction quantity.
unit_price	NUMERIC(14,2)	Unit rate, where applicable.
line_amount	NUMERIC(14,2)	Calculated line amount.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

136. tb_sales_invoice

Stores sales invoice information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.

Column name	Data type	Description
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

137. tb_sales_invoice_detail

Stores sales invoice detail information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
customer_id	UUID	Related customer identifier.
line_number	INTEGER	Line sequence within the parent document.
description	TEXT	Line description.
quantity	NUMERIC(14,3)	Transaction quantity.
unit_price	NUMERIC(14,2)	Unit rate, where applicable.
line_amount	NUMERIC(14,2)	Calculated line amount.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

138. tb_sales_return

Stores sales return information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
customer_id	UUID	Related customer identifier.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
created_by	UUID	User who created the row, where applicable.

Column name	Data type	Description
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

139. tb_sales_return_detail

Stores sales return detail information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
customer_id	UUID	Related customer identifier.
line_number	INTEGER	Line sequence within the parent document.
description	TEXT	Line description.
quantity	NUMERIC(14,3)	Transaction quantity.
unit_price	NUMERIC(14,2)	Unit rate, where applicable.
line_amount	NUMERIC(14,2)	Calculated line amount.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

140. tb_customer_receipt

Stores customer receipt information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

141. tb_customer_receipt_allocation

Stores customer receipt allocation information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
customer_id	UUID	Related customer identifier.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

142. tb_sales_delivery

Stores sales delivery information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

Attendance & Leave Management

143. tb_shift_master

Stores shift master information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.

Column name	Data type	Description
description	TEXT	Description or notes.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

144. tb_employee_shift

Stores employee shift information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

145. tb_shift_roster

Stores shift roster information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.

Column name	Data type	Description
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

146. tb_attendance

Stores attendance information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

147. tb_attendance_punch

Stores attendance punch information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

148. tb_attendance_device

Stores attendance device information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

149. tb_attendance_location

Stores attendance location information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

150. tb_attendance_correction

Stores attendance correction information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.

Column name	Data type	Description
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

151. tb_leave_type

Stores leave type information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

152. tb_leave_balance

Stores leave balance information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
quantity	NUMERIC(14,3)	Quantity or units, when relevant.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.

Column name	Data type	Description
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

153. tb_leave_request

Stores leave request information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

154. tb_leave_approval

Stores leave approval information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.

Column name	Data type	Description
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

155. tb_employee_permission_request

Stores employee permission request information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

156. tb_employee_on_duty

Stores employee on duty information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

157. tb_overtime

Stores overtime information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.

Column name	Data type	Description
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

Production & Manufacturing

158. tb_bom_master

Stores bom master information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

159. tb_bom_detail

Stores bom detail information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
line_number	INTEGER	Line sequence within the parent document.
description	TEXT	Line description.
quantity	NUMERIC(14,3)	Transaction quantity.
unit_price	NUMERIC(14,2)	Unit rate, where applicable.
line_amount	NUMERIC(14,2)	Calculated line amount.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.

Column name	Data type	Description
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

160. tb_production_plan

Stores production plan information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

161. tb_production_plan_detail

Stores production plan detail information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
product_id	UUID	Related product/material identifier.
line_number	INTEGER	Line sequence within the parent document.
description	TEXT	Line description.
quantity	NUMERIC(14,3)	Transaction quantity.
unit_price	NUMERIC(14,2)	Unit rate, where applicable.
line_amount	NUMERIC(14,2)	Calculated line amount.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.

Column name	Data type	Description
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

162. tb_work_order

Stores work order information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

163. tb_work_order_detail

Stores work order detail information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
line_number	INTEGER	Line sequence within the parent document.
description	TEXT	Line description.
quantity	NUMERIC(14,3)	Transaction quantity.
unit_price	NUMERIC(14,2)	Unit rate, where applicable.
line_amount	NUMERIC(14,2)	Calculated line amount.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

164. tb_material_issue

Stores material issue information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

165. tb_material_issue_detail

Stores material issue detail information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
product_id	UUID	Related product/material identifier.
line_number	INTEGER	Line sequence within the parent document.
description	TEXT	Line description.
quantity	NUMERIC(14,3)	Transaction quantity.
unit_price	NUMERIC(14,2)	Unit rate, where applicable.
line_amount	NUMERIC(14,2)	Calculated line amount.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

166. tb_material_return

Stores material return information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.

Column name	Data type	Description
product_id	UUID	Related product/material identifier.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

167. tb_material_return_detail

Stores material return detail information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
product_id	UUID	Related product/material identifier.
line_number	INTEGER	Line sequence within the parent document.
description	TEXT	Line description.
quantity	NUMERIC(14,3)	Transaction quantity.
unit_price	NUMERIC(14,2)	Unit rate, where applicable.
line_amount	NUMERIC(14,2)	Calculated line amount.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

168. tb_production_entry

Stores production entry information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.

Column name	Data type	Description
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

169. tb_production_entry_detail

Stores production entry detail information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
product_id	UUID	Related product/material identifier.
line_number	INTEGER	Line sequence within the parent document.
description	TEXT	Line description.
quantity	NUMERIC(14,3)	Transaction quantity.
unit_price	NUMERIC(14,2)	Unit rate, where applicable.
line_amount	NUMERIC(14,2)	Calculated line amount.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

170. tb_work_in_progress

Stores work in progress information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.

Column name	Data type	Description
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

171. tb_production_quality_check

Stores production quality check information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

172. tb_production_rejection

Stores production rejection information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

173. tb_production_wastage

Stores production wastage information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.

Column name	Data type	Description
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

Phase 4 – Finance & Compliance

Banking & Accounting

174. tb_account_group

Stores account group information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

175. tb_account_ledger

Stores account ledger information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
quantity	NUMERIC(14,3)	Quantity or units, when relevant.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

176. tb_accounting_voucher

Stores accounting voucher information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.

Column name	Data type	Description
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

177. tb_accounting_voucher_detail

Stores accounting voucher detail information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
line_number	INTEGER	Line sequence within the parent document.
description	TEXT	Line description.
quantity	NUMERIC(14,3)	Transaction quantity.
unit_price	NUMERIC(14,2)	Unit rate, where applicable.
line_amount	NUMERIC(14,2)	Calculated line amount.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

178. tb_voucher_type

Stores voucher type information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.

Column name	Data type	Description
description	TEXT	Description or notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

179. tb_fiscal_period

Stores fiscal period information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

180. tb_bank_master

Stores bank master information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

181. tb_company_bank_account

Stores company bank account information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

182. tb_bank_statement

Stores bank statement information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

183. tb_bank_statement_detail

Stores bank statement detail information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
line_number	INTEGER	Line sequence within the parent document.
description	TEXT	Line description.
quantity	NUMERIC(14,3)	Transaction quantity.
unit_price	NUMERIC(14,2)	Unit rate, where applicable.

Column name	Data type	Description
line_amount	NUMERIC(14,2)	Calculated line amount.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

184. tb_bank_reconciliation

Stores bank reconciliation information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

185. tb_cash_transaction

Stores cash transaction information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
quantity	NUMERIC(14,3)	Quantity or units, when relevant.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.

Column name	Data type	Description
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

186. tb_expense_category

Stores expense category information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

187. tb_expense_claim

Stores expense claim information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

188. tb_expense_claim_detail

Stores expense claim detail information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
line_number	INTEGER	Line sequence within the parent document.
description	TEXT	Line description.
quantity	NUMERIC(14,3)	Transaction quantity.
unit_price	NUMERIC(14,2)	Unit rate, where applicable.
line_amount	NUMERIC(14,2)	Calculated line amount.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

189. tb_payment_voucher

Stores payment voucher information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

190. tb_receipt_voucher

Stores receipt voucher information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

191. tb_journal_voucher

Stores journal voucher information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

Payroll & Benefits

192. tb_salary_component

Stores salary component information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.

Column name	Data type	Description
description	TEXT	Description or notes.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

193. tb_salary_structure

Stores salary structure information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

194. tb_salary_structure_detail

Stores salary structure detail information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
line_number	INTEGER	Line sequence within the parent document.
description	TEXT	Line description.
quantity	NUMERIC(14,3)	Transaction quantity.
unit_price	NUMERIC(14,2)	Unit rate, where applicable.
line_amount	NUMERIC(14,2)	Calculated line amount.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.

Column name	Data type	Description
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

195. tb_employee_salary

Stores employee salary information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

196. tb_payroll_period

Stores payroll period information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.

Column name	Data type	Description
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

197. tb_payroll_run

Stores payroll run information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

198. tb_payroll_detail

Stores payroll detail information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
line_number	INTEGER	Line sequence within the parent document.
description	TEXT	Line description.
quantity	NUMERIC(14,3)	Transaction quantity.
unit_price	NUMERIC(14,2)	Unit rate, where applicable.
line_amount	NUMERIC(14,2)	Calculated line amount.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.

Column name	Data type	Description
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

199. tb_payroll_component_detail

Stores payroll component detail information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
quantity	NUMERIC(14,3)	Quantity or units, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

200. tb_payroll_deduction

Stores payroll deduction information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

201. tb_payroll_overtime

Stores payroll overtime information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

202. tb_pf_contribution

Stores pf contribution information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
quantity	NUMERIC(14,3)	Quantity or units, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

203. tb_esi_contribution

Stores esi contribution information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.

Column name	Data type	Description
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
quantity	NUMERIC(14,3)	Quantity or units, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

204. tb_bonus_calculation

Stores bonus calculation information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
quantity	NUMERIC(14,3)	Quantity or units, when relevant.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

205. tb_gratuity_calculation

Stores gratuity calculation information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.

Column name	Data type	Description
status	VARCHAR(30)	Current business status.
quantity	NUMERIC(14,3)	Quantity or units, when relevant.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

206. tb_payslip

Stores payslip information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

207. tb_full_final_settlement

Stores full final settlement information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.

Column name	Data type	Description
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

Licence & Compliance

208. tb_licence_type

Stores licence type information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

209. tb_company_licence

Stores company licence information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
tenant_id	UUID	Tenant owning this record; used for tenant isolation.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

210. tb_licence_document

Stores licence document information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
file_name	VARCHAR(255)	Original uploaded file name.
storage_key	TEXT	Private object-storage key; not a public URL.
file_type	VARCHAR(80)	MIME type or file extension.
uploaded_by	UUID	User who uploaded the file.
uploaded_time	TIMESTAMPTZ	Upload timestamp.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

211. tb_licence_renewal

Stores licence renewal information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

212. tb_compliance_type

Stores compliance type information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

213. tb_compliance_master

Stores compliance master information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

214. tb_compliance_calendar

Stores compliance calendar information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.

Column name	Data type	Description
status	VARCHAR(30)	Current business status.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

215. tb_compliance_task

Stores compliance task information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

216. tb_compliance_submission

Stores compliance submission information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.

Column name	Data type	Description
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

217. tb_compliance_payment

Stores compliance payment information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

218. tb_compliance_notice

Stores compliance notice information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
created_by	UUID	User who created the row, where applicable.

Column name	Data type	Description
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

219. tb_compliance_document

Stores compliance document information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
file_name	VARCHAR(255)	Original uploaded file name.
storage_key	TEXT	Private object-storage key; not a public URL.
file_type	VARCHAR(80)	MIME type or file extension.
uploaded_by	UUID	User who uploaded the file.
uploaded_time	TIMESTAMPTZ	Upload timestamp.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

Government Integration & Statutory

220. tb_government_portal

Stores government portal information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.

Column name	Data type	Description
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

221. tb_government_api_config

Stores government api config information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

222. tb_government_api_log

Stores government api log information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
action_type	VARCHAR(50)	Action or event type.
action_by	UUID	User or system actor.
action_time	TIMESTAMPTZ	Event timestamp.
details	JSONB	Structured event details.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

223. tb_statutory_form_master

Stores statutory form master information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

224. tb_statutory_form_version

Stores statutory form version information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

225. tb_statutory_submission

Stores statutory submission information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
document_number	VARCHAR(50)	Unique document/reference number.
document_date	DATE	Business document date.
status	VARCHAR(30)	Workflow status.
remarks	TEXT	Additional notes.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
created_by	UUID	User who created the row, where applicable.

Column name	Data type	Description
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

226. tb_statutory_submission_detail

Stores statutory submission detail information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
line_number	INTEGER	Line sequence within the parent document.
description	TEXT	Line description.
quantity	NUMERIC(14,3)	Transaction quantity.
unit_price	NUMERIC(14,2)	Unit rate, where applicable.
line_amount	NUMERIC(14,2)	Calculated line amount.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

227. tb_statutory_acknowledgement

Stores statutory acknowledgement information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.

Column name	Data type	Description
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

228. tb_statutory_rule_master

Stores statutory rule master information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

229. tb_statutory_rule_version

Stores statutory rule version information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

230. tb_minimum_wage_master

Stores minimum wage master information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.

Column name	Data type	Description
description	TEXT	Description or notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

231. tb_minimum_wage_detail

Stores minimum wage detail information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
line_number	INTEGER	Line sequence within the parent document.
description	TEXT	Line description.
quantity	NUMERIC(14,3)	Transaction quantity.
unit_price	NUMERIC(14,2)	Unit rate, where applicable.
line_amount	NUMERIC(14,2)	Calculated line amount.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

232. tb_statutory_calculation_log

Stores statutory calculation log information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
action_type	VARCHAR(50)	Action or event type.
action_by	UUID	User or system actor.
action_time	TIMESTAMPTZ	Event timestamp.
details	JSONB	Structured event details.
quantity	NUMERIC(14,3)	Quantity or units, when relevant.
amount	NUMERIC(14,2)	Calculated monetary amount, when relevant.
created_by	UUID	User who created the row, where applicable.

Column name	Data type	Description
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

233. tb_statutory_rule_impact

Stores statutory rule impact information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

Investment & Finance

234. tb_investment_type

Stores investment type information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

235. tb_investment_master

Stores investment master information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

236. tb_investment_transaction

Stores investment transaction information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
quantity	NUMERIC(14,3)	Quantity or units, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

237. tb_capital_contribution

Stores capital contribution information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.

Column name	Data type	Description
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
quantity	NUMERIC(14,3)	Quantity or units, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

238. tb_loan_master

Stores loan master information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
code	VARCHAR(50)	Unique business code within the applicable scope.
name	VARCHAR(200)	Display name.
description	TEXT	Description or notes.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

239. tb_loan_schedule

Stores loan schedule information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.

Column name	Data type	Description
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
effective_from	DATE	Effective/start date.
effective_to	DATE	End/expiry date, if applicable.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

240. tb_loan_transaction

Stores loan transaction information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
quantity	NUMERIC(14,3)	Quantity or units, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

241. tb_interest_calculation

Stores interest calculation information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.

Column name	Data type	Description
quantity	NUMERIC(14,3)	Quantity or units, when relevant.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

242. tb_financial_budget

Stores financial budget information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
name	VARCHAR(200)	Name or display value.
description	TEXT	Description or notes.
status	VARCHAR(30)	Current business status.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
created_by	UUID	User who created the row, where applicable.
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.

243. tb_financial_budget_detail

Stores financial budget detail information for the related Zuno ERP business process.

Column name	Data type	Description
id	UUID	Unique row identifier; primary key.
parent_id	UUID	Parent/master record identifier; exact FK depends on the owning workflow.
line_number	INTEGER	Line sequence within the parent document.
description	TEXT	Line description.
quantity	NUMERIC(14,3)	Transaction quantity.
unit_price	NUMERIC(14,2)	Unit rate, where applicable.
line_amount	NUMERIC(14,2)	Calculated line amount.
amount	NUMERIC(14,2)	Monetary amount in the applicable currency.
currency_code	VARCHAR(3)	ISO currency code, e.g. INR.
created_by	UUID	User who created the row, where applicable.

Column name	Data type	Description
created_time	TIMESTAMPTZ	Creation timestamp.
updated_by	UUID	User who last updated the row, where applicable.
updated_time	TIMESTAMPTZ	Last update timestamp.
is_active	BOOLEAN	Whether the row is active, where lifecycle rules permit.