

Fictional Company AWS Infrastructure Guide

Overview

This document represents fictional company-specific AWS infrastructure knowledge for use in a RAG system. The AI agent should retrieve these policies before creating AWS resources.

Environment

AWS Region: us-east-1
Development Environment
Production Environment

AMI Catalog

Development Ubuntu AMI
AMI ID: ami-0abc123devubuntu

Production Ubuntu AMI
AMI ID: ami-0xyz987produbuntu

VPC Configuration

VPC ID: vpc-0123abcd
CIDR: 10.0.0.0/16
Public Subnet: subnet-public-01
Private Subnet: subnet-private-01

Security Groups

Web SG: sg-web-dev (Ports 80,443)
Database SG: sg-db-dev (Port 5432, only from Web SG)

EC2 Template

AMI: Development Ubuntu
Instance: t2.micro
Storage: 20 GB gp3
Subnet: Private
Monitoring: Enabled

RDS Template

Engine: PostgreSQL
Class: db.t3.micro
Storage: 20 GB
Public Access: Disabled
Backups: 7 days

Naming Convention

EC2: ec2-dev-
RDS: rds-dev-
S3: company-dev-

Example

If a user asks 'Create a development EC2 instance', the agent should retrieve this document and use the specified AMI, subnet, security group, and instance template before calling AWS.