

Ex. No.: 11c)

Date: 12-04-2025

OPTIMAL PAGE REPLACEMENT

Aim:

To write a c program to implement Optimal page replacement algorithm.

ALGORITHM:

- 1.Start the process
- 2.Declare the size
- 3.Get the number of pages to be inserted
- 4.Get the value
- 5.Declare counter and stack
- 6.Select the least frequently used page by counter value
- 7.Stack them according the selection.
- 8.Display the values
- 9.Stop the process

PROGRAM:

```
#include <stdio.h>

int predict(int pages[], int frames[], int n, int index, int frameSize) {
    int res = -1, farthest = index;
    for (int i = 0; i < frameSize; i++) {
        int j;
        for (j = index; j < n; j++) {
            if (frames[i] == pages[j]) {
                if (j > farthest) {
                    farthest = j;
                    res = i;
                }
                break;
            }
        }
        if (j == n)
            return i;
    }
    return (res == -1) ? 0 : res;
}

int main() {
    int frames[10], pages[30];
    int i, j, k, n, frameSize, faults = 0;
```

```

int hit;
printf("Enter number of frames: ");
scanf("%d", &frameSize);
printf("Enter number of pages: ");
scanf("%d", &n);
printf("Enter reference string: ");
for (i = 0; i < n; i++)
scanf("%d", &pages[i]);
for (i = 0; i < frameSize; i++)
frames[i] = -1;
printf("\n");
for (i = 0; i < n; i++) {
hit = 0;
for (j = 0; j < frameSize; j++) {
if (frames[j] == pages[i]) {
hit = 1;
break;
}
}
if (!hit) {
int empty = -1;
for (j = 0; j < frameSize; j++) {
if (frames[j] == -1) {
empty = j;
break;
}
}
if (empty != -1) {
frames[empty] = pages[i];
} else {
int pos = predict(pages, frames, n, i + 1, frameSize);
frames[pos] = pages[i];
}
}
faults++;
}
for (k = 0; k < frameSize; k++) {
if (frames[k] != -1)
printf("%d ", frames[k]);
else
printf("-1 ");
}

```

```

    }
    printf("\n");
}

printf("\nTotal Page Faults = %d\n", faults);
return 0;
}

```

OUTPUT:

```

Enter number of frames: 3
Enter number of pages: 10
Enter reference string: 3
2  File Edit View Insert
6
8
3  Q  C  E  A  S
4
1
2
2  =  algo
6  AL
3 -1 -1  1.St
3 2 -1
3 2 6  2.D
3 2 8  3.G
3 2 8  4.G
4 2 8  5.D
1 2 8  6.S
1 2 8  val
1 2 8
6 2 8
Total Page Faults = 7

```

RESULT:

Hence, page faults that occur using OPTIMAL page replacement technique has been found.