

Cricket Player Performance Tracking Application : CRICKSTATS

DEVELOPED BY	SUBMITTED BY
KEERTHANA K - 24131210500122020	RAKAVI V
BHAVANA D - 24131210500122009	
ANUPRIYA V - 24131210500122005	
RAGAVI V - 24131210500122034	

User Story:

As a Salesforce Admin, I want to create a comprehensive player performance tracking application within Salesforce to capture and analyze detailed match-by-match information of cricket players. This application will include custom objects such as Player and Match Performance with carefully defined fields and relationships to ensure data integrity and accessibility.

By leveraging master-detail and lookup relationships, the application will enable robust tracking of individual and team performances, facilitate insightful reporting and analytics, and support the overall management of player statistics.

1. INTRODUCTION

1.1 Project Overview

CRICKSTATS is a Salesforce-based application designed to track, manage, and analyze cricket players' performance on a match-by-match basis. The system uses custom objects, relationships, dashboards, and automation tools to provide structured performance insights.

It enables coaches, analysts, and administrators to record player statistics, generate reports, and support strategic decision-making.

1.2 Purpose

To digitize player performance records

To improve accuracy and accessibility of cricket statistics

To provide real-time analytics

To support player development and team planning

To automate data management using Salesforce

2. IDEATION PHASE

2.1 Problem Statement (Customer Problem Statement Template)

PS-1: A cricket team coach is trying to track player performance across matches. Accurate statistics are not easily available because data is stored in different files and formats. This can make the coach frustrated and unsure about team selection.

PS-2: A team manager is trying to maintain complete player records. It takes too much time to update and verify data because most records are maintained manually.

PS-3: A sports analyst is trying to analyze player trends and generate reports. Comparing performances is difficult because there is no centralized analytics system.

2.2 Empathy Map Canvas

Target Users

Team Managers

Coaches

Analysts

Salesforce Admins

Empathy Analysis

Think & Feel: Need accurate data, better insights

Hear: Feedback from management

See: Multiple data sources

Say & Do: Collect statistics manually

Pain: Data errors, delays

Gain: Faster decisions, automation

2.3 Brainstorming

Brainstormed Ideas

Web-based player management system

Mobile statistics tracker

Salesforce-integrated CRM

AI-based performance prediction

Dashboard-based analytics

Selected Idea: Salesforce-based performance tracking platform (CRICKSTATS)

3. REQUIREMENT ANALYSIS PHASE

3.1 Customer Journey Map

Journey Stages:

Login

Enter Player Data

Record Match Performance

Generate Reports

Analyze Results

Decision Making

3.2 Solution Requirements

Functional Requirements

FR-1 Player Registration

FR-2 Match Performance Entry

FR-3 Dashboard Generation

FR-4 Report Creation

FR-5 Flow Automation

Non-Functional Requirements (NFRs) – CRICKSTATS

NFR-1: Usability

The system should be easy to understand and use by coaches, managers, analysts, and admins without requiring technical training.

Simple and intuitive user interface

Clear navigation menus

Easy-to-read dashboards

Minimal learning curve

Example: A new coach should be able to log in, enter match data, and view player reports within a few minutes without special training.

NFR-2: Security

The system must protect sensitive player data from unauthorized access.

Role-based access control

Secure authentication

Encrypted data storage

Regular backups

Examples: Coaches can view player statistics. Managers can edit records. Analysts can generate reports. Only admins can modify system settings.

NFR-3: Reliability

The system should function correctly without failure and store data accurately.

No data loss

Automatic backups

Error handling

System stability

NFR-4: Performance

The system should respond quickly and handle large volumes of data efficiently.

Fast page loading

Quick report generation

Smooth dashboard rendering

Minimal response time

Example: When an analyst generates a performance report for 100+ players, the report should load within 2–3 seconds.

NFR-5: Availability

The system should be accessible whenever users need it.

24/7 system availability

Minimal downtime

Cloud-based access

Disaster recovery

NFR-6: Scalability

The system should support increasing numbers of users, players, and records.

Handle growing datasets

Support more teams and leagues

Expand storage capacity

Maintain performance under load

Example: If CRICKSTATS is extended from one team to 50 teams, the system should still perform smoothly.

3.3 Data Flow Diagram

Data Flow: User → Salesforce UI → Player Object → Match Performance → Reports → Dashboard

3.4 Technology Stack

Frontend: Salesforce Lightning

Analytics: Reports & Dashboards

Automation: Salesforce Flows

Backend: Salesforce Objects

Database: Salesforce Cloud

4. PROJECT DESIGN PHASE

4.1 Problem–Solution Fit

The CRICKSTATS system effectively addresses the key challenges faced in traditional cricket performance management. Earlier, most player and match data were maintained using manual records, which were time-consuming and prone to errors. This issue is addressed by implementing an automated system through Salesforce, which ensures accurate and efficient data entry and management.

The problem of data loss is addressed through secure cloud storage. Poor analysis of player performance due to scattered and unorganized data is addressed through dashboards and reports. Real-time reporting features help users access performance information more easily.

4.2 Proposed Solution

CRICKSTATS provides:

Custom objects (Player, Match Performance)

Master-detail relationships

Roll-up summaries

Lightning App

Automated flows

Interactive dashboards

Key Features

Centralized database

Live statistics

Secure access

Scalable design

Easy reporting

4.3 Solution Architecture

Architecture Layers

Presentation Layer (Lightning UI)

Application Layer (Flows, Logic)

Data Layer (Objects)

Analytics Layer (Reports)

5. PROJECT PLANNING & SCHEDULING

5.1 Project Planning

Agile-based execution

Object creation → automation → reporting

Sprint-wise development

Product Backlog, Sprint Schedule, and Estimation

Sprint-1 Developer Setup – USN-1: As an admin, I want to create a Salesforce developer account so that I can configure and deploy the CRICKSTATS system. Points: 1. Priority: High.

Sprint-1 Data Modeling – USN-2: As an admin, I want to create Player and Match Performance objects so that player and match data can be stored systematically. Points: 3. Priority: High.

Sprint-2 Navigation – USN-3: As a user, I want separate tabs for each object so that I can easily navigate and manage records within the application. Points: 3. Priority: High.

Project Planning – Continued

Sprint-2 UI Design – USN-4: As a coach, I want a dedicated Lightning App so that all performance tracking features are accessible from one dashboard. Points: 3. Priority: High.

Sprint-2 Data Structure – USN-5: As an admin, I want to create player and match fields so that complete performance details can be captured accurately. Points: 5. Priority: Medium.

Sprint-2 Data Structure – USN-6: As a user, I want customized page layouts so that only relevant fields are displayed during data entry. Points: 5. Priority: High.

Sprint-2 Automation – USN-7: As a system, I want to validate player and match inputs so that incorrect data entries are prevented. Points: 3. Priority: High.

Sprint-3 Automation – USN-8: As a system, I want automated flows to update player statistics so that performance data remains accurate. Points: 5. Priority: High.

Project Tracker

Sprint-1: 20 points, 6 Days, 24 Oct 2022 – 29 Oct 2022.

Sprint-2: 20 points, 6 Days, 31 Oct 2022 – 05 Nov 2022.

Sprint-3: 20 points, 6 Days, 07 Nov 2022 – 12 Nov 2022.

Sprint-4: 20 points, 6 Days, 14 Nov 2022 – 19 Nov 2022.

6. PROJECT DEVELOPMENT PHASE

Project Flow

Milestone 1 : Creation of developer account

Milestone 2 : Object Creation

Milestone 3 : Tabs

Milestone 4 : The Lightning App

Milestone 5 : Fields & Relationships

Milestone 6 : Roll-up Summary

Milestone 7 : Flows

Milestone 1 - Salesforce developer account creation


Activity 1: Creating Developer Account

Creating a developer org in Salesforce.

Go to <https://developer.salesforce.com/signup>

On the sign up form, enter First name & Last name

-
-
-



-
-
-

Enter Email

Role : Developer

Company : College or Company Name

Country : India

Postal Code : pin code


Username : should be a combination of your name and company

Username can be in the format username@organization.com

Click on Sign Me Up after filling these.

Activity 2: Account Activation


- 1. Go to the inbox of the email that you used while signing up.
- Click on the Verify Account link to activate your account. The email may take 5–10 minutes.
- 2. Click on Verify Account.
-



- 3. Give a password and answer a security question and click on Change Password.
-
-

A screenshot of the "Change Your Password" form. The form is titled "Change Your Password" and asks the user to enter a new password for "lead@sb.com". It includes instructions to make the password at least 8 characters long, with 1 letter and 1 number. The form has two password input fields: "New Password" and "Confirm New Password". Below these is a "Security Question" section with a dropdown menu showing "In what city were you born?". There is an "Answer" input field with the text "asdfghjkl". A blue "Change Password" button is at the bottom. The entire form is highlighted with a red border.

-
- 4. Then you will be redirected to your Salesforce Setup page.
-




Milestone 2 - Object Creation

Activity 1 : Player Object


- 1. In your Salesforce org, click gear icon on the top left and select Setup.

-
-




-
- 2. Click the Object Manager tab. If you don't see it, enter Object Manager in the Quick Find box.

-
-



-
-
-
-
-
- 3. On the Object Manager page, click Create | Custom Object.

-
-



-
-
-
-
-
-
- Player Object configuration:

Label : Player

Plural Label : Players

Record Name : Player Name

Data Type : Text

Optional features: Allow Reports | Allow Activities | Track Field History

Search Status: Allow Search

Save

Activity 2 : Match Performance Object

From the setup page → Click on Object Manager → Click on Create → Click on Custom Object.

Label : Match Performance

Plural Label : Match Performances

Record Name : Customer Account Name

Data Type : Text

Optional features: Allow Reports | Allow Activities | Track Field History


Search Status: Allow Search

Save

Milestone 3 - Tabs

Activity 1 : Custom tabs creation

- 1.Go to setup page → type Tabs in Quick Find bar → click on Tabs → New (under custom object tab).
- 2.Select Object (Player) → Select the tab style → Next.
- 3.On Add to Profiles page keep it as default → Next.
- 4.On Add to Custom App uncheck the Include Tab option.
- Make sure that Append tab to users' existing personal customizations is checked.
- 5.Click Save.
- 6.Repeat the same steps for Match Performances.
-
-



The screenshot shows the Salesforce Setup interface. The left sidebar contains a search bar with 'tab' entered and a list of navigation items: Feature Settings, Analytics, Tableau (with sub-items: Tableau Embedding, Tableau UAF Claims Definition), User Interface, and Console Settings (with sub-items: Loaded Console Tab Limit, Rename Tabs and Labels, and Tabs). The main content area is titled 'Custom Tabs' and includes a 'New' button and a 'What Is This?' link. Below this, there is a table for 'Custom Object Tabs' with columns for Action, Label, and Tab Style. The table lists two tabs: 'Match Performances' with a purple 'Books' style, and 'Plavem' with a brown 'Box' style. Below the table, there is a section for 'Web Tabs' with a 'New' button and a 'What Is This?' link.

Search Setup

Setup Home Object Manager

tab

Feature Settings

Analytics

Tableau

Tableau Embedding

Tableau UAF Claims Definition

User Interface

Console Settings

Loaded Console Tab Limit

Rename Tabs and Labels

Tabs

Didn't find what you're looking for? Try

SETUP Tabs

Custom Tabs

You can create new custom tabs to extend Salesforce functionality or to build new application functionality.

Custom Object tabs look and behave like the standard tabs provided with Salesforce. Web tabs allow you to embed external web applications and Visualforce tabs allow you to embed Visualforce pages. Lightning Component tabs allow you to add Lightning components to the navigation menu. Lightning Page tabs allow you to add Lightning Pages to Lightning Experience and the mobile app.

Custom Object Tabs

New What Is This?

Action	Label	Tab Style
Edit Del	Match Performances	Books
Edit Del	Plavem	Box


Web Tabs

New What Is This?

Milestone 4 - The Lightning App

Activity 1 : Create a Lightning App

- 1.Go to setup page → search App Manager in Quick Find → select App Manager → click on New Lightning App.
-
-



-
-
- 2.Fill the app name in App Details and Branding.
- 3.App Name : CRICKSTATS
- 4.Developer Name : Auto Populates
- 5.Add image is optional. Add Primary Color Hex or leave it to default.
- 6.Then click Next.

Lightning App – App Options

3. In App Options

Navigation style : Standard navigation

Setup experience : setup

Supported form factors : Desktop and phone

Then click Next.

4. In Utility Items

Utility Bar alignment : Default

Then click Next.

5. Navigation Items

Select the created Custom Objects and required standard objects.

Players

Match Performances

Reports

Dashboards

-

Navigation Items

Choose the items to include in the app, and arrange the order in which they appear. Users can personalize the navigation to add or move items, but users can't remove or re-order navigation items available only for phone or only for desktop. These items are dropped from the navigation bar when the app is viewed in a format that the item doesn't support.

Available Items

Create

Search Dash

Dashboards

Selected Items

Players

Match Performances

Reports

Cancel

Save

Lightning App – User Profile

6. To Add User Profiles

- System Administrator
-



-

7. Click Save & Finish.

Milestone 5 : Fields & Relationships

Activity 1 : Create Custom fields for Player object

- 1. In your Salesforce org, click gear icon on the top left and select Setup.
- 2. Click the Object Manager tab. If you don't see it, enter Object Manager in the Quick Find box.
- 3. From the Object Manager page, in the Quick Find box, search for the custom object you just created: Player.
- 4. From the sidebar, click Fields & Relationships. Notice that there are already some fields there. Those are the standard fields.
- 5. Click New to create a custom field. Before creating a new field, do a quick search to make sure a similar
- One doesn't already exist.
-



Search Setup



Setup Home Object Manager

SETUP > OBJECT MANAGER

Player

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

☐ Date

Allows users to enter a date or pick a date from a popup calendar.

☐ Date/Time

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

☐ Email

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can click Send an Email. Note that custom email addresses cannot be used for mass emails.

☐ Geolocation

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

☐ Number

Allows users to enter any number. Leading zeros are removed.

☐ Percent

Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.

☐ Phone

Allows users to enter any phone number. Automatically formats it as a phone number.

☐ Picklist

Allows users to select a value from a list you define.

☐ Picklist (Multi-Select)

Allows users to select multiple values from a list you define.

☒ Text

Allows users to enter any combination of letters and numbers.

☐ Text Area

Allows users to enter up to 255 characters on separate lines.

☐ Text Area (Long)

Allows users to enter up to 131,072 characters on separate lines.

☐ Text Area (Rich)

Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.

•

•

Player Object – Fields

Data Type : Text

Field Label: Player Name

Field Name : Auto Populates

Length : 50

Click on Next → Next → Save and New.

Repeat the same steps for remaining fields.

Data Type : Text | Field Label: Player Number | Length: 3

Data Type : Rich Text Area | Field Label: Profile Picture

Data Type : Date | Field Label: Date of Birth

Role

Data Type : Picklist

Field Label: Role

Batsman

Bowler

Batsman & Wicket Keeper

All Rounder

Player Object – Picklist Fields

Batting Style

Data Type : Picklist

Field Label: Batting Style

Right- Handed

Left - Handed

Bowling Style

Data Type : Picklist

Field Label: Bowling Style

Right-Arm Fast

Left-Arm Fast

Right-Arm Medium

Left-Arm Medium

Right-Arm Spin

Left-Arm Spin

Nationality

Australia

Bangladesh

England

India

New Zealand

Pakistan

South Africa

Sri Lanka

West Indies

Afghanistan

Zimbabwe

Ireland

Scotland

Netherlands

United Arab Emirates

Nepal

United States of America

Player Object – Team, Formula and Relationship

Team

Data Type : Picklist

Field Label: Team

Chennai Super Kings (CSK)

Delhi Capitals (DC)

Kolkata Knight Riders (KKR)

Mumbai Indians (MI)

Punjab Kings (PBKS)

Rajasthan Royals (RR)

Royal Challengers Bangalore (RCB)

Sunrisers Hyderabad (SRH)

Gujarat Titans (GT)

Lucknow SuperGiants (LSG)

AVG Score

Data Type : Formula

Field Label : AVG Score

Formula Return : Number

-
-



-

Formula: IF(Matches_Played__c > 0, Total_Runs__c / Matches_Played__c, 0)

Lookup Relationship

Data Type : Lookup Relationship

Related To : Match Performance

Field Label : Match Performance

Activity 2 : Create Custom fields for Match Performance object

Data Type : Text | Field Label: Match Performance Name | Length : 80

Data Type : Checkbox | Field Label: Player of the Match

Data Type : Picklist | Field Label: Match Result | Values: WON, LOST, DRAW

Data Type : Number | Field Label: Runs Scored

Data Type : Number | Field Label: Balls Faced

Data Type : Number | Field Label: Fours

Data Type : Number | Field Label: Sixes

Data Type : Number | Field Label: Overs Bowled

Data Type : Number | Field Label: Wickets Taken

Click on Next → Next → Save and New as required.

Match Performance – Remaining Fields

Data Type : Number | Field Label: Runs Conceded

Data Type : Number | Field Label: Maiden Overs

Data Type : Number | Field Label: Stumpings

Data Type : Number | Field Label: Catches

Player Relationship

Data Type : Master - Detail Relationship

Related To : Player

Field Label : Player

Field Name : Auto Populates

Click on Next → Next → Save.

Milestone 6 : Roll-up Summary

Note: Roll-up Summary can only be created on the parent object in a Master-Detail Relationship.

Activity 1 : Create Roll-up Summary for Player object

In your Salesforce org, click gear icon on the top left and select Setup.

Click the Object Manager tab. If you don't see it, enter Object Manager in the Quick Find box.

From the Object Manager page, in the Quick Find box, search for the custom object you just created: Player.

From the sidebar, click Fields & Relationships.

Click New to create a custom field. Before creating a new field, do a quick search to make sure a similar one doesn't already exist.

Choose a data type as Roll-up Summary. Click Next.

Matches Played

Field Label: Matches Played

Summarized Object: Match Performances

Roll-up Type: COUNT

Filter Criteria: All records should be included in the calculation.

-
-

The screenshot shows the 'New Roll-up Summary' configuration window in Salesforce. At the top, it identifies the 'Master Object' as 'Player' and the 'Summarized Object' as 'Match Performances'. The 'Select Roll-Up Type' section has four radio buttons: 'COUNT' (which is selected), 'SUM', 'MIN', and 'MAX'. To the right of these options is a 'Field to Aggregate' dropdown menu currently set to '--None--'. Below this, the 'Filter Criteria' section has two radio buttons: 'All records should be included in the calculation' (selected) and 'Only records meeting certain criteria should be included in the calculation'. At the bottom right, there are 'Save' and 'Cancel' buttons.

-

Roll-up Summary – Half-centuries and Centuries

Number of 50's

Data Type : Roll-up Summary

Field Label: Number of 50's

Summarized Object: Match Performances

Roll-up Type: COUNT

Filter Criteria: Only records meeting certain criteria should be included in the calculation.

-

The screenshot shows a configuration window for a Roll-up Summary. The 'COUNT' radio button is selected under the 'Field to Aggregate' section. The 'Filter Criteria' section has the option 'Only records meeting certain criteria should be included in the calculation' selected. Below this, there is a table with columns 'Field', 'Operator', 'Value', and a logical connector. The first two rows are filled with 'Run Scored', 'greater or equal', '50', and 'AND'. The third row is filled with 'Run Scored', 'less than', '100', and 'AND'. The remaining three rows are empty, each starting with '--None--' and followed by 'AND'. At the bottom, there are 'Save' and 'Cancel' buttons.

Field	Operator	Value	
Run Scored	greater or equal	50	AND
Run Scored	less than	100	AND
--None--	--None--		AND
--None--	--None--		AND
--None--	--None--		

For checkbox fields, enter a value of True for checked or False for not checked. For picklist fields, enter the master picklist field

Save Cancel

-

Number of 100's

Data Type : Roll-up Summary

Field Label: Number of 100's

Summarized Object: Match Performances

Roll-up Type: COUNT

Filter Criteria: Only records meeting certain criteria should be included in the calculation.

•

☒ COUNT

☐ SUM

☐ MIN

☐ MAX

Field to Aggregate: --None--

Filter Criteria

☐ All records should be included in the calculation

☒ Only records meeting certain criteria should be included in the calculation

Field	Operator	Value	
Run Scored	greater or equal	100	AND
Run Scored	less than	200	AND
--None--	--None--		AND
--None--	--None--		AND
--None--	--None--		

For checkbox fields, enter a value of True for checked or False for not checked. For picklist fields, enter the master picklist field value in y

Save Cancel

•

Roll-up Summary – Boundaries and Runs

Total 4's

Data Type : Roll-up Summary

Summarized Object : Match Performances

Select Roll-up Type : SUM

Field To Aggregate : Fours

Filter Criteria : All records should be included in the calculation.

Total 6's

Data Type : Roll-up Summary

Summarized Object : Match Performances

Select Roll-up Type : SUM

Field To Aggregate : Sixes

Filter Criteria : All records should be included in the calculation.

Total Runs

Data Type : Roll-up Summary

Summarized Object : Match Performances

Select Roll-up Type : SUM

Field To Aggregate : Runs Scored

Filter Criteria : All records should be included in the calculation.

Roll-up Summary – Bowling and Fielding

Total Overs

Data Type : Roll-up Summary

Summarized Object : Match Performances

Select Roll-up Type : SUM

Field To Aggregate : Overs Bowled

Filter Criteria : All records should be included in the calculation.

Total Wickets

Data Type : Roll-up Summary

Summarized Object : Match Performances

Select Roll-up Type : SUM

Field To Aggregate : Wickets Taken

Filter Criteria : All records should be included in the calculation.

Total Stumpings

Data Type : Roll-up Summary

Summarized Object : Match Performances

Select Roll-up Type : SUM

Field To Aggregate : Stumpings

Filter Criteria : All records should be included in the calculation.

Total Catches

Data Type : Roll-up Summary

Summarized Object : Match Performances

Select Roll-up Type : SUM


Field To Aggregate : Catches

Filter Criteria : All records should be included in the calculation.


Milestone 7 : Flows

Activity 1 : Screen Flow

- 1. Go to Setup, type Flow in Quick Find box → Click on Flow and Select New Flow.



- 2. Select Screen Flow and click Create.



- 3. Click (+) Icon on the flow builder and Select Screen Component.
- Label : Players screen
- API : Players_screen
- Select the Picklist component and place it on the screen.
- Label : Team
- API : Team

Screen Flow – Team Picklist

From Component Pane


Component Type : Picklist

Data Type : Text

Choice : Click New Choice Resources

Resource Type : Picklist Choice Set

-



-

API Name : Team

Object : Player

Data Type : Picklist

Field : Team

Click Done.

New Choice Resource

* Resource Type
Picklist Choice Set ▼

* API Name
Team

Description

* Object
Player

* Data Type
Picklist ▼

* Field
Team__c

Sort Order
Default Order of Field ▼

Get Records Component

Click (+) Icon on the flow builder and Select Get Records Component.

Label : Players

API Name : Players

Object : Player

Filter player records : Field = Team

Operator : Equals

Screen Flow – Dynamic Variable and Player Information

Value

Click New Resource

Resource Type : Variable

API Name : Dynamic

Data Type : Text

Default Value : Screen component : Team (Picklist)

-
-

Filter Player Records

Condition Requirements

All Conditions Are Met (AND)

Field: Team__c Operator: Equals Value: A dynamic X

+ Add Condition

-

Player Information Screen

Click (+) Icon on the flow builder and Select Screen Component.

Label : Player_info

API Name : Player_info

From Component Pane on the left side select Component Type : Data table

API Name : Player_info_table

Label : Data Table

Configure Data Source : Source Collection : Players from players (Player__c)

-



Screen Flow – Data Table Columns

In Configure Columns, add all the required Columns:

Profile Picture

Player Name

Total Runs

AVG Score

Batting Style

Bowling Style

Matches Played

Number of 50's

Number of 100's

Click Done.

Click Save.

Flow Label : Player Flow

Flow API Name : Player_Flow

-

Auto-Layout Register 4 Inactive - last modified 13 minutes ago Run Debug Archive Save As **Save**

Screen Flow
Start

Players screen
Screen

Players
Get Records

Player Info
Screen

End

Save the flow

*Flow Label
Player Flow

*Flow API Name
Player_Flow

Description


Show Advanced

Cancel **Save**


-

Activity 2 : Flow on Home Page

- 1.On your CRICKSTATS Application on the top right of the Navigation Bar click on Personalize your nav bar icon (Pencil Icon) and Add Home Page and click Save.
- 2.Remove all other components and Add FLOW component from the standard components on the left side.
- 3.Flow : Players Flow
-



-
- 4. Click Save and Activation.
- 5. Click on App Default and select Assign to Apps.
- 6. Select CRICKSTATS and Click Next and then click Save.
-



-
-
- 7. FUNCTIONAL & PERFORMANCE TESTING

During the testing phase, screenshots were captured from the Salesforce Lightning user interface to verify the correct functioning of all implemented features in the CRICKSTATS system. These include record creation for Player and Match Performance objects; validation rule checks for mandatory fields, score limits, and input constraints; verification of record type behavior for Domestic and International match categories; and flow execution for automatic updating of player statistics and data consistency.

The functionality of roll-up summary fields was also tested to ensure accurate calculation of total runs, wickets, averages, and performance metrics. System performance was evaluated by monitoring response time during data entry, report generation, and dashboard loading.


7. FUNCTIONAL & PERFORMANCE TESTING – Continued

The application was tested under multiple user interactions to ensure stable performance without delays. Screenshots of generated reports and interactive dashboards were documented to confirm accurate data visualization, real-time updates, and reliable performance tracking.

These testing activities ensured that the CRICKSTATS platform met both functional and performance requirements and was ready for deployment.

NOTE : Enter some records in the Player Object and Match Performance Object to get the results.

- Select one Team from the Picklist and Click Next.
-



-

8. ADVANTAGES & DISADVANTAGES

Advantages

Centralized system

Real-time analytics

Secure platform

Scalable design

Reduced manual work

Disadvantages

Requires Salesforce license

Internet dependency

Limited offline access

9. Conclusion

CRICKSTATS successfully implements a cloud-based cricket performance tracking system using Salesforce. The system automates data management, improves reporting accuracy, and supports informed decision-making. The project demonstrates practical application of SDLC, Agile methodology, and CRM-based development.

10. FUTURE SCOPE

Mobile application integration

AI-based performance prediction

Video analysis integration

Player ranking system

Public statistics portal

Multi-league support

11. APPENDIX

Salesforce Objects & Fields

Manual match statistics

Flow Configurations

Thank You