

SQL File 6SQL File 7*SQL File 8*SQL File 9*pl sqladd pl sqlfunctionodd evenSQLAddi

Create a new view in the active schema in the connected server1000 rows

1 • use employee;
2 DELIMITER //
3 • CREATE PROCEDURE get_total()
4 BEGIN
5 DECLARE data1 DECIMAL(10,2) DEFAULT 100;
6 DECLARE data2 DECIMAL(10,2) DEFAULT 200;
7 DECLARE total DECIMAL(10,2);
8 SET total = data1 + data2;
9 SELECT CONCAT('Total: ', total) AS result;
10 END //
11 DELIMITER ;
12 • call get_total;

Result GridFilter Rows:Export:Wrap Cell Content:

	result
▶	Total: 300.00

Result Grid

Result 1 xRead OnlyContext I

SQL File 6SQL File 7*SQL File 8*SQL File 9*pl sqladd pl sql ×functionodd evenSQL



Limit to 1000 rows



1 • use employee;

2 DELIMITER //

3 • CREATE PROCEDURE total_(IN data1 decimal(10,2), IN data2 decimal(10,2), OUT total decimal(10,2))

4 BEGIN

5 SET total = data1 + data2;

6 SELECT total;

7 END //

8 DELIMITER ;

9

10 • Call total_(10,20,@total);

11

Result Grid

Filter Rows:

Export:



Wrap Cell Content:



total

▶

30.00

Result Grid

⬆

⬇

⬆

Result 1 ×

Read Only

Con

Output

```

1 DELIMITER $$
2 CREATE FUNCTION add_nums(data1 DECIMAL(10,2), data2 DECIMAL(10,2))
3 RETURNS DECIMAL(10,2)
4 DETERMINISTIC
5 BEGIN
6     SET data1 = 10;
7     SET data2 = 20;
8     RETURN data1 + data2;
9 END $$
10 DELIMITER ;
11
12 SELECT add_nums(0, 0) AS result;
13

```

	result
▶	30.00

Result Grid

Form
Editor