

```
mysql> show databases;
```

Database
college
college_detail
company
employee
information_schema
mysql
performance_schema
sakila
student_mark
students
sys
world

```
12 rows in set (0.01 sec)
```

```
mysql> use student_mark;
```

```
Database changed
```

```
mysql> show tables;
```

Tables_in_student_mark
marks
student

```
2 rows in set (0.01 sec)
```

```
mysql> select * from employee;
```

Emp_no	NAME	Emp_city
1	RAM	CHENNAI
2	KAVI	CHENNAI
3	AMY	DELHI
4	JACK	DELHI
5	MIKE	BANGLORE

```
mysql> SELECT s.stu_name, m.subject, m.marks  
-> FROM student s  
-> RIGHT JOIN marks m  
-> ON s.stu_id = m.stu_id;
```

stu_name	subject	marks
RAM	DBMS	85
KAVI	DBMS	45
LAVANYA	DBMS	90
RAVI	DBMS	60
ARUN	DBMS	NULL

5 rows in set (0.00 sec)

```
mysql> SELECT s1.stu_name, s2.stu_name, s1.dept  
-> FROM student s1  
-> JOIN student s2  
-> ON s1.dept = s2.dept  
-> AND s1.stu_id <> s2.stu_id;
```

stu_name	stu_name	dept
RAVI	RAM	CSE
ARUN	KAVI	ECE
RAM	RAVI	CSE
KAVI	ARUN	ECE

4 rows in set (0.03 sec)

```
mysql>
```



```
mysql> SELECT s.stu_name, m.subject, m.marks  
-> FROM student s  
-> INNER JOIN marks m  
-> ON s.stu_id = m.stu_id;
```

stu_name	subject	marks
RAM	DBMS	85
KAVI	DBMS	45
LAVANYA	DBMS	90
RAVI	DBMS	60
ARUN	DBMS	NULL

5 rows in set (0.00 sec)

```
mysql> SELECT s.stu_name, m.subject, m.marks  
-> FROM student s  
-> LEFT JOIN marks m  
-> ON s.stu_id = m.stu_id;
```

stu_name	subject	marks
RAM	DBMS	85
KAVI	DBMS	45
LAVANYA	DBMS	90
RAVI	DBMS	60
ARUN	DBMS	NULL

5 rows in set (0.00 sec)


```
mysql> SELECT s.stu_name, m.marks
-> FROM student s
-> INNER JOIN marks m
-> ON s.stu_id = m.stu_id
-> WHERE m.subject = 'DBMS';
```

stu_name	marks
RAM	85
KAVI	45
LAVANYA	90
RAVI	60
ARUN	NULL

5 rows in set (0.00 sec)

```
mysql> SELECT s.stu_name, m.marks
-> FROM student s
-> INNER JOIN marks m
-> ON s.stu_id = m.stu_id
-> WHERE m.subject = 'DBMS' AND m.marks > 50;
```

stu_name	marks
RAM	85
LAVANYA	90
RAVI	60

3 rows in set (0.00 sec)

```
mysql> select * from marks;
```

stu_id	subject	marks
1	DBMS	85
2	DBMS	45
3	DBMS	90
4	DBMS	60
5	DBMS	NULL

```
5 rows in set (0.00 sec)
```

```
mysql> select * from student;
```

stu_id	stu_name	dept
1	RAM	CSE
2	KAVI	ECE
3	LAVANYA	IT
4	RAVI	CSE
5	ARUN	ECE

```
5 rows in set (0.00 sec)
```