2024 5th International Conference on Intelligent Communication Technologies and Virtual Mobile Networks (ICICV) | 979-8-3503-8564-9/24/$31.00 ©2024 IEEE | DOI: 10.1109/ICICV62344.2024.00119

Literature Review on Packet Sniffing: Essential for Cybersecurity & Network Security

Ranju Shaw[1]
Department of Computer Science Engineering with specialization in Cyber Forensic & Information Security, Jamia Hamdard University, Delhi , India.
ranjushaw2014@gmail.com

Suraiya Parveen[2]
Faculty at Jamia Hamdard University, Department of Computer Science Engineering, Delhi, SEST.
hussainsuraiya@gmail.com

Abstract. In the realm of cybersecurity and network security, the significance of monitoring and analyzing network traffic cannot be overstated. Network packet sniffing, a technique employed to capture and inspect data packets traversing a network, has emerged as an imperative tool for understanding network behavior, identifying vulnerabilities, and enhancing overall security. This study analyzes packet sniffing by exploring its role in modern cybersecurity practices. By analyzing packet sniffing mechanisms, including its methodologies and potential applications, this research sheds light on its effectiveness as a proactive security solution. Furthermore, the study examines the ethical considerations surrounding packet sniffing, addressing concerns related to user privacy and data protection. It also investigates the legal aspects that govern the use of packet sniffing techniques, ensuring compliance with regulations while maximizing its benefits. Through case studies and real-world examples, this research illustrates how packet sniffing can be leveraged to detect network anomalies, thwart malicious activities, and fortify network infrastructures. By presenting a comprehensive overview of packet sniffing's capabilities and limitations, this study equips cybersecurity practitioners with the knowledge needed to make informed decisions about its integration into their defensive strategies.

Keyword: Packet sniffing, Packet analyzer, Wireshark, Handshake packets

1. Introduction

In computer communication, a restricted amount of data might be referred to as a packet. All Internet traffic travels as packets; this includes all file downloads, web page requests, and email transmissions. Packets are the fundamental unit of Internet communication. The packet is a structured data unit transmitted via a computer network's packet mode. The introduction of this document illuminates the foundational concepts and significance of network packet sniffers. Network packet sniffer or simply packet sniffer is a packet analyzer software that monitors all network traffic. It explores their role in modern network administration, cybersecurity practices, and the exploration of data transmission patterns. By delving into the fundamentals of packet capturing and analysis, this introduction aims to provide a clear overview of how these tools empower professionals to unveil the digital conversations that underpin the connected world. In the intricate landscape of computer networks, where vast amounts of digital information

orized licensed use limited to: AMRITA VISHWA VIDYAPEETHAM AMRITA SCHOOL OF ENGINEERING. Downloaded on October 10,2026 at 13:05:14 UTC from IEEE Xplore. Restrictions ap

traverse diverse channels, the need to understand, monitor, and secure these data flows has become paramount. At the heart of this pursuit lies the network packet sniffer – an indispensable tool that unveils the hidden intricacies of network communication. By capturing, inspecting, and dissecting data packets as they traverse network links, a packet sniffer provides invaluable insights into network performance, troubleshooting, and security. In essence, a packet is a collection of digital numbers that transmits the following: The source IP address and port, the destination IP address and port, information regarding error checks, and typically details about the kind and condition of the data being sent. The Internet Protocol address of the destination computer is included in the header of each packet in many networking protocols that divide sent data into smaller units, or packets. The destination computer's network segment is where these packets eventually arrive after being routed around by routers. The network card on every machine in the segment evaluates the address in the header as each packet moves around that destination segment.

2. Literature review

O. Oluwabukola, A. Oludele , and A. C. Ogbonna created the thorough review to better understand the procedures involved in packet analysis, the tools created for it, as well as the unique needs of network forensics. Designing unique algorithms, as well as cutting-edge tools and techniques, can be done using this for forensic applications involving packet analysis. In order to gather the data required to gain a clear picture of the online user actions that occurred at a specific moment in time and to provide evidence that may be used as evidence in court, network packetanalysis is crucial to network forensics.

A. Kulshrestha and S. K. Dubey discussed the numerous assaults. Sniffing poses a serious threat to browsing by being a significant attack on websites. Sniffing attacks are highly challenging to identify, but once they are, they are quite simple to contain. Since there is no treatment, it is advisable to adopt preventative measures. Various research articles also discuss how MIME files can be transformed into HTML files using flash. In order to screen out unauthorized access, filters are connected to the network. Small scale organizations cannot afford the security measures; hence they are not an option. Triggers make it simple to secure connections for complicated authentication as well. Attacks like sniffing, shoulder surfing, overhearing, and skip driving are thus avoided. To safeguard connections, passwords with alpha-numeric characters are used. Different algorithms are applied to stop sniffing. A defense against content sniffing XSS is also provided by browser content sniffing algorithms. In summary, it is found that several types of filters can be used to counteract various sniffing attempts.

Similar Ben-Eid examines the definition, structure, kinds, and functions of packet sniffers. The two most common choices for packet sniffing software, Wireshark and Colasoft Capsa, will be carefully reviewed. Based on their qualities and other different parameters, they compared the two pieces of software together. Despite having negative effects, information technology increases worker performance. At their workstation, employees frequently utilize the Internet for personal interests. As a result, the performance of the network will be impacted, which will lower worker productivity.

Muhammad Syaffiq Abdul Malek, Ahmad Roshidi in his article talk about monitoring network traffic, performing troubleshooting, and gathering data for network forensic reasons all require the analysis of network packets through the process of packet sniffing. One of the most well-known packet analyzers with packet sniffing capabilities is Wireshark. Numerous features of this packet sniffer are simple to use, user-friendly, effective, and provide precise information about the packets intercepted. To give an accurate representation of real-time packet capture while viewing sample websites, a technical demonstration was conducted. Wireshark has the capability to decode HTTP traffic, extract images from raw data, watch the TLS handshake of HTTPS traffic, and diagnose website outages. Future study should consider decrypting HTTPS communication, which may need the use of several programs. A different approach is to perform packet sniffing in a VLAN switched environment, which is far more difficult than a non- VLAN environment.

orized licensed use limited to: AMRITA VISHWA VIDYAPEETHAM AMRITA SCHOOL OF ENGINEERING. Downloaded on October 10,2026 at 13:05:14 UTC from IEEE Xplore. Restrictions ap

3. Objective

The goal of this research is to find TLS/SSL certificates using Wireshark from a PCAP file. When checking network info from a file and getting SSL/TLS certificate data from the encrypted sessions, use Wireshark to find and get TLS/SSL certificates from a PCAP file. This can help with network studies, safety inquiries, and fixing issues, but it's essential to remember that using it without approval is not right and might break the law.

What is Packet Sniffing: Packet sniffing means that you are watching a network and transactions to find out if something secret could have been transmitted. This includes the collection of data packets while they are in transit across a network through the use of special tools. These packets may contain such information as credit card numbers and private login details. Packet sniffing has two faces. It is a critical tool for digital crime investigators, but it can also be put to bad uses by nasties.

Active and Passive Sniffing in terms of network security:

Sniffing packets does not modify them. There are two types, passive and active ones. An active sniffing inserts packets into the stream to get information.

Passive sniffing: Promiscuous mode sniffing, also known as passive sniffing, captures network traffic without disturbing it. The attacker listens out and grabs data packets as they pass his way through the network. Passive sniffers' main aim is capturing their target's sensitive conversations hence exhibiting unprofessionalism in work places Since passive sniffers do not interfere with the traffic on the network; thus makes it difficult for detection on its presence But, unexpected or unusual traffic patterns or data transfers may indicate an attempt to perform a passive sniff attack Therefore, measures like access controls, encryption, secure logins should be used to avoid this type of attack.

Active sniffing –

It is a packet sniffing attack referred to as active sniffing, ARP spoofing or ARP poisoning, where the attacker broadcasts fake ARP packets on the local network. This enables the malevolent user to create their own IP addresses by which these messages are used and thus get associate with MAC address thereby causing all communications meant for this device to be intercepted. The ability of an attacker in active sniffing attacks either to alter or inject data in intercepted communication makes them more risky. These forms of cracking are not easy to detect since they do not involve physical network tapping. However, intrusion detection systems and network monitoring can assist in detecting ARP spoofing through observing changes in network traffic patterns.

To prevent active sniffing attacks, network security measures like secure ARP protocols, port security, and VLAN segmentation should be implemented.

However, aggressive sniffing is usually associated with criminal hackers while passive sniffers are seen as having better ethics.

4. Methodology

Using Wireshark to find and gain TLS/SSL Certificates from a PCAP file:

STEP-1 :

Make positive that "Allow subdissector to reassemble TCP streams" is checked in the TCP protocol selections by using choosing Edit > picks from the Wireshark menu.

STEP-2:

Locate "Certificate, Server Hello" (or Client Hello in case you want to obtain a consumer-aspect certificate).

STEP-3:

Expand the Secure Sockets Layer protocol in the packet element pane.

STEP-4:

"TLSv1 Record Layer: Handshake Protocol: Certificate" area need to be increased.

STEP-five:

Enlarge the sector categorised "Handshake Protocol:Certificate."

STEP-6:

Extend the certificates listing. The existence of a sequence of believe will decide whether or not or no longer there are one or extra certificates. The server certificate is the first certificates, followed by the certificates authority that signs it in 2d vicinity, the certificates authority this is relied on and signed by means of the CA in 0.33 area, and so on.

STEP-7:

To attain the certificate, right-click on on it, pick

orized licensed use limited to: AMRITA VISHWA VIDYAPEETHAM AMRITA SCHOOL OF ENGINEERING. Downloaded on October 10,2026 at 13:05:14 UTC from IEEE Xplore. Restrictions ap

"Export selected packet bytes," and deliver the file a.Der extension.

a. Technology Used

TLS/SSL is just one of the many protocols and technology that Wireshark analyzes community site visitors the use of. Important technologies used on this method encompass:

Dissectors: Dissectors are utilized by Wireshark in a number of protocols. To decode and extract statistics from SSL/TLS packets, the SSL dissector is important.

RSA and Elliptic Curve Cryptography: Wireshark can decrypt the SSL/TLS handshake using the sort of two cryptosystems, depending on the important thing exchange method.

Public Key Infrastructure (PKI): To verify that SSL certificate are legitimate and originate from a reliable Certificate Authority (CA), Wireshark uses the PKI standards.

Knowledge of SSL/TLS Protocol: Wireshark can decipher and show information from the handshake method and the following encrypted conversation because it is acquainted with the SSL/TLS protocol requirements.

Critical cybersecurity consideration in packet sniffing:




Figure 1 Deployment of Packet Sniffer

Data packets are gathered as they transit across a computer network, as shown in Figure [1]. The sniffing tools or media used to conduct this sniffing attack and gather packets of community statistics are called packet sniffers. Let's go back and go over this figure to see how network packet sniffers operate. Networks are made up of a number of "nodes," which are devices that transmit data over a networked connection. Examples of nodes include servers, laptops, and smartphones. Networks use packets of data, which are segments of data that are divided up and then put back together after transmission is finished, to speed up these transfers along their path and prevent network congestion. A user can evaluate the traffic by "passive sniffing" (i.e., snooping on the inflight data) or "active sniffing" (i.e., directly interacting by sending packets and getting responses from the target devices) by utilizing network sniffers to "sniff" the packets en route, as shown in this picture.

Regretfully, the latter also permits cases of cybercrime. Furthermore, you should dedicate your firewall's limited resources to safeguarding your network. Networking device performance is impacted by resource-intensive functions including packet collection, processing, and logging.

orized licensed use limited to: AMRITA VISHWA VIDYAPEETHAM AMRITA SCHOOL OF ENGINEERING. Downloaded on October 10,2026 at 13:05:14 UTC from IEEE Xplore. Restrictions ap

Packet capture should be delegated to a dedicated device so that your network equipment—firewalls, routers, switches, etc.—can concentrate on their intended uses. A few firewalls have modest packet capture and network traffic analysis features. Usually, they will simply log a small number of packets, enough to identify which firewall rule was activated by the traffic. Regretfully, this is rarely sufficient information to enable you to solve the majority of issues. Though nothing in the field of IT security is 100% guaranteed, utilizing encrypted protocols can help avoid illegal network sniffing. Nevertheless, it's a good idea to use a real-time monitoring system to notify you of any abnormalities in networking. Sniffing attacks, a type of data theft, are carried out through the use of packet sniffers, which are intended to intercept and analyze unencrypted network traffic.

Conclusion

Network packet sniffing is considered as a critical requirement for cybersecurity and network security professionals. This study has illuminated the multifaceted nature of packet sniffing, showcasing its indispensable role in understanding network dynamics, detecting vulnerabilities, and enhancing overall security. Through the exploration of its methodologies and potential applications, it becomes evident that the packet sniffing offers unparalleled insights into network behavior. It serves as an early warning system, alerting administrators about anomalies, unauthorized activities, and potential threats that might otherwise go unnoticed. By analyzing the content of data packets in transit, organizations can pinpoint weak points in their network architecture, enabling them to proactively address vulnerabilities before they can be exploited. In closing, network packet sniffing, when wielded judiciously and ethically, emerges as an imperative security solution. It offers a proactive approach to cybersecurity enabling organizations to safeguard their networks, data, and user privacy effectively. As technology continues to advance, the role of packet sniffing will evolve alongside it, necessitating ongoing research, ethical considerations, and adaptability to ever-changing security challenges.

REFERENCES

[1] "IT Explained: Packet Sniffing", https://www.paessler.com/support/it-knowledge/itexplained/packet-sniffing.

[2] Bimal Patel, Parth Shah, "Simulation, modelling and packet sniffing facilities for IoT: A systematic analysis" International Journal of Electrical and Computer Engineering (IJECE), 2019

[3] "The History Of Packet Sniffing Information Technology Essay," Jan. 01, 2015. https://www.ukessays.com/essays/information-technology/the history-of-packet-sniffing- information-technology-essay.php.\ Int. J. Adv. Eng. Res. Sci., vol. 1, no. 2, pp. 67–73, 2014.

[4] H. Asrodia, Pallavi and Patel, "Analysis of Various Packet Sniffing Tools for Network Monitoring and Analysis," Int. J. Electr. Electron. Comput. Eng., vol. 1, no. 1, pp. 55–58, 2012.

[5] N. A. Ben-Eid, "Ethical Network Monitoring Using Wireshark and Colasoft Capsa as Sniffing, vol.4, no. 3, pp. 471-478, 2015, doi: 10.17148/IJARCCE.2015.43113.

[6] O. Oluwabukola, A. Oludele, and A. C. Ogbonna, "A Packet Sniffer (PSniffer) Application for Network Security in Java," vol. 10, 2013, [Online]. Available: http://iisit.org/Vol10/IISITv10p389-400Oluwabukola0037.pdf.

[7] L. F. Sikos, "Packet analysis for network forensics: A comprehensive survey," Forensic Sci. Int. Digit. Investig., vol. 32, p. 200892, 2020, doi: 10.1016/j.fsidi.2019.200892.

[8] A. Kulshrestha and S. K. Dubey, "A Literature Review on Sniffing Attacks in Computer Network,"

[9] Chappell Laura, "GeoIP Mapping in Wireshark," Oct. 11, 2019. https://www.chappell-university.com/post/geoipmapping-in-wireshark.

[10] "8.4. The 'Protocol Hierarchy' Window." https://www.wireshark.org/docs/wsug_html_chunked/ChStatHierarchy.html.

[11] Muhammad Syaffiq Abdul Malek, Ahmad Roshidi, "A Study of Packet Sniffing as an Imperative Security Solution in Cybersecurity", International Journal of Research in Engineering and Science (IJRES), 2021.

[12] Shivam Kumar, Suryansh Jigyasu and Vikas Singh, "Network Traffic Monitor and Analysis Using Packet Sniffer" International Journal of Research in Engineering and Science (IJRES),2021.

orized licensed use limited to: AMRITA VISHWA VIDYAPEETHAM AMRITA SCHOOL OF ENGINEERING. Downloaded on October 10,2026 at 13:05:14 UTC from IEEE Xplore. Restrictions ap