Generated by Scopus AI, Sat Oct 10 2026

Fault detection in gridlines using AI

Cost-Effective, Compact AI-Based Fault Detection in Gridlines: Leveraging TinyML and Autoencoders for Sub-Millisecond Warning Systems

Quick Reference

Key Findings Table

Approach/Technique	Accuracy	Latency	Resource Footprint	Scalability	Real-Time Suitability	Reference(s)
ANN/CNN/LSTM	97–99.7%	1–50 ms	Moderate	High	Yes	1 2
XGBoost/Random Forest	97–99.96%	0.14–50 µs	Low	High	Yes	3 4
Hybrid CNN-LSTM-Attention	98–99.99%	50–70 ms	Moderate	High	Yes	2 5
TinyML + Autoencoder (MOA/VAEs)	>99%	<1 ms	17–56 KB	High	Yes	6 7 8
FPGA-based AI Inference	98–99.4%	330 ns–1 ms	Low	High	Yes	9
Explainable TinyML (DeFeAt)	98.12%	<1 ms	56 KB	High	Yes	8

Direct Answer

For fault detection in gridlines using AI, a promising approach is to leverage TinyML combined with autoencoder architectures. TinyML enables compact, energy-efficient models on edge devices using quantization and pruning, achieving sub-millisecond inference speeds. Modified overcomplete asymmetric autoencoders or variational autoencoders with compressed latent spaces allow unsupervised anomaly detection, reducing reliance on labeled datasets. Hardware-software co-design (e.g., FPGA-based accelerators, RISC-V SoCs) ensures deterministic, reliable real-time performance across large-scale deployments. These strategies balance accuracy, cost-effectiveness, and scalability, making them ideal for widespread, real-time grid fault detection and warning systems 6 7 9.

Study Scope

- **Time Period:** Recent advances (last 5 years)

- **Disciplines:** Electrical engineering, embedded systems, AI/ML, edge computing
- **Methods:** Meta-analysis, empirical benchmarking, hardware-software co-design, model compression, explainable AI

Assumptions & Limitations

- Most studies use synthetic or semi-synthetic datasets; field validation is limited [10].
- Real-world deployment may face additional challenges (data heterogeneity, integration with legacy systems) [1] [11].
- Sub-millisecond latency is achievable with hardware acceleration and optimized TinyML models, but may require trade-offs in model complexity and interpretability [9] [12].
- Explainability and adaptive learning are emerging but not yet standard in all TinyML deployments [8] [13].

Suggested Further Research

- Standardized, field-validated datasets for benchmarking [10].
- Advanced hybrid models integrating explainable TinyML, federated learning, and adaptive incremental training [14] [15].
- Real-world deployment studies in heterogeneous grid environments [11].
- Optimization of explainable AI for low-latency, resource-constrained edge devices [16].

1. Introduction

1.1 Background and Motivation

Faults in gridlines can lead to catastrophic failures, outages, and costly maintenance. Rapid, reliable detection—ideally within sub-millisecond timescales—is essential for modern smart grids, especially as they scale and integrate distributed energy resources. Traditional methods (threshold-based, rule-based) struggle with accuracy, speed, and adaptability, particularly in large-scale, heterogeneous environments [17] [18] [19]. AI-based approaches, especially those leveraging deep learning, have demonstrated superior accuracy and robustness, but their deployment is often limited by computational complexity, cost, and scalability [1] [6] [20].

1.2 Scope and Contributions

This report reviews state-of-the-art AI methods for grid fault detection, focusing on cost-effective, compact solutions suitable for large-scale deployment. It explores the application of TinyML and autoencoder architectures, hardware-software co-design, and model compression techniques to achieve sub-millisecond detection and warning capabilities. The report also identifies research gaps and proposes optimizations for scalable, real-time deployment [1] [6] [20].

2. State-of-the-Art AI-Based Fault Detection in Gridlines

2.1 Overview of AI Methods for Fault Detection

- **ANN, CNN, LSTM:** Widely used for fault detection, achieving up to 99.74% accuracy (ANN), 98.90% (CNN), and 97.65% (LSTM) [1].
- **SVM, Random Forest, XGBoost:** SVM offers high accuracy (>98%) with lower computational burden; Random Forest and XGBoost are robust under noisy/incomplete data, suitable for real-time embedded applications [3] [4].
- **Hybrid Models:** Combining CNN-LSTM, CNN-BiLSTM, and attention mechanisms improves accuracy and robustness, capturing both spatial and temporal features [2] [5].
- **Optimization Algorithms:** Particle swarm, crisscross, and metaheuristics enhance model generalization and precision, especially in imbalanced datasets [21] [22].
- **FPGA-Based Inference:** Offers high throughput and low latency, supporting high data sampling rates and multi-stream processing [23].

Synthesis

AI-based methods have matured to deliver high accuracy and real-time performance, but their scalability and resource efficiency remain key challenges for large-scale grid deployment [1] [24] [25].

2.2 Hybrid and Embedded AI Models

- **CNN-LSTM-Attention:** Attention mechanisms focus on relevant temporal segments, improving interpretability and classification performance [2] [5].
- **CNN-BiLSTM:** Achieves up to 99.99% accuracy, outperforming pure transformer models in latency and resource efficiency [26].
- **Ensemble Models:** Combining Random Forest and XGBoost improves multiclass fault detection accuracy and robustness [27].
- **Edge Deployment:** Lightweight frameworks (e.g., Random Forest on Cortex-M4F/M7) achieve sub-50 µs execution time, demonstrating feasibility for real-time embedded fault detection [4].

Synthesis

Hybrid and embedded AI models offer a practical balance between accuracy, latency, and resource efficiency, making them suitable for real-time, scalable grid fault detection [2] [5].

2.3 Limitations and Challenges

- **Data Quality:** Poor labeling and heterogeneity limit model precision and generalization [1].
- **Computational Complexity:** High demands restrict deployment on resource-constrained devices [1].

- **Model Interpretability:** Black-box nature hinders trust and regulatory compliance; explainable AI is emerging as a solution [28].
- **Scalability:** Integration with large-scale, heterogeneous grid environments remains challenging [1].

Synthesis

While AI models excel in accuracy and speed, practical deployment requires addressing data quality, interpretability, and scalability bottlenecks [1].

3. TinyML and Autoencoder Solutions for Grid Fault Detection

3.1 TinyML for Edge-Based Fault Detection

- **TinyML Deployment:** Enables compact, energy-efficient models on microcontrollers, reducing latency and communication overhead [18] [29].
- **Quantization and Pruning:** Maintain predictive performance with minimal resource usage; INT8 quantized models achieve near-cloud-level accuracy with millisecond latency [30].
- **Edge Adaptation:** TinyML models can be incrementally trained on-device (TinyOL), supporting adaptive learning in dynamic grid environments [31].

Synthesis

TinyML is a key enabler for real-time, decentralized fault detection, offering low latency and energy consumption suitable for large-scale grid monitoring [18] [29].

3.2 Autoencoder Architectures and Variants

- **Variational Autoencoders (VAEs):** Compress input data into stochastic latent spaces, enabling high-accuracy generative modeling and robust anomaly detection [6] [32].
- **Modified Overcomplete Asymmetric Autoencoders (MOA):** Achieve high accuracy (>99%) with minimal memory footprint (17 kB), suitable for embedded deployment [7] [33].
- **Explainable TinyML (DeFeAt):** Provides interpretable, accurate fault detection with model sizes as small as 56 KB [8].

Synthesis

Autoencoder-based architectures, especially MOA and VAEs, are well-suited for unsupervised anomaly detection in embedded environments, balancing accuracy and resource efficiency [6] [7].

3.3 Model Compression: Pruning and Quantization

- **Pruning:** L1-structured pruning reduces computational complexity and memory footprint, balancing accuracy and efficiency [34].

- **Quantization:** INT8 quantization achieves millisecond-level inference latency and minimal memory usage, enabling fully offline real-time operation [30].
- **Combined Strategies:** Two-stage optimization (pruning then quantization) is most effective for autoencoder-based TinyML models [34].

Synthesis

Model compression techniques are critical for deploying autoencoder-based TinyML models on microcontrollers, achieving sub-millisecond detection with minimal resource usage [30] [34].

3.4 Explainable and Adaptive TinyML Frameworks

- **Explainable TinyML:** Frameworks like DeFeAt use SHAP and LIME for interpretability, enabling cost-effective, accurate, and interpretable fault detection [8].
- **Incremental On-Device Training:** TinyOL and similar frameworks support adaptive learning, continuously updating models based on new grid data [31].
- **Federated Learning:** TinyFed enables collaborative learning across distributed devices, improving robustness and adaptability [35].

Synthesis

Explainable and adaptive TinyML frameworks enhance trust, interpretability, and scalability, supporting real-time, large-scale grid fault detection [8] [31].

4. Hardware and Software Optimizations for Real-Time, Large-Scale Deployment

4.1 Edge and Cloud-Edge Architectures

- **Edge Computing:** Reduces inference latency by processing data close to the source; hierarchical distributed models achieve up to 96.7% latency reduction [19] [36].
- **Cloud-Edge Synchronization:** Adaptive task offloading and consistency-aware protocols reduce latency by over 60% while maintaining accuracy [37].
- **Workload Partitioning:** Dynamic partitioning optimizes resource utilization and latency, enhancing throughput and scalability [38].

Synthesis

Edge and cloud-edge architectures are essential for achieving real-time, scalable fault detection, especially in large, distributed grid environments [19] [37].

4.2 FPGA, GPU, and Heterogeneous Platforms

- **FPGA-Based Inference:** Offers deterministic sub-microsecond latency (330 ns), low power consumption (1 W), and high throughput, outperforming GPU and CPU solutions [9] [39].
- **Heterogeneous Platforms:** Combining CPUs, GPUs, and NPUs with dynamic workload splitting improves energy efficiency and latency [40].
- **Hardware-Software Co-Design:** Optimizes model compression, execution, and system-level methods for efficient on-device inference [41].

Synthesis

FPGA and heterogeneous platforms provide the necessary speed and energy efficiency for sub-millisecond, large-scale grid fault detection [9] [39].

4.3 Network and Communication Protocols

- **Deterministic Protocols:** 5G, NB-IoT, PLC, Zigbee, and real-time switched Ethernet architectures support low-latency, reliable data transfer [42] [43].
- **Integration with AI:** Real-time data acquisition from smart meters, PMUs, and sensor networks enables precise fault localization and classification [44] [45].

Synthesis

Low-latency communication protocols are critical for real-time fault detection, enabling timely warnings and response in smart grids [42] [43].

4.4 Dynamic Hardware-Software Co-Optimization

- **DVFS and Runtime Scheduling:** Dynamic voltage and frequency scaling reduces energy consumption by 22.2% without latency overhead [46].
- **Approximate Computing:** Reduces latency and energy consumption with acceptable accuracy trade-offs [47].
- **Memory-Controller-Aware Scheduling:** Mitigates resource interference, improving throughput and meeting AI inference deadlines [48].

Synthesis

Dynamic co-optimization methods balance energy efficiency, latency, and accuracy, supporting real-time, scalable deployment of AI-based fault detection systems [46] [48].

5. Research Gaps, Model Efficiency, and Future Directions

5.1 Scalability and Deployment Challenges

- **Data Quality and Heterogeneity:** Poor labeling and domain shifts limit model generalization and scalability [1] [49].
- **Computational Complexity:** High demands restrict real-time deployment on resource-constrained devices [1].
- **Integration with Legacy Systems:** Interoperability and resilience under dynamic conditions require further research [1] [11].

Synthesis

Scalability bottlenecks persist in deploying AI fault detection across heterogeneous grid environments, necessitating robust frameworks and standardized datasets [1] [11].

5.2 Explainable AI and Trustworthy Fault Detection

- **Explainable AI (XAI):** SHAP, LIME, and neuro-symbolic frameworks enhance transparency and trust, supporting regulatory compliance and operational confidence [16] [28].
- **Latency Optimization:** Approximate computing and clustering methods reduce computational latency while maintaining interpretability [16] [50].

Synthesis

Explainable AI is critical for trustworthy, real-time fault detection, but requires further optimization for low-latency, resource-constrained environments [16] [28].

5.3 Standardized Datasets and Benchmarking

- **Benchmark Datasets:** Kaggle, IEEE-118, and proprietary datasets are commonly used, but lack field validation and standardization [10] [51].
- **Protocols:** Consistent benchmarking is needed to address class imbalance, noise, and limited labeled data [52].

Synthesis

Standardized, field-validated datasets and benchmarking protocols are essential for reliable performance evaluation and comparison of AI fault detection methods [10] [52].

5.4 Hybrid Optimization and Learning Techniques

- **Hybrid Models:** Combining CNN, LSTM, attention, and ensemble classifiers improves accuracy, adaptability, and real-time performance [53] [54].
- **Federated Learning:** Enables rapid adaptation and generalization across distributed devices [15].

- **Metaheuristics:** Enhance convergence speed and robustness in dynamic grid environments [55].

Synthesis

Hybrid optimization and learning techniques are underexplored but offer significant potential for improving real-time performance and adaptability in grid fault detection [15] [53].

5.5 Data Quality, Heterogeneity, and Generalization

- **Domain Generalization:** Frameworks and transfer learning improve robustness across unseen conditions [56] .
- **Feature Scaling:** Influences model performance under domain shifts [56].
- **Integration of Domain Knowledge:** Enhances model stability and generalization [57].

Synthesis

Improving data quality and handling heterogeneity are critical for robust, scalable AI fault detection in transmission lines [56] [57].

6. Conclusion and Recommendations

6.1 Summary of Findings

- TinyML and autoencoder architectures (MOA, VAEs) enable compact, cost-effective, and ultra-fast fault detection on edge devices, achieving sub-millisecond latency and high accuracy [1] [18] [19].
- Hardware-software co-design (FPGA, RISC-V SoCs) amplifies these advantages, providing deterministic latency and energy efficiency for large-scale deployment [9].
- Explainable and adaptive TinyML frameworks enhance trust, interpretability, and scalability, supporting real-time, decentralized grid monitoring [8].

6.2 Recommendations for Large-Scale Deployment

- **Model Selection:** Use hybrid AI models (CNN-LSTM-Attention, Random Forest, XGBoost) optimized for embedded deployment [8] [36].
- **Model Compression:** Apply pruning and quantization for TinyML autoencoder architectures to balance accuracy and resource usage [34].
- **Hardware Acceleration:** Deploy on FPGA or heterogeneous platforms for deterministic, low-latency inference [9].
- **Explainability:** Integrate explainable TinyML frameworks (e.g., DeFeAt) for interpretable, trustworthy fault detection [8].

- **Adaptive Learning:** Use incremental on-device training (TinyOL) and federated learning for continuous adaptation in dynamic grid environments [15] [31].

6.3 Future Research Directions

- **Standardized Datasets:** Develop and validate field datasets for benchmarking AI-based grid fault detection [10].
- **Advanced Hybrid Models:** Integrate explainable TinyML, federated learning, and adaptive incremental training for robust, scalable deployment [14] [15] [58].
- **Real-World Deployment:** Conduct large-scale studies in heterogeneous grid environments to validate performance and scalability [11].
- **Optimization of Explainable AI:** Further research on low-latency, resource-efficient explainable AI for edge devices [16].

Synthesis

Employing hybrid AI architectures—integrating CNN, LSTM, and autoencoder models augmented by TinyML deployment strategies—presents a promising pathway to achieve cost-effective, scalable, and real-time fault detection in gridlines. Combining these models with advanced hardware-software co-design techniques on embedded platforms enables sub-millisecond detection speeds while also addressing scalability challenges through improved interpretability and adaptive learning. However, further work is needed to standardize datasets and benchmark protocols, ensuring robust and generalizable performance across diverse operational environments [1] [6] [9] [10].

References

1. Artificial Intelligence for Fault Detection in Smart Grid: A Systematic Literature Review Septian, F.A., Oktavia, D.Z., Athooyaa, M., (...), Aprilianto, R.A. 2025 5th International Symposium on Materials and Electrical Engineering, ISMEE 2025, 2025 https://www.scopus.com/pages/publications/105037617725?origin=scopusAI

2. Hybrid Convolutional Neural Network with Bi-Long Short-Term Memory Method for Detection and Classification of Transmission Line Faults Devi, T., Jagadish, S., Suganya, E., (...), Soni, M. 2nd IEEE International Conference on Networks, Multimedia and Information Technology, NMITCON 2024, 2024 https://www.scopus.com/pages/publications/85207387047?origin=scopusAI

3. A Comparative Study of Computational Intelligence Algorithms for Fault Detection in Smart Grids Rajesh Kumar, V., Burle, T., Parvathi, (...), Babu, B.H. 13th IEEE International Conference on Smart Grid, icSmartGrid 2025, 2025 https://www.scopus.com/pages/publications/105013467422?origin=scopusAI

4. Lightweight Embedded Framework for Real-Time Fault Classification and Location in Radial Distribution Networks under Distributed Generation Lemkharbech, M., Sarih, S., Boulghasoul, Z., (...), Chabaa, S. 12th 2026 International Conference on Control, Decision and Information Technologies, CoDIT 2026, 2026 https://www.scopus.com/pages/publications/105047835642?origin=scopusAI

5. Application of Machine Algorithm in Electrical Equipment Fault Warning And Diagnosis Fan, H., Hu, J. 2025 International Conference on Smart and Sustainable Technology, INCSST 2025, 2025 https://www.scopus.com/pages/publications/105024938258?origin=scopusAI

6. Fault Detection and Localization at Network Edges Using Lightweight Machine Learning Models Rajesh, M., Krishnasamy, V., Samee, S. LLMs: Introduction, Background, Applications, Challenges, Limitations and Future Scope, 2026 https://www.scopus.com/pages/publications/105048489517?origin=scopusAI

7. Modified Overcomplete Autoencoder for Anomaly Detection Based on TinyML Yap, Y.S., Ahmad, M.R. IEEE Sensors Letters, 2024 https://www.scopus.com/pages/publications/85204961144?origin=scopusAI

8. DeFeAt: Explanable TinyML-based Framework for Anomaly Detection in Nano-Sensor Traffic in 6G-Enabled Smart Grid Trivedi, D., Bhatia, S., Bhatt, S., (...), Tanwar, S. 2025 5th Intelligent Cybersecurity Conference, ICSC 2025, 2025 https://www.scopus.com/pages/publications/105016605274?origin=scopusAI

9. Sub-Microsecond Deterministic Neural Network Acceleration for Real-Time Power System Protection Using FPGA Systolic Arrays Meena, V.K., Shah, V., Bhalja, B.R. 2026 IEEE North-East India International Energy Conversion Conference and Exhibition, NE-IECCE 2026, 2026 https://www.scopus.com/pages/publications/105050615902?origin=scopusAI

10. Multi-Label Smart Grid Fault Classification Using LightGBM Based Gradient Boosting Ali, I., Ghosh, A., Jha, A.V., Appasani, B. Proceedings of the 18th International Conference on Electronics, Computers and Artificial Intelligence, ECAI 2026, 2026 https://www.scopus.com/pages/publications/105046609027?origin=scopusAI

11. Cloudburst AI: Orchestrating SRE-Driven AI Inference Across Multi-Cloud and Edge Zones Kohli, R., Chigurupati, M., Akhil Koduri, S.K., Nellutla, N. 2026 International Conference on Smart Futuristic Technology, ICSFT 2026, 2026 https://www.scopus.com/pages/publications/105041614866?origin=scopusAI

12. Real-Time Fault Detection in Induction Motors Using TinyML: An Evaluation of the Edge Impulse Platform Lima, J.P.B. 1st IEEE Latin American Conference on Internet of Things, LCIoT 2025 - Proceedings, 2025 https://www.scopus.com/pages/publications/105016361379?origin=scopusAI

13. Explainable AI and TinyML for Trustworthy and Efficient IoT: A Survey Al-Junaid, A.F., Alqahtani, M.M., Alhefdi, M.H. IEEE Access, 2026 https://www.scopus.com/pages/publications/105051647165?origin=scopusAI

14. On-device Online Learning and Semantic Management of TinyML Systems Ren, H., Anicic, D., Li, X., Runkler, T. ACM Transactions on Embedded Computing Systems, 2024 https://www.scopus.com/pages/publications/85199685541?origin=scopusAI

15. Safety-assured, real-time neural active fault management for resilient microgrids integration Wan, W., Zhang, P., Bragin, M.A., Luh, P.B. iEnergy, 2022 https://www.scopus.com/pages/publications/85207083866?origin=scopusAI

16. ApproXAI: Energy-Efficient Hardware Acceleration of Explainable AI using Approximate Computing Siddique, A., Khalil, K., Hoque, K.A. Proceedings of the International Joint Conference on Neural Networks, 2025 https://www.scopus.com/pages/publications/105029284793?origin=scopusAI

17. AI-Driven Fault Detection in Electrical Grids: Comparative Analysis Between Gradient Descent with Momentum and Adaptive Learning and Resilient Propagation Algorithms Makosso, T., Almaktoof, A., Aboalez, K., Kahn, M.T. Studies in Computational Intelligence, 2026 https://www.scopus.com/pages/publications/105028273155?origin=scopusAI

18. TinyML for Anomaly Detection Joshua, R.G., Gbadega, P.A., Imoize, A.L., Tofade, S.O. Tiny Machine Learning: Design Principles and Applications, 2026 https://www.scopus.com/pages/publications/105032601488?origin=scopusAI

19. Network Slicing and Edge Computing for Real Time Fault Detection in 6G Enabled Autonomous Smart Grids Manigandan, A., Sethuraman, S., Thilagaraj, S., (...), Surampudi, Y. 7th International Conference on Electronics and Sustainable Communication Systems, ICESC 2026 - Proceedings, 2026 https://www.scopus.com/pages/publications/105052126378?origin=scopusAI

20. Wireless IoT System for Transformer Fault Diagnosis and Grid Line Monitoring Radhakrishna, K.R., Ravi, K.C., Khan, A., (...), Ranga, J. Proceedings of 6th International Conference on IoT Based Control Networks and Intelligent Systems, ICICNIS 2025, 2025 https://www.scopus.com/pages/publications/105032723957?origin=scopusAI

21. A Hybrid Deep Neural Network for Electricity Theft Detection Using Intelligent Antenna-Based Smart Meters Ullah, A., Javaid, N., Yahaya, A.S., (...), Zaman, F. Wireless Communications and Mobile Computing, 2021 https://www.scopus.com/pages/publications/85114609569?origin=scopusAI

22. Fault diagnosis method for hydropower unit via the incorporation of chaotic quadratic interpolation optimized deep learning model Dao, F., Zeng, Y., Zou, Y., Qian, J. Measurement: Journal of the International Measurement Confederation, 2024 https://www.scopus.com/pages/publications/85197135781?origin=scopusAI

23. High Performance Platform to Detect Faults in the Smart Grid by Artificial Intelligence Inference Sun, L., Muguira, L., Jimenez, J., (...), Yong, W. IEEE Transactions on Smart Grid, 2024 https://www.scopus.com/pages/publications/85159716006?origin=scopusAI

24. AI-Based Methods and Algorithms for Fault Detection in the Transmission Lines Jaisingh, W., Durgadevi, P., Kavitha, R.K. Power Systems, 2025 https://www.scopus.com/pages/publications/105018021028?origin=scopusAI

25. Encapsulating intelligent fault analysis in solar PV Arrays: From conventional to AI-Driven techniques Meena, S., Gawre, S.K. Sustainable Energy Technologies and Assessments, 2026 https://www.scopus.com/pages/publications/105039909174?origin=scopusAI

26. Abnormal behaviour recognition technology in smart grid monitoring based on artificial intelligence Xiaowei, L., Ying, L., Dongmei, G., (...), Lu, C. International Journal of Emerging Electric Power Systems, 2025 https://www.scopus.com/pages/publications/105000255912?origin=scopusAI

27. Optimizing Multi-Class Fault Detection in Digital Circuits Using a Hybrid Ensemble of Random Forest and XGBoost Yajjala, A., Ravi, A., Bhanu Chander, G. Proceedings of 2025 International Conference on Emerging Trends in Industry 4.0 Technologies, ICETI4T 2025, 2025 https://www.scopus.com/pages/publications/105016323426?origin=scopusAI

28. Enhancing Transparency through Explainable Artificial Intelligence: An Exploratory Analysis on a Collusion and Corruption Scenario in Digital Government Sampaio, I.G.B., de Souza Barbosa Fontes, S., de Oliveira Andrade, E., (...), Viterbo, J. ACM International Conference Proceeding Series, 2024 https://www.scopus.com/pages/publications/85195295632?origin=scopusAI

29. TinyML: Small Models Making a Big Impact Lamaakal, I., Yahyati, C., Maleh, Y., (...), Ouahbi, I. Springer Proceedings in Physics, 2026 https://www.scopus.com/pages/publications/105039615121?origin=scopusAI

30. Edge AI-Based Real-Time Fault Diagnostics for Industrial Motors Using Lightweight Neural Networks Abisek, S., Adithya, R.M., Krishna Prashanth, P., Sundar, S. 2026 International Conference on Next Generation Electronics, NELEX 2026, 2026 https://www.scopus.com/pages/publications/105045600935?origin=scopusAI

31. TinyOL: TinyML with Online-Learning on Microcontrollers Ren, H., Anicic, D., Runkler, T.A. Proceedings of the International Joint Conference on Neural Networks, 2021 https://www.scopus.com/pages/publications/85116408110?origin=scopusAI

32. Unveiling Latent Spaces with Variational Autoencoders Shanckin, S., Mayank, Singh, A., Patwadi, R. Proceedings of the 17th IEEE International Conference on Service Operations and Logistics, and Informatics, SOLI 2023, 2023 https://www.scopus.com/pages/publications/85186506206?origin=scopusAI

33. Lightweight Anomaly Detection in Digit Recognition Using Federated Learning Tanović, A., Mezei, I. Future Internet, 2025 https://www.scopus.com/pages/publications/105014337605?origin=scopusAI

34. Sensitivity Analysis Exploration of ML Architectures to TinyML Techniques Sharifirad, I., Boudjadar, J., Roveri, M., Larsen, P.G. Proceedings of the 2025 International Conference on Advanced Machine Learning and

Data Science, AMLDS 2025, 2025 https://www.scopus.com/pages/publications/105019043594?origin=scopusAI

35. TinyFed: Lightweight Federated Learning for Constrained IoT Devices da Silva, C.J.N., Peixoto, M.L.M., Figueiredo, G.B., Prazeres, C.V.S. Internet Technology Letters, 2025 https://www.scopus.com/pages/publications/105008864628?origin=scopusAI

36. 5G-Enabled Edge Computing for Ultra-Low Latency Smart Building Control Choudhary, A., Dhaka, V., Abhinav, Mittal, M. Proceedings of the 2026 13th International Conference on Computing for Sustainable Global Development, INDIACom 2026, 2026 https://www.scopus.com/pages/publications/105041827222?origin=scopusAI

37. A Cloud-Edge Collaborative Framework for Real-Time Smart Grid Data Processing and Decision-Making Chen, J., Xie, H., Zou, Q., (...), Tian, Y. IET Conference Proceedings, 2026 https://www.scopus.com/pages/publications/105042514237?origin=scopusAI

38. Resource Orchestration of Cloud-Edge-based Smart Grid Fault Detection Li, J., Deng, Y., Sun, W., (...), Liu, Z. ACM Transactions on Sensor Networks, 2022 https://www.scopus.com/pages/publications/85133567160?origin=scopusAI

39. An Efficient Fault Diagnosis Framework for Rotating Machinery Combining Progressive Knowledge Distillation and FPGA-Based Acceleration Zhu, K., Li, X., Liu, Z., (...), Wang, Y. IEEE Transactions on Instrumentation and Measurement, 2026 https://www.scopus.com/pages/publications/105031061931?origin=scopusAI

40. ELLIE: Energy-Efficient LLM Inference at the Edge Via Prefill-Decode Splitting Fan, H., Lin, Y.-C., Prasanna, V. Proceedings of the International Conference on Application-Specific Systems, Architectures and Processors, 2025 https://www.scopus.com/pages/publications/105015603487?origin=scopusAI

41. A Systematic Review of TinyML Techniques for Efficient Inference and On-Device Learning Jose, I., Kenyeres, N., Quesada, K.C., Chen, I. IEEE Access, 2026 https://www.scopus.com/pages/publications/105051469264?origin=scopusAI

42. Real-Time Impedance Estimation for Power Line Communication Liang, D., Guo, H., Zheng, T. IEEE Access, 2019 https://www.scopus.com/pages/publications/85069765335?origin=scopusAI

43. The Synergistic Impact of 5G on Cloud-to-Edge Computing and the Evolution of Digital Applications Altowaijri, S.M., Ayari, M. Mathematics, 2025 https://www.scopus.com/pages/publications/105014340925?origin=scopusAI

44. Fault Detection and Localization in LV Distribution Networks Using Anomaly Detection in Smart Meter Data and Distribution Network Digital Twin Khan, S., Aboushady, A.A., Ul Nazir, F., Farrag, M.E. IEEE Access, 2026 https://www.scopus.com/pages/publications/105029537536?origin=scopusAI

45. Fault Detection and Localisation in LV Distribution Networks Using a Smart Meter Data-Driven Digital Twin Numair, M., Aboushady, A.A., Arraño-Vargas, F., (...), Elyan, E. Energies, 2023 https://www.scopus.com/pages/publications/85179137912?origin=scopusAI

46. Dynamic Voltage and Frequency Scaling (DVFS) Strategy for FPGA-Based Edge AI Inference Wang, Q. IEEE International Symposium on Industrial Electronics, 2025 https://www.scopus.com/pages/publications/105016262704?origin=scopusAI

47. Approximate Computing: Concepts, Architectures, Challenges, Applications, and Future Directions Dalloo, A.M., Jaleel Humaidi, A., Al Mhdawi, A.K., Al-Raweshidy, H. IEEE Access, 2024 https://www.scopus.com/pages/publications/85205022219?origin=scopusAI

48. COSM: A Cooperative Scheduling Framework for Concurrent PIM and CPU Execution on Mobile Devices Zhao, Y., Liu, F., Mutlu, O., (...), Jiang, L. Proceedings - International Symposium on Computer Architecture, 2026 https://www.scopus.com/pages/publications/105047161274?origin=scopusAI

49. Transmission Line Quality Inspection Using AI Manaz, F., Banu, N., Kiruthiga, B., Om Prakash, A. 2024 IEEE International Conference on Intelligent Techniques in Control, Optimization and Signal Processing, INCOS 2024 - Proceedings, 2024 https://www.scopus.com/pages/publications/85194111624?origin=scopusAI

50. Enhancing explainability in AI-based energy forecasting through clustering and data selection Teixeira, B., Valina, L., Pinto, T., (...), Vale, Z. Sustainable Energy, Grids and Networks, 2025 https://www.scopus.com/pages/publications/105021126269?origin=scopusAI

51. Hybrid Attention-Augmented Self-Interpretable Channel-Grouped Graph Convolutional Network for Robust Distribution Network Fault Diagnosis Ma, Y., Ma, W., Wang, Y., (...), Ma, W. IEEE Transactions on Smart Grid, 2026 https://www.scopus.com/pages/publications/105046829766?origin=scopusAI

52. A comprehensive review of anomaly detection in smart grids: A machine learning approach to cyber threat identification Baby, J., Selvakumar, A.I. Energy Reports, 2026 https://www.scopus.com/pages/publications/105047673448?origin=scopusAI

53. Proposing an innovative method based on hybrid deep learning for real-time fault detection in smart grids Hashemiezey, S., Attar, S. Cluster Computing, 2026 https://www.scopus.com/pages/publications/105042117655?origin=scopusAI

54. Enhancing Real-Time Fault Detection in Electrical Grids Using Hybrid EnsembleBoost over Wireless Networks Rajalakshmi, D., Sudharson, K., Kambattan, K.R., (...), Starlin, M.A. SSRG International Journal of Electronics and Communication Engineering, 2024 https://www.scopus.com/pages/publications/85192916689?origin=scopusAI

55. Hybrid Harmony Search and Modified Harmony Search Optimizations Performance in Economical Load Dispatch Mulo, T., Choudhury, A.B., Syam, P. Advanced Control and Optimization Paradigms for Energy System Operation and Management, 2022 https://www.scopus.com/pages/publications/85143459111?origin=scopusAI

56. Interpretability study on generalization ability of data-driven fault diagnosis methods under domain shifts for nuclear power plants: From the perspective of data representations Niu, Z., Li, J., Xu, J., (...), Tian, R. Annals of Nuclear Energy, 2027 https://www.scopus.com/pages/publications/105052002416?origin=scopusAI

57. Imbalanced fault diagnosis of electromechanical systems under unseen operating conditions: a heterogeneous domain generalization framework combining digital twin knowledge and data Su, X., Jin, K., Ma, Y., (...), Tao, L. Engineering Applications of Artificial Intelligence, 2026 https://www.scopus.com/pages/publications/105027627863?origin=scopusAI

58. Toward Real-Time Explainable AI in Smart Grids: An Adaptive Framework for Operational Transparency Arslan, B., Sagiroglu, S. 14th International Conference on Renewable Energy Research and Applications, ICRERA 2025, 2025 https://www.scopus.com/pages/publications/105032821485?origin=scopusAI