Generated by Scopus AI, Sat Oct 10 2026

Drawbacks of electrical components in fault prediction

Real-Time Drawbacks in Fault Prediction for Electrical Grids: Challenges and Advances in Electrical Component-Based Methods

Quick Reference

Key Findings Table

Drawback/Challenge	Electrical Parameter(s)	Impact on Fault Prediction	Mitigation/Advances	Supporting Citations
Waveform distortion (harmonics, non-linearity)	Voltage, Current	Degrades detection accuracy, causes relay misoperation	Advanced signal processing (wavelet, deep learning), harmonic filtering	1 2 3 4 5 6 7 8 9 10 11
Rapid transient dynamics (inverter-dominated grids)	Current, Voltage	Challenges real-time modeling, reduces protection reliability	Hybrid modeling, adaptive relay settings, advanced simulation	12 13 14 15 16 17 18 19
Data quality and imbalance	All (esp. current, voltage)	Skewed ML classification, reduced minority fault detection	Synthetic oversampling, feature selection, ensemble learning	20 21 22 23 24
Measurement errors and protocol heterogeneity	Current, Voltage	Reduces reliability, complicates integration	Standardization, improved sensors, open protocols	12 25 26 27 28
Thermal stress and temperature effects	Temperature, Resistance	Insulation degradation, reduced detection sensitivity	Dynamic thermal rating, coupled thermal-electrical models	29 30 31 32 33
Fault resistance and neutral point treatment	Fault resistance, Neutral	Alters fault current, complicates detection	Adaptive relay settings, harmonic analysis	34 35 36 37 38
Human operator errors	N/A	Increased outages, reduced reliability	Training, simulation, human reliability modeling	39 40 41 42

Direct Answer

Existing real-time fault prediction methods in electrical grids face significant drawbacks—including waveform distortions from non-linear loads, inadequate modeling of rapid fault current dynamics in high inverter penetration environments, and limitations due to heterogeneous data acquisition—which compromise detection accuracy and fault localization. Advanced techniques such as wavelet transforms, hybrid machine learning models, and adaptive state estimation are being explored to improve accuracy and timeliness of fault detection [2] [3] [26].

Study Scope

- **Time Period:** Recent advances (last decade), with focus on current and emerging technologies.
- **Disciplines:** Electrical engineering, power systems, signal processing, machine learning, reliability engineering.
- **Methods:** Meta-analysis of empirical studies, simulation results, and review of advanced modeling and signal processing techniques.

Assumptions & Limitations

- Assumes availability of real-time measurement infrastructure (PMUs, sensors).
- Limitations include incomplete datasets, lack of universal communication standards, and evolving inverter-based grid architectures.
- Some findings are context-specific (e.g., medium voltage networks, microgrids) and may not generalize to all grid types.

Suggested Further Research

- Development of comprehensive, realistic fault datasets.
- Integrated modeling frameworks combining electrical, thermal, and operational data.
- Standardization of communication protocols and data formats.
- Co-design of stability and protection methods for converter-dominated grids.

1. Introduction

Background and Motivation

The increasing complexity of electrical grids—driven by distributed generation, power electronics, and non-linear loads—has elevated the importance of real-time fault prediction. Accurate and timely detection of faults is critical for operational security, reliability, and resilience. Electrical component parameters, especially current and voltage, are central to fault detection schemes, but their real-time measurement and interpretation face significant challenges due to waveform distortions, rapid transient dynamics, and integration issues [1] [12] [43]. Addressing these drawbacks is essential for advancing grid protection and ensuring uninterrupted power delivery.

2. Impact of Electrical Parameters on Real-Time Fault Detection

Effects of Current and Voltage Variations

- **Voltage and current fluctuations** degrade power quality and measurement accuracy, necessitating improved signal conversion for fault detection [1].
- **Rapid fault current increases** in DC grids require detection and interruption within milliseconds, challenging selective protection [2].
- **High impedance faults (HIFs)** produce low, transient signals often missed by conventional relays; advanced methods like Discrete Wavelet Transform (DWT) extract transient features for accurate detection [3].
- **Machine learning models** using voltage and current signals improve classification accuracy and reduce false positives [44].
- **Grid parameters** (fault position, line asymmetry, load current, fault resistance) affect localization accuracy; traveling wave methods offer higher accuracy but require complex equipment [4].
- **Earth fault current magnitude and transient behavior** vary with grid configuration and fault location, impacting detection sensitivity [5].
- **Angle computation between feeder currents** enables real-time fault detection in medium voltage grids [6].
- **Window comparators and zero-cross detectors** facilitate real-time detection of abnormal conditions [45].
- **Distributed monitoring** using current and voltage signature analysis enhances detection of high resistance ground faults [46].
- **Discrepancies in current and power measurements** along distribution lines enable real-time fault detection and location [47].

Synthesis

Variations in electrical parameters—especially under non-linear and dynamic conditions—directly impact the reliability and speed of real-time fault detection. Advanced signal processing and machine learning approaches are increasingly necessary to overcome these challenges [1] [2] [3] [4] [5] [6].

Waveform Distortions and Non-Linear Loads

- **Voltage distortion** alters current waveforms in non-linear loads, complicating fault detection as current signatures vary with voltage harmonic content and phase angles [7].
- **Harmonic distortions** increase measurement errors and reduce detection accuracy, as traditional devices may not account for higher harmonics [8] [9].
- **Non-linear loads** generate harmonic currents that cause voltage distortion through grid impedance interactions, masking or altering fault signatures [10].

- **Distorted voltage waveforms** lead to increased losses and interference, indirectly affecting detection accuracy [48].
- **Relay misoperation** and protection device malfunctions are common in systems with non-linear loads [11].

Synthesis

Waveform distortions from non-linear loads pose a major challenge for real-time fault detection, necessitating robust signal processing and adaptive protection schemes [7] [8] [9] [10] [11].

Advanced Signal Processing and Feature Extraction

- **Synchronous reference frame method** and conservative power theory enable fast feature extraction from three-phase voltage signals [49].
- **Transformer-based deep learning models** using segmented voltage signals demonstrate real-time capability in classifying power quality disturbances [50].
- **Variational Mode Decomposition (VMD)** achieves finer separation of fundamental frequency components in distorted signals [51].
- **Orthogonal Empirical Mode Decomposition (OEMD)** on FPGA provides reliable real-time detection under noisy conditions [52].
- **Hybrid signal processing** (mathematical morphology, wavelet transform, ML classifiers) enhances islanding detection accuracy [53].
- **Wavelet-based techniques** (e.g., PCQ-WT) enable robust online classification and event detection under waveform deformation [54].
- **Gradient boosting feature selection** with ensemble classifiers achieves high accuracy and computational efficiency [55].
- **PMU data-driven stacking ensemble models** improve classification accuracy and interpretability [56].
- **Compressed sensing techniques** facilitate efficient extraction of signal features for fault detection [57].

Synthesis

Advanced signal processing and feature extraction methods—especially wavelet transforms and deep learning—are critical for accurate real-time fault detection in grids with significant waveform deformation [49] [50] [51] [52] [54] [56].

Detection of High Impedance Faults

- **Wavelet transform** efficiently extracts high-frequency transient features critical for detecting HIFs, which are often missed by traditional methods [58] [59] [60].

- **DWT-based methods** are robust against variations in fault type, inception angle, resistance, and location [58] [61] [62].
- **Wavelet-based feature extraction with ML models** (evolving neural networks, adaptive neuro-fuzzy inference systems) enhances classification accuracy and adaptability [63] [64] [65].
- **Early detection** at disturbance inception reduces search areas and computational burden [66] [67].
- **Time-frequency localization** distinguishes HIFs from other transient events, reducing misclassification [59] [61] [65].
- **Continuous learning and adaptation** address limitations of fixed-parameter detection schemes [63] [68].
- **Comparative studies** show wavelet transform methods outperform other signal processing techniques [69].
- **Wavelet transform-based approaches** reduce detection time and improve accuracy under noisy conditions [60].

Synthesis

Wavelet transform and adaptive ML models significantly improve the detection of high impedance faults, outperforming traditional overcurrent-based methods and enabling early, accurate identification [58] [59] [60] [63] [66].

3. Limitations of Real-Time Fault Prediction Techniques

Modeling and Simulation Challenges in Modern Grids

- **Complexity and tight electrical coupling** complicate real-time modeling and simulation, especially with power electronic devices and distributed energy resources [12] [13].
- **High fault current levels and overvoltage issues** require advanced fault current limiting devices and careful integration of distributed generation [16] [70].
- **Imbalanced datasets** lead to biased ML classifiers, necessitating synthetic data oversampling [20].
- **Existing datasets** often lack practical fault scenarios and include irrelevant features, increasing computational overhead [21].
- **Advanced ML and traveling wave-based methods** offer superior accuracy but with significant implementation complexity; impedance-based methods are simpler but less effective in certain scenarios [71].
- **Measurement errors and uncertainties** in current transformers affect reliability, highlighting the need for improved accuracy assessment [25] [26].
- **Real-time data acquisition and processing** require handling large volumes of data with diverse protocols, which remains a technical challenge [12] [27] [72].

- **Waveform analysis** alone is insufficient; integrating additional contextual data is necessary for predictive insights [73].
- **Computational demands** for AI-based prediction necessitate lightweight, high-performance edge computing architectures [74].

Synthesis

Real-time fault prediction is limited by modeling complexity, data quality, measurement errors, and computational demands. Addressing these requires improved simulation models, robust data handling, and scalable ML architectures [12] [13] [20] [21] [25] [26] [71].

Data Quality, Imbalance, and Feature Selection

- **Imbalanced datasets** skew ML classification boundaries, reducing minority fault detection accuracy [22] [75] [76].
- **SMOTE and variants** are widely used for oversampling but can cause overgeneralization and noise amplification [23] [77] [78].
- **Advanced SMOTE-based methods** (clustering, attention mechanisms, adaptive geometric adjustments) improve synthetic sample quality [23] [24] [79] [80].
- **Hybrid oversampling approaches** (evolutionary algorithms, safe-level SMOTE, ensemble learning) balance data and enhance minority class recognition [81] [82] [83] [84].
- **Domain knowledge-guided oversampling** produces more realistic synthetic samples [85].
- **Adaptive oversampling techniques** (ADASYN) focus on harder-to-learn regions, improving classifier metrics [86] [87].
- **Combining oversampling with feature selection** reduces redundant or noisy synthetic features [24] [76] [88].
- **Novel oversampling methods** (WASSKIL, LSMOTE) outperform classical SMOTE variants [89] [90].
- **Ensemble learning** combined with oversampling provides robust, interpretable models [82] [87].

Synthesis

Data imbalance and irrelevant features are major obstacles for real-time ML-based fault prediction. Advanced oversampling and feature selection methods are essential for unbiased, accurate classification [20] [21] [22] [23] [24] .

Trade-offs in Fault Localization Methods

- **Traveling wave-based (TWB) methods** offer higher accuracy and robustness against fault resistance but require high sampling rates and precise time synchronization, increasing complexity and hardware costs [17] [91] [92].

- **Impedance-based methods** are simpler, cheaper, and easier to implement but less accurate near line midpoints and under high fault resistance [17] [91].
- **Single-ended TWB methods** reduce complexity but require sophisticated signal processing [93] [94].
- **TWB methods** are sensitive to noise, line parameter errors, and require careful sensor placement [95] [96].
- **Recent advances** include optimized sensor placement and AI-driven approaches that reduce hardware requirements [97].

Synthesis

There is a trade-off between accuracy and implementation complexity in fault localization methods. TWB methods are more accurate but complex, while impedance-based methods are simpler but less robust [17] [71] [91] [97].

Measurement Errors and Real-Time Data Acquisition

- **Measurement errors** (ratio, phase displacement) in current transformers affect reliability [25] [26].
- **Communication protocol heterogeneity and data format incompatibility** hinder seamless data exchange and integration, complicating real-time data fusion [27] [28].
- **Lack of standardized protocols** forces proprietary solutions, increasing complexity and cost [28] [98] [99].
- **Integration challenges** impede deployment of advanced ML and AI-based methods [21] [74].
- **Efforts to harmonize open standards** (IEC 61850, ISO 15118) are ongoing but gaps remain [99] [100].

Synthesis

Measurement errors and protocol heterogeneity are significant barriers to reliable real-time fault prediction. Standardization and improved sensor technologies are needed for robust deployment [12] [25] [26] [27] [28].

4. Additional Electrical and System-Level Factors Influencing Fault Prediction Reliability

Thermal Stress and Temperature Effects

- **Thermal stress and temperature variations** impact reliability prediction, with averaged temperature measurements providing effective inputs [29].
- **Aging of electric grids** is influenced by transients, load flow patterns, voltage imbalances, waveform distortions, voltage fluctuations, and power frequency variations [43].
- **Dynamic thermal rating (DTR)** of overhead lines improves reliability compared to static thermal rating by reflecting real-time conductor temperature changes [31].
- **Integrating thermal effects** into state estimation enhances accuracy of fault prediction [101].

- **Temperature rise** reduces insulation reliability and flashover voltage, quantitatively degrading performance [102].
- **Thermal stress** degrades insulating materials, reducing dielectric strength by over 13% [103].
- **Temperature-dependent changes** in load model parameters introduce uncertainty, requiring probabilistic modeling [104].
- **Fuel cost and power losses** increase with temperature rise, affecting reliability and fault prediction [105].

Synthesis

Thermal stress and temperature variations are critical for reliability and fault prediction, necessitating dynamic thermal rating and coupled thermal-electrical models for accurate assessment [29] [30] [31] [32] [33].

Fault Resistance and Neutral Point Treatment

- **High fault resistance** reduces fault current magnitude, complicating detection and requiring precise modeling [35].
- **Network characteristics** influence zero-sequence voltage and current components, affecting fault current distortion and enabling selective detection [106].
- **Higher harmonics** improve detection of high resistance earth faults [107].
- **Neutral point treatment** (isolated, resistor grounding, Petersen coil) affects earth fault current characteristics and detection sensitivity [36] [37] [38].
- **Grounding transformers** modify ground fault currents and voltages, impacting relay operation [108].
- **Transient-based fault location methods** are less affected by high fault resistance [109].
- **Phase asymmetry** enhances detection reliability in compensated networks [110].
- **Adaptive relay settings** based on neutral point impedance improve sensitivity [111].
- **Deliberate disconnection of extinguishing coil** can improve selective fault detection [112] [113].
- **Controlling transient surge currents** improves safety and detection sensitivity [114].

Synthesis

Fault resistance and neutral point treatment significantly influence fault current characteristics and detection sensitivity, requiring adaptive relay settings and harmonic analysis for improved reliability [34] [35] [36] [37] [38].

Human Factors and Operational Errors

- **Human operator errors** are frequent causes of disturbances, malfunctions, and accidents, impacting power losses and outage durations [40].

- **Maintenance-related errors** reduce reliability and customer satisfaction; continuous monitoring and risk-based categorization help prioritize inspections [41].
- **Operational inefficiencies** are often linked to human errors, prompting improved interfaces and understanding of operator challenges [115].
- **Simulation-based models** assess and improve grid restoration operations [116].
- **Targeted measures** can reduce probability of emergency outages caused by human errors [117].
- **Hybrid analytical frameworks** (fuzzy logic, Bayesian networks) assess human reliability, identifying critical factors for improved performance [42].
- **Human reliability analysis** reveals operator mental models and error traps, providing insights to enhance operation effectiveness [118].
- **SPAR-H methodology** quantifies human error probabilities during cascading failures [119].
- **Resilience strategies** include improved training, optimized shift organization, enhanced monitoring, scenario-based simulations, and advanced interfaces [40] [42] [115].

Synthesis

Human factors are a significant source of reliability issues. Resilience strategies—training, simulation, and advanced interfaces—are essential to mitigate their impact [39] [40] [41] [42].

Dynamic Thermal Rating and State Estimation

- **DTR techniques** with IoT-based monitoring enable reliable, low-cost real-time monitoring, improving accuracy of conductor temperature estimation [120].
- **AI-driven adaptive neuro-fuzzy models** for DTR provide superior real-time fault prediction accuracy compared to static methods [121].
- **Static methods** are conservative and less adaptive; DTR approaches enable more precise predictions and smarter operational decisions [120] [121].
- **Optimized real-time state estimation** for radial networks can be achieved by reducing problem size and using weighted least squares methods [122].
- **Bayesian state estimation** allows fast, high-resolution voltage forecasting with limited measurements [123].
- **Physics-guided deep learning models** improve estimation accuracy and robustness [124].
- **Real-time impedance monitoring** enables early fault detection without additional hardware [125].
- **Component thermal models** and quasi-dynamic thermal ratings optimize network capacity and reduce overcurrent violations [126].

Synthesis

Dynamic thermal rating and coupled thermal-electrical state estimation models are key to improving real-time fault prediction accuracy, enabling adaptive and robust monitoring [120] [121] [122] [124].

5. Research Gaps and Future Directions

Limitations of Existing Standards and Models

- **IEC 60909** overestimates short-circuit currents in inverter-dominated grids, with errors up to 76% [127].
- **Assumptions** break down in converter-fed generation, leading to unrealistic results [18].
- **Static methods** are not uniformly suitable across all fault types, requiring adaptive approaches [127].
- **Traditional short-circuit calculation methods** struggle with convergence and speed in high renewable penetration grids [128].
- **Dynamic and control-dependent fault current characteristics** of grid-forming inverters affect relay settings, necessitating advanced modeling [19].

Synthesis

Existing standards like IEC 60909 are inadequate for modern grids with high converter-based generation. Adaptive and hybrid modeling techniques are needed for accurate fault prediction [18] [127] [129].

Integrated and Adaptive Fault Prediction Approaches

- **Random Forest with Power Spectral Density** achieves accurate fault classification, balancing complexity and accuracy [130].
- **Wavelet transforms** are effective for feature extraction, especially for high impedance faults [69].
- **Deep learning models** autonomously extract features, achieving high classification accuracy [131].
- **Hybrid models** (CNN + SVM) combine strengths for improved reliability [132].
- **Gradient Boosting ensemble models** trained on PMU data provide near-perfect accuracy [133].
- **Smart grid architectures** integrating sensors, IoT, and AI enable real-time detection, isolation, and automated rectification [134].
- **Hybrid intelligent models** improve efficiency and accuracy, though scalability and data availability remain challenges [135].

Synthesis

Integrated methods combining data collection, feature extraction, and classification are essential for improving real-time fault prediction accuracy, especially in inverter-dominated systems [130] [131] [136] [137] [138].

Data, Communication, and Interoperability Challenges

- **Protocol heterogeneity and data format incompatibility** hinder seamless data exchange and integration [27] [28] [98].
- **Lack of standardized protocols** forces proprietary solutions, increasing complexity and cost [28] [98] [99].
- **Integration challenges** impede deployment of advanced ML and AI-based methods [21] [74].
- **Efforts to harmonize open standards** are ongoing but gaps remain [99] [100].

Synthesis

Data and communication interoperability are critical for real-time fault prediction. Standardization and open protocol initiatives are needed for robust system deployment [27] [99] [100].

Directions for Future Research

- **Comprehensive dataset development** covering all practical scenarios [21].
- **Multi-signal integration** (electrical, thermal, operational) for enhanced prediction [139].
- **Advanced signal processing** (wavelet-based denoising, Fourier analysis) to address noise and distortion [140].
- **Co-design of stability and protection methods** in converter-dominated grids [141] [142].

Synthesis

Future research should focus on comprehensive datasets, integrated modeling, advanced signal processing, and standardized communication protocols to achieve reliable and resilient real-time fault prediction [21] [139] [140] [141] [142].

6. Real-World Implications

- **Operational Security:** Improved real-time fault prediction enhances grid resilience and reduces outage durations.
- **Reliability:** Advanced signal processing and adaptive modeling increase detection accuracy, especially in complex, inverter-dominated grids.
- **Deployment:** Standardization of protocols and data formats is essential for scalable, interoperable systems.
- **Resilience:** Integration of thermal, electrical, and human factors supports robust, self-healing grid operations.

7. Future Research Directions

- **Comprehensive, realistic fault datasets** for training and validation.

- **Integrated frameworks** combining electrical, thermal, and operational data.
- **Standardized communication protocols** for seamless data fusion.
- **Hybrid modeling approaches** for converter-dominated grids.
- **Co-design of protection and stability methods** leveraging multi-signal fusion.

Conclusion

Real-time fault prediction in electrical grids is critically dependent on accurate measurement and interpretation of electrical component parameters, especially current and voltage. Existing methods face significant drawbacks due to waveform distortions, rapid transient dynamics, data quality issues, and protocol heterogeneity. Advances in signal processing, machine learning, and hybrid modeling offer promising solutions, but major gaps remain—particularly in dataset completeness, integrated modeling, and communication standardization. Addressing these challenges is essential for achieving reliable, resilient, and adaptive grid protection in the era of distributed generation and power electronics [1] [2] [3] [12] [21] [29].

References

1. Accuracy of signal conversion in power measurements with LEM converters Kurkowski, M., Ptak, P., Biernacki, Z., Zloto, T. 4th IMEKO TC4 Conference on Advanced A/D and D/A Conversion Techniques and Their Applications and the 7th Workshop on ADC Modelling and Testing 2002, 2002 https://www.scopus.com/pages/publications/84909942522?origin=scopusAI

2. DC fault current limiting technique based on the H-bridge topology Li, B., He, J. Power Systems, 2020 https://www.scopus.com/pages/publications/85093878418?origin=scopusAI

3. High Impedance Fault detection using DWT for transmission and distribution networks Ramamurthy, T.A., Swarup, K.S. 2016 IEEE 6th International Conference on Power Systems, ICPS 2016, 2016 https://www.scopus.com/pages/publications/84994074791?origin=scopusAI

4. Assessment of power-Frequency based algorithms for fault location in power grids Istrate, M. International Conference on Mathematical Methods and Computational Techniques in Electrical Engineering - Proceedings, 2010 https://www.scopus.com/pages/publications/79958724680?origin=scopusAI

5. Investigation of the change of the single line to earth fault current in medium voltage electrical grids grounded through an active resistance Stanchev, P., Mehmed-Hamza, M. 2020 21st International Symposium on Electrical Apparatus and Technologies, SIELA 2020 - Proceedings, 2020 https://www.scopus.com/pages/publications/85091341466?origin=scopusAI

6. Fast Earth-Fault and Feeder Detection in Medium-Voltage Distribution Power Grids Štengl, J., Komrska, T., Peroutka, Z. IEEE International Symposium on Industrial Electronics, 2023 https://www.scopus.com/pages/publications/85172167989?origin=scopusAI

7. Voltage distortion influence on current signatures in non-linear loads Eguiluz, L.I., Mañana, M., Lavandero, J.C. Proceedings of the IEEE Power Engineering Society Transmission and Distribution Conference, 2000 https://www.scopus.com/pages/publications/0038154093?origin=scopusAI

8. The influence of nonsinusoidal supply voltage on the amount of power consumption and electricity meter readings Volokhin, V., Diahovchenko, I., Kurochkina, V., Kanálik, M. Energetika, 2017 https://www.scopus.com/pages/publications/85026795391?origin=scopusAI

9. Determination of Harmonic Filter Effect on Single-Phase Residential Energy Meter Nugraha, Y.A., Facta, M., Handoko, S. International Conference on Electrical Engineering, Computer Science and Informatics (EECSI), 2024 https://www.scopus.com/pages/publications/85214674152?origin=scopusAI

10. Comparison of Performance of Harmonic Filters Using PQ Theory Vijayan, S., Amudha, A. 2nd International Conference on Emerging Research in Computational Science, ICERCS 2024, 2024 https://www.scopus.com/pages/publications/105000739190?origin=scopusAI

11. Harmonic Detection of Electric Current using Machine Learning: A Literature Review Assaffat, L., Surjono, H.D., Arifin, F. Journal of Advanced Research Design, 2025 https://www.scopus.com/pages/publications/105007084808?origin=scopusAI

12. Challenges of modeling electrical distribution networks in real-time Forsyth, P., Nzimako, O., Peters, C., Moustafa, M. Proceedings - 2015 International Symposium on Smart Electric Distribution Systems and Technologies, EDST 2015, 2015 https://www.scopus.com/pages/publications/84964411710?origin=scopusAI

13. Real-Time Simulation of Distributed Energy Systems and Microgrids Yamane, A., Abourida, S., Bouzid, Y., Tempez, F. IFAC-PapersOnLine, 2016 https://www.scopus.com/pages/publications/84997270939?origin=scopusAI

14. Efficient Phasor-Based Dynamic Volt/VAr and Volt/Watt Analysis of Large Distribution Grid With High Penetration of Smart Inverters Koutenaei, M.M., Nguyen, T.-T., Vu, T., (...), Hovsapian, R. IEEE Transactions on Smart Grid, 2022 https://www.scopus.com/pages/publications/85122279995?origin=scopusAI

15. Operational Challenges of Digital Real-Time Simulation (DRTS) for the Management of Distributed Energy Resources (DERs) Palacios Duarte, J.E., Moreno-Chuquen, R., Barrios, J.Á., (...), Chamorro, H. Energies, 2026 https://www.scopus.com/pages/publications/105051960074?origin=scopusAI

16. Overvoltage and raised fault current issues in active distribution networks Hussain, S., Massoud, A. Proceedings - 2018 IEEE 12th International Conference on Compatibility, Power Electronics and Power Engineering, CPE-POWERENG 2018, 2018 https://www.scopus.com/pages/publications/85048896434?origin=scopusAI

17. A Comparative Study of the Performance of Traveling Wave Fault Location Method and Impedance Method in Hybrid Transmission Lines Diaz, A.W., Guevara, J.E., Colqui, J.S.L., Filho, J.P. IEEE Power and Energy Society General Meeting, 2024 https://www.scopus.com/pages/publications/85207442459?origin=scopusAI

18. Challenges of Fault Current Analysis using IEC 60909 and ENA G74 in Grids Dominated by Converter Fed Generation Sommerville, S., Aunedi, M., Taylor, G.A. 2025 60th International Universities Power Engineering Conference, UPEC 2025, 2025 https://www.scopus.com/pages/publications/105031352416?origin=scopusAI

19. Distance Protection Relaying Under the Impact of Grid-Following Inverter-Based-Resources Loebel, J., Kuri, A., Bermudez, T.R., Jaeger, J. IEEE Transactions on Power Delivery, 2026 https://www.scopus.com/pages/publications/105045319699?origin=scopusAI

20. Power System Fault Classification: An Imbalanced Learning Approach Mukherjee, D., Chakraborty, S., Banerjee, R. ICPEE 2021 - 2021 1st International Conference on Power Electronics and Energy, 2021 https://www.scopus.com/pages/publications/85102488770?origin=scopusAI

21. Real-time fault detection and classification dataset for power systems: An IEEE 5-bus case study Khirwadkar Shukla, P., Deepa, K., Reddy, S., Kolhe, M. Results in Engineering, 2025 https://www.scopus.com/pages/publications/105019053879?origin=scopusAI

22. Least squares support vector machine for class imbalance learning and their applications to fault detection of aircraft engine Xi, P.-P., Zhao, Y.-P., Wang, P.-X., (...), Song, F.-Q. Aerospace Science and Technology, 2019 https://www.scopus.com/pages/publications/85055624737?origin=scopusAI

23. Improved SMOTE algorithm for imbalanced dataset Hengyu, Z. Proceedings - 2020 Chinese Automation Congress, CAC 2020, 2020 https://www.scopus.com/pages/publications/85100946295?origin=scopusAI

24. Attention features selection oversampling technique (AFS-O) for rolling bearing fault diagnosis with class imbalance Han, Z., Wang, H., Shen, C., (...), Yu, L. Measurement Science and Technology, 2024 https://www.scopus.com/pages/publications/85179883225?origin=scopusAI

25. Review of Accuracy Assessment Methods for Current Transformers: Errors, Uncertainties, and Dynamic Performance Tomczyk, K., Sieja, M., Ostrowska, K., Owczarek, D. Energies, 2025 https://www.scopus.com/pages/publications/105017238061?origin=scopusAI

26. REAL TIME LIVE LINE HIGH VOLTAGE MEASUREMENT OF INSTRUMENT TRANSFORMER'S RATIO AND PHASE DISPLACEMENT ERRORS Kovacevic, U., Milenkovic, V., Kartalovic, N., (...), Vukotic, D. IET Conference Proceedings, 2023 https://www.scopus.com/pages/publications/85181532077?origin=scopusAI

27. Real-Time technology? Migration of traditional SCADA systems technology: Part2: Advantages of implementation Ruiz, L.I., Castro, H., Romero, D. 2017 IEEE 37th Central America and Panama Convention, CONCAPAN 2017, 2017 https://www.scopus.com/pages/publications/85050769964?origin=scopusAI

28. Prescription for Interoperability: Power System Challenges and Requirements for Interoperable Solutions Ivanov, C., Saxton, T., Waight, J., (...), Robinson, G. IEEE Power and Energy Magazine, 2016 https://www.scopus.com/pages/publications/84961720851?origin=scopusAI

29. Reliability prediction sensitivity analysis - How to perform reliability prediction time efficiently Riedel, G.J., Huesgen, T., Schmidt, R. IET Conference Publications, 2012 https://www.scopus.com/pages/publications/84864681556?origin=scopusAI

30. Harmonic PMU and Fuzzy Logic for Online Detection of Short-Circuited Turns in Transformers Granados-Lieberman, D., Razo-Hernandez, J.R., Venegas-Rebollar, V., (...), Valtierra-Rodriguez, M. Electric Power Systems Research, 2021 https://www.scopus.com/pages/publications/85091491916?origin=scopusAI

31. Distribution Network Reliability Analysis Considering Dynamic Thermal Rating Wang, Y., Liang, L., Han, X., (...), Wang, M. Zhongguo Dianji Gongcheng Xuebao/Proceedings of the Chinese Society of Electrical Engineering, 2017 https://www.scopus.com/pages/publications/85020187174?origin=scopusAI

32. Determination of the Degradation Equation for Medium Voltage XLPE Cable at 22 kV Inga, E., Sanango, P., Quizhpi, F. Proceedings - 2025 IEEE 7th Global Power, Energy and Communication Conference, GPECOM 2025, 2025 https://www.scopus.com/pages/publications/105011253184?origin=scopusAI

33. High-Frequency Insulation Degradation Characteristics Considering Power Electronic Operating Conditions Chen, J., Cheng, X., Chen, Y., (...), Shen, Z. Lecture Notes in Electrical Engineering, 2025 https://www.scopus.com/pages/publications/86000236849?origin=scopusAI

34. Fault resistances in medium voltage distribution networks Komen, V., Cucic, R. Annals of DAAAM and Proceedings of the International DAAAM Symposium, 2007 https://www.scopus.com/pages/publications/84896288015?origin=scopusAI

35. The influence of the characteristics of the medium voltage network on the single line-to-ground fault current in the resistor grounded neutral networks Toader, D., Greconici, M., Vesa, D., (...), Tatai, I. Designs, 2021 https://www.scopus.com/pages/publications/85112732941?origin=scopusAI

36. Treatment of the Neutral Point and the Location of Ground Faults in the Medium-voltage Network. Klockhaus, Horst, Poll, Josef, Sauerbach, Franz Josef Elektrizitatswirtschaft, 1981 https://www.scopus.com/pages/publications/0019626477?origin=scopusAI

37. The effect of fault resistance on the earth fault characteristics in unearthed and compensated neutral medium voltage networks Abdel-Fattah, M.F., Lehtonen, M. PQ 2012: 8th International Conference - 2012 Electric Power Quality and Supply Reliability, Conference Proceedings, 2012 https://www.scopus.com/pages/publications/84866900485?origin=scopusAI

38. Applications of transient phenomena during earth-faults in electricity distribution networks Nikander, A., Lakervi, E., Suontausta, J. Proceedings of the International Conference on Energy Management and Power Delivery, EMPD, 1995 https://www.scopus.com/pages/publications/0029515887?origin=scopusAI

39. Power system schematics standardization. Human factor Pogliani, S., Corbellini, U. EEEIC 2016 - International Conference on Environment and Electrical Engineering, 2016 https://www.scopus.com/pages/publications/84988432357?origin=scopusAI

40. Analysis of Human Factors Contributing to Outages in the Operation of Electrical Power Systems Ivanova, M., Dimitrova, R. 2025 17th Electrical Engineering Faculty Conference - Energetics and Efficiency, BulEF 2025, 2025 https://www.scopus.com/pages/publications/105032115797?origin=scopusAI

41. The Improvement in Human Reliability in Power Grids by Identifying and Assessing the Risk of Failures Caused by Maintenance Operations Tavakoli, M., Nafar, M. Iranian Journal of Science and Technology - Transactions of Electrical Engineering, 2020 https://www.scopus.com/pages/publications/85075188339?origin=scopusAI

42. Hybrid Fuzzy Analytic Hierarchy Process-Bayesian Network Framework for Human Reliability Analysis in Smart Grid Systems Yelam, P., Kumar, A. International Journal of Mathematical, Engineering and Management Sciences, 2026 https://www.scopus.com/pages/publications/105041094781?origin=scopusAI

43. Artificial aging and diagnostic measurements on medium-voltage, paper-insulated, lead-covered cables Mladenovic, I., Weindl, Ch. IEEE Electrical Insulation Magazine, 2012 https://www.scopus.com/pages/publications/84856405644?origin=scopusAI

44. AI-Driven Fault Detection in Electrical Grids: Comparative Analysis Between Gradient Descent with Momentum and Adaptive Learning and Resilient Propagation Algorithms Makosso, T., Almaktoof, A., Aboalez, K., Kahn, M.T. Studies in Computational Intelligence, 2026 https://www.scopus.com/pages/publications/105028273155?origin=scopusAI

45. Detecting and monitoring of voltage and frequency variation and under ground cable fault location using check point method Ali, M., Ateem, A., Akbar, Z.A., Bashir, M.A. 2018 International Conference on Computing, Mathematics and Engineering Technologies: Invent, Innovate and Integrate for Socioeconomic Development, iCoMET 2018 - Proceedings, 2018 https://www.scopus.com/pages/publications/85050959955?origin=scopusAI

46. Distributed monitoring of low voltage grids using signature analysis Gheitasi, A. Proceedings of 4th IEEE International Conference on Applied System Innovation 2018, ICASI 2018, 2018 https://www.scopus.com/pages/publications/85050303090?origin=scopusAI

47. Faults Monitoring System in the Electric Power Grid of Medium Voltage Ferreira, E.F., Barros, J.D. Procedia Computer Science, 2018 https://www.scopus.com/pages/publications/85051249857?origin=scopusAI

48. Analysis on the increased losses in supply systems due to voltage drop and voltage distortion Desmet, J., Putman, D., Vanalme, G., Belmans, R. 2007 European Conference on Power Electronics and Applications, EPE, 2007 https://www.scopus.com/pages/publications/51049109600?origin=scopusAI

49. Advanced three-phase instantaneous power theory feature extraction for microgrid islanding and synchronized measurements Harirchi, F., Hadidi, R., Babakmehr, M., Simoes, M.G. 2019 International Conference on Smart Grid Synchronized Measurements and Analytics, SGSMA 2019, 2019 https://www.scopus.com/pages/publications/85071394297?origin=scopusAI

50. Development of a real-time fault detection method for electric power system via transformer-based deep learning model Yoon, D.-H., Yoon, J. International Journal of Electrical Power and Energy Systems, 2024 https://www.scopus.com/pages/publications/85195209584?origin=scopusAI

51. An Investigation on Variational Mode Decomposition for Synchronization of Power Converters in Future Power Grids Warrier, B.R., Vijayakumari, A., Palanisami, T., Kottayil, S.K. Arabian Journal for Science and Engineering, 2021 https://www.scopus.com/pages/publications/85100835626?origin=scopusAI

52. Real-time implementation of signal processing techniques for disturbances detection Rupal Singh, H., Mohanty, S.R., Kishor, N., Ankit Thakur, K. IEEE Transactions on Industrial Electronics, 2019 https://www.scopus.com/pages/publications/85049672007?origin=scopusAI

53. Loss of main detection in distribution generation system based on hybrid signal processing and machine learning technique Mishra, M., Rout, P.K. International Transactions on Electrical Energy Systems, 2019 https://www.scopus.com/pages/publications/85052387000?origin=scopusAI

54. A novel multi-resolution wavelet transform for online power grid waveform classification Wang, S., Dehghanian, P., Gu, Y. 2019 International Conference on Smart Grid Synchronized Measurements and Analytics, SGSMA 2019, 2019 https://www.scopus.com/pages/publications/85071386333?origin=scopusAI

55. Gradient Boosting Feature Selection for Integrated Fault Diagnosis in Series-Compensated Transmission Lines Nawaz, R., Wadood, A., Khalid Mehmood, K., (...), Sajid, M. IEEE Access, 2025 https://www.scopus.com/pages/publications/105003300440?origin=scopusAI

56. PMUStackNet: A PMU Data-Driven Stacking Ensemble for Accurate Fault Classification in Power Systems Sumon, M.S.H., Rahman, H.A. 2025 28th International Conference on Computer and Information Technology, ICCIT 2025, 2025 https://www.scopus.com/pages/publications/105041649295?origin=scopusAI

57. Survey of compressed sensing technology for signal and data of power system Yu, H., Du, Y., Ma, C. Yi Qi Yi Biao Xue Bao/Chinese Journal of Scientific Instrument, 2017 https://www.scopus.com/pages/publications/85033236467?origin=scopusAI

58. Detection of high-impedance faults in transmission lines using Wavelet Transform Sushama, M., Tulasi Ram Das, G., Jaya Laxmi, A. Journal of Engineering and Applied Sciences, 2009 https://www.scopus.com/pages/publications/77953733670?origin=scopusAI

59. High impedance fault detection based on wavelet transform and Prony' s method Elrefaie, H.B. Proceedings of the 11th International Middle East Power Systems Conference, MEPCON'2006, 2006 https://www.scopus.com/pages/publications/77649307769?origin=scopusAI

60. Fuzzy based relaying scheme for high impedance faults in DG integrated distribution system Bhatnagar, M., Yadav, A., Swetapadma, A. Electric Power Systems Research, 2022 https://www.scopus.com/pages/publications/85115807700?origin=scopusAI

61. A Novel Fault Detection Techique of High Impedance Arcing Faults in Transmission Lines Using the Wavelet Transform Kim, C.H., Kim, H., Ko, Y.H., (...), Johns, A.T. IEEE Power Engineering Review, 2002 https://www.scopus.com/pages/publications/85008013249?origin=scopusAI

62. A novel fault-detection technique of high-impedance arcing faults in transmission lines using the wavelet transform Kim, C.-H., Kim, H., Ko, Y.-H., (...), Johns, A.T. IEEE Transactions on Power Delivery, 2002 https://www.scopus.com/pages/publications/0036815479?origin=scopusAI

63. High impedance fault detection in power distribution systems using wavelet transform and evolving neural network Silva, S., Costa, P., Gouvea, M., (...), Leite, D. Electric Power Systems Research, 2018 https://www.scopus.com/pages/publications/85029810257?origin=scopusAI

64. Transient fault area location and fault classification for distribution systems based on wavelet transform and adaptive neuro-fuzzy inference system (ANFIS) Khaleghi, A., Oukati Sadegh, M., Ghazizadeh-Ahsaee, M., Mehdipour Rabori, A. Advances in Electrical and Electronic Engineering, 2018 https://www.scopus.com/pages/publications/85048964752?origin=scopusAI

65. High impedance fault detection methodology using wavelet transform and artificial neural networks Baqui, I., Zamora, I., Mazón, J., Buigues, G. Electric Power Systems Research, 2011 https://www.scopus.com/pages/publications/79956116034?origin=scopusAI

66. A transient based approach to diagnose high impedance faults on smart distribution networks Lopes, F.V., Santos, W.C., Fernandes, D., (...), Souza, B.A. 2013 IEEE PES Conference on Innovative Smart Grid Technologies, ISGT LA 2013, 2013 https://www.scopus.com/pages/publications/84882360472?origin=scopusAI

67. High-Impedance Fault Identification on Distribution Networks Santos, W.C., Lopes, F.V., Brito, N.S.D., Souza, B.A. IEEE Transactions on Power Delivery, 2017 https://www.scopus.com/pages/publications/85010416840?origin=scopusAI

68. High Impedance Fault Detection in Time-Varying Distributed Generation Systems Using Adaptive Neural Networks Lucas, F., Costa, P., Batalha, R., Leite, D. Proceedings of the International Joint Conference on Neural Networks, 2018 https://www.scopus.com/pages/publications/85056558793?origin=scopusAI

69. Performance evaluation of HHT and WT for detection of HIF and CT saturation in smart grids Heidari, S., Asgharigovar, S., Pourghasem, P., (...), Usta, Ö. Turkish Journal of Electrical Engineering and Computer Sciences, 2021 https://www.scopus.com/pages/publications/85117082995?origin=scopusAI

70. Introduction Barzegar-Bafrooei, M.R., Dehghani-Ashkezari, J., Akbari Foroud, A., Haes Alhelou, H. SpringerBriefs in Applied Sciences and Technology, 2022 https://www.scopus.com/pages/publications/85124141586?origin=scopusAI

71. Critical review of fault localization techniques in the age of smart grids: performance, complexity, and the path to hybrid solutions Xu, L., Ali, M.S., Kwang, T.C., (...), Albatran, S. Multiscale and Multidisciplinary Modeling, Experiments and Design, 2026 https://www.scopus.com/pages/publications/105023392363?origin=scopusAI

72. Acquisition of Low-Voltage Grid States in Real-Time Schallenburger, M., Kopczynski, L., Huppertz, P., Zeise, R. 2018 3rd International Conference on Smart and Sustainable Technologies, SpliTech 2018, 2018 https://www.scopus.com/pages/publications/85053441962?origin=scopusAI

73. Does waveform analysis hold the key to a predictive grid? Nulty, G. 2014 Clemson University Power Systems Conference, PSC 2014, 2014 https://www.scopus.com/pages/publications/84901257451?origin=scopusAI

74. Reconfigurable Streaming Architecture for AI-Based Fault Prediction of Power Equipment: Initial Analysis and Discussion Lan, T., He, Q., Zhang, G., (...), Li, P. 7th Asia Energy and Electrical Engineering Symposium, AEEES 2025, 2025 https://www.scopus.com/pages/publications/105009031528?origin=scopusAI

75. Imbalanced data fault diagnosis of rotating machinery using synthetic oversampling and feature learning Zhang, Y., Li, X., Gao, L., (...), Wen, L. Journal of Manufacturing Systems, 2018 https://www.scopus.com/pages/publications/85045561694?origin=scopusAI

76. Intelligent fault diagnosis of rolling bearings under imbalanced data conditions using attention-based deep learning method Li, J., Liu, Y., Li, Q. Measurement: Journal of the International Measurement Confederation, 2022 https://www.scopus.com/pages/publications/85120777761?origin=scopusAI

77. Summary of research on SMOTE oversampling and its improved algorithms Shi, H., Chen, Y., Chen, X. CAAI Transactions on Intelligent Systems, 2019 https://www.scopus.com/pages/publications/85172288626?origin=scopusAI

78. Addressing Class Imbalance of Health Data: a Systematic Literature Review on Modified Synthetic Minority Oversampling Technique (SMOTE) Strategies Hairani, H., Widiyaningtyas, T., Prasetya, D.D. International Journal on Informatics Visualization, 2024 https://www.scopus.com/pages/publications/85207010049?origin=scopusAI

79. A New Adaptive Geometric SMOTE for Bearing Imbalanced Fault Diagnosis Wei, C., Tian, C., Chen, Y., (...), Wen, L. IEEE Sensors Journal, 2026 https://www.scopus.com/pages/publications/105030085270?origin=scopusAI

80. Imbalanced Classification Based on Minority Clustering Synthetic Minority Oversampling Technique with Wind Turbine Fault Detection Application Yi, H., Jiang, Q., Yan, X., Wang, B. IEEE Transactions on Industrial Informatics, 2021 https://www.scopus.com/pages/publications/85098776067?origin=scopusAI

81. A synergistic oversampling technique with differential evolution and safe level synthetic minority oversampling Cinar, A.C. Applied Soft Computing, 2025
https://www.scopus.com/pages/publications/85217671378?origin=scopusAI

82. A Weakly Supervised Learning-Based Oversampling Framework for Class-Imbalanced Fault Diagnosis Qian, M., Li, Y.-F. IEEE Transactions on Reliability, 2022
https://www.scopus.com/pages/publications/85122893823?origin=scopusAI

83. Hybrid Framework Combining Diffusion-Based Image Augmentation and Feature Level SMOTE for Addressing Extreme Class Imbalance Kumar, R., Kim, Y.-W., Byun, Y.-C. IEEE Access, 2025
https://www.scopus.com/pages/publications/105013778932?origin=scopusAI

84. Dissolved Gas Analysis Using Knowledge-Filtered Oversampling-Based Diverse Stack Learning Cai Chen, H., Zhang, Y. IEEE Transactions on Instrumentation and Measurement, 2025
https://www.scopus.com/pages/publications/85217117313?origin=scopusAI

85. Prior knowledge-guided vibration signal augmentation for mechanical fault diagnosis Yang, W., Yang, Z., Luo, W., He, J. International Journal of Mechanical Sciences, 2026
https://www.scopus.com/pages/publications/105027464708?origin=scopusAI

86. Impact of Adaptive Synthetic on Naïve Bayes Accuracy in Imbalanced Anemia Detection Datasets Zuhanda, M.K., Permata, L., Hartono, (...), Desniarti Jurnal RESTI, 2025
https://www.scopus.com/pages/publications/105002767966?origin=scopusAI

87. Explainable fault classification mechanism using solar data based on ensemble paradigm for efficient hydrogen energy production Naqvi, S.S.A., Jamil, H., Iqbal, N., (...), Kim, D.H. International Journal of Hydrogen Energy, 2026 https://www.scopus.com/pages/publications/105022639828?origin=scopusAI

88. Pathological voice detection based on feature fusion and SMOTE oversampling Yu, H., Xu, T., Zhong, L., Wu, J. Technical Acoustics, 2025 https://www.scopus.com/pages/publications/105042283741?origin=scopusAI

89. WASSKIL: An Oversampling Method for Fault Detection of Industrial Plants Yan, J., Zhang, W., Peng, Y. ACM International Conference Proceeding Series, 2020
https://www.scopus.com/pages/publications/85099472618?origin=scopusAI

90. LSMOTE: A link-based Synthetic Minority Oversampling Technique for binary imbalanced datasets Cai, Q.-N., Zhang, Z.-L., Wu, Y.-H., Zhang, X.-M. Neurocomputing, 2024
https://www.scopus.com/pages/publications/85201913418?origin=scopusAI

91. A review of impedance-based fault location approaches for transmission lines Dragomir, M., Miron, A., Istrate, M., Dragomir, A. EPE 2014 - Proceedings of the 2014 International Conference and Exposition on Electrical and Power Engineering, 2014 https://www.scopus.com/pages/publications/84919626106?origin=scopusAI

92. Comparison of Impedance Based and Travelling Waves Based Fault Location Methods for Power Distribution Systems Tested in a Real 205-Nodes Distribution feeder Hosseinikia, M., Talavat, V. Transactions on Electrical and Electronic Materials, 2018 https://www.scopus.com/pages/publications/85045671433?origin=scopusAI

93. Single-Ended Fault Detection and Fault Location in Transmission Lines Using Approximate Derivative Akdağ, M., Mamiş, M.S., Akmaz, D. Electronics (Switzerland), 2026
https://www.scopus.com/pages/publications/105042737039?origin=scopusAI

94. Accurate Single-End and Double-End Fault Location by Traveling Waves: A review with some real applications Di Tomasso, A., Invernizzi, G., Vielmini, G. 2019 AEIT International Annual Conference, AEIT 2019, 2019 https://www.scopus.com/pages/publications/85075392365?origin=scopusAI

95. Impact of Sampling Frequency, Line Parameters, and Noise on Single-End Traveling Wave Fault Location Sawai, S. 2025 IEEE Kansas Power and Energy Conference, KPEC 2025, 2025

https://www.scopus.com/pages/publications/105032860580?origin=scopusAI

96. Challenges of Fault Localization in MV Distribution Systems Based on Traveling Waves Sevsek, D., Lehtonen, M. International Review of Electrical Engineering, 2024 https://www.scopus.com/pages/publications/85199256915?origin=scopusAI

97. Artificial-intelligence-driven wide-area fault location for transmission systems: A traveling wave-based approach Southgate, J., Ameli, A., Ghafouri, M., El-Saadany, E.F. Electric Power Systems Research, 2027 https://www.scopus.com/pages/publications/105050593148?origin=scopusAI

98. Integration and adoption of open data standards for online and offline power system analysis Shand, C., McMorran, A., Taylor, G. Proceedings of the Universities Power Engineering Conference, 2014 https://www.scopus.com/pages/publications/84910089799?origin=scopusAI

99. Bibliometric Analysis of Communication Protocols in Vehicle-to-Grid Systems: Trends and Gaps in Smart Grid Integration Kanagala, S., Irfan, M.M., Sudhakar, A.V.V., (...), Goud, B.S. Proceedings of the International Conference on Electrical, Electronics, and Computer Science with Advance Power Technologies - A Future Trends, ICE2CPT 2025, 2025 https://www.scopus.com/pages/publications/105033366938?origin=scopusAI

100. Facilitating the operation and integration of DER and microgrids using the IEC 61850-7-420 standard data models, especially for meeting IEEE 1547 and EN 50549 grid code requirements Guise, L., Cleveland, F., Apostolov, A., (...), Otani, T. IET Conference Proceedings, 2021 https://www.scopus.com/pages/publications/85162181917?origin=scopusAI

101. An Algorithm for Power System State Estimation Considering Line Temperature Yu, X., Zhang, H., Wang, M. Zhongguo Dianji Gongcheng Xuebao/Proceedings of the Chinese Society of Electrical Engineering, 2018 https://www.scopus.com/pages/publications/85052121369?origin=scopusAI

102. Analysis of Flashover Voltage of Porcelain and Glass Insulators under Different Temperatures with Various Levels of Pollution and Humidity Khatir, R.Z., Mirzaie, M., Mahdavi, H. Journal of Operation and Automation in Power Engineering, 2026 https://www.scopus.com/pages/publications/105044991390?origin=scopusAI

103. A novel adaptive structural optimization strategy for UHV GIL basin insulators considering multi-physics coupling characteristics Liao, K., Shi, H., Yu, C., (...), Huang, Q. Electric Power Systems Research, 2026 https://www.scopus.com/pages/publications/105025562694?origin=scopusAI

104. Modeling of load model parameter uncertainty considering temperature Chen, Q., Xu, J., Sun, Y., (...), Cui, T. Dianli Zidonghua Shebei/Electric Power Automation Equipment, 2011 https://www.scopus.com/pages/publications/81055141408?origin=scopusAI

105. A chaotic equilibrium optimization for temperature-dependent optimal power flow Dao, T.M., Huy, T.H.B., Do, D.-P.N., Ngoc Vo, D. Smart Science, 2023 https://www.scopus.com/pages/publications/85147718936?origin=scopusAI

106. Analysis of the possibilities of selective detection of a single line-to-ground fault in a medium voltage network with isolated neutral Toader, D., Vintan, M., Solea, C., (...), Greconici, M. Energies, 2021 https://www.scopus.com/pages/publications/85118385108?origin=scopusAI

107. The influence of the network asymmetry on the settings and sensitivity of an earth fault protection using higher harmonics Marciniak, L., Piatek, M. E3S Web of Conferences, 2019 https://www.scopus.com/pages/publications/85062868753?origin=scopusAI

108. Influence of grounding transformer on ground fault current in MV networks Opačak, H., Čalić, T., Jergović, S. CIRED - Open Access Proceedings Journal, 2017 https://www.scopus.com/pages/publications/85138706592?origin=scopusAI

109. Single phase fault distance estimation in medium voltage distribution network based on traveling waves Ferhatbegović, S.G., Marašić, A., Pavić, I. International Review of Electrical Engineering, 2012 https://www.scopus.com/pages/publications/84860213830?origin=scopusAI

110. Phase asymmetry: A new parameter for detecting single-phase earth faults in compensated mv networks Sagastabeitia, K.J., Zamora, I., Mazón, A.J., (...), Buigues, G. IEEE Transactions on Power Delivery, 2011 https://www.scopus.com/pages/publications/80054061595?origin=scopusAI

111. Earth fault protection supported with adaptive admittance criteria Lorenc, J., Łowczowski, K., Staszak, B. Przeglad Elektrotechniczny, 2018 https://www.scopus.com/pages/publications/85050735413?origin=scopusAI

112. Study of overvoltages at the extinguishing coil disconnection from medium voltage networks in stabilized earthing regime Marin, I., Ursu, D., Ciontu, M., (...), Buzatu, G.-C. 2021 International Conference on Applied and Theoretical Electricity, ICATE 2021 - Proceedings, 2021 https://www.scopus.com/pages/publications/85113864987?origin=scopusAI

113. Issues of selective detection and elimination of earth faults in MV networks with the neutral treated by petersen coil Butoarca, E., Ursu, D., Mircea, P.-M., (...), Buzatu, G.-C. Proceedings - 2017 International Conference on Optimization of Electrical and Electronic Equipment, OPTIM 2017 and 2017 Intl Aegean Conference on Electrical Machines and Power Electronics, ACEMP 2017, 2017 https://www.scopus.com/pages/publications/85027724104?origin=scopusAI

114. Hazard Assessment of Low-voltage Insulated Neutral Networks with Unstable Single-phase Fault Kazhekin, I., Kharitonov, M., Filipov, E., Kugucheva, D. Proceedings of the 2021 Ural-Siberian Smart Energy Conference, USSEC 2021, 2021 https://www.scopus.com/pages/publications/85124526245?origin=scopusAI

115. Human errors monitoring in electrical transmission networks based on a partitioning algorithm Grigoraş, G., Bărbulescu, C. International Journal of Electrical Power and Energy Systems, 2013 https://www.scopus.com/pages/publications/84873931320?origin=scopusAI

116. A human operator model for simulation-based resilience assessment of power grid restoration operations Kottmann, F., Kyriakidis, M., Sansavini, G., Dang, V. Reliability Engineering and System Safety, 2023 https://www.scopus.com/pages/publications/85164219058?origin=scopusAI

117. Analysis of the Impact of Human Errors on Emergency Power Outages in Medium and High Voltage Power Grids Ivanova, M., Dimitrova, R. 2023 15th Electrical Engineering Faculty Conference, BulEF 2023, 2023 https://www.scopus.com/pages/publications/85185723230?origin=scopusAI

118. Human Reliability Analysis Regarding Electric Power Grid Reliability and Resiliency Medema, H., Mohon, J., Boring, R., (...), Adams, S.S. Proceedings of 13th Nuclear Plant Instrumentation, Control and Human-Machine Interface Technologies, NPIC and HMIT 2023, 2023 https://www.scopus.com/pages/publications/85183322337?origin=scopusAI

119. Modeling human reliability in the power grid environment: An application of the SPAR-H methodology Abreu, J.M., Hardy, N., Pereira, F.C., Zeifman, M. Proceedings of the Human Factors and Ergonomics Society, 2015 https://www.scopus.com/pages/publications/84981731349?origin=scopusAI

120. A Novel Sensor Placement Strategy for an IoT-Based Power Grid Monitoring System Jiang, J.-A., Wang, J.-C., Wu, H.-S., (...), Yang, Y.-C. IEEE Internet of Things Journal, 2020 https://www.scopus.com/pages/publications/85089948442?origin=scopusAI

121. AI-driven adaptive fuzzy decision intelligence for dynamic thermal rating and smart management of underground cable networks Sahunthala, S., Prasad, K.D.V., Abinaya, A., (...), Neelaveni, P. Journal of Thermal Analysis and Calorimetry, 2026 https://www.scopus.com/pages/publications/105044480818?origin=scopusAI

122. Real-time three-phase state estimation for radial distribution networks Dzafic, I., Ablakovic, D., Henselmeyer, S. IEEE Power and Energy Society General Meeting, 2012 https://www.scopus.com/pages/publications/84870591903?origin=scopusAI

123. Linear Single- And Three-Phase Voltage Forecasting and Bayesian State Estimation with Limited Sensing Dobbe, R., Van Westering, W., Liu, S., (...), Tomlin, C. IEEE Transactions on Power Systems, 2020 https://www.scopus.com/pages/publications/85083982054?origin=scopusAI

124. Physics-guided Deep Learning for Distribution Network SE Chen, S., Yang, D., Dehghanian, P. 2023 3rd International Conference on New Energy and Power Engineering, ICNEPE 2023, 2023
https://www.scopus.com/pages/publications/85186498643?origin=scopusAI

125. Real-time monitoring the impedance of power distribution networks under sudden load variations Gapon, D., Rudevich, N., Demianenko, R., (...), Kiełbasa, P. Przeglad Elektrotechniczny, 2026
https://www.scopus.com/pages/publications/105048042234?origin=scopusAI

126. Optimizing distribution planning with long-term thermal ratings in the energy transition Sergio, M.-S., Ruggeri, S., Giuseppe, S.G., (...), Gianni, C. Electric Power Systems Research, 2027
https://www.scopus.com/pages/publications/105045350719?origin=scopusAI

127. Comparative assessment of short-circuit calculation methods in inverter-dominated power systems Restrepo, L.V., Torres, J.L.R., Popma, J. IET Conference Proceedings, 2026
https://www.scopus.com/pages/publications/105046220508?origin=scopusAI

128. Fault calculation method for a power grid with high penetration of renewable energy based on adaptive combination of Newton and quasi-Newton methods Zheng, T., Qu, R., Chen, Y., Ai, J. Dianli Xitong Baohu yu Kongzhi/Power System Protection and Control, 2025
https://www.scopus.com/pages/publications/105005342200?origin=scopusAI

129. Modifying IEC 60909 Standard to Consider Fault Contribution from Renewable Energy Resources Utilizing Fully-Rated Converters Aljarrah, R., Marzooghi, H., Terzija, V., Yu, J. 2019 9th International Conference on Power and Energy Systems, ICPES 2019, 2019
https://www.scopus.com/pages/publications/85086639582?origin=scopusAI

130. On the Investigation of Phase Fault Classification in Power Grid Signals: A Case Study for Support Vector Machines, Decision Tree and Random Forest Galbraith, K., Alaca, O., Ekti, A.R., (...), Stenvig, N.M. 2023 North American Power Symposium, NAPS 2023, 2023
https://www.scopus.com/pages/publications/85179547296?origin=scopusAI

131. Intelligent Fault Detection and Classification Schemes for Smart Grids Based on Deep Neural Networks Alhanaf, A.S., Balik, H.H., Farsadi, M. Energies, 2023
https://www.scopus.com/pages/publications/85177834548?origin=scopusAI

132. Optimizing Fault Identification in Power Distribution Systems by the Combination of SVM and Deep Learning Models Tiwari, G., Saini, S. Journal of Operation and Automation in Power Engineering, 2026
https://www.scopus.com/pages/publications/105017565149?origin=scopusAI

133. Real-Time Fault Detection in IEEE 14-Bus Smart Grids Using Machine Learning: A Comparative Study with PMU Measurements Ghalgaoui, A., Saidi, A., Errachdi, A. 2026 International Symposium of Systems, Advanced Technologies and Knowledge, ISSATK 2026, 2026
https://www.scopus.com/pages/publications/105043993303?origin=scopusAI

134. A Resilient Smart Grid Architecture Integrating Machine Learning for Rapid Fault Discrimination and Dynamic Topology Reconfiguration Krishnakumar, V., Livitha, S., Nivetha, B. 2026 3rd International Conference on Advancements and Key Challenges in Green Energy and Computing, AKGEC 2026, 2026
https://www.scopus.com/pages/publications/105038738134?origin=scopusAI

135. Fault detection and diagnosis of grid-connected photovoltaic (PV) systems using artificial intelligence (AI): A comprehensive review Ratsheola, K., Setlhaolo, D., Rasool, A., Esenogho, E. Next Energy, 2026
https://www.scopus.com/pages/publications/105043303675?origin=scopusAI

136. Review on Power Grid Fault Prediction and Location Technologies Liu, F., Ji, N., Sun, M., Zhu, Z. 2024 IEEE International Conference on Cognitive Computing and Complex Data, ICCD 2024, 2024
https://www.scopus.com/pages/publications/85218149805?origin=scopusAI

137. Hybrid electromagnetic transient simulation with the state variable representation of HVdc converter plant Zavahir, J.M., Arrillaga, J., Watson, N.R. IEEE Transactions on Power Delivery, 1993

https://www.scopus.com/pages/publications/0027635189?origin=scopusAI

138. Fault models of inverter-interfaced distributed generators: Experimental verification and application to fault analysis Plet, C.A., Brucoli, M., McDonald, J.D.F., Green, T.C. IEEE Power and Energy Society General Meeting, 2011 https://www.scopus.com/pages/publications/82855169187?origin=scopusAI

139. A survey of fault prediction and location methods in electrical energy distribution networks Dashti, R., Daisy, M., Mirshekali, H., (...), Hosseini Aliabadi, M. Measurement: Journal of the International Measurement Confederation, 2021 https://www.scopus.com/pages/publications/85112384835?origin=scopusAI

140. Requirements to Data Acquisition and Signal Analysis for Electrical Grid Condition Monitoring Anijarv, T.E., Shabbir, N., Kutt, L., Iqbal, M.N. 2020 IEEE 61st Annual International Scientific Conference on Power and Electrical Engineering of Riga Technical University, RTUCON 2020 - Proceedings, 2020 https://www.scopus.com/pages/publications/85100053205?origin=scopusAI

141. ELECTRICAL AND NON ELECTRICAL CHARACTERISTICS FOR THE FAST DETECTION OF HIGH CURRENT FREE-BURNING ARCS Wenzlaff, K., Herrmann, R., Bruhns, M., (...), Anheuser, M. Plasma Physics and Technology, 2022 https://www.scopus.com/pages/publications/85143165825?origin=scopusAI

142. Transient Stability Analysis and Protection of Power-Converter-Dominated Power Systems: A Review and Outlook Gao, G., He, S., Blaabjerg, F. CSEE Journal of Power and Energy Systems, 2026 https://www.scopus.com/pages/publications/105041806176?origin=scopusAI