AI-powered electrical grid maintenance

"on AI-powered predictive fault detection and zero-downtime electrical grid maintenance.Optimize cost, accuracy, and reliability using XGBoost, TinyML, edge AI, and suitable sensors. Compare existing solutions, identify limitations, and propose a practical, scalable architecture with measurable performance targets." *Generated by LeapSpace*

A **practical zero-downtime grid-maintenance stack** is a **hybrid edge–cloud architecture**: use **TinyML** for always-on local anomaly screening, **XGBoost** for high-precision fault classification and asset-health scoring, and a **cloud layer** for retraining, fleet analytics, and explainability; the best retrieved evidence shows XGBoost is consistently strong on smart-grid fault tasks, while edge/TinyML is best for latency, power, and bandwidth constraints [1] [2] [3] [4].

What existing solutions do well

Approach	Strengths	Where it fits best
XGBoost-centric fault detection	Repeatedly delivers high accuracy, robustness, and fast inference for grid and equipment faults; reported results include 97.22% accuracy and 0.14 ms/sample inference in smart grids, 98.2% short-circuit detection accuracy, 97.32% predictive-maintenance accuracy, and 99%+ in several fault-classification tasks [1] [5] [6] [7] [8]	Structured, labeled fault classification at the edge or gateway
TinyML / edge AI	Cuts latency, communication load, energy use, and cloud dependence; one edge-optimized grid system reported 94.6% accuracy, 80% lower latency, and 85.3% lower energy use than cloud-based solutions, while TinyML studies emphasize low-power local inference [3] [4] [9] [10]	Continuous always-on anomaly detection on microcontrollers or low-power gateways
Hybrid cloud-edge systems	Combine immediate local response with deeper cloud analytics and model refinement; SCADA cloud-edge orchestration cut downtime by 28%, improved detection accuracy by 32%, and reduced alert latency from 2.1 s to 0.7 s while scaling to 500 nodes [11]	Utility-scale deployments that need both speed and fleet learning

Approach	Strengths	Where it fits best
Multimodal sensing	Combining vibration, thermal, current, voltage, and other streams improves robustness and accuracy; multimodal fusion reached 96.74% accuracy and 95.61% F1 in smart-grid equipment PdM [12]	Assets with multiple measurable degradation modes

Main limitations of current solutions

- **Cloud-only approaches** are too slow, communication-heavy, and power-hungry for zero-downtime operation; several edge-focused papers explicitly cite latency, scalability, and bandwidth limits as the reason for moving inference closer to the asset [4] [13] [14] [15].
- **Single-modality models** miss cross-sensor context; multimodal work shows better robustness than single-sensor or single-model baselines [12].
- **Pure deep learning** can improve accuracy, but the retrieved evidence also shows practical challenges: higher compute demand, harder deployment on constrained devices, and sensitivity to imbalance/noise in some settings [10] [16] [17].
- **TinyML alone** may under-detect intermittent or unexpected faults and can be sensitive to noise; one TinyML motor study explicitly notes reduced sensitivity to complex faults and noise-related misclassifications [9].
- **Data quality, missingness, and drift** remain recurring bottlenecks; multiple reviews and deployment papers call out inconsistent sensors, standardization gaps, and concept drift as unresolved issues [17] [18] [19].

Recommended scalable architecture

1. **Sensor layer**
    - Use **current transformers, voltage sensors, vibration sensors, temperature/thermal sensors, and SCADA/PMU feeds** as the core telemetry set; these are the most frequently used signals across the retrieved grid and equipment fault studies [5] [8] [12] [20] [21].
    - Add **asset-specific sensors** where needed: acoustic or partial-discharge sensors for cables/transformers and environmental inputs for exposed lines and substations [22] [23] [24].
2. **Edge tier**
    - Run a **TinyML anomaly gate** on microcontrollers or industrial edge devices for continuous detection of “something changed” events, chosen for low power and fast response [3] [4] [10].
    - Route only suspicious windows, compressed features, or high-confidence anomalies upstream to reduce bandwidth [25] [26].

3. **Gateway / local analytics tier**
   - Use **XGBoost** on gateway hardware for **fault type classification, severity scoring, and maintenance prioritization** because it repeatedly balances accuracy, speed, and robustness better than classical baselines in the retrieved studies [1] [2] [21] [27].
   - Apply **feature selection and sensor fusion** before classification, since feature engineering and noise handling are recurring success factors [21] [28] [29].
4. **Cloud tier**
   - Keep the cloud for **retraining, fleet-level model comparison, explainability, drift monitoring, and digital-twin simulation** rather than first-line inference [11] [30] [31] [32].
   - Use a **digital twin** for what-if analysis and to test maintenance policies before rollout, especially for topology-heavy assets [30] [33].
5. **Decision workflow**
   - **TinyML detects anomaly → XGBoost classifies fault → maintenance scheduler prioritizes action → cloud updates models and policies**. This is consistent with the hybrid and hierarchical patterns described across edge AI, predictive-maintenance, and smart-grid reviews [11] [34] [35] [36].

Measurable performance targets

These are **practical proposal targets** anchored to the performance envelope seen in the retrieved evidence:

KPI	Target	Why this target is realistic
Fault-classification accuracy	**≥ 98%**	XGBoost smart-grid studies report 97.22%–99%+ and several grid-fault models exceed 99% [1] [7] [8] [37]
Edge anomaly latency	**≤ 100 ms**	Edge-AI literature and grid edge deployments emphasize sub-second, often sub-100 ms, alerting as a practical objective [4] [11] [34]
Energy reduction vs cloud-only	**≥ 50% lower inference energy**	An edge-optimized grid system reported 85.3% lower energy use, and edge AI papers consistently report major savings [3] [4]
Unplanned downtime reduction	**≥ 25%**	Reported hybrid PdM frameworks achieved 28% downtime reduction and other studies show similar maintenance gains [11] [36] [38]

KPI	Target	Why this target is realistic
False-alarm rate	< 5%	High-precision smart-grid and PdM studies consistently stress balancing recall with false positives; a low single-digit false-alarm target is consistent with the reported operating points [37] [39] [40]
Concurrent node support	≥ 500 sensor nodes per site or substation cluster	This matches the scale already demonstrated by the SCADA cloud-edge framework [11]

Bottom line

The most credible path to **cost-efficient, accurate, and reliable zero-downtime grid maintenance** is **not** a single model, but a **two-stage edge system**: **TinyML for always-on local anomaly detection** and **XGBoost for fast, explainable fault classification**, with the cloud reserved for retraining, digital-twin validation, and fleet optimization; this architecture aligns with the strongest reported trade-off between accuracy, latency, energy use, and deployability across the retrieved literature [1] [2] [4] [11] [35].

Confidence level: **High** — the retrieved evidence is broad and consistent across smart-grid, predictive-maintenance, edge-AI, and sensor-fusion studies, and the proposed architecture is directly supported by repeated performance patterns rather than a single outlier result [1] [4] [11] [12].

References

1. Rajesh Kumar, V., Burle, T., Parvathi, (...), Bachina, B.H. (2025) A Comparative Study of Computational Intelligence Algorithms for Fault Detection in Smart Grids. *13th IEEE International Conference on Smart Grid, icSmartGrid 2025*. https://doi.org/10.1109/ICSMARTGRID66138.2025.11071847
2. Gao, M., Fu, C., Gao, S., (...), Sun, Y. (2024) PHM Fault Diagnosis Algorithms, Devices and Systems Based on Edge Computing with Quantum Genetic Algorithm Optimised XGBoost. *Lecture Notes in Electrical Engineering*. https://doi.org/10.1007/978-981-97-6934-6_54
3. Velásquez-Henao, J.D., Cadavid, L., Franco, C.J. (2025) Emerging trends and strategic opportunities in tiny machine learning: A comprehensive thematic analysis. *Neurocomputing*. https://doi.org/10.1016/j.neucom.2025.130746
4. Tankala, D.K., Rajesh Kumar, A., Seelam, S., (...), Muniyandy, E. (2025) Edge-Optimized Embedded System for Low-Latency Fault Detection in Electrical Grids. *SSRG International Journal of Electrical and Electronics Engineering*. https://doi.org/10.14445/23488379/IJEEE-V12I11P117

5. He, X., Sun, S. (2025) Design and Implementation of a Machine Learning Based Intelligent Grid Fault Detection and Prediction Platform. *3rd IEEE International Conference on Data Science and Network Security, ICDSNS 2025*. https://doi.org/10.1109/ICDSNS65743.2025.11168598
6. Uppalapati, U., Manikandan, J., Valluru, D., (...), Nagavamsi, M. (2025) An IoT-Driven Machine Learning Model for Predictive Maintenance Classification in Industrial Systems. *Lecture Notes in Electrical Engineering*. https://doi.org/10.1007/978-981-96-7222-6_37
7. Azan, M., Raza, M.A., Odho, H., (...), Ali, Z. (2024) Fault Detection and Classification in Electrical Power Distribution Network Through Machine Learning. *Proceedings of the IEEE International Multi Topic Conference, INMIC*. https://doi.org/10.1109/INMIC64792.2024.11004313
8. Gan, Y., Chen, Z., Wu, L., (...), Lin, P. (2019) A NOVEL FAULT DIAGNOSIS METHOD FOR PV ARRAYS USING EXTREME GRADIENT BOOSTING CLASSIFIER. *Energy Proceedings*. https://doi.org/10.46855/energy-proceedings-3433
9. https://www.sciencedirect.com/science/article/pii/S2730723925000624
10. Dutta, D.L., Bharali, S. (2021) TinyML Meets IoT: A Comprehensive Survey. *Internet of Things (Netherlands)*. https://doi.org/10.1016/j.iot.2021.100461
11. Rambabu, B., Adudhodla, M., Rao, K.P., (...), Reddy, J.R. (2025) AI-Powered Predictive Maintenance Framework for Industrial SCADA Systems with Cloud-Edge Orchestration. *PICC 2025 - 5th International Conference on Power, Instrumentation, Control and Computing: Instrumentation, Control, Communication, and Computing Techniques for a Smarter and Energy-Efficient Tomorrow*. https://doi.org/10.1109/PICC67314.2025.11291518
12. Khan, M.R.A.A., Faruq, M.O., Suhaimee, M.N., (...), Firdaus, S. (2025) AI-Driven Multimodal Sensor Fusion for Predictive Maintenance of Smart Grid Equipment Using Vibration and Thermal Data. *2025 IEEE 2nd International Conference on Computing, Applications and Systems, COMPAS 2025*. https://doi.org/10.1109/COMPAS67506.2025.11381618
13. Rajalakshmi, D., K, K., Kovarasan, K.R., (...), Starlin, M.A. (2024) Enhancing Real-Time Fault Detection in Electrical Grids Using Hybrid EnsembleBoost over Wireless Networks. *SSRG International Journal of Electronics and Communication Engineering*. https://doi.org/10.14445/23488549/IJECE-V11I4P103
14. Rajalakshmi, D., Kovarasan, K., K, K., (...), Vanitha, R. (2024) Advancing Fault Detection Efficiency in Wireless Power Transmission with Light GBM for Real-Time Detection Enhancement. *International Research Journal of Multidisciplinary Technovation*. https://doi.org/10.54392/irjmt2445
15. https://www.sciencedirect.com/science/article/pii/S2730723925001204
16. Ravikumar, R., Srinivasulu, A., Agrawal, A., (...), Ahmad, S. (2025) Hybrid AI and semiconductor approaches for power quality improvement. *Scientific Reports*. https://doi.org/10.1038/s41598-025-11116-5

17. Sivakumar, M., Maranco, M., Nagappan, N. (2024) Data Analytics and Artificial Intelligence for Predictive Maintenance in Manufacturing. *Data Analytics and Artificial Intelligence for Predictive Maintenance in Smart Manufacturing*. https://doi.org/10.1201/9781003480860-3

18. Rustambekov, I., Saidakhmedovich, G.S., Abduvaliyev, B., (...), Karimov, D. (2024) Predictive Maintenance of Smart Grid Components Based on Real-Time Data Analysis. *Proceedings - 2024 6th International Conference on Control Systems, Mathematical Modeling, Automation and Energy Efficiency, SUMMA 2024*. https://doi.org/10.1109/SUMMA64428.2024.10803838

19. https://www.sciencedirect.com/science/article/pii/S2364568726001042

20. Sebasthirani, K., Marudhupandi, P., Deepakkumar, R., (...), Maduritha, E. (2026) XGBoost-based Fault Classification System for Induction Motors with Real-Time Dashboard Integration. *17th International Conference on Advances in Computing, Control, and Telecommunication Technologies, ACT 2026*. https://www.scopus.com/pages/publications/105047262677

21. Bhattacharya, D., Nigam, M.K. (2023) Energy efficient fault detection and classification using hyperparameter-tuned machine learning classifiers with sensors. *Measurement: Sensors*. https://doi.org/10.1016/j.measen.2023.100908

22. DeXu, N. (2025) Semi-Supervised Hybrid Ensemble Learning for Fault Detection in 20kV XLPE Cables. *Informatica (Slovenia)*. https://doi.org/10.31449/inf.v49i20.8371

23. Zhang, K. (2023) Transmission Line Fault Diagnosis Method Based on SDA-ISSA-XGBoost under Meteorological Factors. *Journal of Physics: Conference Series*. https://doi.org/10.1088/1742-6596/2666/1/012006

24. Zope, S., Chavan, S., Zope, N., Powar, R. (2025) AI-Driven Big Data Framework for Real-Time Transformer Health Monitoring and Predictive Maintenance. *2025 International Conference on Applications of Machine Intelligence and Data Analytics, ICAMIDA 2025*. https://doi.org/10.1109/ICAMIDA64673.2025.11209239

25. https://www.sciencedirect.com/science/article/pii/S1572815326000205

26. Rzeszowska, Aleksandra, Błażej, Ryszard, Jurdziak, Leszek (2026) Detection and Analysis of Conveyor Belt Damage: A Review of Sensing Technologies and Signal-Based Approaches. *Sensors (Basel, Switzerland)*. https://doi.org/10.3390/s26144453

27. Navaneeth, S., Mathew, V. (2025) Optimized Gradient Boosting for Predictive Maintenance: A Two-Task Framework for RUL Estimation and Failure Classification. *Proceedings of 1st IEEE Uttar Pradesh Section Women in Engineering International Conference on Electrical, Electronics and Computer Engineering, UPWIECON 2025*. https://doi.org/10.1109/UPWIECON67212.2025.11390220

28. Wu, Z., Wang, X., Jiang, B. (2020) Fault diagnosis for wind turbines based on ReliefF and eXtreme gradient boosting. *Applied Sciences (Switzerland)*. https://doi.org/10.3390/app10093258

29. Zhang, X., Wang, Z., Du, M., (...), Zhang, Z. (2024) Research on data-driven model for power grid fault diagnosis fusing topological quantification information. *Engineering Applications of Artificial Intelligence*. https://doi.org/10.1016/j.engappai.2024.108286

30. Bhagyalakshmi, L., Elangovan, A., Vinitha, A., (...), Suman, S.K. (2026) Digital Twin-Enabled Predictive Maintenance for Power Distribution Networks. *Proceedings of the 4th IEEE International Conference on Interdisciplinary Approaches in Technology and Management for Social Innovation, IATMSI 2026*. https://doi.org/10.1109/IATMSI68868.2026.11465189

31. Fassi, Y., Heiries, V., Boutet, J., Boisseau, S. (2024) Toward Physics-Informed Machine-Learning-Based Predictive Maintenance for Power Converters-A Review. *IEEE Transactions on Power Electronics*. https://doi.org/10.1109/TPEL.2023.3328438

32. Massaoudi, M., Abu-Rub, H., Ghrayeb, A. (2025) Building trust by design through explainable AI for resilient and cognitive smart grids. *AI and Digitalization in Energy Management*. https://doi.org/10.1049/PBPO263E_ch16

33. Worou, K.T., Guenoupkati, A., Salami, A.A. (2025) Predictive fault detection in power systems using a hybrid approach combining digital twins and machine learning. *Interdisciplinary Conference on Electrics and Computer, INTCEC 2025*. https://doi.org/10.1109/INTCEC65580.2025.11255772

34. Emedo, C., Wada, O.Z., Clement David-Olawade, A., (...), Olawade, D.B. (2025) AI-driven transformations in smart buildings: A review of energy efficiency and sustainable operations. *Digital Engineering*. https://doi.org/10.1016/j.dte.2025.100068

35. Hamza, A., Ali, Z., Dudley, S., (...), Christofides, N. (2025) A multi-stage review framework for AI-driven predictive maintenance and fault diagnosis in photovoltaic systems. *Applied Energy*. https://doi.org/10.1016/j.apenergy.2025.126108

36. Bhat, S.M., Venkitaraman, A. (2024) Strategic Integration of Predictive Maintenance Plans to Improve Operational Efficiency of Smart Grids. *2024 IEEE International Conference on Information Technology, Electronics and Intelligent Communication Systems, ICITEICS 2024*. https://doi.org/10.1109/ICITEICS61368.2024.10624882

37. Le, D.-N., Awaji, B.H., AlDhafer, O., (...), Muniyandy, E. (2026) AI-Based fault detection and predictive maintenance for power transmission networks in remote areas using catboost for enhanced reliability. *Intelligent Data Analysis*. https://doi.org/10.1177/1088467X261446579

38. Safiyullah, F., Sulaiman, S.A. (2026) AI-Based Predictive Maintenance in Renewable Energy Infrastructure: A Case Study on SESP. *Green Energy and Technology*. https://doi.org/10.1007/978-981-95-6148-3_14

39. Chakrabarty, R., Basu, I., Dutta, A., (...), Majee, A. (2025) Threshold-Driven Performance Evaluation of VAE Anomaly Detection for Predictive Maintenance of Power Electronics Systems. *Proceedings of the International Conference on Research in Computational Intelligence and Communication Networks, ICRCICN*. https://doi.org/10.1109/ICRCICN68210.2025.11364636

40. Cheng, J., Yang, D., Wang, S. (2025) Unsupervised Learning Applications for Predictive Maintenance in Consumer Electronics and Intelligent Energy Networks. *IEEE Transactions on Consumer Electronics*. https://doi.org/10.1109/TCE.2025.3573649