

Kitchen-Story-Phase4-project:

[Kitchen-Story-Phase4-project/css/style.css](#)

```
a:hover{
    text-decoration:none;
    color:rgb(9, 42, 161);
}

a{
    color:white;
}

.kitchen{
    height:100%;
    width:100%;
    padding-top:50px;
    padding-right:50px;
    padding-left:50px;
    padding-bottom:50px;
}

.container{
    height:100%;
    width:100%;
    /* border:2px solid rgb(236, 236, 236); */
    padding: 2.0rem 3.0rem !important;
    border-radius: 0.9rem !important;
    box-sizing: border-box;
}

body{
```

```
font-family: Arial, Helvetica, sans-serif;
font-weight: bold;
font-style: normal;
font-size: 100%;
background-image: linear-gradient(to right, rgba(0, 0, 0, 0.8), rgba(0,0,0, 0.5)
),
url('https://images.pexels.com/photos/1640777/pexels-photo-
1640777.jpeg?auto=compress&cs=tinysrgb&w=1260&h=750&dpr=2');
background-size: cover;
background-attachment: fixed;
color: rgb(255, 255, 255);
}
```

```
.navbar{
    padding: 0px 8px;
}
```

```
.card{
background: linear-gradient(to right, #49669c, #dbd0c7);
}
```

```
.cardimage{
height: 100px;
width: 100px;
}
```

```
#continue{
width:100px;
```

```
}
```

```
#pay{
width:100px;
margin:0 auto;
}
```

[Kitchen-Story-Phase4-project/java-script/javascript.js](#)

```
// login
validation

var email=document.getElementById("email");

var password=document.getElementById("password");

var captcha=document.getElementById("captcha");


function login(){

if(email.value=="kushi@gmail.com" && password.value==1234)

{

    if(captcha.value=="Q23f42"){

        alert("Welcome to Kitchen Story: "+email.value);

        location.href="homepage.html";

    }

    else{

        document.getElementById("captcha").innerText="Please type correct
Captcha";

        location.href="login.html";

    }

}

else if(email.value=="admin@gmail.com" && password.value=="admin")

{

    alert("Welcome to Admin Page");

    location.href="adminlogin.html";

}

else{
```

```
        alert(" Login Not Successful \n Please try again " +email.value);

        location.href="login.html";

    }

}
```

```
// Search functionality
```

```
var search=document.getElementById("search");
```

```
function searchfunc(){

    if(search.value=="pizza"){

        location.href="pizza.html";

    }

    else if(search.value=="burger"){

        location.href="burger.html";

    }

    else if(search.value=="ice cream"){

        location.href="ice-cream.html";

    }

    else{

        alert("Please type a valid food");

        location.href="homepage.html";

    }

}
```

```
}

// Continue Button

function back(){

    location.href="homepage.html";

}


// logout function


function logout(){

    alert("You have been logged out");

    location.href="login.html";

}


var burger1_p=80, burger2_p=100;

var burger1_q=0, burger2_q=0;

var bill_b1="";

var bill_b2="";

i=0;

j=0;

k=0;


// for burger1
```

```

document.getElementById("burger1").addEventListener("click", function(){
    while(j<1){
        i=i+1;
        j=j+1;
    }
    if(this.value==" " || this.value==0){
        i=i-1;
        j=0;
        burger1_q=0;
        bill_b1="";
        printbill()

    }
    else{
        burger1_q=document.getElementById("burger1").value;
        bill_b1="<tr><td>Mc-Donald's
Burger</td><td>"+burger1_q+"</td><td>"+burger1_q*burger1_p+"</td></tr>"
        printbill()
    }
});

```

```

// for burger2

```

```

document.getElementById("burger2").addEventListener("click", function(){
    while(k<1){
        i=i+1;
        k=k+1;
    }
}

```

```

    }

    if(this.value==" " || this.value==0){

        i=i-1;

        k=0;


        burger2_q=0;

        bill_b2="";

        printbill()

    }

    else{

        burger2_q=document.getElementById("burger2").value;

        bill_b2="<tr><td>KFC
Burger</td><td>"+burger2_q+"</td><td>"+burger2_q*burger2_p+"</td></tr>"

        printbill()

    }

});

function printbill(){

    document.getElementById("cartvalue").innerHTML=bill_b1+bill_b2;

    document.getElementById("amount").innerText=burger1_p*burger1_q +
burger2_p*burger2_q;

    document.getElementById("count").innerText=i;

}

function checkout(){

    alert("Your Order Value is" +(burger1_p*burger1_q + burger2_p*burger2_q));

    location.href="order-confirmation.html";

}

```

[Kitchen-Story-Phase4-project/burger.html](#)

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link
href="https://fonts.googleapis.com/css2?family=Roboto+Serif:wght@100&display=swap"
rel="stylesheet">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
  <title>Kitchen Story- Burger</title>
<link
rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css"
integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous"/>
<link rel="stylesheet" href="css/style.css">

</head>
<body>
  <nav class="navbar navbar-expand-lg navbar-dark bg-primary">
    <a href="burger.html" class="navbar-brand">
      
      Kitchen Story
    </a>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">

      <ul class="navbar-nav ml-auto">
        <li class="nav-item">
          <a href="#" class="nav-link" style="color:white;">Search</a>
        </li>
        <li class="nav-item">
          <a href="#" class="nav-link" style="color:white;">Cart<span
class="text-danger" id="count"></span>
        </a>
      </li>
    </ul>
  </div>
</body>
</html>
```



```

        </li>
        <li class="nav-item">
            <button class="btn btn-outline-light my-2 my-sm-0" type="submit"
onclick="logout()">Logout</button>
        </li>
    </ul>
</div>
</nav>

```

```

<div class="container">
    <h1 class="display-4 text-center">Select the Burgers to add in Cart</h1>

```

```

<table class="table col-md-8 offset-2" class="table-secondary">

```

```

    <thead>
        <tr class="table-primary">
            <th scope="col">Image</th>
            <th scope="col">Company</th>
            <th scope="col">Quantity</th>
            <th scope="col">Price</th>
            <th scope="col">Add to Cart</th>
        </tr>
    </thead>

```

```

    <tbody>
        <tr class="table-secondary">
            <th scope="row"></th>
            <td>Mc-Donald's Burger</td>
            <td><input
                type="number"
                id="burger1"
                name="number"
                min="0"
                max="20"
                value="0"
            /></td>
            <td>Rs.80</td>
            <td><div id="cart">
                <input
                    type="submit"
                    value="Add"
                    class="btn btn-block btn-primary"
                />
            </div></td>
        </tr>
    </tbody>
</table>

```

```

        </div></td>
    </tr>
    <tr class="table-success">
        <th scope="row"></th>
        <td>KFC-Burger</td>
        <td><input
            type="number"
            id="burger2"
            name="number"
            min="0"
            max="20"
            value="0"
        /></td>
        <td>Rs.100</td>
        <td><div id="cart">
            <input
                type="submit"
                value="Add"
                class="btn btn-block btn-primary"
            />
        </div></td>
    </tr>
</tbody>
</table>
</div>
<div class="container">
<table class="table col-md-8 offset-2">
    <thead>
        <tr class="table-primary">
            <th scope="col">Name</th>
            <th scope="col">Quantity</th>
            <th scope="col">Price</td>

        </tr>
    </thead>

    <tbody id="cartvalue" class="table-secondary">

    </tbody>
    <tr class="table-secondary">
        <td></td>
        <td>Total</td>

```

```

        <td id="amount"></td>

    </tr>
</table>
</div>
<div id="pay">
    <input
        type="submit"
        value="Pay"
        class="btn btn-block btn-primary my-4"
        onclick="checkout()"
    />
</div>

<script src="java-script/javascript.js"></script>
<script
    src="https://code.jquery.com/jquery-3.3.1.slim.min.js"
    integrity="sha384-
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
    crossorigin="anonymous"
></script>
<script
    src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd/popper.min.js"
    integrity="sha384-
ZMP7rVo3mIykV+2+9J3UJ46jBk0WLaUAdn689aCwoqbBJiSnjAK/18WvCWPIpM49"
    crossorigin="anonymous"
></script>
<script
    src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"
    integrity="sha384-
JjSmVgyd0p3pXB1rRibZUAYoIIy60rQ6VrjIEaFf/nJGzIxFDsf4x0xIM+B07jRM"
    crossorigin="anonymous"
></script>
</body>
</html>

```

Kitchen-Story-Phase4-project/homepage.html

```
<!DOCTYPE
E html>

<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link
href="https://fonts.googleapis.com/css2?family=Roboto+Serif:wght@100&display=sw
ap" rel="stylesheet">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
  <title>Kitchen Story-Homepage</title>
<link
  rel="stylesheet"

href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css"
  integrity="sha384-
gg0yR0iXCBMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
  crossorigin="anonymous"/>
<link rel="stylesheet" href="css/style.css">

</head>
<body>
  <nav class="navbar navbar-expand-lg navbar-dark bg-primary">
    <a href="homepage.html" class="navbar-brand">
      
      Kitchen Story
    </a>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
      <ul class="navbar-nav ml-auto">
        <li class="nav-item">
          <a href="#" class="nav-link" style="color:white;">Items</a>
        </li>
        <li class="nav-item">
          <a href="#" class="nav-link" style="color:white;">Cart</a>
        </li>
      </ul>
    </div>
  </nav>
</body>
</html>
```

```

        </li>
        <li class="nav-item">
            <button class="btn btn-outline-light my-2 my-sm-0"
type="submit" onclick="logout()">Logout</button>
        </li>
    </ul>
</div>
</nav>
<h1 class="text-center">About Our Services</h1>
    <div class="row kitchen">
        <form class="col-md-8 offset-2">
            <input
                type="search"
                class="form-control mr-sm-2"
                name="search"
                id="search"
                placeholder="Search"

            />
        </form>
        <button class="btn btn-outline-light my-2 my-sm-0"
type="submit" onclick="searchfunc()">
            Serach
        </button>
    </div>
    <div class="row text-center kitchen">
        <div class="col-md-4">
            <div class="card">
                <div class="card-body">
                    
                    <a href="pizza.html"><h1>Pizza</h1></a>
                    <p>Onion, Capsicum and Paneer loaded with 40% special
Discount</p>
                </div>
            </div>
        </div>
        <div class="col-md-4">
            <div class="card">
                <div class="card-body">
                    
                    <a href="burger.html"><h1>Burger</h1></a>
                    <p>Order this Burger in a reasonable price. Highly
delicious !!!</p>

```

```

        </div>
    </div>
</div>
<div class="col-md-4">
    <div class="card">
        <div class="card-body">
            
            <a href="ice-cream.html"><h1>Ice Cream</h1></a>
            <p>Order this Ice Cream. Food of this season with 10%
Discount.</p>
        </div>
    </div>
</div>
</div>
</div>
</div>

<script src="java-script/javascript.js"></script>
<script
    src="https://code.jquery.com/jquery-3.3.1.slim.min.js"
    integrity="sha384-
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
    crossorigin="anonymous"
></script>
<script

src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd/popper.min.js"
    integrity="sha384-
ZMP7rVo3mIyKv+2+9J3UJ46jBk0WLaUAdn689aCwoqbBJiSnjAK/l8WvCWPIpM49"
    crossorigin="anonymous"
></script>
<script

src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"
    integrity="sha384-
JjSmVgyd0p3pXB1rRibZUAYoIIy60rQ6VrjIEaFf/nJGzIxFDsf4x0xIM+B07jRM"
    crossorigin="anonymous"
></script>
</body>
</html>

```

Kitchen-Story-Phase4-project/ice-cream.html

```
<!DOCTYPE
E html>

<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link
href="https://fonts.googleapis.com/css2?family=Roboto+Serif:wght@100&display=sw
ap" rel="stylesheet">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
  <title>Kitchen Story- Ice-Cream</title>
  <link
rel="stylesheet"

href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css"
integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous"/>
  <link rel="stylesheet" href="css/style.css">

</head>
<body>
  <nav class="navbar navbar-expand-lg navbar-dark bg-primary">
    <a href="ice-cream.html" class="navbar-brand">
      
      Kitchen Story
    </a>

    <div class="collapse navbar-collapse" id="navbarSupportedContent">

      <ul class="navbar-nav ml-auto">
        <li class="nav-item">
```

```

        <a href="#" class="nav-link" style="color:white;">Search</a>
    </li>
    <li class="nav-item">
        <a href="#" class="nav-link" style="color:white;">Cart</a>
    </li>
    <li class="nav-item">
        <button class="btn btn-outline-light my-2 my-sm-0 ml-auto"
onclick="logout()">Logout</button>
    </li>
</ul>
</div>
</nav>

```

```

<div class="container">
    <h1 class="display-4 text-center">Select the Ice Creams to add in
    Cart</h1>

```

```

<table class="table col-md-8 offset-2">
    <thead>
        <tr class="table-primary">
            <th scope="col">Image</th>
            <th scope="col">Company</th>
            <th scope="col">Price</th>
            <th scope="col">Add to Cart</th>
        </tr>
    </thead>

    <tbody>
        <tr class="table-secondary">
            <th scope="row"></th>
            <td>Amul Ice-Cream</td>
            <td>Rs.60</td>
            <td><div id="cart">
                <input
                    type="submit"
                    value="Add"
                    class="btn btn-block btn-primary"
                />
            </div></td>
        </tr>
        <tr class="table-success">
            <th scope="row"></th>

```



```
<td>Milkmaid Ice-Cream</td>
<td>Rs.50</td>
<td><div id="cart">
  <input
    type="submit"
    value="Add"
    class="btn btn-block btn-primary"
  />
</div></td>
</tr>
</tbody>
</table>
</div>
<script src="java-script/javascript.js"></script>
<script
  src="https://code.jquery.com/jquery-3.3.1.slim.min.js"
  integrity="sha384-
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
  crossorigin="anonymous"
></script>
<script

src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd/popper.min.js"
  integrity="sha384-
ZMP7rVo3mIyKv+2+9J3UJ46jBk0WLaUAdn689aCwoqbBJiSnjAK/l8WvCWIPm49"
  crossorigin="anonymous"
></script>
<script

src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"
  integrity="sha384-
JjSmVgyd0p3pXB1rRibZUAYoIIy60rQ6VrjIEaFf/nJGzIxFDs4x0xIM+B07jRM"
  crossorigin="anonymous"
></script>
</body>
</html>
```

Kitchen-Story-Phase4-project/login.html

```
<!DOCTYPE
E html>

<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link
href="https://fonts.googleapis.com/css2?family=Roboto+Serif:wght@100&display=sw
ap" rel="stylesheet">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">

  <title>Kitchen Story-Login</title>
<link
  rel="stylesheet"

href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css"
  integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
  crossorigin="anonymous"/>
<link rel="stylesheet" href="css/style.css">

</head>
<body>
  <nav class="navbar navbar-expand-lg navbar-dark bg-primary">
    <a href="login.html" class="navbar-brand">
      
      Kitchen Story
    </a>

    <!-- <button
      class="navbar-toggler"
      type="button"
```

```

        data-toggle="collapse"
        data-target="#navbarSupportedContent"
        aria-controls="navbarSupportedContent"
        aria-expanded="false"
    >
        <span class="navbar-toggler-icon"></span>
    </button> -->
<div class="collapse navbar-collapse" id="navbarSupportedContent">
    <!-- <li class="navbar-nav nav-item mr-auto">
        <a href="#" class="nav-link" style="color:white;">Brand</a>
    </li> -->
    <!-- <ul class="navbar-nav ml-auto"> -->

    <!-- <form class="form-inline my-2 my-lg-0">
        <li class="nav-item"> -->
            <a href="registration.html" class="navbar-nav ml-auto">
                <button class="btn btn-outline-light my-2 my-sm-
0">Registration</button></a>

    <!-- <li class="nav-item">
        <a href="#" class="nav-link" style="color:white;">About</a>
    </li>
    <li class="nav-item">
        <a href="#" class="nav-link" style="color:white;">Support</a>
    </li> -->
</ul>
</div>
</nav>
    <div class="row kitchen">
        <div class="col-md-6">
            <h1 class="display-5 text-primary font-weight-bold">Kitchen
Story</h1>
            <h3 class="font-weight-bold">Kitchen Story helps you to find your
favorite food and order online. You can order online with few steps. So What
are you waiting for!!</h3>
        </div>
        <div class="col-md-6 form-group">
            <div class="container">
                <div name="email">
                    <label for="email">Email:*</label><br />
                    <input

```

```

        type="email"
        id="email"
        name="email"
        class="form-control"
        placeholder="Enter your email"
        required
    />
    <!-- <small id="emailFieldHelp" class="form-text text-light"
        >Your email is safe with us :)</small
    > -->
</div>
<div name="password">
<label for="password">Password:*</label><br />
<input
    type="password"
    id="password"
    name="password"
    class="form-control"
    placeholder="Enter your password"
    required
/>
</div>
<div name="captcha" class="row">
    <div name="captcha" class="col-md-6">
        <label for="captcha">Captcha Code</label><br />
    <input
        type="captcha"
        id="captcha"
        name="captcha"
        class="form-control font-italic font-weight-bold"
        value="Q23f42"
        style="background: rgb(196, 154, 77);"
        required
        readonly
    />
    </div>
    <div id="captcha1" name="captcha" class="col-md-6">
        <label for="captcha">Enter Captcha</label><br />
    <input
        type="captcha"
        id="captcha"
        name="captcha"
        class="form-control"

```

```

        placeholder="Enter Captcha"

    />
</div>
</div>
<div id="login">
    <input
        type="submit"
        value="Log In"
        class="btn btn-block btn-primary my-4"
        onclick="login()"
    />
</div>
<div class="text-center">
    <a href="#" class="text-danger font-weight-bold">Forgot
password?</a>
</div>
<a href="registration.html">
<div id="registrationButton">
<input
    type="submit"
    value="Create New Account"
    class="btn btn-block btn-success my-4"

    />
</div></a>
</div>
</div>
</div>
<script src="java-script/javascript.js"></script>
<script
    src="https://code.jquery.com/jquery-3.3.1.slim.min.js"
    integrity="sha384-
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
    crossorigin="anonymous"
></script>
<script

src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd/popper.min.js"
    integrity="sha384-
ZMP7rVo3mIyKV+2+9J3UJ46jBk0WLaUAdn689aCwoqbBJiSnjAK/l8WvCWPIpM49"
    crossorigin="anonymous"
></script>

```

```
<script

src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"
  integrity="sha384-
JjSmVgyd0p3pXB1rRibZUAYoIIy60rQ6VrjIEaFf/nJGzIxFDsf4x0xIM+B07jRM"
  crossorigin="anonymous"
></script>
</body>
</html>
```

[Kitchen-Story-Phase4-project/order-confirmation.html](#)

```
<!DOCTYPE
E html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta http-equiv="X-UA-Compatible" content="IE=edge">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="preconnect" href="https://fonts.googleapis.com">

  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

  <link
href="https://fonts.googleapis.com/css2?family=Roboto+Serif:wght@100&display=sw
ap" rel="stylesheet">

  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">

  <title>Kitchen Story- Order Confirmation</title>

<link

  rel="stylesheet"

href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css"

  integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"

  crossorigin="anonymous"/>

<link rel="stylesheet" href="css/style.css">


</head>

<body>

  <nav class="navbar navbar-expand-lg navbar-dark bg-primary">
```

```
<a href="order-confirmation.html" class="navbar-brand">

    

    Kitchen Story

</a>

<button class="btn btn-outline-light my-2 my-sm-0 ml-auto"
onclick="logout()">Logout</button>

</nav>

<h1 class="display-4 text-center my-5">Your Order has been confirmed !</h1>


<div id="continue" class="mx-auto" onclick="back()">

    <input

        type="submit"

        value="Continue"

        class="btn btn-block btn-primary"

    />

</div>


<script src="java-script/javascript.js"></script>

<script

    src="https://code.jquery.com/jquery-3.3.1.slim.min.js"

    integrity="sha384-
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"

    crossorigin="anonymous"

></script>

<script

src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd/popper.min.js"
```



```
        integrity="sha384-
ZMP7rVo3mIykv+2+9J3UJ46jBk0WLaUAdn689aCwoqbBJiSnjAK/l8WvCWPIpM49"
        crossorigin="anonymous"
    ></script>
<script

src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"

        integrity="sha384-
JjSmVgyd0p3pXB1rRibZUAYoIIy60rQ6VrjIEaFf/nJGzIxFDsf4x0xIM+B07jRM"
        crossorigin="anonymous"
    ></script>
</body>
</html>
```

Kitchen-Story-Phase4-project/pizza.html

```
<!DOCTYPE
E html>

<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link
href="https://fonts.googleapis.com/css2?family=Roboto+Serif:wght@100&display=sw
ap" rel="stylesheet">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
  <title>Kitchen Story- Pizza</title>
<link
rel="stylesheet"

href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css"
integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous"/>
<link rel="stylesheet" href="css/style.css">

</head>
<body>
  <nav class="navbar navbar-expand-lg navbar-dark bg-primary">
    <a href="pizza.html" class="navbar-brand">
      
      Kitchen Story
    </a>

    <div class="collapse navbar-collapse" id="navbarSupportedContent">
```

```

<ul class="navbar-nav ml-auto">
  <li class="nav-item">
    <a href="#" class="nav-link" style="color:white;">Search</a>
  </li>
  <li class="nav-item">
    <a href="#" class="nav-link" style="color:white;">Cart</a>
  </li>
  <li class="nav-item">
    <button class="btn btn-outline-light my-2 my-sm-0"
type="submit" onclick="logout()">Logout</button>
  </li>
</ul>
</div>
</nav>

```

```

<div class="container">
  <h1 class="display-4 text-center">Select the Pizzas to add in Cart</h1>

```

```

<table class="table col-md-8 offset-2">
  <thead>
    <tr class="table-primary">
      <th scope="col">Image</th>
      <th scope="col">Company</th>
      <th scope="col">Price</th>
      <th scope="col">Add to Cart</th>
    </tr>
  </thead>

```

```

  <tbody>
    <tr class="table-secondary">
      <th scope="row"></th>
      <td>Dominos Pizza</td>
      <td>Rs.100</td>
      <td><div id="cart">
        <input
          type="submit"
          value="Add"
          class="btn btn-block btn-primary"
        />
      </div></td>
    </tr>
    <tr class="table-success">

```

```

<th scope="row"></th>
<td>Pizza Hut</td>
<td>Rs.120</td>
<td><div id="cart">
  <input
    type="submit"
    value="Add"
    class="btn btn-block btn-primary"
  />
</div></td>
</tr>
</tbody>
</table>
</div>

```

```

<script src="java-script/javascript.js"></script>

```

```

<script
  src="https://code.jquery.com/jquery-3.3.1.slim.min.js"
  integrity="sha384-
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
  crossorigin="anonymous"
></script>
<script

```

```

src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd/popper.min.js"
  integrity="sha384-
ZMP7rVo3mIykV+2+9J3UJ46jBk0WLaUAdn689aCwoqbBJiSnjAK/18WvCWPIpM49"
  crossorigin="anonymous"
></script>
<script

```

```

src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"
  integrity="sha384-
JjSmVgyd0p3pXB1rRibZUAYoIIy60rQ6VrjIEaFf/nJGzIxFDs4f4x0xIM+B07jRM"
  crossorigin="anonymous"
></script>

```

```

</body>
</html>

```

[Kitchen-Story-Phase4-project/registration.html](#)

```
<!DOCTYPE
E html>

<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link
href="https://fonts.googleapis.com/css2?family=Roboto+Serif:wght@100&display=sw
ap" rel="stylesheet">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">

  <title>Kitchen Story-Registration</title>
<link
  rel="stylesheet"

href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css"
  integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
  crossorigin="anonymous"/>
<link rel="stylesheet" href="css/style.css">

</head>
<body>
  <nav class="navbar navbar-expand-lg navbar-dark bg-primary">
    <a href="registration.html" class="navbar-brand">
      
      Kitchen Story
    </a>

    <div class="collapse navbar-collapse" id="navbarSupportedContent">
      <a href="login.html" class="navbar-nav ml-auto">
```

```

        <button class="btn btn-outline-light my-2 my-sm-0">Login</button></a>
    </div>
</nav>
<div class="row kitchen">
    <div class="col-md-6">
        <h1 class="display-5 text-primary font-weight-bold">Kitchen
Story</h1>
        <h3 class="font-weight-bold">Kitchen Story helps you to find your
favorite food and order online. You can order online with few steps. So What
are you waiting for!!</h3>
    </div>
    <div class="col-md-6 form-group">
        <div class="container">
            <div id="firstNameField" name="nameField">
                <label for="fname">First name:*</label><br />
                <input
                    type="text"
                    id="fname"
                    name="fname"
                    class="form-control"
                    placeholder="Enter your name"
                    autocomplete="off"
                    autofocus
                    required
                />
            </div>
            <div id="lastNameField" name="nameField">
                <label for="lname">Last name:*</label><br />
                <input
                    type="text"
                    id="lname"
                    name="lname"
                    class="form-control"
                    placeholder="Enter your name"
                    autocomplete="off"
                    autofocus
                    required
                />
            </div>
            <div id="emailField" name="emailField">
                <label for="email">Email:*</label>
                <input
                    type="email"

```

```
        id="email"
        name="email"
        class="form-control"
        placeholder="Enter your email"
        required
    />
</div>
```

```
<div id="passwordField" name="passwordField">
    <label for="password">Password:*</label>
    <input
        type="password"
        id="password"
        name="password"
        class="form-control"
        placeholder="Enter your password"
        required
    />
</div>
```

```
<div id="confirmpasswordField" name="confirmpasswordField">
    <label for="confirmpassword">Confirm Password:*</label>
    <input
        type="password"
        id="password"
        name="password"
        class="form-control"
        placeholder="Enter your password"
        required
    />
</div>
```

```
<div id="registrationButton">
    <input
        type="submit"
        value="Register"
        class="btn btn-block btn-primary my-4"
    />
</div>
```

```
<a href="login.html" id=#loginButton>
    <div id="loginButton">
        <input
            type="submit"
            value="Login to your Account"
```

```
        class="btn btn-block btn-success my-4"
    />
</div>
</a>
</div>
</div>
</div>
<script
  src="https://code.jquery.com/jquery-3.3.1.slim.min.js"
  integrity="sha384-
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
  crossorigin="anonymous"
></script>
<script

src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd/popper.min.js"
  integrity="sha384-
ZMP7rVo3mIykV+2+9J3UJ46jBk0WLaUAdn689aCwoqbBJiSnjAK/l8WvCWPIpM49"
  crossorigin="anonymous"
></script>
<script

src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"
  integrity="sha384-
JjSmVgyd0p3pXB1rRibZUAYoIIy6OrQ6VrjIEaFf/njGzIxFDsf4x0xIM+B07jRM"
  crossorigin="anonymous"
></script>
</body>
</html>
```


