



EXCLUSIVE UNITECH AGENT IN JORDAN

Products Portfolio


Complete product profile across all baskets

UNITECH

KAVITY FOR CONSTRUCTION SOLUTIONS & MATERIALS

+962 6 551 5905 | info.jordan@kabrilc.com

Wasfi Al-Tal St. - Noura Complex, Amman, Jordan



ONE DEFINED PATH TO THE FUTURE

KAVITY
For Construction Solutions & Materials.



PRODUCTS PROFILE

Your Building Journey
▶▶▶▶ **STARTS HERE**

We strive everyday to be the customers First Choice

A Company with Values

Unitech's core values are based on:



Excellence
Highest Quality



Integrity
Outstanding Customer Service



Service with Pride
Highly Effective Business Operation

We offer valuable products and services to our clients and work closely with them in a lasting business partnership that would give way to outstanding performance. A partnership based on trust, harmony, and a hard to beat service and solution.

Index

Unitech Introduction	4
Our Journey 40+ Years of Excellence	4
Our Manufacturing Arm	5
Engineering Specialty	5
	5

PRODUCT BASKETS

 MEP Solutions	10
 Architectural & Finishing Solutions	25
 Civil Solutions	47
 Construction Chemicals	59
 Power, Industrial & Hand Tools	71
 Sustainable Solution	78
 Hygienic Solutions	85

IKK Group of Companies	90
IKK Group Major Activities	91

Contact Information	92
---------------------	----

Unitech Introduction



Unitech is a multinational company providing building and construction solutions that is empowering the region's construction industry for the past 40+ years. We have been successfully providing solutions through mastering our main business activities:



DESIGN



MANUFACTURE



TRADE

Unitech is an ISO QMS 9001:2015 certified company and is a member of the US Green Building Council. Our experienced teams and operations are present across the Middle-East North Africa regions (MENA) and Pakistan, giving us an extensive regional network that benefits our clients and partners.

We are also present in Europe via our design and engineering office in Stuttgart.

For more information, please visit: www.unitech-ikk.com

Mission

UNITECH is committed to transforming the construction and building sector by equipping engineers with advanced solutions and expert support at every project stage. As a leading industry provider, we empower our team to deliver exceptional service that consistently exceeds expectations. By fostering a cohesive and forward-focused culture, we attract and retain top talent, driving our mission forward. Our innovative, customer-centric products set new industry benchmarks and pave the way for future progress.

Vision

To be the Customer's First Choice...

Strategy

Unitech's strategy continues to focus on accelerating its business throughout the region, to service the construction sector via superior products & solutions, backed up by a group of highly experienced people in the field. Unitech also aims to enhance its geographical presence in its areas of interest and where opportunities exist.

We combine a deep understanding of building and construction materials markets with a successful history of upgrading our products and developing our processes.

We have the qualified employees, the know-how and the products to service major construction projects, medium sized to mega projects taking in care our positive contribution to our societies.

We thrive towards excellence by acknowledging:



Customer Satisfaction



Employee Retention



Partner and Supplier Relations



Positive Influence on Society and Environment

Our Employees

We are a company that prides itself on its 'family' culture and we seek out high-caliber people. We are a company that has, at its core, a team philosophy that is clearly apparent each and every day - there is a real sense of being there for one another.

We believe in nurturing the skills of our team members and providing growing levels of responsibility. Our people bring unique skills, energy, expertise, experience and perspectives to our workforce.

Unitech's family of employees consists of experienced, well-motivated and dedicated team of engineers, technicians, sales executives and management staff. This team is committed to serve our customers, with the best solutions available in the market.



Our Journey 40+ Years of Excellence

Since 1979, having been set to become an independent company under the framework developed by Sheikh Isam Kabbani, Unitech started its journey of success with confidence and enthusiasm, hard work and care to detail and a commitment to become the best within its industry.

Its dedicated people could only imagine what the future could bring to this newly established entity. Unitech's journey of success has been marked with outstanding achievements and superior accomplishments. Year by year, Unitech has been acknowledged as the "First Choice for Building & Construction Material" by major construction consultants in the region, governmental authorities, well-known contracting and project development corporations.

We have obtained invaluable knowledge about the construction industry in general, providing specialized solutions to construction projects throughout MENA region. From a couple of outlets in Saudi Arabia, Unitech today is present all over the Kingdom and in several countries throughout the region providing its products and solution to various locations worldwide.



Est. 1979

THE BEGINNING

Unitech was established in the Western Region of KSA as a Sales Company selling basic construction material.

During the same year, another branch was established in the heart of the kingdom's capital, Riyadh.



1980 to 1989

AGE OF GREAT RISK

Unitech Dammam was open for business in the oil-rich eastern coast of Saudi Arabia.

Within these 10 years the idea of in-house manufacturing facility was born and Specialized Factory for Steel Products (SFSP) was established in Riyadh.



1990 to 1999

AGE OF GROWTH

Branches of Unitech were established in Makkah, Madina, Khamis Mushayt and Jubail.

The need to increase its range of products and the necessity to have production lines for mass production lead to the decision to move the SFSP Factory from Riyadh to Jeddah.

Pioneering Construction Since 1979

We are constantly evolving in order to become more flexible in our operations, more sustainable in our societies, and more innovative in conducting our business.

By delivering superior products tailored to the specific construction needs, ambitious solutions, and an outstanding customer service, we serve today's needs through developing tomorrow's markets.

Helping construction projects experience success is what fueled its days. Unitech is keen to continue offering superior products, a wide spectrum of solutions, governed by our top-notch management style.

Such aspirations require trust in our responsibilities. Our Responsibilities for the future and with this in mind we continue to target excellence with committed efforts.



2000 to 2015

AGE OF CONSTRUCTION BOOM

Qassim, Hofuf and Yanbu Branches were inaugurated in KSA and branches outside KSA were established in UAE, Egypt, Lebanon, Oman, Jordan and Germany in order to facilitate the construction boom in the Middle East. During this period SFSP state of the art facilities were launched in DIC UAE and Unitech thrived, marking some of the best years in business.



2016 to 2019

AGE OF GREAT CHANGE

This period, marked the age of great change in order to align with the economic shift in the GCC and the world in general.

Company wide right sizing initiatives were taken especially in KSA to align with the kingdom's ambitious vision 2030 and during this period the upgraded SFSP state of the art facilities were launched in JIC 3 KSA.



2020 & Beyond

NEW FRONTIER

This period marks the expansion of Unitech into the South and Central Asian territories. We aim to cater these markets and play an active role in these countries development.

During 2020, Unitech Pakistan was officially inaugurated and marked the entrance of Unitech into Asian Market.

Our Manufacturing Arm SFSP

SFSP is a leading manufacturer and fabricator of light steel construction products in the region, servicing the construction sector through its state of the art facilities which are spread all over the MENA region. Products of SFSP are manufactured from quality raw material according to the relevant international standards to meet all kinds of construction projects requirements, such as MEP, façade, blockwork & waste management systems.

Commitment to Quality

Our commitment to quality is clearly revealed in the way we do our business; our processes, our close interaction with our clients as well as the strict product inspection procedures. To achieve this, we have implemented quality systems & processes that are continually being improved to satisfy our customer's needs.

Product Development

Product development process is substantial to the success of our business. We leverage all resources to provide up-to-date reliable products, environmentally friendly, durable to withstand the toughest weather conditions. Our engineers are constantly testing the products, seeking to present a combination of performance and quality across all our product ranges.

For more information, please visit:
www.sfsp-ikk.com



Value Chain

Our value chain starts up with the quality of the raw materials and ends up in client satisfaction. Our business practices backed up by all technologically essential business elements are supported by an efficient logistics, warehousing and delivery system that maintains a valuable supply chain for products.

The value chain is integrated in our business module, giving us strength and preserving our good reputation gained through the past 4 decades.

Engineering Specialty

Our products development engineers integrate their vast knowledge to provide the perfect solution to projects within the required specifications and time frame.

The products development department maintains highly skilled calibers with a dedication towards efficient and reliable solutions even in the most complicated cases where delicacy and skillful approaches are indispensable.

Design and Product Safety

Our design and engineering office in Stuttgart ensures our products comply with relevant European and international standards of fabrication, taking into attention the safety factors which govern the public safety of projects.

Sustainability and Responsibility

We are constantly working hard to reduce our environmental footprints while maintaining the high quality and safety standards. We have set our targets to become three times more efficient in the next 10 years. Our responsibility towards our stakeholders is valued through our positive contributions towards our colleagues, our business partners and our communities as well.

Our Design Office

UNITECH DEUTSCHLAND GmbH is a "Design & Engineering" Office. Unitech Germany support Unitech & SFSP operations through well-informed cadre of engineers. They help our customers from conception to the completion by delivering design, engineering and project management services.

Thanks to our multidisciplinary team in Unitech Germany and their expertise, we assist you in your ambition to develop your innovation, your engineering and your organization. Our goal is to serve our clients through these elements:

- **Excellent in engineering ideas and solutions**
- **High quality in performance**
- **Firmness on meeting deadlines**



MEP Solutions



- ▶ **Cable Management System with Accessories**
 - ▶ Cable Trays & Accessories
 - ▶ Cable Ladders (Welded & Swaged)
 - ▶ Basket Trays & Accessories
 - ▶ Cable Trunkings
 - ▶ Underfloor Trunkings
 - ▶ Fiberglass Reinforced Plastic (FRP) Cable Tray / Ladder
 - ▶ Weatherproof Cable Trunking
 - ▶ Cable Management Support Systems
- ▶ **C-Channels Strut Systems with Accessories**
- ▶ **Pipe Clamps and Hangers with Accessories**
- ▶ **PVC Electrical Conduits and Accessories**
- ▶ **Mechanical Anchor**
- ▶ **Chemical (Bonded) Anchors**
- ▶ **Facade Insulation Fixings**
- ▶ **Light Weight Fixings**
- ▶ **Cable Fastening Systems (Cable Ties)**
- ▶ **Galvanized Threaded Rods and Accessories**
- ▶ **Access Panels & Roof Hatches**
- ▶ **HVAC Thermal insulation**



Cable Management Systems

Brand: SFSP

Cable Management Systems are economical and designed to meet most requirements of cable and electrical wire installations and comply to international standards of fabrication and finishing. The Cable Management System types, fittings and accessories from our factory (SFSP) are manufactured in compliance with :

- ▶ **IEC 61537:2023**
[Cable management - Cable tray systems and cable ladder systems]
- ▶ **BS EN 61537:2007 International Electrotechnical Commission**
[Cable Management, Cable Tray Systems and Cable Ladder Systems]
- ▶ **SASO IEC (61537/2007) Saudi Standard**
[Cable Management, Cable Tray Systems and Cable Ladder Systems]
- ▶ **NEMA VE 1 - 2017 National Electrical Manufacturers Association**
[Metal Cable Tray Systems]
- ▶ **NEMA VE 2-2018 National Electrical Manufacturers Association**
[Metal Cable Tray Installation Guidelines]
- ▶ **NEC (ANSI / NFPA 70) National Electric Code**
[Metal Cable Tray Guidelines]

Cable Trays & Accessories

Brand: SFSP

Cable trays provide significant advantages in cable filling over other wiring methods, resulting in savings in the size or number of raceways required and reducing both material and labor costs

Material Thickness

1.0 mm, 1.20 mm, 1.50 mm, 2.00 mm

Side Heights

50mm, 75mm, 100mm

Available Widths


50, 100, 150, 200, 225, 300, 400, 450, 500, 600, 700, 800, 900, 1000 mm

Fittings

Bend 45°, Bend 90°, Intersection, Outside Riser Bend 45°, Inside Riser
Bend 45°, Outside Riser Bend 90°, Inside Riser Bend 90°, Tee Branch, Reducer

Product Availability:

KSA, UAE, Bahrain, Kuwait, Oman, Lebanon, Egypt & Pakistan





Cable Management Systems

Cable Ladders

Brand: SFSP

Rung Types (Swaged And Channel)

Material Thickness

1.50 mm, 2.00 mm, 2.50 mm and 3mm

Swaged Type (Aluminum & Steel)

Rounded tubular with 25 mm diameter
Rung standard spacing 229 mm

Channel Type (Steel)

Plain or slotted, and can be mounted upwards or downwards
Rung standard spacing 229 mm

Rail Types



C-Type, Z-Type and R-Type

Side Heights

150 mm, 225 mm, 300 mm, 450 mm, 600 mm, 750 mm, 900 mm

Fittings

Bend 45°, Bend 90°, Tee Branch, Horizontal Cross (Intersection), Inside Vertical Elbow (Inside Riser), Outside Vertical Elbow (Outside Riser), Straight Central Reducers, Right Hand Reducers, Left Hand Reducers.



Basket Trays & Accessories

Brand: SFSP

Basket Tray System enables fast and simple connections with limited need for tools. Its design allows continuous airflow, and prevents the buildup of dust, contaminants and bacterial proliferation.

Wire (dia.)

4 mm

Side Heights

55mm, 80mm, 105mm, 150mm

Available Widths

50 mm, 100 mm, 150 mm, 200 mm, 300 mm, 400 mm, 500 mm, 600 mm

Fittings

90° Bends, Outside Inside Bends, Vertical Inside Bends, Horizontal Tees (Cross), Reducers - Central Reducers, Left & Right Reducers



Cable Management Systems

Cable Trunkings

Brand: SFSP

Cable Trunkings are used to protect cables from damage & dust are square in shape. Our cable trunkings system comes in a variety of thickness and sizes and is available in three types: Single, double, and triple compartments

Available Thicknesses

1 mm, 1.2 mm, 1.5 mm

Length

2400 mm and 3000 mm

Fittings

Bend 45° Top Lid, Bend 45° Inside Lid, Bend 45° Outside Lid, Bend 90° Top Lid, Bend 90° Inside Lid, Bend 90° Outside Lid, TEE Bend Top Lid, TEE Bend Inside Lid, TEE Bend Outside Lid, Intersection, Reducers

Dimensions

- ▶ 50 x 50 mm
- ▶ 75 x 75 mm
- ▶ 100 x 50 / 75 / 100 mm
- ▶ 150 x 50 / 75 / 100 / 150 mm
- ▶ 200 x 100 mm
- ▶ 300 x 100 mm
- ▶ 450 x 100 mm
- ▶ 600 x 100 mm

Underfloor Trunkings

Brand: SFSP

This solutions incorporate a range of products for the distribution of power & data services, it is a coordinated set of containments that protect, segregate, contain & route cables within a given environment



Flush Floor Trunking System includes

Trunking / End Cap / Junction box / Coupler & Leveling Kit / Fixing Bracket & Leveling for Trunking / Leveling for Junction Box / Riser / Floor Box (Support Plate + Lid & Trim)

Screed Floor Trunking System includes

Ducting / Coupler / Junction Box / Fixing Bracket / Vertical Trunking such as DLP / Riser / Floor Box (Back-Box + Lid and Trim)

Socket outlets and data sockets plates to be ordered separately.



Cable Management Systems

KAVITY
For Construction Solutions & Materials.



Fiberglass Reinforced Plastic (FRP) Cable Tray

Brand: SFSP

SFSP-INTECH Fiberglass Reinforced Plastic Cable Management System is designed, manufactured, and tested to be installed in most harsh environmental conditions of onshore and offshore facilities for several industries including Oil and Gas, Petrochemicals, Manufacturing, Mining and others.

- FRP Cable Trays & Accessories
- FRP Cable Ladder & Accessories
- Related Hardware & Fittings

SFSP-INTECH Fiberglass Reinforced Plastic Cable Management System is available with a full range of fittings, splices, covers, accessories and support channels of cantilever and trapeze junctions. Our system is designed to fulfill the following standards' requirements:

SPECIFICATIONS AND MECHANICAL PERFORMANCE

- 1- NEMA FG-1:2002
- 2- UL 568:2019

INSTALLATION

- 1- NEMA VE2
- 2- NFPA 70:2023

FIRE PERFORMANCE

- 1- BS 476 Part 7: 1997
- 2- ASTM E-84, Class 1: 2021

ELECTRICAL PERFORMANCE

- 1- ASTM D149-20

Cable Management Support Systems





Brand: SFSP

Cable Management Support Systems are well designed to provide necessary support for cable trays, cable ladders and trunkings. Cable supports are manufactured according to common standards from high quality raw materials

Cantilever Arm Bracket (Sizes)

41x21x2.5 mm / 41x21x2.5 mm B2B / 41x41x2.5 mm B2B
50x20x2.5 mm / 50x25x2.5 mm / 50x20x2.5 mm B2B / 50x25x2.5 mm B2B

- U - Support with Welded-On head plate
- I - Support with Welded-On head plate
- U - Support Wall Bracket
- I - Support Wall Bracket



Cable Management Systems

KAVITY
For Construction Solutions & Materials.



Weatherproof Cable Trunking

Brand: SFSP

Cable Trunkings are used to protect cables from damage & dust. Our cable trunkings system comes in a variety of thickness and sizes and is available in three types: Single, double, and triple compartments

Cable Trunkings and Accessories are offered in a comprehensive range. Mill galvanized, hot-dip galvanized, and powder coated are the various finishes produced in SFSP factories.

Available Thicknesses

1 mm, 1.2 mm, 1.5 mm

Length


2400 mm and 3000 mm

Dimensions

- ▶ 50 x 50 mm
- ▶ 75 x 75 mm
- ▶ 100 x 50 / 75 / 100 mm
- ▶ 150 x 50 / 75 / 100 / 150 mm
- ▶ 200 x 100 mm
- ▶ 300 x 100 mm
- ▶ 450 x 100 mm
- ▶ 600 x 100 mm

Fittings

- ▶ Bend 45° Top Lid,
- ▶ Bend 45° Inside Lid,
- ▶ Bend 45° Outside Lid,
- ▶ Bend 90° Top Lid,
- ▶ Bend 90° Inside Lid,
- ▶ Bend 90° Outside Lid,
- ▶ TEE Bend Top Lid,
- ▶ TEE Bend Inside Lid,
- ▶ TEE Bend Outside Lid,
- ▶ Intersection, Reducers



KAVITY
For Construction Solutions & Materials.



C Channel Strut System

Brand: SFSP

C-channel metal framing is cold formed on modern rolling machines from low carbon steel manufactured according to **BS 6946:1988**.

A continuous slot provides the ability to make attachments at any point.

Finishes

Pre-Galvanized, Hot Dip Galvanized and Stainless Steel 304 and 316

Thicknesses

1.5, 2.0, 2.5 mm

Channel Dimensions & Thickness

Height "H"	Width "W"	Thickness
21.0 mm	41.0 mm	1.5 mm
41.0 mm	41.0 mm	1.5 mm
21.0 mm	50.0 mm	1.5 mm
21.0 mm	41.0 mm	2.0 mm
41.0 mm	41.0 mm	2.0 mm
25.0 mm	50.0 mm	2.0 mm
21.0 mm	41.0 mm	2.5 mm
41.0 mm	41.0 mm	2.5 mm
25.0 mm	50.0 mm	2.5 mm

Types of C Channel Strut Systems

- ▶ PT Plain Type
- ▶ ST Slotted Type
- ▶ B2B Type
- ▶ Cantilever Arm Brackets - SCA (41x21x2.5 & 41x41x2.5)
- ▶ Cantilever Arm Bracket B2B - SCA (41x21x2.5 B2B & 41x41x2.5 B2B)





Pipe Clamps & Hangers

Brand: SFSP

Pipe Clamps and Hangers are used in the support of pipes and equipment are manufactured according to the highest standards of fabrication.

A diversified choice of Pipe Hangers, Pipe Clamps, EMT Straps, Omega Clamps, Beam Clamps, J and U-Bolts and Threaded Accessories.

Applicable Standards

BS 3974

Specifications for pipe hangers and support

ASTM F 708

Standard practice for design and installation of rigid pipe hangers

Federal Specifications

WW-H-171 E (Hanger and Support)

A-A-1192 A (Bracket, Pipe)

ANSI/MSS SP-58

Pipe Hangers and Supports - Materials, Design, Manufacture, Selection, Application and Installation

MSS SP-69

Pipe Hangers and Support-Selection and Application

MSS SP-77

Guidelines for Pipe Support Contractual Relationships

MSS SP-89 Pipe


Hangers and Support-Fabrication and Installation Practices

MSS SP-90

Guidelines for Terminology for Pipe Hangers and Support

MSS SP-127

Bracing for Piping Systems Seismic - Wind - Dynamic Design, Selection, Application



PVC Electrical Conduits & Accessories

Brand: Uniduct | Manufactured in: IKKPF

UNIDUCT products are produces electrical cable management, conduit pipes and fittings as per Saudi, British & American standards.

UNIDUCT products meet the highest local and international standards. The modern manufacturing equipment and our expertise in plastic processing ensures that the utmost product standards and quality is maintained for all the items that are produced. Uniduct is dedicated in catering and delivering to our customer needs and strive hard in providing the right products at the right time.

Uniduct Product Markings

UNIDUCT conduit pipes and fittings meet the requirements prescribed by the following standards organizations: **SASO, BS, NEMA and ASTM.**

Our PVC pipe conduit range in straight runs of 2.9, 3, 6 meters are marked with standards specification requirements, logo, product name, standard, schedule/class, country of origin, manufacturer name, and a unique batch number that ensures traceability tracking and quality control.


Material Properties & Characteristics

UNIDUCTS products are non-flame propagating, combustion proof with good insulation properties having high anti-current puncture proof and lower thermal conductivity than that of metals. The products are also impact resistant, moisture proof, acids and alkalis-resistant and rust-free.

Since PVC conduit pipes have no smell to attract rodents, it does not cause any kind of biotic attacks. Easy to install and maintain with complete range of solvent cement fabricated electrical fittings, light in weight with a specific weight which is about one fifth of the steel pipe, resulting in a drop-down on the transportation cost, and facilitating pipes installation.

Our Product Range includes:

- ▶ Conduits
- ▶ Tubings
- ▶ Ducts
- ▶ Split Duct
- ▶ Long Radius Bends
- ▶ Coupling
- ▶ Bell Ends
- ▶ Plastic Pipe Cement (Weld On)



Mechanical Anchors

Brand: Rawlplug

Our mechanical anchors are designed to install easily and securely into a variety of base materials – from concrete to brick. They offer optimal performance even in the most demanding structural applications. For applications where there is a risk of concrete cracking, specific anchors have been designed and tested to offer reliability under these conditions.

Our Range Includes:

Heavy Duty Expansion Anchors

These anchors are suitable for demanding safety-critical applications

Shield Anchors

The worlds most popular all-purpose expanding shield anchor for use in cracked and non-cracked concrete

Through-bolt Anchors

These anchors are designed to be used in cracked and non-cracked concrete

Internally Threaded Anchors

Internally threaded drop in anchors for simple hammer-set installation

Concrete Screw Anchors

Self-Tapping and removable concrete screw anchors for through-fixing installation

Chemical (Bonded) Anchors

Brand: Rawlplug

Commonly referred to as chemical anchors or resin anchors they can be split into two main groups: capsule systems and injections systems. Both systems consist of two chambers, one filled with a polymer resin and the other with a hardener. Various resin types are available in each system from Polyester to Vinylester and Epoxy. These bonded anchors are offered in wide range of systems and these are Glass Capsules, Cartridges and Foils.

The Accessories available for the bonded anchoring systems are:

- ▶ Studs & Sockets (ITS)
- ▶ Hole Brushes
- ▶ Hole pumps
- ▶ Dispensers

RAWLPLUG®


Facade Insulation Fixings

Brand: Rawlplug

Thermal Insulation Roofing Fixings are designed to be used on roofs with an inclination of up to 15 degrees. Various types of screw are available in the our range for fixing to trapezoidal metal sheet, concrete or timber. Similar to facade fixings for insulation, the fixings have a large circular or oval head to distribute and resist wind suction loads. This range includes Screw-in Facade Fixings, Hammer-in Facade Fixings, Insulation Washers, Insulation Retaining Plates and Steel Insulation Washers.

Light Weight Fixings

Brand: Rawlplug

The range of light weight fixings consist of:

Plastic Frame Fixing

Universal frame fixing for installation of door and window frames and many more applications

Metal Frame Anchor

These Anchors are used for distortion-free fixing of metal frames, directly through the fixture of the substrate

Ceiling Wedge Anchor

Cost-effective anchor for fixing lightweight ceilings and suspended ceilings to solid building materials

Metal Hammer Fixing

Lightweight metal anchor consisting of a zinc alloy expanding body with hammer-in steel pin. For light duty fastenings in concrete and masonry.

Hammer In Fixings

This fixing with mushroom head is for fast, simple and cost effective installations. Type of Screw heads include: Cylinder, Mushroom and Counter Sunk.

Universal Plug

High Performance universal nylon plug which expands on solid materials and forms a reliable knot formation in all cavities.

RAWLPLUG®





Cable Ties

Brand: Elematic

Cable Ties Standard

Technical cable ties, in polyamide 6.6, for professional application. Guaranteed quality and performances by numerous approvals according to different international product standard

Cable Ties 2-Lock

Professional cable ties, in polyamide 6.6, having an innovative double locking system in stainless steel: maximum performance and reliability. The special AISI 316 stainless steel locking system, directly incorporated into the head during the injection manufacturing process.

Belturing Cable Ties

Outside serrated cable ties with low profile head and manufactured with UV-resistant polymer. For high resistance outdoor application

Colspeed Cable Ties

Outside serrated cable ties with low profile head. Manufactured in polyamide 6.6, allow installation without any tool.

UV Resistant Cable Ties

Technical cable ties, in polyamide 6.6 uv-resistant, suitable for outdoor applications.

Heat Resistant Cable Ties

Technical cable ties, suitable for high temperature applications, up to 150°C. High temperatures resistance: up to 125°C in continuous, up to 150°C for 500h.

Detectable Cable Ties


Detectable cable ties for food and pharmaceutical industries, The inclusion of an iron oxide additive in the polyamide material enables cable ties or related small sections to be detected by the metal detectors or X-ray inspection systems.

Colored Cable Ties

Technical cable ties, in colored polyamide 6.6, for an easy identification or differentiation. Available in four colors: red, yellow, green, blue.

Identification (Transversal / Longitudinal Plate) Cable Ties

Technical cable ties with transversal/longitudinal identification plate allow bundles and cabling to be easily marked and identified.





Galvanized Threaded Rods and Accessories

Brand: SFSP


Threaded rod, often referred to as a stud, is a rod of varying length that is threaded in a helical structure. Similar in appearance to a screw, the threading extends around and along the rod to cause rotational movements when in use. Threaded rods combine linear and rotational movement to create strong resistance to pressure.

Threaded rods have many applications, effectively working as a pin to fasten or connect two materials together. There are several types of threaded rod that we supply and each is suited for different purposes, conditions and materials. They are often used to align structures or are embedded into materials, like concrete, as the threading provides good resistance.

The fully threaded rod that we supply are usually used when effective grip strength is required through the entire length of the rod. Our threaded rods are usually heavy-duty galvanized zinc-plated or stainless steel.

Threaded Rod Length & Load Capacity

Size	Length (mm)	Load Cap. (kN)
M6	2000 / 3000	2.2
M8	2000 / 3000	4.0
M10	2000 / 3000	6.4
M12	2000 / 3000	12.9
M16	2000 / 3000	17.3
M18	2000	22.0
M20	2000	27.0





Access Panels

Brand: FEROX

Gypsum Board Access Panels - Hook Type

The Hook Type has powder coated extruded aluminum alloy frame, 6063-T6, with hook profiles, touch latch and safety chain. It is assembled with regular, moisture or fire resistant gypsum boards.

Gypsum Board Access Panels - Pivot Type

Gypsum Board Access Panel - Pivot Type is built with powder coated extruded aluminum alloy frame, 6063-T6, with pivot pins and end connectors. Installed with regular, moisture or fire resistant gypsum boards.

Tiled Access Panels

This type of access panel has been designed for areas where it is required to be discretely installed into a tiled wall. It is constructed with 1.20 - 1.50mm thick steel frame and client's ceramic tiles.

G.I. Access Panels

Designed for wall and ceiling applications, this fire rated Access Panel is made of 1.20-1.50mm thick sturdy lightweight steel frames, concealed hinges and locks. Available with exposed or concealed flange or beaded frame for a flushed finish.



Stainless Steel Access Panels

Stainless steel access panels are designed to ensure a flush surface throughout for clean room application. These are designed to be easily cleaned with tight smooth joints to the ceiling and wall finishes. Uses Type 304/316 L Stainless Steels which are extremely resistant to corrosion.

Roof Hatches

Brand: FEROX

Roof hatch provides safe and convenient access to commercial building roof areas using interior ladders and stairs for maintenance work. It can be installed on flat roofs with a maximum slope of 30°. Made of steel frames, doors and stainless steel hardware. Powder coated to provide corrosion resistance and outstanding exterior durability.





HVAC Thermal insulation

Brand: Bostik

Adhesives, sealants and protection products for ducting and pipework insulation. Optimizing the performance and service life of HVAC systems.

Heating, ventilation and air conditioning (HVAC) systems need insulation to maintain the highest degree of efficiency, and that insulation needs fixing and protection to optimise its performance and service life.

Specially developed for the HVAC industry, Bostik's range of high performance tapes, coatings, adhesives and sealants provides secure fixing, as well as physical and environmental protection for all ducting and pipework insulation. Our latest innovation is a self-adhesive thermal acoustic wrap, which reduces noise breakout from piping and ductwork.

HVAC Adhesives

Bostik's Idenden range of adhesives is ideal for the direct bonding of all types of insulation to a wide variety of surfaces, as well as for attaching and sealing overlaps in aluminium facings.

Specially developed for the thermal insulation industry, our range includes a choice of high performance water-borne, solvent-based or hot melt adhesives. All adhesives are easy to apply, whether it's via trowel, brush or spray, or a convenient aerosol can with a variable setting nozzle.

In addition to direct bonding, attaching and sealing, Bostik offers an adhesive grade that can act as a vapour barrier coating to cold store walls.

HVAC Sealants

Developed to provide a tough, resilient, air-tight seal for ductwork without the need for additional tape, Bostik's Idenden range of sealants can be used on longitudinal and flange joints in low and high velocity air conditioning and ventilation systems to prevent the loss of internal pressure from the duct. Sealants for low and high velocity air conditioning and ventilation systems

All sealants in the range meet the exacting requirements of the HVAC industry, with water-based, solvent-based and silicone options available. They're easy to apply and are both waterproof and heat resistant, offering excellent adhesion to metal surfaces.

Self-Adhesive Foil Tapes

Used to complete the vapour barrier on foil-faced pipe and slab sections in thermal insulation applications, Bostik's Idenden range of aluminium foil tapes helps protect against the effects of fire, moisture and dust, while maintaining system efficiency.

Proven performance

A wide variety of foil thicknesses, finishes and adhesive backings are offered within the range, including the market-leading T303. With proven performance and reliability, all our tapes are easy to apply, exhibit instant adhesion and can be moulded to any profile.



Architectural & Finishing Solutions



- ▶ **Mechanical Cladding Fixation (Stangle)**
- ▶ **Waste Management Sys. (Garbage & Linen Chutes)**
- ▶ **Drywall & Ceiling Profiles**
- ▶ **Metal Ceiling Grid System**
- ▶ **Architectural Expansion Joints**
- ▶ **Tile Movement Joints**
- ▶ **Wall Profiles**
- ▶ **Stair Nosing**
- ▶ **Entrance Matting System**
- ▶ **Phenolic Partition Systems**
- ▶ **Raised Access Floor System**
- ▶ **Heavy Impact Protection Systems**
- ▶ **Pedestals | Grid Raised Floor**
- ▶ **Handrails**
- ▶ **Impact Protection Systems**
- ▶ **Metal Ceilings**
- ▶ **Acoustical and Decorative Ceilings**
- ▶ **Metal Doors**
- ▶ **Gyproc Systems & Solutions**
- ▶ **Partition Systems**
- ▶ **Gypsum systems**
- ▶ **Gypsum Boards & Accessories**
- ▶ **Cement Boards and Accessories**
- ▶ **Insulation Systems**



Mechanical Cladding Fixation (Stangle)

Brand: SFSP

Stangle Cladding Fixation includes design, calculation and production of several types of mechanical fixings and accessories used for cladding purposes. Stainless and galvanized steel are among the various materials used in the fabrication.

Standards




- ▶ ASTM A276 / A276M
- ▶ ASTM A666 - 15
- ▶ BS 8298-1:2010
- ▶ BS 1449-1.1:1991
- ▶ BS EN ISO 3506-1:1998
- ▶ BS 5950-1:2000
- ▶ BS EN 1991-1-4:2005+A1:2010
- ▶ BS EN 10277:2018
- ▶ DIN EN 1992-1-1: 2013
- ▶ DIN EN 1992-3: 2011
- ▶ DIN 1053-41: 2018
- ▶ DIN 18516-3: 2018
- ▶ DIN EN 1994-1-1: 2010
- ▶ DIN EN 1993-1-1: 2017-09

Material

- ▶ SS304
- ▶ SS316
- ▶ SS316L
- ▶ SS316Ti
- ▶ S235JR-MG
- ▶ S235JR-HDG

Brackets

- ▶ L - Bracket (Standard & Serrated)
- ▶ L - Bracket (Standard & Serrated) Up Angle
- ▶ L - Bracket (Standard & Serrated) Down Angle
- ▶ L - Bracket (Standard & Serrated) Up and Down Angle
- ▶ Z - Bracket with Back Leg
- ▶ Omega Bracket
- ▶ Fishtail Up & Down
- ▶ Fishtail with Pin
- ▶ Load bearing and restraining corrugated stud





Waste Management Systems (Garbage & Linen Chutes)

Brand: SFSP

Chutes are very convenient, simple and low cost method of controlling and disposing of refuse and linen. SFSP Chutes meet the most stringent requirements of environmental health and safety. Chutes are used as original equipment in new buildings, such as: Hotels, Hospitals, High Rises and Residential Towers.

Finishes

- ▶ SS 304
- ▶ SS 316
- ▶ GI Galvanized Steel

SFSP provides the following material gauges


- ▶ 1.5mm (16 Gauge)
- ▶ 2.0mm (14 Gauge)
- ▶ 3.0mm (11 Gauge)

SFSP chutes are available with the following standard internal diameters

- ▶ 500mm (20")
- ▶ 550mm (22")
- ▶ 600mm (24")
- ▶ 700mm (28")
- ▶ 800mm (32")
- ▶ 900mm (36")

The System includes the following

- ▶ Chute Tube
- ▶ Intake Throat
- ▶ Hopper Door
- ▶ Clamp Ring & Supporting Frame
- ▶ Access Door
- ▶ Elbow
- ▶ Fire Cut Off Door
- ▶ Control Panel
- ▶ Disinfecting & Sanitizing Unit
- ▶ Solenoid Valve
- ▶ Tube with Insect Screen & Exhaust Fan
- ▶ Cleaning System & Brushing Device
- ▶ Cleaning & Fire Sprinklers
- ▶ Garbage Container Sorters
- ▶ Compactor





Drywall & Ceiling Profiles

Brand: SFSP

Gypsum Boards are considered among the most economic and ideal way for wall partitioning. Easy to install, saves time and money, gypsum boards can be used as a backing for wall treatments such as wall paper, fabric, tile and wood paneling or it can simply be painted. SFSP provides a complete product range for drywall and ceiling constructions. Studs, Runners, Furring Channels, Ceiling Channels, and Wall Angles are among the range of products produced according to relevant international standards to service the dry wall installers.

Type of Profiles for Dry Wall

- ▶ Studs
- ▶ Runners
- ▶ Ceiling Channels
- ▶ Omega Channels
- ▶ Deflection Track
- ▶ Shaft Wall Track

Type of Profiles for Ceiling

- ▶ Main Ceiling Channel
- ▶ Furring channels
- ▶ Wall Channels

Metal Ceiling Grid System

Brand: SFSP

SFSP Ceiling Grid System is a practical, convenient ceiling system. It has a complete range of main c-channel sections and complementary parts so that you can adapt the modules to suit your design needs and load requirements. The design of SFSP Ceiling Grid System components ensures easy seemly, reliability, and the ability to be adjusted or replaced without damage. All components have been designed and tested by SFSP engineers to meet the requirements of ceiling grid support systems. SFSP main c-channel is cold formed on modern rolling machines from low carbon steel manufactured according to BS 6946:1988. With a continuous slot type, it provides the ability to make attachments at any point.

The Types of Ceiling Grid Systems include Standard Ceiling / Advanced / Extreme / Back To Back Ceiling Grid System



NEXUS

Architectural Expansion Joints

Brand: NEXUS | Manufactured in: SFSP

Nexus Expansion Joint Solutions offer comprehensive ranges of durable Expansion Joint Solutions for a wide array of applications including commercial centers, shopping malls, railway stations, airports, bridges, schools, hospitals, and several other areas of application.

Our range of Expansion Joint Solutions are designed to safely absorb the heat-induced expansion and contraction of concrete slabs, to absorb vibration, and to allow movement due to ground settlement or earthquakes.

Our variety of expansion joints includes profiles for walls and floor, for pedestrian as well as heavy loads traffic, for seismic movements, and several other uses. Nexus Expansion Joint Solutions include aluminum profiles, rubber profiles, and a combination of aluminum profiles with rubber inserts.

Nexus Expansion Joint Solutions are designed to conceal areas of structural movement. Concrete Slabs are designed to move due of pressures from long-term shrinkage, thermal expansion, contraction of the structure and seismic activity.

Our floor expansion joint systems are suitable for applications with joint openings of several width, and up to 400 mm. Our Expansion Joint Solutions require minimum maintenance works throughout the year.

Selection Criteria for Expansion Joint Solutions Movement

When designing the building, there are three main types of movement to consider:

Thermal

Changes in temperature cause buildings to expand and contract which can leave broken flooring components resulting in damage to the building structure and design.

Seismic

Earthquakes and seismic events cause movement and swaying for the architectural structure. Larger joint widths are suitable for buildings that are located in seismic zones.

Wind Sway

Tall buildings and structures with a large surface area are affected by wind sway that pushes against the building and causes tilt or swaying motions. Expansion Joints plays a vital role in safeguarding these buildings by permitting the structure to absorb these movements.



NEXUS

Tile Movement Joints

Brand: NEXUS | Manufactured in: SFSP

NEXUS Manufacture Tile Movement Joints that are used on floors to protect tile edges and to accommodate movements and local stresses. Using tile joints is a suitable and economic solution to avoid problems related to the fixing tiles. Sealants are used for the economic viability and easiness in application and due to their poor load bearing capacity, sealants often fail resulting in cracks and fissures along the line of application. Tile Movement Joints are best suited replacement for such situations and suitable for use with Ceramic, Terrazzo, Marble, Stone and other similar materials.

Wall Profiles

Brand: NEXUS | Manufactured in: SFSP

Nexus wall profiles offer modern solutions and guarantee finishing to the highest standard in all kinds of environment. Wall profiles come in different materials, shapes and finishes to suit the architectural space where they are used and to meet specific installation needs.

Our right angle and round profiles are ideal for protecting the inside and outside corners of walls, for finishing edges, linking treads and risers on stairs covered in ceramic tile or natural stone, and as decorative strips in floors and walls.

Stair Nosing

Brand: NEXUS | Manufactured in: SFSP

Nexus Stair Nosing help to make a stairway safe. As a slip resistant stair part fitted onto the nose of each step, they help to clearly define the steps on a stair when a contrasting color to the stair floor covering is chosen. They also serve to protect the edges and floor covering on a stair, reducing the amount of potential wear and tear.

The correct stair nosing for a given application depends on several factors. Gauge (thickness) of stair floor covering, shape to match step profile, dimensions, tread cover, color and LRV difference.



NEXUS

Entrance Matting System

Brand: NEXUS | Manufactured in: SFSP

Entrance mats Reduce dirt and moisture and are perfectly suited for the busiest areas. Their high dirt absorption rate and slip-resistant rubber backing make these mats the perfect solution for use in business entrances, receptions and where great levels of pedestrian traffic is causing dirt and moisture.

Nexus Entrance matting systems provides heavy duty entrance mats composed of aluminum profiles with a carpet, brushes or rubber inserts. The combined actions of these materials perform as a dirt barrier preserving the cleanliness of the facility's flooring.

Our durable matting systems provide the most suitable solution for removing, absorbing and retaining dirt and moisture. Our mats are manufactured from high quality raw materials to withstand heavy traffic in the busiest areas of each facility.

Our matting systems are easily maintained and serviced, and are built to last longer. Unlike other kinds of matting, Nexus entrance mats are very comfortable and silent. They have been designed to avoid problems with heels and are suitable for wheeled traffic such as wheelchairs, babies prams and pushchairs.

NEXUS Entrance Matting system is engineered to withstand heavy footfall, our range can be used in airports, shopping centers, supermarkets, department stores, cinemas, universities, healthcare centers, schools and universities, and is ideal for applications where performance under the severest of traffic conditions is required.

Types & Standards (Anti Slip Heavy Duty)

- ▶ URFM 16 Aluminum-Rubber Profile
- ▶ UCFM 16 Aluminum-Carpet Profile
- ▶ URFM 24 Aluminum-Rubber High Profile
- ▶ UCFM 24 Aluminum-Carpet High Profile
- ▶ UAFM 17 Aluminum Profile





Phenolic Partition Systems

Brand: Cubix Toilet Partitions

CUBIX phenolic compartment and partition systems are manufactured and customized to meet the precise needs of simple to complicated projects with its top-notch finish, quality of material and within a timely delivery. A complete solution with a wide selection of colors and textures are available. Our panels are manufactured from Black Phenolic covered with HPL panels to withstand harsh utilization conditions, while accessories are installed in stainless-steel finish; Gravity hinges, indicators Rosette, Lock set, Knob, Coat Hook, Pedestal leg, tissue holder, Stainless Steel brackets and channels, Stainless steel Strips.

CUBIX phenolic compartment and partition systems provide strength, durability and design flexibility. These compartments offer 40 standard color selections and a choice of finishes.

Our systems are suitable for high traffic public buildings, malls, entertainment centers, gyms and sports, educational and healthcare, sports facilities, etc

- ▶ Kitchen Cabinets, Drawers, Platforms and Decorative Edges
- ▶ Wall to Wall Cabinets & Tables.
- ▶ Tables & Chairs (Restaurants, Schools, Colleges, Cafe, etc.)
- ▶ Outdoor Tables & Benches suitable for Resorts
- ▶ Bookshelves with various customized Designs & Color Combinations
- ▶ Wall to Wall Full Sized Shelves
- ▶ Internal Cladding (Designed with support systems)
- ▶ External Cladding (Housing, Villas, Restaurants, Food Chains etc.)
- ▶ Lockers (Gymnasiums, Factories & Recreation Centers etc.)
- ▶ Shoe Rack (Gymnasiums, Factories & Recreation Centers etc.)








Raised Access Floor System

Brand: Pixel Access Flooring

PIXEL Raised Access Flooring offers comprehensive solutions of High Tech Raised Access Flooring Systems for the construction industry.

PIXEL Raised Access Flooring are manufactured according to most common international standards to meet the requirements of commercial, residential, governmental, transportation, healthcare, and educational projects.

In addition to its wide array of Raised Flooring panels and variety of finishes, PIXEL provides the technical expertise via its qualified and dedicated team of engineers and industry-experts in the field. PIXEL range of products is manufactured from high quality raw material and designed to meet all International Standards.



Raised Access Floor System





Brand: Tate / Apsilon

Raised Access Floorings are used for general offices, call centers, computer rooms, pumping stations, control rooms, etc. The core of the panel is either from wood, calcium sulphate, or cementitious composite providing excellent lateral stability along with easy access for low, medium and heavy-duty applications with adjustable pedestals. Stringered or stringerless understructure with various types of coverings are available including high-pressure laminate panels.

Advantages of using a Access Floor System

- ▶ The ease access to the building installations from any place at the elevate floor.
- ▶ Power, energy, communication and data base systems can be housed at the plenum.
- ▶ Tiles allow changes in the distribution of the areas at the building according to the customer needs.
- ▶ The possibility of raising the system over a meter allows the leveling of the rooms at different heights.
- ▶ Highest heavy-load capacity systems that allow heavy equipment to rest on without the need of benches or any other supporting tool.
- ▶ There is an infinite number of finishes that can be used in the raised access floors, such as:
 - ▶ Light Finishes HPL
 - ▶ Granite
 - ▶ Porcelain
 - ▶ Natural wood
 - ▶ Carpet
 - ▶ Stainless steel
- ▶ This facilitates the possibilities of adaptation to the decoration and colors of the areas in which these are applied.
- ▶ It is a system characterized by its stability and durability, making it easier to make modifications rather than in normal floors.

Tate®





Heavy Impact Protection Systems

Brand: U-GUARD

U-Guard provides the most suitable way to protect your facilities from damage caused by traffic. Through a large selection of heavy duty items designed to suit most applications, U-Guard offers a set of material, each serves to provide the required shield to the facility.

Natural rubber, EPDM, SBR, Vinyl, and Urethane compounds are the materials used in manufacturing the distinguished products of Uguard.

Applications: Car Parks, Warehousing and Distribution Areas, Delivery & Dispatch Areas, Manufacturing Areas, Loading Docks, Parking Garages, Storage Areas, Archways & Columns, Hotel & Motel Parking Lots, Truck & Bus Terminals, etc..



Pedestals

Brand: eternoivica

Fixed and adjustable supports for exterior elevated floors

The Pedestal line offers a range of fixed and adjustable supports to ensure a simple and versatile installation of outdoor raised flooring.

Simple, already assembled and ready for installation.
Strong, resistant to exceptional loads, beyond all regulations.
Beautiful, even the design has been studied in detail.

Compatible heads: Ø 110 mm head, XL Ø 150 mm head, head for aluminium joist, criss-cross head for aluminium joists, universal head for wooden joist.

With the Pedestal Prime® supports you do not need additional rings, tubes or extensions: the extension is already integrated. Three different sizes to adapt perfectly to the three bases and allow to cover all heights from 30 mm to 420 mm. Its ergonomic shape also makes it easy to adjust.

Adjustable Self-Leveling Support Eterno SE - The first one with a self leveling head

It was the first. And it's still the only one. The Adjustable Self-Leveling Support Eterno "SE" adjustable support with a self leveling head was the first of a long series of accessories for external elevated floors. It's a raised flooring accessory that combines superb technical features and exceptional aesthetics with maximum easiness of installation.

The Adjustable Self-Leveling Support Eterno "SE" has come to be recognized as the market's most exclusive solution to deal with sloping installation surfaces. In this regard, the product is capable of providing exceptional results thanks to its tilting movement, which is capable of compensating slopes up to 5%.

The adjustment is performed using a regulation key, which can be applied from above once the flooring has been installed and guarantees the precision alignment of the entire floor surface. This unrivaled product also counts numerous additional advantages, which are enjoyed every day all around the world by architects, builders and installers.

Grid Raised Floor

Brand: eternoivica

Grid Raised Floor (GRF) solution from Eterno Ivica is a revolutionary laying system that combines the stability of the pedestal support with the flexibility and security of the modular grids for laying slabs and other finishes.

The GRF with its unique structure offers numerous advantages for exterior raise floors projects. It allows laying different flooring elements (artificial turf, porcelain stoneware, marble and many others).

eternoivica





Handrails

Brand: Pawling

Pawling Systems range of Handrails offer a wide variety of styles, colors and materials for all types of facilities, applications and budgets. A near endless list of product options including PVC, Wood and Stainless Steel. Or a combination of these materials to provide you with the finish and design you want.

For the PVC Handrails, we offer 70 standard colors from which to choose or we provide custom color matching. The Wood Handrails are offered in Oak, Maple, Ash and Cherry. Standard stain colors or custom matched stain at no additional charge. There is a truly incredible wealth of design possibilities with Pawling Systems products.



Impact Protection Systems

Brand: Pawling

INTERNAL | Architectural & Industrial Impact Protection System:

- ▶ Handrails: Sculpted, Flat and Cylindrical Profiles
- ▶ Wall Guards: Flat and Sculpted - Accent Rails
- ▶ Chair Rub Rails: Flush and Surface-mounted
- ▶ Corner Guards: Flush and Surface-mounted
- ▶ Vinyl Doors and Frame Guards

Material: Vinyl, Aluminum, Wood, Clear Lexan and Stainless steel



EXTERNAL | Speed Bumps & Bumper Guards

Speed Bumps and Bumper Guards are used extensively in commercial parking garages and building service areas for vehicular, human and parking safety. These profiles are designed to maximize wall surface area protection and high impact absorption.

EXTERNAL | Heavy Duty Wall and Corner Guards

Heavy duty wall and corner guards are provided to withstand heavy impacts in parking, logistics and industrial facilities. Profiles are produced from EPDM Rubber, Natural Rubber, Styrene-Butadiene Rubber, Recycled Plastic, and Neoprene.





Metal Ceilings

Brand: Marconi

Metal ceilings are usually specified in modern buildings for many valuable reasons. It is considered as high performance ceiling due to the increased life span and durability. The high recyclable content also makes it one of the most valuable ceiling solutions in the new building code. The metal ceiling can be produced in different shapes, colors and patterns from plain to perforated, square, rectangular, trapezoidal, wave and curve. Marconi Metal Ceiling range varies from standard products to baffle shaped, beam grid, S-like shaped, Mesh patterned, open grids cells design, and strip and tile designs. We are able to provide a variety of solutions up to any custom made designs specified by the architects and designers. Our metal ceiling solutions are manufactured from several raw material including Aluminum alloy 3000 and 5000 series and hot dipped galvanized steel.

Acoustics Performance

Tested and compliant for noise reduction, sound absorption and sound attenuation. Acoustic Black Fleece only: Maximum NRC = 0.80 as per ASTM C423. ONCW = 46 as per BS EN 20140-9.

Acoustic Black Fleece with Rockwool as per ASTM C612 has a maximum NRC=0.98. Maximum CAC achieved: 46 db.

In order to improve interior sound control, perforation pattern with an open area of 16% to 22% is required. These patterns are framed with a solid border of 10mm in order to ensure maximum flatness and product stability. As a standard feature, perforated tiles are supplied with a sound absorbing non-woven acoustic felt for enhanced acoustical properties, tested in accordance to AS TM C423a. Rockwool insulation pads of 25-50mm thick, 40-110kg/m³ density can be applied.

Anti-Bacterial

Stove enameled finish with anti-bacterial properties that prohibits bacterial growth as per JIS Z2801:2000

Fire Performance

Non-Combustible as per BS 476: Part 6. Class 1 Surface Spread of Flame as per BS 476 Part 7. Black Fleece is Non-Flammable Class A as per ASTM E84.

Finishes

The panels are finished with an electro-statically polyester powder coat (thickness of 60-120 microns) and are available in standard color RAL9010. Other colors (RAL, NCS, made to match) are available as per architect's specifications. These panels are salt spray tested for 1000 hours corrosion protection, as per AS TM B 117-73, and Anti- Bacterial finish, as per JIS 2801:2000, is also available upon request.

Fire Classification

Surface spread of flame class 1 as per BS 476 : part 7 1997. Non-combustible material tested in accordance to BS 476 : Part 4: 1970. Class 0 material surface of composite products as per building regulations 1991. Fire propagation tested as per BS 476 : Part 6 1989. Additionally fire rated F90 system was tested for 115 minutes fire resistance in accordance to BS 476 : Part 23:1987, Clause 5.



Acoustical & Decorative Ceilings

Brand: Ecophon



Ecophon contributes to good indoor environments for working, healing and learning. We do this by developing, manufacturing and delivering acoustic products and systems designed around the natural evolution of human hearing—replicating the outdoor sound experience indoors.

Range:

► **Ecophon Focus™** is our most comprehensive system family and supports a range of opportunities through different edge designs, forms, levels and installation options. Absorption class A.

► **Ecophon Master™** is at the forefront of acoustic innovation and unrivalled in meeting acoustically challenging environments. The result provides excellent sound absorption and speech intelligibility. Absorption class A.

► **Ecophon Hygiene™** is proven performer in several hygienically and clinically demanding environments. Ecophon Hygiene and the complete systems fulfil the toughest requirements. Absorption class A or B depending on solution.

► **Ecophon Gedina™** is a classic and excellent choice when functional requirements are high and design possibilities are limited. Gedina meets standard functional demands. Absorption class A.

► **Ecophon Advantage™** meets essential functional demands and provides effortless handling and easy installation. The visible surface is a high quality, batch-painted glass tissue in white with the tile back covered with glass tissue. Absorption class A.

► **Ecophon Sombra™** is a well proven acoustic solution, that creates just the right sound environment for social venues such as bars and night clubs. The Sombra family is available in matte black, batch-painted glass tissue. Absorption class A.

► **Ecophon Super G** has different systems depending on room activity and impact resistant requirements. The surface is developed to withstand impact in sport halls and similar environments. Absorption class A.

► **Ecophon Combison™ Uno A** has an exposed grid system with demountable tiles. For use as a sound absorbing ceiling and for sound insulation between rooms. Absorption class D.



Acoustical & Decorative Ceilings

Brand: Rockfon



Rockfon stone wool panels are known for their design, aesthetics and ease of installation coupled with their key performance features of superior fire safety and humidity resistance, optimum light reflection and acoustic control. These qualities ensure that Rockfon products are among the highest-performing, most cost-effective to install on the market. Rockfon specialty metal ceilings are designed and fabricated to exact specifications and the highest manufacturing standards. They are available in a wide-range of shapes, sizes and finishes, and exist in standard and custom configurations.



Metal Doors

Brand: FEROX

Ferox offers a wide variety of steel doors, manufactured according to international standards of fabrication and as per the legal requirement of commercial projects whether industrial environments, local authority buildings, leisure, hospitality, healthcare, transportation, education or retail offices, and shopping centers. Our range of steel doors includes fire rated steel doors, Insulated Doors, Acoustic Doors, Louvered Doors, Sliding Doors, Security Detonation Doors, Burglar Resistant Doors, Entry Gates and several other types to meet the requirements of all projects.

STEEL DOORS

FEROX's Metal Doors provide the best long-term value in the door and frame industry. It lasts longer, requires the fewest repairs, and is sturdier than other products. Steel's natural strength also outperforms other materials in security, fire rating, sound reduction, vandal resistance, sanitation, and more. Other door materials are still unable to match the performance and longevity of metal. Our metal doors offer endless options for attractive appearances. Whether you are looking for a modern stainless steel appearance, a vibrant colored finish, or even a faux finish, metal's versatility allows it to satisfy the aesthetic requirements of any projects. Steel doors and frames even help the environment, as steel is the most recycled material worldwide.

Steel Product Range:

- ▶ Fire Doors
- ▶ Insulated Doors
- ▶ Lead Lined Doors
- ▶ Acoustic Doors
- ▶ Personnel Doors
- ▶ Louvered Doors
- ▶ Fire Doors
- ▶ Sliding Doors
- ▶ Glazed Screens

Security / Detention Doors:

- ▶ Main Entrance Security Doors
- ▶ Prison Entrance Doors
- ▶ Grill / Cell Doors
- ▶ Blast Resistant Door
- ▶ Bullet Resistant Door
- ▶ Vault Room Doors
- ▶ Burglar Resistant Doors

Entry Gates:

- ▶ Sliding Doors & Gates



Gyproc Systems & Solutions

Brand: Gyproc



Gyproc systems have been purpose-designed by experienced technicians to meet the challenging needs of today's increasingly demanding buildings. Whether it is straight forward partitions or sophisticated shaft wall systems for high speed lift shafts - every aspect is taken into consideration, from performance to speed and ease of installation - and from safe handling to the ready availability of components across Middle East.

Partition & Wall Systems

Gyproc's lightweight partitions and wall system category extensively functions from a simple space division to high performance walls.

Wall Lining Systems


Gyproc's wall and roof lining system deals with all lining applications conforming to the thermal and sound insulation, fire protection, or impact resistance requirement.

Ceiling Systems

Gyproc's ceiling systems offers an extensive range of plasterboard ceilings suitable for all kinds of domain structures.

Finishing Systems

Gyproc's range of finishes provide everything needed to complete the wall lining, partition, floor and ceiling systems, regardless of the size and complexity of the project specification.



Partition Systems

Brand: Knauf



Performer

Knauf Performer is our most versatile partition solution, able to meet nearly every performance requirement. The Knauf Performer system is lightweight, strong and easy to install and can be specified with confidence for an enormous range of applications. It is constructed using a single row of Knauf metal studs with Knauf plasterboards to both sides in order to meet fire, acoustic, moisture and impact requirements. The Performer system is lightweight, simple to construct and should be used in conjunction with Knauf's finishing solutions range.

Isolator system

The Knauf Isolator system is typically used to divide habitable dwellings. The twin stud build up, combined with Knauf's high performance plasterboards, maximises acoustic performance in order to comply with building regulations, technical handbooks and guidances for sound insulation.

Shaftwall

Knauf Shaftwall is our innovative system to for enclosures around service and lift shafts while working from one side. The unique Knauf 'C-T' Stud makes this possible with a minimum of components. The system can provide a high level of fire resistance performance to meet the requirements of your project.




Gypsum systems

Brand: G-Board | Mada | UMI

Drywall partitions are more than just a physical barrier. They are supposed to perform an array of functions ranging from fire, acoustics, impact, mold resistance and structural surety. Mada Plus Drywall systems are purposely designed to satisfy aforementioned range of projects requirements to ensure a safe and comfortable environment for the client.

Each component of Drywall systems are thoroughly tested and system performance substantiated by internationally accredited 3rd party testing and certification agencies. The advantage of acquiring all components of a complete system from a single source (Closed system) guarantees the effectiveness of the system and ensures the performance as per the project specification.





Gypsum Boards & Accessories

Brand: Gyproc / Mada / UMI / Gboard / UBoard

Plasterboard has become the most common dry lining material for walls and ceilings in modern building construction.

Manufactured on a continuous production line, plasterboard is comprised of a specially formulated gypsum core, encased between paper liners. Plasterboard products utilize naturally occurring gypsum and paper.


We supply extensive range of plasterboards, plasters, ceiling tiles and boards which are fully supported by high grade metal system components and accessories from SFSP.

Range of Plasterboards:

- ▶ Regular Boards
- ▶ Cement Boards (External)
- ▶ Fire Resistant Plasterboard
- ▶ Moisture Resistant Plasterboard
- ▶ Fire and Moisture Resistant Plasterboard
- ▶ Impact Resistant Board
- ▶ Acoustic Boards
- ▶ Ceiling Boards
- ▶ FireStop Boards
- ▶ Shaft Wall Board
- and more...

Range of Plasterboard Accessories:

- ▶ Joint Compound
- ▶ Plaster Board Adhesive
- ▶ Drywall Metal Tape for corner
- ▶ Drywall Glass Mat Tape
- ▶ Drywall Paper Tape
- ▶ Drywall Fiber Tape
- ▶ Drywall Screws



Cement Boards and Accessories

Brand: U Board

U-Boards products are manufactured according to international standards. Following is the U-Boards-Products Range:

Fiber Cement Boards

Fiber cement boards are manufactured from cellulose fiber, portland cement, quartz sand, additives and water; It is non asbestos, formaldehyde, benzene and other harmful substances and with excellent physical and chemical characteristics.

These boards are non combustible, fire and water resistant, green and environmental friendly, highly efficient and energy-saving.

Magnesium Oxide Boards



These boards are used in place of traditional gypsum drywall as wall and ceiling covering material and sheathing. It is also used in a number of other construction applications such as: Fascias, Soffit, Shaft-Liner & Area Separation, Wall Sheathing and as tile backing (backer board) or as substrates for coatings and insulated systems such as Finish Systems.

It is suitable for a wide range of general building uses and for applications that require fire resistance, mold and mildew control, as well as sound control applications and many other benefits. Magnesium oxide board are available in various sizes and thickness. It is not a paper faced material.

Calcium Silicate Boards

Calcium silicate board reinforced with selected cellulose fibers and fillers. It is 100% free from asbestos, sepiolite, inorganic fibers or formaldehyde. The board is versatile and suitable for use in a wide range of internal and semi exposed external applications in building construction projects.

Calcium silicate passive fire protection board being clad around steel structure in order to achieve a fire-resistance rating. It is an economical building board material with fireproofing perty to replace concrete or block wall for the construction of non load bearing elements.





Insulation Systems

Brand: Saudi Rockwool

Buildings are subjected to different climatic conditions like hot in summer and cold in winter as well rain which have adverse effect on the building structure and their strength as well causes discomfort to the occupant by heat gain in hot climatic conditions and Heat loss in Cold climate. External walls and Roof of the Building contribute to the heat gain and loss to external ambient and it easily disturbs the psychometrics inside of the Building.

In building insulation we have different dimensions to be covered majorly referred as Thermal Insulation, Acoustic Insulation and Fire Insulation. To serve the purpose market is flooded with various types of Insulation materials and the material is chosen to perform one or several functions at once. Rockwool Insulation is most suitable to perform multiple functions like Thermal Efficiency, Acoustic Comfort and Fire Safety.

Why use Rock Wool?

Rock Wool is a high performing material in the thermal insulation, acoustic insulation and fire resistance applications. Thermal insulation and energy saving (power/energy conservation) is one of our modern civilization concerns, for its positive role in conserving the environment and the national economy. Scientific research and studies proved that use of thermal insulation in buildings will dramatically reduce the heat transferred through the walls and roofs.

The open cell structure of Rock Wool makes it an ideal product as a sound absorber or acoustic insulator, with high absorbing/insulating coefficients over a wide sound frequency range, the acoustical insulation can be achieved by installing Saudi Rock Wool in wall partitions, thus providing significant improvement in their Sound Transmission Class (STC).

Due to its open cell structure, Saudi Rock Wool has superior sound absorption properties. (NRC>0.95), Using Rock Wool against sound waves decreases the sound reverberation time rooms/spaces, thus providing comfort and sound intelligibility to the occupants.

The most important characteristic of Rock Wool is its exceptional resistance against fire; Rock Wool is non-combustible and does not ignite. It is therefore internationally specified as a fire rated material.

Rock Wool restricts the fire to spread from a zone to another; it also acts as a protection for load bearing elements in steel structures and thus prevents the building from collapsing under fire conditions.



Insulation Systems

Brand: KIMMCO / SIIMCO -ISOVER

KIMMCO-ISOVER products offer solutions to enable the construction sector to meet the increasing demand for ecofriendly and energy efficient building materials. Stone Wool (Rock Wool) insulation products play a key role in the successful development of green and fire safe building solutions, as well as efficiently insulated industrial equipment.

KIMMCO-ISOVER products are made of high quality Stone Wool insulation materials in different shapes (slab, Wired Mat, roll, pipe section & loose wool) for all types of buildings (residential & non-residential) and industrial facilities.

The factory is located in Yanbu, in the western region of Saudi Arabia. In addition to Stone Wool insulation, KIMMCO-ISOVER manufactures and supplies Glass Wool insulation from its factory located in Kuwait.

What is Stone Wool?

KIMMCO-ISOVER Stone Wool products is made from volcanic rock – a natural material present in large quantities throughout the Earth. It combines mechanical resistance with good thermal performance, fire safety and high temperature suitability.

Why Insulation in Buildings?

KIMMCO-ISOVER products are application based solutions to satisfy a wide range of demanding requirements, covering various building and industry applications, to providing safety, efficiency, and thermal and acoustical comfort.

Savings & Thermal Comfort

With proper insulation, our buildings need smaller and less expensive heating and cooling devices to keep us comfortable.

Optimized Acoustic Comfort

Insulation also contributes to limiting sound pollution. In our modern world, noise has become one of the major sources of discomfort.

Excellent Fire Protection

It is crucial to have construction products that, in case of fire, don't contribute to the spread of fire and don't produce a harmful amount of smoke.

Sustainability

Buildings have a massive impact on the environment, both in their construction and throughout their life.

KIMMCO ISOVER
SAUDI-ORIGIN



Civil Solutions



- ▶ Expanded Metals, Plaster Beads
- ▶ Block Ladder Reinforcements
- ▶ Steel Lintels & Block Work Accessories
- ▶ Geosynthetics
- ▶ Concrete Accessories
- ▶ Extruded Polystyrene Thermal Insulation Boards
- ▶ Expanded Polystyrene (EPS) Thermal Insulation Boards
- ▶ Polypropylene Protection Boards
- ▶ Bitumen Impregnated Fillers and Protection Boards
- ▶ Lead Sheet
- ▶ Polyethylene Roll / Film
- ▶ Bituminous Protective Primers
- ▶ PVC Waterstops



Expanded Metals, Plaster Beads

Brand: SFSP

Expanded Metals help the formation of joints, protection of corners and resistance against cracks, chips and impact damage. SFSP manufactures in accordance with BS EN 13658 - 2, ASTM C847-18, BS EN 845-3:2003+A1:2008, ASTM A 951/A 951M - 2016 standards. Following is the list of all Expanded Metals manufactured in SFSP:

- ▶ Angle / Micro Angle Bead
- ▶ Plaster / Micro Plaster Stop Bead
- ▶ Control Joint Bead
- ▶ Architrave Bead (With & Without Flange)
- ▶ Movement Bead
- ▶ Aluminum Channel
- ▶ Corner/ Strip Mesh
- ▶ Metal Sheet / Coil / Metal Rib / Hy-Rib Lath

Block Ladder Reinforcements

Brand: SFSP

SFSP ladder and truss types are used for the reinforcement of brick and block masonry to give improved tensile strength to walls subjected to lateral loading e.g. wind and seismic. SFSP Block reinforcements reduces the risk of cracking either at stress concentration around opening.




Steel Lintels & Block Work Accessories

Brand: SFSP

Steel Lintels provide a combination of strength and light weight, resulting in efficient load bearing performance and increased productivity on site. They are characterized by their ease of installation in addition to time as well as money saving. SFSP manufactures Steel Lintel in accordance with BS EN 845-2:2013+A1:2016 and according to relevant standards BS 5977 Part 2:1983.

SFSP manufactures Block Work Accessories in accordance with BS EN 845-1:2013+A1:2016 and according to relevant standards BS 1243:1978. Following is the list of all Block Work Accessories manufactured in SFSP:

- ▶ Debonding Cavity Block Tie
- ▶ Dove Tails
- ▶ Wall Ties (Adjustable, Cavity, Double Triangle)
- ▶ Debonding Control Joints Flat Tie
- ▶ Hammer-On Section
- ▶ Butterfly Wall Tie
- And More....



Geosynthetics

Brand: Terram


Terram are innovators and industry pioneers in geosynthetic solutions worldwide.

Terrams Target Industries

- ▶ Civil Engineering & Building
- ▶ Landfill
- ▶ Railways
- ▶ Coastal & Waterways
- ▶ Landscaping
- ▶ Pipelines & Utilities

Terrams Product Range

- ▶ HDPE Geocells
- ▶ Interlocking Porous Plastic Paving System: Bodpave™ 40
- ▶ Innovative Geocomposite Layer: Bodgrid™
- ▶ Interlocking Porous Plastic Paving System: Bodpave™ 85
- ▶ Standard Geotextiles
- ▶ Fine Soil Geocomposite: Hydrotex™
- ▶ Trackbed Separators
- ▶ Reinforced Trackbed Separator
- ▶ Drainage Trackbed Separators
- ▶ Permeable Paving Grids: Truckpave™
- ▶ Specialist Geotextile: Inbitex™
- ▶ Heavy Duty Grass Reinforcement Mesh: GrassProtecta™
- ▶ Heavy Duty Thick Pipeline Protection Rockshield Mesh: Protectamesh™
- ▶ Drainage Geocomposites
- ▶ Geocells
- ▶ Hi-Vis Geotextile
- ▶ Weed-Control Fabric Proven: WeedGuard™
- ▶ Permeable Geotextile: RootGuard™
- ▶ Impermeable Geotextile Coated With A Hdpe Membrane: RootGuard™ Plus
- ▶ Minipak
- ▶ Robust Geotextiles
- ▶ Frost Blanket
- ▶ Salt Barrier
- ▶ Temporary Reusable Grass Covering: GrassCarpet™
- ▶ Turf Reinforcement Mesh For Grass Reinforcement: TurfProtecta™
- ▶ Barrier Mesh
- ▶ Maxigrid
- ▶ Underground Warning Mesh
- ▶ Safety Rubber Mat



Concrete Accessories

Brand: Unicrete


We supply full line of cost effective Concrete Accessories of the highest quality for concrete manufacturers and contractors. Our Offerings are divided into FormWork Accessories and PVC Products.

FormWork Accessories:

- ▶ Tie Rods
- ▶ Galvanized Waler Plates
- ▶ Galvanized Wing Nuts / SW 27
- ▶ Galvanized Waler Nuts / SW 27
- ▶ Galvanized Counter Plates / Plain
- ▶ Hexagon Nuts / SW 30
- ▶ Water Stoppers Or Barriers / SW 36
- ▶ PVC Tubes - Thruty Sleeves
- ▶ PVC Tubes - Thruty Cones

PVC Products:

- ▶ PVC Chamfer Strips
- ▶ PVC Chair Spacer
- ▶ PVC Wheel Spacer
- ▶ Shim Pad




ESSCOFOAM

Extruded Polystyrene Thermal Insulation Boards

Brand: Esscofoam


Insulation system reduces the heat transfer through the envelope of a building. Extruded polystyrene boards have closed cells with common sides and is produced with fully automated extrusion process in accordance with international specifications and standards. Extruded polystyrene has a high resistance to water absorption.

The manufacturing process, combined with intrinsic qualities of the static component thermoplastic material gives it predictable performance and high insulating value. Ideal for Roof Insulation, Interior Wall Insulation, Exterior Insulation and Floor Insulation.

Advantages

Thermal Insulation Boards are manufactured according to ASTM E84 and provide several advantages, amongst are:

- ▶ Closed and uniform cell structure
- ▶ Extremely low moisture absorption
- ▶ Very good mechanical strength
- ▶ Long-term high insulation, performance efficiency
- ▶ Good dimensional stability
- ▶ High resistance to temperature cycling
- ▶ High resistance to aging
- ▶ Very high resistance to water absorption
- ▶ Does not require a vapor barrier
- ▶ Not affected by cavity masonry wall construction
- ▶ High long-term insulation value
- ▶ Protects the inner walls from condensation
- ▶ Strong rigid board, not easily damaged
- ▶ Easy to handle, cut and install
- ▶ Available in a wide range of thicknesses
- ▶ It does not rot or settle
- ▶ It is extremely cost-effective in cavity wall applications



Expanded Polystyrene (EPS) Thermal Insulation Boards

Brand: Multiple

Expanded Polystyrene is rigid and light-weighted. By controlling the density of expanding beads during the manufacturing process, it is a custom produced insulation material according to the specific requirements of customers applications.

Production of Expanded Polystyrene boards and injection molded boards are in conformity with the British Standard specification BS 3837:1977 for expanded Polystyrene boards, DIN and ASTM (American Society for Testing and Materials).

Type N (Normal)

It consists of 100% of closed cell polystyrene expandable beads.

Type A (Fire Retardant)

It is similar to Type N, but meets additional requirements for the extent of burn when tested with the method given by virtue of BS 4735. This requirement is met by the incorporation of flame retardant additives and other appropriate modifications.

EPS Characteristics

- ▶
- ▶ Heat resistant
- ▶ Low thermal conductivity
- ▶ High permanent R - value
- ▶ High compressive strength
- ▶ Excellent stock absorption
- ▶ Excellent dimensional stability
- ▶ Low water absorption
- ▶ Reflective white color
- ▶ Will not rot, mildew or support bacterial growth
- ▶ Resistant to most acids and alkalis

EPS Advantages

- ▶ Energy saving
- ▶ Low material / installation costs
- ▶ Broad range of densities and sizes
- ▶ Easy to handle and apply
- ▶ Simple to cut and shape
- ▶ Tolerates broad range of temperatures
- ▶ Doesn't irritate skin
- ▶ Restricts moisture penetration
- ▶ Does not deplete the Earth ozone layer



Polypropylene Protection Boards

Brand: Polyboard

PolyBoard is a semi-flexible polypropylene based board for waterproofing membrane protection.

POLYBOARD is extremely strong in puncture and injury resistance. It is engineered to resist puncture at over 1100, 1300, 1500, 2000, 24000 and 2600 Newton as per ASTM E-154. It differs from any other materials used to protect the waterproofing membrane as it enjoys flexibility which enables its use for tacking corners, protrusions, rounded surfaces and also uneven surfaces.

It is not affected by mineral oils, solvents, acids, bases, and salts. These elements are usually found in contaminated water tables and soil compositions. This product does not absorb water, which adds to the impermeability of the waterproofing membrane.

Applications:

PolyBoard is applied on hot asphalt liquid membranes, torched applied asphalt membranes and on rubber based waterproofing membranes.

1. Hot applied liquid membrane: PolyBoard is simply laid down on top of hot asphalt before it cools down.
2. Torched applied asphalt membrane: before application of PolyBoard, the exposed side of the membrane shall be lightly torched in separate spots. When the top exposed layer of the membrane changes into a sticky shiny layer, PolyBoard protection boards are applied with gentle pressure.
3. Rubber waterproofing membrane: a solvent based glue (Patex or similar) is applied as an adhering agent between the waterproofing membrane and the protection board.
4. PolyBoard is also used as a protection boards for tiles of various finishes during construction phases.



Bitumen Impregnated Fillers and Protection Boards

Brand: BITUBOARD

Filler Boards are manufactured from highly resilient softwood fibers coated with bitumen. Filler Boards are dry and clean, and cannot extrude any form of staining matter. They are resistant to moisture penetration and ice formation in the joint. They are immune to dry and wet rot, fungus and most forms of insect attack or similar forms of deterioration.

They completely fills joints under repeated cycles of expansion and contraction with minimum extrusion. They are also a good insulating vapor barrier which is easily handled without breakage.

Basic Use

Filler Boards are designed as a standard, Low cost, pre-moulded joint filler for expansion joints in civil engineering and building construction works of all types. The main uses for Bituboard in the construction industry are: roads, bridges, runways, pedestrian areas, basements, retaining walls and site slabs.

Protection Work

Filler Boards are recommended for the protection of different materials, particularly waterproofing below-grade where abrasive and sharp backfill material could puncture or otherwise damage the waterproofing.





Lead Sheets

Brand: AMRay

Lead is generally the most cost-effective radiation shielding material that protects against the effects of gamma rays and x-rays. The properties of lead shielding which makes it an excellent shielding material is its density, high atomic number, high level of stability, ease of fabrication, high degree of flexibility in application and its availability.

Characteristics

Our Lead Sheets are extremely resistant to corrosion from the atmosphere, salt water and most industrial chemicals. Lead Sheets are built into a variety of structures such as walls, doors, window frames and cabinetry to provide the necessary shielding protection. Lead Sheets can be readily manipulated with standard hand tools without the risk of fracture.

Specification

Standard Size	: 1 x 2 m *
Sheet Thickness	: mm, 2.5mm ²
Weight	: kg/Sqm, 28.35 Kg/Sqm 22.68
Standards	: ASTM B-29, BSEN 12588:2006
Fire Resistance	: Melts at 327.4 °C

Usage

Lead Sheets are offered for many applications that include:

- ▶ Radiation Shielding
- ▶ Hospitals
- ▶ Dental Offices and Veterinary Clinics
- ▶ Construction
- ▶ Roofing, Flashing and Waterproofing
- ▶ Corrosion Protection
- ▶ Acid Storage and Handling
- ▶ Autoclaves
- ▶ Precipitators
- ▶ Movable Lead Screens
- ▶ Sound Barriers and Soundproofing
- ▶ Nuclear Energy Shielding
- ▶ Tank Lining
- ▶ Vibration Absorbers



Polyethylene Rolls / Films

Brand: Poliane

Poliane is a polyethylene vapor barrier to alkalis, salts, acids and chemicals found in sub-soils. Fully stable and waterproof.

Basic Use

Used as a vapor barrier and damp proof membrane in concrete slabs, floors, insulation boards shuttering , etc... For corrosion protection of water and oil pipelines. Protects from the sun, wind, rain, dust and damage.

Dimensions

Supplied in rolls of different lengths, widths and thicknesses.

- ▶ Film Thickness: From 100 gauges (25 Mic.) to 1200 gauges (300 Mic.)
- ▶ Film Length: up to 25 meters
- ▶ Film Width: up to 4 meters

Composition and Materials

Poliane is an anti-corrosive and weather resistant polyethylene vapor barrier.

Application

Sleeves for corrosion protection of water and oil pipelines. Agricultural film for greenhouses, plastic tunnels & other agro-techniques. Construction film used as a vapor barrier and damp proof membrane in concrete slabs, floors, over insulation boards, shuttering etc.

Durability

It retains its physical properties and remains chemically resistant to aggressive soil organism, plant and other soil fauna as well as domestic sewage and retains its flexibility in temperatures over 80 deg. C.

POLIANE



Bituminous Protective Primers - Water Base

Brand: Bolden

Bolden WB is a brushable, water-based sulphate resistant bitumen coating. It is formed by the anionic emulsification of pliable bitumen and is both stable and easy to apply. It adheres to all types of surfaces and can also be diluted to become a penetrating priming coat for use on porous surfaces.

Advantages

- ▶ Waterproof & Weather proof.
- ▶ Anti corrosive
- ▶ Environment friendly
- ▶ Non-flammable
- ▶ Excellent resistance to UV rays, mild acids and alkalis

Principal Applications

Bolden WB can be used:

- ▶ as a general purpose damp proof coating for concrete.
- ▶ as a waterproofing and protective coating for basements, foundations and retaining walls.
- ▶ as a vapour barrier for both above and below ground applications.
- ▶ as a maintenance coating for roofs and walls over concrete or metal surfaces.
- ▶ as a bonding and priming coat for a variety of bitumen-based waterproofing systems, whether liquid, felts or membranes. as an excellent anti-corrosion paint for metal surfaces

Bituminous Protective Primer - Solvent Base

Brand: Bolden

Bolden SB is a premium quality, quick drying solvent based bitumen primer. It acts as a primer and sealer coat for masonry and concrete to improve the bonding of bituminous materials. Used as a primer coat prior to the application of bituminous waterproofing membranes.

Advantages

- ▶ Binder for dust particles.
- ▶ Improves the bond of bituminous materials.
- ▶ Cold applied, does not require heating, thinning and mixing.
- ▶ Anti corrosive
- ▶ Anti-Bacterial and Anti-Fungus

Applications

The surface need to be clean and free of oil, grease and any other loosely adhering particles. The surface need to be dry before priming with Bolden SB. The primer can be applied straight from the container with standard brushes, squeegees, roller or spray equipment. The primer should be allowed to dry naturally before the application of subsequent layers



PVC Waterstops

Brand: UNITECH

WaterStop is designed for use in any concrete structure which contains joints and is subjected to a hydrostatic load on one face of the structure. It prevents water movement through concrete joints in water reservoirs, canals, dams, sewage treatment plants, bridges, stadiums, basements, floor slabs, parking garages, and similar structures.

Areas of Application

- ▶ Structural Engineering
- ▶ Water Excluding
- ▶ Water Retaining

Usage

WaterStop is designed for use in any concrete structure which contains joints and is subjected to a hydrostatic load on one face of the structure. It prevents water movement through concrete joints in water reservoirs, canals, dams, sewage treatment plants, bridges, stadiums, basements, floor slabs, parking garages, and similar structures.

Properties


WaterStop is unaffected by alkalis, acids, hydrocarbons, oxidation, sewerage, and most water solutions of organic chemicals. It is extremely resistant to abrasion, corrosion, and aging.

UniSwellAble Waterstops

UniSwellAble is a Hydrophilic Swellable Water Bar, self-expanding waterstops are a proven valuable solution for concrete and construction industries, providing an efficient solution for sealing construction joints. Even after repeated wet-dry cycles, UniSwellAble Pro maintains a perfect seal thanks to its high rubber content. UniSwellAble Pro is also far less susceptible to washing out than traditional bentonite seals.

Properties

UniSwellAble is a water-expanding rubber based on polyurethane, which is available in several different types. UniSwellAble is used for sealing purposes in civil engineering, structural engineering as well as tunneling. UniSwellAble is used for sealing of construction joints, pipe penetrations and precast concrete elements such as shaft rings, tubbings etc..



Construction Chemicals



- ▶ **Firestop Systems**
- ▶ **Adhesives**
- ▶ **Tile Adhesives and Grouts**
- ▶ **Waterproofing Membranes & Sealants**
- ▶ **Construction Sealants & Molding Systems**
- ▶ **Tile Grout, Adhesive & Glue**
- ▶ **Construction Foams**
- ▶ **Adhesives, Sealants & Construction Chemicals**
- ▶ **Construction Specialty Chemicals**



Firestop Systems

Brand: STI

STI leads the industry in developing innovative fire protection systems that help stop the spread of fire, smoke and hot gases. For over 25 years, their team has worked hand in hand with the construction industry to create simple solutions to complex firestopping problems.

The SpecSeal® and EZ Path® product lines are engineered to deliver powerful performance. Because their system designs are user-driven, they are easier to apply. The result is simply designed, outstanding fire protection systems which often result in lower installed costs. STI products and systems offer innovative firestop solutions for all types of new construction and retrofit applications. Since firestopping is their only business, we concentrate all our resources on providing the highest quality, fully tested, innovative firestopping solutions.


STI Product Range

At STI, products are but one component of their value package. As a fully focused manufacturer they are committed to providing complete solutions to your Firestop needs and challenges.

STI has invested the time to understand the unique needs of specific construction segments and applicators and then develop products, systems, and programs tailored to meet these needs.

STI Product Range include the following products:

- ▶ LCI Intumescent Firestop Sealant
- ▶ LC Endothermic Firestop Sealant
- ▶ SIL Silicone Firestop Sealant
- ▶ SSP Putty & Putty Pads
- ▶ SSW Intumescent Wrap Strips
- ▶ LCC Intumescent Firestop Collars
- ▶ EZ Path® Series 44+ Fire-Rated Pathway
- ▶ EZ Path® Cable Tray Retrofit Device
- ▶ EZ-Firestop Grommet
- ▶ CS Cable Spray
- ▶ SSB Intumescent Firestop Pillows
- ▶ CS Composite Sheet
- ▶ SSM Firestop Mortar



Adhesives

Brand: Bison

Bison is in part the basis for every job because of the unparalleled product range. For (critical) do-it-yourselfers. Securing, repairing, assembling and sealing. Indoors, outdoors, in the garden, the caravan and on the boat.

Well-known products are Poly Max®, Montagekit, Bison Kit® and Nexus® Glue.

Quality and Innovation

Bison means quality and innovation. Bison works with a quality assurance system in order to guarantee constant quality.

This involves the entire process, from incoming raw materials and production, right through to the end product and delivery, and all carried out according to the given procedures. The system is ISO 9001 certified. This means that users can be sure of guaranteed quality at all times.

Bison Adhesive Range

- ▶ Construction Adhesives
- ▶ Polymer Adhesives
- ▶ Contact Adhesives
- ▶ Epoxy Adhesives
- ▶ Wood Glues
- ▶ Polyurethane Wood Adhesives
- ▶ Super Glues
- ▶ LED Light Booster
- ▶ Specialties
- ▶ Rigid PVC Adhesives
- ▶ Household- and hobby Glues
- ▶ Wallpaper Pastes
- ▶ Flooring Adhesives





Tile Adhesives & Grouts

Brand: Pleko

Pleko System International is one of the most established pioneers in the Exterior Insulation and Finishing System (EIFS) industry with many years of experience. Pleko has diversified to include all kinds of construction chemicals to offer creative and innovative solutions to its alliances, partners, and customers by continuously leveraging modern technology.

General Construction Material

Key chemicals designed to optimize concrete and cementitious mixture's performance and improve bonding. Pleko provide a wide range of PVA, Acrylic and SBR products.

Tile Adhesives & Grouts

Pleko offers a wide range of tiling and grouting solutions for new and repair projects, small to large scale, indoor to outdoor, from wet areas, to kitchens and balconies, as well as swimming pools.

Waterproofing

Waterproofing is a crucial part of construction to protect substrate from water intrusion. Liquid applied waterproofing is the ideal method for complicated details and penetrations found in wet rooms.

Concrete Refurbishment

To last and perform, concrete structures need maintenance from the effects of water infiltration, corrosion, and structural damages.

Hardeners & Curing

Concrete floorings often need a boost to develop their full strength, improve their abrasion resistance, and reduce surface permeability. This boost comes in the form of DryShake hardeners and curing agents.

Flooring


Flooring is a key part of the construction industry, it covers a wide range of systems and layers, from screed and levelling, to hardeners and impregnations and covering adhesives or coatings systems.

Skim Coats & Renders

Skim Coats and Renders provide walls (masonry or boards systems) aesthetic improvement and protection.

Dust Control & Soil Stabilization

Pleko DustStop is specifically designed for dust and erosion control and soil stabilization in connection with unpaved roads, construction sites, coal and mineral ores to provides long lasting performance.





Waterproofing Membranes & Sealants

Brand: Poly TI

Liquid Applied Polyurethane Waterproofing Membrane

Premium, liquid-applied, highly permanent elastic, cold applied and cold curing, one component polyurethane membrane used for long-lasting waterproofing.

Top Coats For Waterproofing Membranes

It is a pigmented, color- and UV-stable, highly permanent elastic, cold applied & cold curing, one component aliphatic polyurethane coating, used as a top-coat for protection over exposed, polyurethane waterproofing coatings. We offer two variations

Primers For Liquid-applied Waterproofing Membranes

It is a transparent, rigid, deep penetrating, one component, quick drying polyurethane primer. It comes in two variations:

Water Based, Polyurethane Waterproofing Membrane


POLY TI Aqua is a Liquid-applied, highly permanent elastic, cold applied and cold curing, water based, one component, modified polyurethane membrane used for long-lasting waterproofing.

Polyurethane Floor Primer

POLY TI 7000 is a transparent, semi-rigid, deep penetrating, one component polyurethane primer. Solvent based. Cures by reaction with ground and air moisture.

Polyurethane Floor Coating

POLY TI 7100 is a colored, one component, highly durable, heavy duty aromatic polyurethane floor coating.





Waterproofing Membranes & Sealants

Brand: Poly TI

Aliphatic Polyurethane Floor Coating UV-Stable

POLY TI 7200 is a colored, one component, highly durable, aliphatic polyurethane thin-layer floor coating. This coating is specially designed for use as a floor coating in external surfaces, providing high mechanical strength, high abrasion and chemical resistance.

One Part Polyurethane Sealants

Poly TI is a high performance one-part polyurethane sealant elastomeric weather-resistant, non-sagging, and water tight with excellent adhesion properties designed for use in all types of joints, vertically and horizontally.

Joint Sealants Mastics

POLY JOINT 30 is a thixotropic, permanent elastic, cold applied and cold curing, one component, low modulus polyurethane elastomer (mastic) used for chalking and joint-sealing. Cures by reaction with ground and air moisture.

Poly TI Low Modulus PU Sealant

POLY TI PU is a moisture-curing, 1-component, polyurethane based, non-sag elastomeric sealant. It is highly resilient and has excellent recovery characteristics. It can function under wide range of temperatures.

One Component Aliphatic Polyurethane Sealant

Single component moisture curing extended polyurethane liquid applied elastomeric membrane for waterproofing and protection of a wide range of surfaces. Available in two variants





Waterproofing Membranes & Sealants

Brand: Poly TI

Poly TI Elastomers


Solvent free, high modulus, polyurethane elastomer, providing excellent elasticity and high tear resistance properties with minimum shrinkage.

Specialized elastomeric resin for the production of molds for use in producing Concrete and Gypsum objects.

It is also used in the production of medium-elastic pressing molds for use in the stamped concrete procedure (edge stamps), production of medium-elastic objects & filling / casting applications.

Following is the POLY TI Molding Series:

- ▶ POLY TI AKD20
- ▶ POLY TI AKD20A
- ▶ POLY TI AKD30
- ▶ POLY TI AKD30A
- ▶ POLY TI AKD45
- ▶ POLY TI AKD50A
- ▶ POLY TI AKD65
- ▶ POLY TI AKD80
- ▶ POLY TI AKD95
- ▶ POLY TI AKD98
- ▶ POLY TI AKD99
- ▶ POLY TI AKD99 Silicone Oil Release Agent
- ▶ POLY TI AKD Sealer





Construction Sealants & Molding Systems

Brand: Eagle Seal / Eagle Mastic

Silicone Sealant

Medium modulus acetoxysilicone sealant. This sealant is ready to use. After suitable joint preparation and masking, the sealant is gunned into place and tooled within 5 minutes, using a spatula which has been dipped in a soapy water.

Acrylic Sealant

Eagle Seal Acrylic Sealant is mono-component, water based acrylic sealant and caulking compound for professional decorators. It is tough, elastic, odorless and provides a durable seal gives good waterproofing property after drying.

Acetoxy Sealant (Bath and Kitchen)

Eagle Seal for Bath and Kitchen is a 100% one-component acetoxycure, non-sag silicone sealant specially formulated to resist mold and mildew when fully cured. Eagle Seal for Bath and Kitchen has excellent adhesion to ceramics, tile board, corian, arborite and most acrylics.

Neutral Weather Sealant

Eagle seal weather Sealant is a neutral curing one component silicone sealant that has excellent weather, aging and UV resistance properties and is specially developed for the weather sealing of structural glazing, angled glazing, wood-glass composite units, roof glazing and conservatories.

Eagle Seal Pro Silicone Joint Sealant

Eagle Seal Pro is a multi purpose acetic one component silicone sealant for application in sanitary areas, ready-to-use in PE cartridges, applicable with silicone application guns. This product is made in Germany.





Construction Sealants & Molding Systems

Brand: Eagle Seal \ Eagle Mastic

Eagle Seal RTV Silicone Rubber Molding Systems

Condensation tin cure molding RTV silicone rubber, tin based silicone, also called condensation-cure silicone, are two-component materials which cure at room temperature and making this system flexible with high tear-strength rubbers.

Eagle Seal RTV AKD 40A for GRC Mold Making

AKD 40 A is a two-part condensation cure silicone rubber. It is used for mold making where it is mixed with its catalyst and then poured around a pattern to create a flexible silicone mold.



Tile Grouts, Adhesives & Glues

Brand: Eagle Mastic / Unifix / UniGrout

Glue for Marble Granite

Eagle Mastic (2-components polyester) is a synthetic resin-based adhesive with a specific weight between 1.1 and 1.65 gram/cm³.



Tile Adhesive

Unifix 401 and 402 are premixed cement-based water resistant mortars for fixing ceramics and glass tiles on walls and floors, applied internally and externally on fair face concrete, bricks and blocks.



Tile Grout

UniGrout 201 is a cement-based, polymer-modified tile grout mortar, for filling grout joints of ceramic wall and floor tiles, porcelain tiles, and mosaic tiles, for walls, floors, showrooms and swimming pools.





Construction Foams

Brand: Eagle Seal

EAGLE SEAL PU FOAM

EAGLE SEAL PU FOAM is a one-component polyurethane foam for general construction joints such as perimeter joints, around window frames, partition walls, ceiling and floor joints as well as for filling wall and pipe openings. It also has high adhesion to concrete, plaster, brick, wood and many plastics.

EAGLE SEAL PU FOAM is made in Germany, and is available in 500ml and 700ml tubes.

APPLICATIONS:

- Surfaces must be clean, free of dust and grease.
- Porous surfaces should be moistened before each application in order to accelerate the healing process and to increase adhesion.
- Do not apply the foam during constant immersion.
- To clean contaminated surfaces please use EAGLE SEAL Foam Remover.





Adhesives, Sealants & Construction Chemicals

Brand : Mapei

For more than 80 years, the Mapei team has been providing solutions of excellence for the building market. All around the world, we take part in both the construction and the restoration and preservation of buildings of historical and artistic value.

Mapei Adhesive Range

An incomparable range offered for every site around the world.

- ▶ Products for ceramics and stone material
- ▶ Products for building
- ▶ Products for structural strengthening
- ▶ Products for waterproofing
- ▶ Products for Resilient, Textile Materials and Sports Flooring
- ▶ Products for wooden flooring
- ▶ Products for masonry restoration
- ▶ Products for underground constructions UTT
- ▶ Cementitious and Resin Floor Coverings
- ▶ Admixtures for concrete
- ▶ Wall protective and decorative coatings
- ▶ Cement additives C-ADD



Product Availability:
KSA, UAE & Lebanon



Construction Specialty Chemicals

Brand: Tremco

For generations, Tremco has successfully provided products and services to architects, distributors, building owners and contractors worldwide. Today, they are uniquely positioned to provide single-source, high-performance products, services and solutions.

Tremco Product Range

TREMproof® 250GC | Fluid Applied Waterproofing Membranes

TREMproof® 250GC is a rapid-curing, high-solids, VOC compliant modified polyurethane waterproofing membrane. It can be applied to damp and green concrete.

Dymeric 240 | Two Parts Polyurethane Sealants Self Leveling

This is a multi-component high performance epoxidised polyurethane sealant which provides a durable, weather tight seal in dynamically moving joints. THC-900 & THC-901 are multi-component, high performance joint sealants which on thorough mixing, provide trafficable, durable seals in dynamically moving joints.

TREMproof® 60 | Bitumen Modified Moisture Curing PU Membranes

It is a single component, bitumen modified, moisture curing polyurethane fluid applied waterproofing membrane. It is used in the waterproofing of Roofs, Tunnels, Terraces, Balconies, Plaza Decks, Planter Boxes, Retaining Walls, Fountains and Pools.

Dymonic® 100 | High-Perf. / Movement, Single-Component, PU Sealant

Dymonic 100 is a durable, flexible sealant that offers excellent performance in moving joints and exhibits tenacious adhesion once fully cured. Typical applications for Dymonic 100 include expansion and control joints, precast concrete panel joints, perimeter caulking (windows, doors, and panels), aluminum, masonry and vinyl siding.



Power, Industrial & Hand Tools



- ▶ **Power Tools & Accessories**
- ▶ **Industrial Tools**
- ▶ **Cutting & Grinding Abrasive Disc**
- ▶ **Heavy Duty Generators & Air Compressors**
- ▶ **Professional Hand Tools & Equipments**
- ▶ **High Quality Construction Machineries**

AEG

Power Tools & Accessories

Brand: AEG

POWERING PROFESSIONALS SINCE 1898.

AEG POWERTOOLS promises to draw upon its heritage and deliver exciting, high performance, innovative working solutions for the professional tradesmen of today and the future.

When we say they last, We mean it.

Best in class longevity. Unmatched power. Professional performance. We're prepared to put our money where our mouth is when it comes to our range of AEG power tools.

That's why we've extended the warranties across our entire power tool range. With an incredible 6 year tool warranty and 3 year guarantee for batteries and chargers, trade professionals trust its legendary durability. AEG Power tools are available to purchase in trade outlets across Europe, the Middle East and Africa.

AEG specializes in Lithium-Ion cordless drills and other battery powertools, hammer drills, metalworking equipment, woodworking equipment, percussion drills and accessories.

AEG Product Range

- ▶ Drilling And Breaking
- ▶ Fastening
- ▶ Woodworking
- ▶ Metalworking
- ▶ Site Equipment
- ▶ Accessories
- ▶ Combo Kits
- ▶ Batteries and Chargers



IRWIN.TOOLS

Industrial Tools

Brand: IRWIN

IRWIN Industrial Tools manufacture and distributes professional grade hand tools and power tool accessories worldwide for trade professionals who demand superior performance and durability on the job. IRWIN Industrial Tools brand portfolio features user-preferred category leaders such as VISE-GRIP® locking tools, MARATHON® circular saw blades, QUICK-GRIP® clamping tools, SPEEDBOR® wood boring drill bits, STRAIT-LINE® marking tools, UNIBIT® step drill bits and HANSON® taps and dies.

IRWIN Range Industrial Tools include:

- ▶ Accessory Storage Cases
- ▶ Chisels
- ▶ Circular Saw Blades
- ▶ Clamps
- ▶ Drill Bits
- ▶ Fastener Drive
- ▶ Hammers
- ▶ Handsaws
- ▶ Impact Accessories
- ▶ Levels & Squares
- ▶ Linear Edge
- ▶ Locking Tools
- ▶ Marking Tools
- ▶ Pipe Wrenches
- ▶ Pliers & Adjustable Wrenches
- ▶ Screw & Bolt Extractors
- ▶ Screwdrivers
- ▶ Snips
- ▶ Taps, Dies, & Sets
- ▶ Utility Knives & Blades
- ▶ Worksite Products
- ▶ Vises



Cutting & Grinding Abrasive Disc

Brand: GRANDINETTI SRL /BIG NET

GRANDINETTI SRL is a company specialized in the production of abrasive discs and grinding wheels, founded in 1963 by Grandinetti brethren, by the name of GMA (GRANDINETTI GRINDING).

The earlier manufacturing technique of abrasive discs involved reinforcing an iron core and glass fiber. In 1982, to meet the needs of its customers and the market opportunities, the company specializes in building cate glass bulk with the acquisition of the MOLE PATRONE and the historic brand SISA (Italian Society Emery and Afni).

In the early '90s, the GRANDINETTI strengthens its presence in foreign markets through the acquisition of BIG-NET brand. Since 2000, following a logic product approach, the production of lamellar disks started.

In these fifty years we have always kept its roots by developing a cutting-edge entrepreneurial mindset. We made known in many foreign markets without neglecting the domestic market. A company open to the full service of our dealers, the importers and the most demanding consumers as regards the special production.

Today the GRANDINETTI, led by the second generation, is among the few companies on the national scene can boast the production of about 50,000 pieces daily, products with fully automatic machinery.

The company is distinguished by having different market according to the needs of three line production market:

- ▶ Abrasive Discs
- ▶ Flap Discs
- ▶ Mole Cate Glass

All the production is built in compliance with current following regulations

- ▶ EN 12413
- ▶ EN 13743
- ▶ FEPA

GRANDINETTI complies with UNI EN ISO 9001 and is also a member of the OAS (Organization for the Safety of Abrasives)





Heavy Duty Generators & Air Compressors

Brand: Dynamik

Dynamik provides a complete range of Power Generators and Air Compressors

Portable Power Generators

We offer a remarkable range of models and features. From the jobsite to the campground, the stadium parking lot to the raceway infield, our generators work and play as hard as you do.

Dynamik offers customised generator solutions to assist high-end engineering companies of various domains and large scale projects. Dynamik generators are automated and controlled by a smart operation site which enables monitoring the functionality of the generators and also provides real-time response in case the generators have issues.

Air Compressors

Our Dynamik portable air compressors are recognized for the durability and reliability. We offer a complete range of air compressors addressed to various industries, including the construction industry.





Professional Hand Tools & Equipments

Brand: XAKT

We distribute professional grade hand tools and equipments throughout the MENA region for trade professionals who demand superior performance and durability on the job.

Our Range include the following hand tools & equipments:

- ▶ Wood Cutting Saw
- ▶ Metal Cutting Saw
- ▶ Chisels
- ▶ Screw Drivers
- ▶ Spanners
- ▶ Adjustable Wrenches
- ▶ Torque Wrenches
- ▶ Lug Wrenches
- ▶ Planes
- ▶ Corner Clamps
- ▶ F-Shaped Clamps
- ▶ G-Shaped Clamps
- ▶ F-Type Trigger Clamp
- ▶ Spring Clamps
- ▶ Knives & Blades
- ▶ Filling Scrapers
- ▶ Filling Knives
- ▶ Steel Trowels
- ▶ Hammers
- ▶ Mallets
- ▶ Measuring Tape
- ▶ Channel Lock Pliers
- ▶ Top Cutting Pliers
- ▶ Locking Pliers
- ▶ Aviation snips
- ▶ Hex & Trox
- ▶ Wire stripping and crimping tools
- ▶ Drill Bits
- ▶ Saw Blades
- ▶ Spirit Levels
- ▶ Pressure Lubricators
- ▶ Spray Gun
- ▶ Guns for Sealing Compounds
- ▶ Paint Brushes
- ▶ Masking Tape
- ▶ Safety Tape
- ▶ Safety Equipment & Tools





High Quality Construction Machineries

Brand: XAKT

XAKT Construction Machineries offers a range of machines for construction jobsites and road construction.

Our products range includes among others:

- ▶ Cutting Machines
- ▶ Bending Machines
- ▶ Stirrup Bending Machines
- ▶ Combined Machines
- ▶ Consutcrution Spirals Machines
- ▶ Concrete Vibrators
- ▶ Road Rollers
- ▶ Floor Grinding Machines
- ▶ Power Trowels
- ▶ Plate Compactors



Sustainable Solutions



- ▶ **GFRP Concrete Reinforcement**
- ▶ **Clean Energy Solutions**
- ▶ **Paints**
- ▶ **Specialized Coating Solutions**
- ▶ **Oil Spill Recovery**
- ▶ **Oil Spill Tackle**

GFRP Concrete Reinforcement

Brand: Mateenbar

IKK Mateenbar manufactures a structurally durable & high performance product called Mateenbar™, a new standard of reinforcement, which is Glass Fiber Reinforced Polymer (GFRP) rebar, also known as Fiberglass rebar. It's the first Aramco approved GFRP Rebar Facility. Our products remove the risk of concrete corrosion in highly aggressive environments. They provide large cost savings by eliminating maintenance costs and increasing the design life of concrete structures to 100+ years. Mateenbar™ glass fiber-reinforced polymer (GFRP) rebar is designed for heavy load applications. It is used widely for bridges, highways as well as in highly corrosive environments including underwater structures, coastal environments and industrial sites. Mateenbar™ is ACI, ASTM and CSA Grade III compliant. Standard approval processes and procurement processes are the same as for traditional construction materials, making it easy for engineers to change from traditional rebar to GFRP rebar.

Design codes and standards

USA

- ▶ ACI 440.1R: Guide for the design and Construction of Structural Concrete Reinforced with FRP Bars
- AASHTO LRFD: Bridge Design Specifications for GFRP-Reinforced Concrete Bridge Decks and Traffic Railing

Europe

- ▶ FIB Task Group 9.3 - Bulletin 40 - FRP Reinforcement in RC Structures

Saudi Arabia

- ▶ ACI 440.1R

Canada

- ▶ CAN/CSA S806: Design of Buildings with Fibre Reinforced Polymers
- ▶ CAN/CSA S6: Canadian Highway Bridge Design Code

Applications

Corrosion Free

- ▶ Coastal, marine and desert regions
- ▶ Underwater structures
- ▶ Building foundation
- ▶ Pipe sleepers
- ▶ Bridge decks and approach slabs
- ▶ Roads and infrastructure
- ▶ Mechanically stabilized earth (MSE) walls

High Chemical Resistance

- ▶ Industrial applications
- ▶ Sewage treatment plants
- ▶ Agricultural facilities
- ▶ Industrial facilities

Thermal insulator

- ▶ Energy efficient building
- ▶ Refrigerated warehouses

Non-conductive/Non-magnetic

- ▶ Hospitals
- ▶ Airport compass calibration pads
- ▶ Power plants and transformer sites
- ▶ Aluminum smelters
- ▶ Light Rail

Easy to cut

- ▶ Tunnels (soft eyes)
- ▶ Mining

 mateenbar™





Clean Energy Solutions

Brand: Multiple

Unitech offers Solar PV systems designed to meet the electrical power needs to multiple projects, including residential, industrial, commercial, educational, healthcare, and several others.

Unitech has vast experience in providing off grid, hybrid and grid tight systems to the region. We have been installing the best in-class PV solar panels, Inverters, and several types of storage systems including LIFEPO4 batteries, gel low-voltage batteries and lead acid batteries.

Our scope of work involves:

1- Sustainable Energy systems mounting and installation

- ▶ Small residential systems up to 15KW
- ▶ Commercial Systems up to 60KW
- ▶ Industrial Systems up to 1MW
- ▶ Solar Energy Systems for Elevators and common areas
- ▶ Solar energy systems for residential and Agricultural water Pumps

2- Off grid Storage Systems installation


- ▶ Small residential systems up to 45KW
- ▶ Commercial systems up to 120KW
- ▶ Large storage systems up to 360KW

3- Wholesale division for

- ▶ Solar PV Panels (440w – 660w)
- ▶ Hybrid Inverters (Single and triple Phases)
- ▶ Gridtight inverters
- ▶ Storage LIFEPO4 batteries (24V and 48V) with UL certification in conformity with IEC standards
- ▶ Gel and Lead Acid Batteries
- ▶ HDG and GI steel mounting systems
- ▶ DC cables, MC4 connectors and port fuses

Brands we install and distribute includes

- | | |
|-------------|-------------|
| ▶ Jinko | ▶ Voltronic |
| ▶ JA | ▶ Austa |
| ▶ Longi | ▶ PCenersys |
| ▶ ZNShine | ▶ Powerbelt |
| ▶ Deye | ▶ Growatt |
| ▶ Sungrow | ▶ Z-power |
| ▶ Tommatech | |



Paints

Brand: Caparol

Caparol, the premium brand of DAW entered the Middle East market in 1998 with its technologically advanced, modern and sustainable product range. Headquartered in Ober-Ramstadt, Germany, DAW Group is one of the largest private paint manufacturer in Europe and has a global presence through various brands of which Caparol is the leading brand for Architectural and Decorative paints in Germany.

With a production plant in Dubai, Caparol is spearheading the drive of architectural creativity in the Middle East and African Countries. The striped elephant has been synonymous with reliability, technical expertise and outstanding product performance. Some of our prestigious projects include GEMS International School, Akoya by Damac, Rove Hotels, Nshama Town Square, La Ville Hotel and Resorts - citywalk, BoxPark, The Ritz Carlton DIFC, Sofitel Hotel JBR, Shorooq Mirdif, Jumeirah Village Triangle Villas, etc. and we look forward to supporting the region with innovative, Eco-friendly and sustainable solutions for a healthier living.

Caparol Range

Interior Paints

A wide selection of premium interior emulsions and designer finishes which inspire a healthy living.

Exterior Paint Solution

Environmentally friendly exterior finishes and insulation solutions with excellent UV protection and outstanding durability.

Flooring Solutions

Functional Epoxy and Polyurethane coatings to protect floors and building spaces.

Miscellaneous

A comprehensive range of quality fillers, adhesives and base coats to ensure effective substrate preparation.

Application Solutions

A wide variety of high-quality tools to ensure the effective application of interior and exterior emulsions.





Specialized Coating Solutions

Brand: Numastec

Astec - Numastec, a joint venture created and based in the USA, combined their expertise in development and manufacturing, to bring their proven new technology to markets all over the world.

The company is registered under ISO 9001: 2000. We manufacture and distribute: Re-Ply Roofing systems and fluid-applied membrane systems for the renovation of roofs, walls, and other industrial surfaces. Our elastomeric products and systems provide seamless waterproof and weather tight barriers, as well as offering high reflectivity and dissipation of heat, all while reducing UV light degradation.

Numastec ceramic membranes, roofing, wall and industrial systems have been tested beyond typical standards for longevity, wind resistance, durability, pliability, abrasion resistance, salt, chemical, and corrosives resistance, all while reducing thermal shock damage and the high cost of temperature control.

Numastec offer solutions for:

- ▶ Energy Savings in Industrial, Commercial & Residential Facilities.
- ▶ Insulation of Roofing, Walls, Equipment Over all Materials.
- ▶ Prevention and Protection Against Rusting & Corrosion.
- ▶ Blocking Heat Loss or Gain.
- ▶ Stopping Condensation.
- ▶ Concrete Protection & Sealing.
- ▶ Prevent Deterioration from Harsh Environments.
- ▶ Refrigerated Trucks & Facilities.
- ▶ Fire Resistance and Proofing.
- ▶ Underwater Protection.
- ▶ Chemical Protection.
- ▶ Create a seamless, weather tight barrier.
- ▶ Stays Pliable and weather tight in all climates.
- ▶ Creates an easy care, linen like satin finish.
- ▶ Can be bonded with pre-painted surfaces.
- ▶ Reflects away heat and harmful UV radiation.
- ▶ Surpasses R19 heat gain testing.
- ▶ Does not shrink or crack in temperature extremes.
- ▶ Withstands sea mist and airborne corrosives.
- ▶ Resists Fungi and algae growth.
- ▶ Saves temperature control and cooling costs.
- ▶ Greatly reduces risk of thermal shock damage.
- ▶ Restores and extends the life of original walls.
- ▶ Cures to a highly fire resistant surface.



Oil Spill Recovery

Brand: Directa Plus

G+® Technology

G+® is a Directa Plus brand, we offer a range of graphene nanoplatelets-based products – either ready-to-use or custom-blended to meet customers' specific technical requirements.

Benefits of G+® products:

- ▶ Chemical Free
- ▶ Certified as non-toxic
- ▶ High Purity
- ▶ Consistent Quality
- ▶ Taylor-made particles shape
- ▶ Production capacity: 30 tonnes/year
- ▶ Abundant, safe and non-toxic raw material

Patented, Modular process

Our production process uses a unique technique we call Plasma Super Expansion. Starting from natural graphite, each step of the process – expansion, exfoliation and drying – creates graphene nanoplatelets-based materials ready for a variety of uses and available in different forms such as powder, liquid and paste.

Our production process produces a highly consistent graphene nanoplatelets product - an important factor for commercial customers - and does not need any chemical or solvent additives.

Oil-Spill recovery

GRAFYSORBER® is an innovative graphene-based material ideal for tackling environmental emergencies, including both historical and recent pollution

- ▶ At least five times better than conventional solutions
- ▶ Very fast adsorption kinetics
- ▶ Recovery of adsorbed hydrocarbons and re-use of the material

Commercial Products

A wide range of oil adsorbent barriers and pillows is available in different sizes and formats. Directa plus has the expertise required to setup a mobile production unit and able to produce on site and on-demand the GRAFYSORBER® needed to clean up the contamination

DIRECTAPLUS
PARTNERS IN NANOTECHNOLOGY



Oil Spill Tackle

Brand : Spill Tackle

Spill Tackle is a superior performing absorbent for business, industry and home use alike. Offering an extremely sustainable, high performing product, that is cost effective for all levels of application.

Spill Tackle is USDA bio-preferred, up to 6x more absorbent and safer than clay and is USEPA leachate tested. Offering less expensive and more productive options to clients in a wide range of industries across the nation.

Industries "Spill Tackle" Serves:

- ▶ Aviation Industry
- ▶ City & State Municipalities
- ▶ Environmental Response & Recovery
- ▶ Food Processing Companies
- ▶ Hazardous Waste Hauling
- ▶ Hydraulic Industry
- ▶ Manufacturing & Fabrication Facilities
- ▶ Oil and Gas Exploration
- ▶ Power/Utility Companies
- ▶ Rendering Plants
- ▶ School Districts and Bus Barns
- ▶ Transportation & Logistics
- ▶ Wastewater Plants

Spill Tackle Product Range

- ▶ Super Sack (1200-1400 lbs Super Sacks)
- ▶ Drum (55 gal Drums)
- ▶ Bucket (5 gal Buckets)
- ▶ Spill Kit (Emergency and Refill Spill Kits)
- ▶ Bag (20lbs, 5lbs, & 2lbs bags)
- ▶ Sock (4' & 10' Socks)



Hygienic Solutions



- ▶ **Hygienic Wall & Ceiling Panels**
- ▶ **Commercial Flooring Solutions**
- ▶ **Hygienic Cleanroom Solutions**
- ▶ **Stainless Steel Hygienic Trims and Skirting**

Hygienic Wall & Ceiling Panels

Brand : Crane Composites

Crane Composites leads the market with more durable, hygienic and sanitary panels that are easier to install and maintain and have a lower overall total cost of ownership when compared to traditional building materials.

FEATURES:

- Mold + Mildew Free
- Meets USDA/FSIS Requirements
- Easy to Install
- Cleanable
- Durable

APPLICATIONS:

- | | | |
|----------------------------------|-------------------|---------------------------|
| • Commercial Kitchens | • School Hallways | • Car Washes |
| • Cleanrooms | • Cafeterias | • Food Processing Plants |
| • Restrooms | • Restrooms | • Refrigerated Warehouses |
| • Convenience Stores | • Dining Rooms | • Commercial Kitchens |
| • Locker Rooms | • Reception Areas | • Laboratories |
| • Food Processing Plants | • Health Clubs | • Locker Rooms... |
| • Indoor Agricultural Facilities | • Hospitals | |

GLASBORD Wall Panels with Surfaseal® Finish

Glasbord® with Surfaseal® is a unique solution that offers unsurpassed hygiene and high durability required in critical areas that demand high-performance finishes. Our unique Surfaseal® film equips our wall panel with the best hygienic performance combined with highest stain, impact and scratch resistance.

VARIETEX® Innovative Textured and Colored Wall Panels

Take your surfaces beyond with a tile like finish on the sandstone and gel-coat panels. The grout lines are sealed for easy maintenance, avoiding the grimy build up encountered with regular tile.

DESIGNS Collections + custom imaged wall panels

DESIGNS resilient wall coverings, bring both style and durability into any commercial space. No need to sacrifice aesthetics for hygiene.

Kemply® Wall Panels with Surfaseal® Finish

Kemply is fabricated by laminating Glasbord panel to a rigid substrate. The resulting panel has structural strength and rigidity, allowing installation directly to a stud wall or ceiling



Sanigrid® Ceiling Grid System

Sanigrid is the ideal solution for high humidity and chemical environment installations. Sanigrid system features a fast installation, with the entire system easily snapping together.

All Crane Composites coverings have earned GREENGUARD Certification for low chemical emissions, issued by UL Environment. This certification reflects the dedication to improving the quality of products, while using low-emitting materials in their construction. The use of

Crane Composites products may also contribute to earning LEED® certification.

CRANE Composites



Commercial Flooring Solutions

Brand: Tarkett

Tarkett is a global leader in innovative flooring products. Tarkett offers an extensive range of commercial flooring products including vinyl rolls, luxury vinyl tiles, mineral tiles, linoleum, carpet, wood and laminate.

Committed to making a positive impact on people and the planet, Tarkett is present in more than 100 countries, creating people friendly living spaces worldwide that combine well-being, health, performance and design.

Tarkett offers innovative commercial flooring and sports surface solutions that meet design and functional requirements in multiple market segments: Healthcare, Aged Care, Education, Stores and Shops, Hospitality and Leisure, the Workplace and Sports segments.

Tarkett Product Categories

Luxury Vinyl Tile & Plank Collections

The rising star of the flooring industry– Luxury Vinyl Tile, or LVT, is a lower cost option to true wood or stone flooring that is waterproof and easier to maintain. It can also be referred to as LVP (Luxury Vinyl Planks) for wood designs. There are 2 main types of LVT: traditional, flex LVT and rigid core. Traditional Flex has the option of floating click lock or direct glue installation, while Rigid Core offers a floating click method.

Laminate Collections

Tarkett Home's Laminate offering is a Menards exclusive. Featuring realistic wood designs– This product is composed of a very strong wear layer, atop a design paper and core board. The wear layer applied to laminate is what gives the product its resistance to scratches, scuffs, and stains. This makes laminate an excellent choice for families with pets, where there may be concerns of scratches.

Luxury Sheet Collections

From traditional wood patterns and modern concrete finishes to the latest encaustic tile designs, Tarkett Home's luxury sheet selection offers a variety of flooring options that instantly update a space with your own personal style. From manufacturing to installation to cleaning, every detail of your floor affects the health and air quality of your home. That's why all Tarkett Home luxury sheet products are CERTIFIED asthma & allergy friendly™.

Carpet Collections

The result of quality manufacturing & impactful designs– Tarkett Home carpet is an excellent choice for any household. Our carpets are constructed of high quality, solution-dyed PET fibers that are virtually stain proof and resist fading. With over 50 designs to browse, and multiple color-ways available for each: Tarkett Home's carpet catalog has something for everyone.

Accessories

Browse Tarkett Home's selection of accessory products, crafted with your project's needs in mind. Featuring adhesives, transition molding, and wall base: Tarkett Home's accessory catalog has just what you need to complete your home renovation.





Hygienic Cleanroom Solutions

Brand: Cubix+ Plus

Cubix+ Plus provides complete hygienic solutions combining unsurpassed hygiene and durability with high-performance and style.

Protect your facility with Cubix+ Plus hygienic wall coverings. Our wall coverings and Phenolic HPL partitions with finish create areas and surfaces that deliver unsurpassed hygiene and durability for commercial environments such as medical and pharmaceutical facilities, laboratories, sterile areas, restaurants, food processing plants, and educational institutions.

Our solutions of FRP wall coverings and Phenolic HPL partitioning solutions are 10 times more cleanable and 6 times more stain resistant, providing barriers that's highly resistant to impact and scratching. Because of it's unique process, our hygienic panels from Crane Composite with Surfaseal film finish will not trap soil or bacteria on the panel. The surface is easier to clean and more stain resistant than other sanitary wall systems.

Advantages

- ▶ High Quality Insulated Panels Perfect for Hygienic Applications
- ▶ Resistance to Bacteria, mold and other contaminants
- ▶ Design and color selection of partitioning and phenolic HPL furniture and lockers
- ▶ Wide Selection of colors and designs of products.

HPL Phenolic Panels Advantages

- ▶ Anti-impact
- ▶ Wear resistance
- ▶ Non-toxic, non-polluting, completely hygienic
- ▶ Moisture proof, waterproof, mildew proof
- ▶ Chemical resistance
- ▶ Heat resistant, resistant to smoke
- ▶ Anti-static, no radiation
- ▶ Antibacterial, easy to clean, UV resistant
- ▶ Rich surface treatment and various colors



NEXUS

Hygienic Stainless Steel Trims and Skirting

Brand: Nexus

Nexus Hygienic stainless steel trims and skirting are resistant to the growth of bacteria and mold and other contaminants. An ideal solution for areas where high hygiene standards are required, such as commercial kitchens, food processing plants, hospitals, and cleanrooms.

Nexus Hygienic stainless steel trims and skirting have a smooth radius form and seamless surface that prevents dirt and debris from accumulating, thus, help create a cleaner and healthier environment.

Benefits Include

- ▶ Durable materials that can withstand heavy traffic.
- ▶ Easy to clean and maintain.
- ▶ Resistant to bacteria and other contaminants: Made from materials that are resistant to the growth of bacteria and mold. This is important in areas where hygiene is highly favored.
- ▶ Durable and long-lasting: A good choice for high-traffic areas such as commercial kitchens and hospitals.
- ▶ Used in a wide range of settings, aesthetically pleasing.

Applications

- ▶ Schools
- ▶ Commercial kitchens
- ▶ Restaurants
- ▶ Hotels
- ▶ Food Processing Plants
- ▶ Hospitals
- ▶ Cleanrooms
- ▶ Laboratories
- ▶ Pharmaceutical plants
- ▶ Veterinary clinics
- ▶ Residential areas



IKK Group of Companies

Isam Khairi Kabbani Group, a Leading Saudi Group in the Business and Construction Sector since 1968. We are building the future with over five decades of experience through more than 40 companies in the Kingdom of Saudi Arabia and the MENA region. We have a rich history of innovation in providing quality solutions and products with certified local and international standards to serve the construction sector and more, reaching more than 20 countries worldwide.

"Hire well, Train well, Pay well and Treat well."

These are the words of our founder Shk. Isam K. Kabbani and our business philosophy revolves around these principals.

For more information, please visit:
www.ikkgroup.com

Mission & Vision

Mission

Our mission is to continue providing the MENA Region with innovative solutions tailored to meet the market needs in the manufacturing, contracting, and trading industries.

Vision

Maintaining our leading position in the construction industry and beyond, by building the future of the communities we serve.

IKK Group of Companies



+100
Divisions



+40
Companies



+18,000
Employees



20
Countries

Major Activities



Manufacturing



Trading



Contracting



Maintenance & Services

Contact Information

Sales Offices/Entities

KINGDOM OF SAUDI ARABIA

unitech.ksa@ikkgroup.com

Jeddah

Tel : +966 12 627 8222

Mak kah/Taif

Tel : +966 12 541 1206

Mad inah

Tel : +966 14 842 1095

Yanbu

Tel : +966 14 390 1499

Khamis Mushayt

Tel : +966 17 237 5929

Gizan

Tel : +966 17 321 6660

Riyadh

Tel : +966 11 292 8200

Qassim / Buraidah

Tel : +966 16 382 3946

Skakah / Qurayyat

Tel : +966 14 626 3904

Tabuk

Tel : +966 14 423 5203

Dammam

Tel : +966 13 859 0097

Hufuf

Tel : +966 13 530 1474

Jubail

Tel : +966 13 361 4390

UNITED ARAB EMIRATES

Dubai - Al Rashidiyah

unitech.dubai@ikkgroup.com

Tel : +971 4 2591 773

Abu Dhabi - Musaffah

unitech.auh@ikkgroup.com

Tel : +971 2 552 3393

BAHRAIN

Manama

unitech.bahrain@ikkgroup.com

Tel : +973 17 874 897

JORDAN

Amman

Kavity for Construction Solutions & Materials

Info.Jordan@kabrillc.com

Tel : +962 6 5516905

KUWAIT

Kuwait City

unitech.kuwait@ikkgroup.com

Tel : +965 2 4924 937

QATAR

Doha

info@unitech-qatar.com

Tel : +974 4451 3301

OMAN

Muscat

unitech.oman@ikkgroup.com

Tel : +968 24 591 006

LEBANON

Beirut

unitech.lebanon@ikkgroup.com

Tel : +961 1 858 277

EGYPT

Cairo 6th of October City

unitech.egypt@ikkgroup.com

Tel : +20 2 3820 6477

PAKISTAN

Lahore - Punjab

unitech.pakistan@ikkgroup.com

Tel : +92 42 32301578

SFSP Factories

SFSP - KSA

Specialized Factory for Steel Products

sfsp.jeddah@ikkgroup.com

3rd Industrial City / Jeddah

Tel : +966 12 637 4482

SFSP / UAE

SIGMA Factory for Steel Products

sfsp.uae@ikkgroup.com

DIC (Dubai Industrial City)

Tel : +971 4 818 1919

SFSP / EGYPT

Specialized Factory for Steel Products

sfsp.cairo@ikkgroup.com

6th of October City Giza

Tel : +20 2 3820 6477

SFSP / LEBANON

Specialized Factory for Steel Products / s.a.r.l

sfsp.lebanon@ikkgroup.com

Tanayel, Bekaa

Tel : +961 8 514 290

Marketing & Multimedia

Multi-D s.a.r.l

multi-d@ikkgroup.com

Multi-D

Beirut, Lebanon

Tel : +961 1 841 155



Technical support from specification to site

Design of fixing systems and preparation of structural calculations, carried out by our technical department. Send us the project drawings and we will propose the system that meets the project criteria.

PHONE

+962 6 551 5905

EMAIL

info.jordan@kabrillc.com

ADDRESS

Wasfi Al-Tal St. - Noura Complex, Amman, Jordan

EXCLUSIVE UNITECH AGENT IN JORDAN

Part of the IKK Group | 40+ years of construction solutions