




[kavix/java-spring-labs]






Explorer
java-spring-labs [Codespaces...
.mvn
src
main
java / com / example / student_manager
controller
StudentController.java
model
Student.java
repository
StudentRepository.java
service
StudentService.java
StudentManagerApplication.java
resources
static / css
style.css
templates
edit-students.html
fragment.html
students.html
application.properties
test
target
.gitattributes
.gitignore
mvnw
mvnw.cmd
pom.xml
Outline
Timeline
Java Projects
Maven
StudentController.java
fragment.html
students.html
edit-students.html
style.css
StudentService.java
edit-students.html (Working Tree)
StudentRepository.java
src > main > resources > templates > edit-students.html > html > body > main.container.narrow > section.card > form
<html lang="en" xmlns:th="http://www.thymeleaf.org">
<body>
<main class="container narrow">
<section class="card">
<form th:action="@{/students/{id}/update(id=${student.id})}" th:object="${student
<button type="submit" class="btn primary">Update Student</button>
<a th:href="@{/students}" class="btn">Cancel
</form>
</section>
</main>
<footer class="footer">COSC 32133 / BECS 32263 · Lab Sheet 04</footer>
</body>
</html>
Problems
Output
Debug Console
Terminal
Ports
@kavix ➜/workspaces/java-spring-labs (main) $ mvn spring-boot:run
)
2026-10-14T12:13:24.928Z INFO 26039 --- [student-manager] [restartedMain] .ConditionEvaluationDeltaLoggingListener : Condition evaluation unchanged
2026-10-14T12:13:29.591Z INFO 26039 --- [student-manager] [nio-8080-exec-1] o.a.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring DispatcherServlet 'dispatcherServlet'
2026-10-14T12:13:29.592Z INFO 26039 --- [student-manager] [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet : Initializing Servlet 'dispatcherServlet'
2026-10-14T12:13:29.595Z INFO 26039 --- [student-manager] [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet : Completed initialization in 3 ms
Hibernate: select s1_0.id,s1_0.age,s1_0.course,s1_0.email,s1_0.full_name,s1_0.phone from students s1_0
Hibernate: select s1_0.id from students s1_0 where s1_0.email=? fetch first ? rows only
Hibernate: select s1_0.id,s1_0.age,s1_0.course,s1_0.email,s1_0.full_name,s1_0.phone from students s1_0
Hibernate: select s1_0.id from students s1_0 where s1_0.email=? fetch first ? rows only
Hibernate: insert into students (age,course,email,full_name,phone,id) values (?,?,?,?,?,default)
Hibernate: select s1_0.id from students s1_0 where s1_0.email=? fetch first ? rows only
Hibernate: select s1_0.id,s1_0.age,s1_0.course,s1_0.email,s1_0.full_name,s1_0.phone from students s1_0
Hibernate: select s1_0.id,s1_0.age,s1_0.course,s1_0.email,s1_0.full_name,s1_0.phone from students s1_0
java
bash
Activate Windows
Go to Settings to activate Windows.
2 Hidden ...


https://probable-adventure-pgq7jp6w4c97.github.dev
java-spring-labs [Codespaces: probable adventure]
Source Control
Changes
Message (Ctrl+Enter to commit on "...
Commit
Graph
Auto
change fragment syntax Kavin... main
remove dependancy Kavindu Sachinthe
change h2 db close on exit Kavindu Sachinthe
change package name in code Kavindu Sach...
format files Kavindu Sachinthe
add css syntax style Kavindu Sachinthe
Merge pull request #1 from kavix/feature...
Add Thymeleaf pages and CSS for studen...
Add StudentController with create, updat...
Add Student Repository Kavindu Sachinthe
Add StudentRepository and StudentServi...
Add Student entity with validation rules...
aadd model Kavindu Sachinthe
h2 db configs add Kavindu Sachinthe
add dependncy h2 Kavindu Sachinthe
initialize EC/2022/053 - GALKOTUWA K.S.B
StudentController.java
fragment.html
students.html
edit-students.html
style.css
src > main > resources > templates > edit-students.html > html > body > main.container.narrow > section.card > form
<html lang="en" xmlns:th="http://www.thymeleaf.org">
<body>
<main class="container narrow">
<section class="card">
<form th:action="@{/students/{id}/update(id=${student.id})}" th:object="${student
<button type="submit" class="btn primary">Update Student</button>
<a th:href="@{/students}" class="btn">Cancel
</form>
</section>
</main>
<footer class="footer">COSC 32133 / BECS 32263 · Lab Sheet 04</footer>
</body>
</html>
Problems
Output
Debug Console
Terminal
Ports
@kavix ➜/workspaces/java-spring-labs (main) $ mvn spring-boot:run
)
2026-10-14T12:13:24.928Z INFO 26039 --- [student-manager] [restartedMain] .ConditionEvaluationDeltaLoggingLis
2026-10-14T12:13:29.591Z INFO 26039 --- [student-manager] [nio-8080-exec-1] o.a.c.c.C.[Tomcat].[localhost].[/]
2026-10-14T12:13:29.592Z INFO 26039 --- [student-manager] [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet
2026-10-14T12:13:29.595Z INFO 26039 --- [student-manager] [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet
Hibernate: select s1_0.id,s1_0.age,s1_0.course,s1_0.email,s1_0.full_name,s1_0.phone from students s1_0
Hibernate: select s1_0.id from students s1_0 where s1_0.email=? fetch first ? rows only
Hibernate: select s1_0.id,s1_0.age,s1_0.course,s1_0.email,s1_0.full_name,s1_0.phone from students s1_0
Hibernate: select s1_0.id from students s1_0 where s1_0.email=? fetch first ? rows only
Hibernate: insert into students (age,course,email,full_name,phone,id) values (?,?,?,?,?,default)
Hibernate: select s1_0.id from students s1_0 where s1_0.email=? fetch first ? rows only
Hibernate: select s1_0.id,s1_0.age,s1_0.course,s1_0.email,s1_0.full_name,s1_0.phone from students s1_0
Hibernate: select s1_0.id,s1_0.age,s1_0.course,s1_0.email,s1_0.full_name,s1_0.phone from students s1_0
Codespaces: probable adventure
main


https://probable-adventure-pgq7jp6w4c97-8080.app.github.dev/students
Student Registration System
Spring Boot · Thymeleaf · H2 Database
Register a Student
Full Name
e.g. Nimal Perera
Email
nimal@example.com
Phone (10 digits)
0771234567
Course
-- Select a course --
Age
21
Save Student
Registered Students 1
ID
Full Name
Email
Phone
Course
Age
Actions
1
kavindu
sds@sds.vvv
0726677555
Software Engineering
19
Edit
Delete

7jp6w4c97-8080.app.github.dev/students

Student added successfully.

Register a Student

Full Name

e.g. Nimal Perera

Email

nimal@example.com

Phone (10 digits)

0771234567

Course

-- Select a course --


Age


21

Save Student

Registered Students 2

ID	Full Name	Email	Phone	Course	Age	Actions
1	kavindu	sds@sds.vvv	0726677555	Software Engineering	19	Edit Delete
2	Nihakl	saidad@fgsdf.cc	0726677555	Data Science	33	Edit Delete


-8080.app.github.dev/students/1/edit
Student Registration System
Edit student details
Edit Student #1
Full Name
kavindu
Email
smeone@sasa.cc
Phone (10 digits)
0726677555
Course
Software Engineering
Age
19
Update Student
Cancel
COSC 32133 / BECS 32263 · Lab Sheet 04


https://probable-adventure-pgq7jp6w4c97-8080.app.github.dev/students
Student updated successfully.
Register a Student
Full Name
e.g. Nimal Perera
Email
nimal@example.com
Phone (10 digits)
0771234567
Course
-- Select a course --
Age
21
Save Student
Registered Students 2
ID Full Name Email Phone Course Age Actions
1 kavindu smeone@sasa.cc 0726677555 Software Engineering 19 Edit Delete
2 Nihakl saidad@fgsdf.cc 0726677555 Data Science 33 Edit Delete

3080.app.github.dev/students

Student Registration System

Spring Boot · Thymeleaf · H2 Database

Student deleted successfully.

Register a Student

Full Name

e.g. Nimal Perera

Email

nimal@example.com

Phone (10 digits)

0771234567

Course

-- Select a course --

Age


21

Save Student

Registered Students 1

ID	Full Name	Email	Phone	Course	Age	Actions
1	kavindu	smeone@sasa.cc	0726677555	Software Engineering	19	Edit Delete


Problems
Output
Debug Console
Terminal
Ports 1
@kavix ➜/workspaces/java-spring-labs (main) $ mvn spring-boot:run
e varchar(100) not null, phone varchar(255) not null, primary key (id))
Hibernate: alter table if exists students drop constraint if exists UKe2rndfrsx22acpq2ty1caeuyw
Hibernate: alter table if exists students add constraint UKe2rndfrsx22acpq2ty1caeuyw unique (email)
2026-10-14T12:13:24.234Z INFO 26039 --- [student-manager] [restartedMain] j.LocalContainerEntityManagerFactoryBean : Initialized JPA EntityManagerFactory for persistence unit 'default'
2026-10-14T12:13:24.358Z INFO 26039 --- [student-manager] [restartedMain] o.s.d.j.r.query.QueryEnhancerFactories : Hibernate is in classpath; If applicable, HQL parser will be used.
2026-10-14T12:13:24.701Z WARN 26039 --- [student-manager] [restartedMain] JpaBaseConfiguration$JpaWebConfiguration : spring.jpa.open-in-view is enabled by default. Therefore, database queries may be performed during view rendering. Explicitly configure spring.jpa.open-in-view to disable this warning
2026-10-14T12:13:24.916Z INFO 26039 --- [student-manager] [restartedMain] o.s.boot.tomcat.TomcatWebServer : Tomcat started on port 8080 (http) with context path '/'
2026-10-14T12:13:24.921Z INFO 26039 --- [student-manager] [restartedMain] c.e.s.StudentManagerApplication : Started StudentManagerApplication in 2.975 seconds (process running for 137.801)
2026-10-14T12:13:24.928Z INFO 26039 --- [student-manager] [restartedMain] .ConditionEvaluationDeltaLoggingListener : Condition evaluation unchanged
2026-10-14T12:13:29.591Z INFO 26039 --- [student-manager] [nio-8080-exec-1] o.a.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring DispatcherServlet 'dispatcherServlet'
2026-10-14T12:13:29.592Z INFO 26039 --- [student-manager] [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet : Initializing Servlet 'dispatcherServlet'
2026-10-14T12:13:29.595Z INFO 26039 --- [student-manager] [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet : Completed initialization in 3 ms
Hibernate: select s1_0.id,s1_0.age,s1_0.course,s1_0.email,s1_0.full_name,s1_0.phone from students s1_0
Hibernate: select s1_0.id from students s1_0 where s1_0.email=? fetch first ? rows only
Hibernate: select s1_0.id,s1_0.age,s1_0.course,s1_0.email,s1_0.full_name,s1_0.phone from students s1_0
Hibernate: select s1_0.id from students s1_0 where s1_0.email=? fetch first ? rows only
Hibernate: insert into students (age,course,email,full_name,phone,id) values (?,?,?,?,?,default)
Hibernate: select s1_0.id from students s1_0 where s1_0.email=? fetch first ? rows only
Hibernate: select s1_0.id,s1_0.age,s1_0.course,s1_0.email,s1_0.full_name,s1_0.phone from students s1_0
Hibernate: select s1_0.id,s1_0.age,s1_0.course,s1_0.email,s1_0.full_name,s1_0.phone from students s1_0
Hibernate: select s1_0.id,s1_0.age,s1_0.course,s1_0.email,s1_0.full_name,s1_0.phone from students s1_0
Hibernate: select s1_0.id from students s1_0 where s1_0.email=? fetch first ? rows only
Hibernate: insert into students (age,course,email,full_name,phone,id) values (?,?,?,?,?,default)
Hibernate: select s1_0.id,s1_0.age,s1_0.course,s1_0.email,s1_0.full_name,s1_0.phone from students s1_0
Hibernate: select s1_0.id,s1_0.age,s1_0.course,s1_0.email,s1_0.full_name,s1_0.phone from students s1_0 where s1_0.id=?
Hibernate: select s1_0.id from students s1_0 where s1_0.email=? and s1_0.id<>? fetch first ? rows only
Hibernate: select s1_0.id,s1_0.age,s1_0.course,s1_0.email,s1_0.full_name,s1_0.phone from students s1_0 where s1_0.id=?
Hibernate: update students set age=?,course=?,email=?,full_name=?,phone=? where id=?
Hibernate: select s1_0.id,s1_0.age,s1_0.course,s1_0.email,s1_0.full_name,s1_0.phone from students s1_0
Hibernate: select s1_0.id,s1_0.age,s1_0.course,s1_0.email,s1_0.full_name,s1_0.phone from students s1_0 where s1_0.id=?
Hibernate: delete from students where id=?
Hibernate: select s1_0.id,s1_0.age,s1_0.course,s1_0.email,s1_0.full_name,s1_0.phone from students s1_0
Activate Windows
Go to Settings to activate Windows.
java
bash
0 ⚠ 0
1
Java: Lightweight Mode
Kavindu Sachinthe (1 minute ago)
Ln 21, Col 1
Spaces: 4
UTF-8
LF
{} HTML
Layout:


Hibernate: update students set age=?,course=?,email=?,full_name=?,phone=? where id=?
Hibernate: select s1_0.id,s1_0.age,s1_0.course,s1_0.email,s1_0.full_name,s1_0.phone from students s1_0
Hibernate: select s1_0.id,s1_0.age,s1_0.course,s1_0.email,s1_0.full_name,s1_0.phone from students s1_0 where s1_0.id=?
Hibernate: delete from students where id=?
Hibernate: select s1_0.id,s1_0.age,s1_0.course,s1_0.email,s1_0.full_name,s1_0.phone from students s1_0
^C2026-10-14T12:20:00.205Z INFO 26039 --- [student-manager] [ionShutdownHook] o.s.boot.tomcat.GracefulShutdown : Commencing graceful shutdown. Waiting for active requests to complete
2026-10-14T12:20:00.206Z INFO 26039 --- [student-manager] [tomcat-shutdown] o.s.boot.tomcat.GracefulShutdown : Graceful shutdown complete
2026-10-14T12:20:00.210Z INFO 26039 --- [student-manager] [ionShutdownHook] j.LocalContainerEntityManagerFactoryBean : Closing JPA EntityManagerFactory for persistence unit 'default'
2026-10-14T12:20:00.211Z WARN 26039 --- [student-manager] [ionShutdownHook] o.s.b.f.support.DisposableBeanAdapter : Invocation of destroy method failed on bean with name 'inMemoryDatabaseShutdownExecutor': org.h2.jdbc.JdbcSQLNonTransientConnectionException: Database is already closed (to disable automatic closing at VM shutdown, add ";DB_CLOSE_ON_EXIT=FALSE" to the db URL) [90121-240]
2026-10-14T12:20:00.211Z INFO 26039 --- [student-manager] [ionShutdownHook] com.zaxxer.hikari.HikariDataSource : HikariPool-2 - Shutdown initiated...
2026-10-14T12:20:00.212Z INFO 26039 --- [student-manager] [ionShutdownHook] com.zaxxer.hikari.HikariDataSource : HikariPool-2 - Shutdown completed.
[INFO] --
[INFO] BUILD SUCCESS
[INFO] --
[INFO] Total time: 08:56 min
[INFO] Finished at: 2026-10-14T12:20:00Z
[INFO] --
@kavix ➜/workspaces/java-spring-labs (main) $
Activate Windows
Go to Settings to activate Windows.