Rajalakshmi Engineering College

Name: Kaviya B J

Email: 240701246@rajalakshmi.edu.in

Roll no: 240701246 Phone: 9345986507

Branch: REC

Department: I CSE FC

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 7_MCQ

Attempt: 1 Total Mark: 20

Marks Obtained: 18

Section 1: MCO

1. Which NumPy function is used to create an identity matrix?

Answer

numpy.identity()

Status: Correct Marks: 1/1

2. What is the result of the following NumPy operation?

import numpy as np arr = np.array([1, 2, 3])r = arr + 5print(r) Answer

Marks : 1/1 Status: Correct

3. What is the purpose of the following NumPy code snippet?

```
import numpy as np
arr = np.zeros((3, 4))
print(arr)
```

Answer

Displays a 3x4 matrix filled with zeros

Marks: 1/1 Status: Correct

4. In the DataFrame created in the code, what is the index for the row containing the data for 'Jack'?

import pandas as pd

```
data = {'Name': ['Tom', 'Jack', 'nick', 'juli'],
  'marks': [99, 98, 95, 90]}
df = pd.DataFrame(data, index=['rank1',
         'rank2',
         'rank3',
         'rank4'])
print(df)
```

Answer

rank2

Marks: 1/1 Status: Correct

5. What does the np.arange(10) function in NumPy do?

Answer

Creates an array with values from 0 to 10

Status: Wrong Marks: 0/1

6. Which NumPy function is used to calculate the standard deviation of an array?

Answer

numpy.std()

Status: Correct Marks: 1/1

7. What will be the output of the following code snippet?

import numpy as np
arr = np.array([1, 2, 3])
result = np.concatenate((arr, arr))
print(result)

Answer

[1 2 3 1 2 3]

Status: Correct Marks: 1/1

The important data structure of pandas is/are _____.

Answer

Both Series and Data Frame

Status: Correct Marks: 1/1

9. Which function is used to create a Pandas DataFrame?

Answer

pd.DataFrame()

Status: Correct Marks: 1/1

10. In NumPy, how do you access the first element of a one-dimensional array arr?

Answer

arr[0]

Status: Correct Marks: 1/1

11. Which of the following is a valid way to import NumPy in Python?

Answer

import numpy as np

Marks : 1/1 Status: Correct

12. What is the output of the following NumPy code?

import numpy as np arr = np.array([1, 2, 3, 4, 5])r = arr[2:4]print(r)

Answer

[3 4]

Marks : 1/1 Status: Correct

13. What is the output of the following code?

import numpy as np a = np.arange(10)print(a[2:5])

Answer

[2, 3, 4]

Status: Correct

14. What is the primary data structure used in NumPy for numerical computations?

Answer

Array

Marks: 1/1 Status: Correct

15. What is the output of the following NumPy code snippet?

import numpy as np arr = np.array([1, 2, 3, 4, 5])r = arr[arr > 2]print(r)

Answer

[3 4 5]

Status: Correct Marks: 1/1

16. What does NumPy stand for?

Answer

Numerical Python

Marks : 1/1 Status: Correct

17. Minimum number of argument we require to pass in pandas series?

Answer

0

Marks: 0/1 Status: Wrong

18. Which NumPy function is used to find the indices of the maximum and minimum values in an array?

Answer

argmax() and argmin()

Status: Correct Marks: 1/1

19. What is the primary purpose of Pandas DataFrame?

Answer

To store data in tabular form for analysis and manipulation

Status: Correct Marks: 1/1

20. What will be the output of the following code?

import pandas as pnd pnd.Series([1,2], index= ['a','b','c'])

Answer

Value Error

Status: Correct Marks: 1/1

20101246

040701246

40101246

240701240

240701246

240707246

240701246

240701246