

CO3 - AT2 - Class Test

← Back

QUESTIONS

Q1

CO3 - AT2 - Class Test
20 marks

Q2

CO3 - AT2 - Class Test
20 marks

Q3

CO3 - AT2 - Class Test
20 marks

Q4

CO3 - AT2 - Class Test
20 marks

Q5

CO3 - AT2 - Class Test
20 marks

5/5 answered

Q1 CO3 - AT2 - Class Test

20 marks

1. Write a program to cyclically rotate an array by one position to the right.
Sample Input: 1 2 3 4 5
Sample Output: 5 1 2 3 4

Your Code

```
1 #include <stdio.h>
2
3 int main() {
4     int n, i;
5     int arr[100];
6     int count = 0;
7     while (scanf("%d", &arr[count]) != EOF) {
8         count++;
9         if (getchar() == '\n') break;
10    }
11
12    if (count > 0) {
13        int last = arr[count - 1];
14        for (i = count - 1; i > 0; i--) {
15            arr[i] = arr[i - 1];
16        }
17
18        arr[0] = last;
19
20
21 }
```

Input

1 2 3 4 5

Output

Visible Test Cases

Test Case 1

20 marks

Q2

CO3 - AT2 - Class Test
20 marks

Q3

CO3 - AT2 - Class Test
20 marks

Q4

CO3 - AT2 - Class Test
20 marks

Q5

CO3 - AT2 - Class Test
20 marks

5/5 answered

Sample Input: 1 2 3 4 5
Sample Output: 5 1 2 3 4

Your Code

```
1 #include <stdio.h>
2
3 int main() {
4     int n, i;
5     int arr[100];
6     int count = 0;
7     while (scanf("%d", &arr[count]) != EOF) {
8         count++;
9         if (getchar() == '\n') break;
10    }
11
12    if (count > 0) {
13        int last = arr[count - 1];
14        for (i = count - 1; i > 0; i--) {
15            arr[i] = arr[i - 1];
16        }
17
18        arr[0] = last;
19
20
21
22    for (i = 0; i < count; i++) {
23        printf("%d ", arr[i]);
24    }
25 }
26
27 return 0;
28 }
```

Input

1 2 3 4 5

Output

5 1 2 3 4

Visible Test Cases

Test Case 1



SIMATS Online Programming Lab
C PROGRAMMING

KAVIYAASRI M
192312614RB

20 marks
Q3
CO3 - AT2 - Class Test
20 marks
Q4
CO3 - AT2 - Class Test
20 marks
Q5
CO3 - AT2 - Class Test
20 marks
5/5 answered

Your Code

```
1 #include <stdio.h>
2
3 int main() {
4     char str[100];
5     int length = 0;
6     int i, isPalindrome = 1;
7
8     scanf("%s", str);
9
10    while (str[length] != '\0') {
11        length++;
12    }
13
14    for (i = 0; i < length / 2; i++) {
15        if (str[i] != str[length - 1 - i]) {
16            isPalindrome = 0;
17            break;
18        }
19    }
20
21    if (isPalindrome == 1) {
22        printf("It Is Palindrome");
23    } else {
24        printf("It Is Not Palindrome");
25    }
26
27    return 0;
28 }
```

Run Save

Input
MADAM
Output
scanf("%s",...) without a width limit is not allowed - use scanf("%99s",...) or fgets()
Visible Test Cases
Test Case 1



SIMATS Online Programming Lab
C PROGRAMMING

KAVIYAASRI M
192312614RB

CO3 - AT2 - Class Test
20 marks
Q2
CO3 - AT2 - Class Test
20 marks
Q3
CO3 - AT2 - Class Test
20 marks
Q4
CO3 - AT2 - Class Test
20 marks
Q5
CO3 - AT2 - Class Test
20 marks
5/5 answered

3. Write a program to find the maximum element in each row of a matrix.

Your Code

```
1 #include <stdio.h>
2
3 int main() {
4     int matrix[3][3];
5     int i, j, max;
6
7     for (i = 0; i < 3; i++) {
8         for (j = 0; j < 3; j++) {
9             scanf("%d", &matrix[i][j]);
10        }
11    }
12
13    for (i = 0; i < 3; i++) {
14        max = matrix[i][0];
15        for (j = 1; j < 3; j++) {
16            if (matrix[i][j] > max) {
17                max = matrix[i][j];
18            }
19        }
20        printf("%d ", max);
21    }
22
23    return 0;
24 }
```

Run Save

Input
1 2 3
4 5 6
7 8 9
Output
3 6 9

20 marks

Q4

CO3 - AT2 - Class Test
20 marks

Q5

CO3 - AT2 - Class Test
20 marks

5/5 answered

2 5 8
3 6 9

Your Code

```
1 #include <stdio.h>
2
3 int main() {
4     int matrix[3][3], i, j;
5
6     for (i = 0; i < 3; i++) {
7         for (j = 0; j < 3; j++) {
8             scanf("%d", &matrix[i][j]);
9         }
10    }
11
12    for (i = 0; i < 3; i++) {
13        for (j = 0; j < 3; j++) {
14            printf("%d ", matrix[j][i]);
15        }
16        printf("\n");
17    }
18
19    return 0;
20 }
21
22 }
```

Run

Save

Input

1 2 3
4 5 6
7 8 9

Output

1 4 7
2 5 8
3 6 9

Visible Test Cases

Test Case 1

Q2

CO3 - AT2 - Class Test
20 marks

Q3

CO3 - AT2 - Class Test
20 marks

Q4

CO3 - AT2 - Class Test
20 marks

Q5

CO3 - AT2 - Class Test
20 marks

5/5 answered

Your Code

```
1 #include <stdio.h>
2
3 int main() {
4     int a[100], n, i, j;
5
6     scanf("%d", &n);
7
8     for (i = 0; i < n; i++) {
9         scanf("%d", &a[i]);
10    }
11
12    for (i = 0; i < n; i++) {
13        for (j = i + 1; j < n; j++) {
14            if (a[i] == a[j]) {
15                printf("%d ", a[i]);
16                break;
17            }
18        }
19    }
20
21    return 0;
22 }
23
24 }
```

Run

Save

Input

3 4 4

Output

4