```
// ---------- Data (Menu Module) ----------
const foods = [
  { id: 1, name: "Chicken Biryani", cat: "Main Course", price: 180, color:
"#e8590c" },
  { id: 2, name: "Veg Fried Rice", cat: "Main Course", price: 120, color:
"#f08c00" },
  { id: 3, name: "Paneer Butter Masala", cat: "Main Course", price: 160, color:
"#d9480f" },
  { id: 4, name: "Margherita Pizza", cat: "Fast Food", price: 220, color:
"#c92a2a" },
  { id: 5, name: "Veg Burger", cat: "Fast Food", price: 90, color: "#5c940d" },
  { id: 6, name: "French Fries", cat: "Fast Food", price: 70, color:
"#e67700" },
  { id: 7, name: "Masala Dosa", cat: "Breakfast", price: 60, color: "#a61e4d" },
  { id: 8, name: "Idli Sambar", cat: "Breakfast", price: 40, color: "#0b7285" },
  { id: 9, name: "Gulab Jamun", cat: "Desserts", price: 50, color: "#862e9c" },
  { id: 10, name: "Chocolate Ice Cream", cat: "Desserts", price: 80, color:
"#5f3dc4" },
  { id: 11, name: "Fresh Lime Juice", cat: "Drinks", price: 40, color: "#2b8a3e"
},
  { id: 12, name: "Cold Coffee", cat: "Drinks", price: 70, color: "#495057" }
];

let cart = {};            // { foodId: quantity }
let activeCat = "All";

// ---------- Helpers ----------
const $ = (id) => document.getElementById(id);

function showView(name) {
  document.querySelectorAll(".view").forEach(v => v.classList.remove("active"));
  $(name).classList.add("active");
  document.querySelectorAll(".nav-btn").forEach(b =>
    b.classList.toggle("active", b.dataset.view === name));
  if (name === "cart") renderCart();
}

// ---------- Menu Module ----------
function renderFilters() {
  const cats = ["All", ...new Set(foods.map(f => f.cat))];
  $("filters").innerHTML = cats.map(c =>
    `<button class="chip ${c === activeCat ? "active" : ""}" data-cat="${c}">$
{c}</button>`).join("");
}

function renderMenu() {
  const q = $("search").value.toLowerCase();
  const list = foods.filter(f =>
    (activeCat === "All" || f.cat === activeCat) &&
f.name.toLowerCase().includes(q));
  $("foodGrid").innerHTML = list.length ? list.map(f => `
    <div class="card">
      <div class="thumb" style="background:${f.color}">${f.name[0]}</div>
      <div class="info">
        <h3>${f.name}</h3><small>${f.cat}</small>
        <div class="row"><span class="price">Rs. ${f.price}</span>
        <button class="btn small" data-add="${f.id}">Add</button></div>
      </div>
    </div>`).join("") : `<p class="empty">No dishes found.</p>`;
}

// ---------- Cart Module ----------
function updateCount() {
  $("cartCount").textContent = Object.values(cart).reduce((a, b) => a + b, 0);
```

```
}

function cartTotal() {
  return Object.entries(cart).reduce((sum, [id, q]) =>
    sum + foods.find(f => f.id == id).price * q, 0);
}

function renderCart() {
  const ids = Object.keys(cart);
  $("cartItems").innerHTML = ids.length ? ids.map(id => {
    const f = foods.find(x => x.id == id);
    return `<div class="cart-row"><b>${f.name}</b>
      <div class="qty"><button
data-dec="${id}">-</button><span>${cart[id]}</span><button
data-inc="${id}">+</button></div>
      <span class="price">Rs. ${f.price * cart[id]}</span></div>`;
  }).join("") : `<p class="empty">Your cart is empty. Add some tasty food!</p>`;
  $("cartTotal").textContent = "Rs. " + cartTotal();
}

// ---------- Order Module ----------
function placeOrder(e) {
  e.preventDefault();
  const phone = $("phone").value.trim();
  if (!Object.keys(cart).length) { $("formError").textContent = "Your cart is
empty."; return; }
  if (!/^\d{10}$/.test(phone)) { $("formError").textContent = "Enter a valid 10-
digit phone number."; return; }
  $("formError").textContent = "";
  const orderId = "TB" + Math.floor(1000 + Math.random() * 9000);
  $("orderInfo").innerHTML = `Order ID: <b>${orderId}</b><br>Name: ${$
("name").value}
    <br>Payment: ${$("payment").value}<br>Amount: <b>Rs. ${cartTotal()}</b>`;
  showView("confirm");
  trackOrder();
  cart = {}; updateCount();
}

// Order tracking simulation
function trackOrder() {
  const steps = ["Order Received", "Preparing", "Out for Delivery",
"Delivered"];
  $("status").innerHTML = steps.map(s => `<span
class="step">${s}</span>`).join("");
  steps.forEach((_, i) => setTimeout(() => {
    $("status").children[i].classList.add("done");
  }, (i + 1) * 800));
}

// ---------- Events ----------
document.addEventListener("click", (e) => {
  const t = e.target;
  if (t.dataset.view) showView(t.dataset.view);
  if (t.dataset.cat) { activeCat = t.dataset.cat; renderFilters(); renderMenu();
}
  if (t.dataset.add) { cart[t.dataset.add] = (cart[t.dataset.add] || 0) + 1;
updateCount(); }
  if (t.dataset.inc) { cart[t.dataset.inc]++; updateCount(); renderCart(); }
  if (t.dataset.dec) {
    if (--cart[t.dataset.dec] <= 0) delete cart[t.dataset.dec];
    updateCount(); renderCart();
  }
});
$("search").addEventListener("input", renderMenu);
```

```
$("goCheckout").addEventListener("click", () => showView("checkout"));
$("orderForm").addEventListener("submit", placeOrder);
$("newOrder").addEventListener("click", () => { $("orderForm").reset();
showView("menu"); });

renderFilters();
renderMenu();
```