FINAL ASSESSMENT 2

```
In [1]: #importing libraries
        import pandas as pd
        import numpy as np
        import matplotlib.pyplot as plt
        import seaborn as sns
```

```
In [2]: #importing dataset
        data=pd.read_csv(r"C:\Users\user\Downloads\rainfall in india 1901-2015.csv")
        data
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
0	0	ANDAMAN & NICOBAR ISLANDS	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6
1	1	ANDAMAN & NICOBAR ISLANDS	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2
2	2	ANDAMAN & NICOBAR ISLANDS	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0
3	3	ANDAMAN & NICOBAR ISLANDS	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4
4	4	ANDAMAN & NICOBAR ISLANDS	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0
...	...	...	...	...	...	...	...	...	...	...	...	...
4111	4111	LAKSHADWEEP	2011	5.1	2.8	3.1	85.9	107.2	153.6	350.2	254.0	255.2
4112	4112	LAKSHADWEEP	2012	19.2	0.1	1.6	76.8	21.2	327.0	231.5	381.2	179.8
4113	4113	LAKSHADWEEP	2013	26.2	34.4	37.5	5.3	88.3	426.2	296.4	154.4	180.0
4114	4114	LAKSHADWEEP	2014	53.2	16.1	4.4	14.9	57.4	244.1	116.1	466.1	132.2
4115	4115	LAKSHADWEEP	2015	2.2	0.5	3.7	87.1	133.1	296.6	257.5	146.4	160.4

4116 rows × 20 columns

COASTAL ANDHRA PRADESH

In [3]:
```
df=data.iloc[3082:3197]
df
```

Out[3]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
3082	3082	COASTAL ANDHRA PRADESH	1901	18.8	80.9	7.2	28.7	68.7	77.7	113.0	133.7	125.3	173.4
3083	3083	COASTAL ANDHRA PRADESH	1902	2.0	0.0	2.8	23.9	37.6	72.6	144.5	236.1	204.5	262.0
3084	3084	COASTAL ANDHRA PRADESH	1903	0.8	13.3	0.2	6.2	73.4	154.0	248.6	258.0	216.5	159.1
3085	3085	COASTAL ANDHRA PRADESH	1904	1.3	0.0	5.4	3.0	136.3	107.8	120.2	117.7	116.8	240.9
3086	3086	COASTAL ANDHRA PRADESH	1905	1.1	16.7	68.0	37.0	68.8	84.4	64.6	210.8	170.2	66.0
...	...	...	...	...	...	...	...	...	...	...	...	...	..
3192	3192	COASTAL ANDHRA PRADESH	2011	0.0	17.9	0.9	62.3	67.9	86.8	196.0	215.8	129.7	74.6
3193	3193	COASTAL ANDHRA PRADESH	2012	37.6	0.0	2.7	24.0	39.3	95.4	221.9	221.2	246.5	140.0
3194	3194	COASTAL ANDHRA PRADESH	2013	2.0	29.6	0.2	48.0	28.2	127.5	162.4	123.1	132.0	411.5
3195	3195	COASTAL ANDHRA PRADESH	2014	0.4	1.2	9.1	6.0	112.9	45.7	151.8	177.8	144.5	195.6
3196	3196	COASTAL ANDHRA PRADESH	2015	2.0	0.6	5.5	32.3	34.1	283.8	116.0	192.0	201.8	59.7

115 rows × 20 columns

Data Cleaning and Preprocessing

In [4]: `df.head()`

Out[4]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
3082	3082	COASTAL ANDHRA PRADESH	1901	18.8	80.9	7.2	28.7	68.7	77.7	113.0	133.7	125.3	173.4
3083	3083	COASTAL ANDHRA PRADESH	1902	2.0	0.0	2.8	23.9	37.6	72.6	144.5	236.1	204.5	262.0
3084	3084	COASTAL ANDHRA PRADESH	1903	0.8	13.3	0.2	6.2	73.4	154.0	248.6	258.0	216.5	159.1
3085	3085	COASTAL ANDHRA PRADESH	1904	1.3	0.0	5.4	3.0	136.3	107.8	120.2	117.7	116.8	240.9
3086	3086	COASTAL ANDHRA PRADESH	1905	1.1	16.7	68.0	37.0	68.8	84.4	64.6	210.8	170.2	66.0

In [5]: `df.tail()`

Out[5]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
3192	3192	COASTAL ANDHRA PRADESH	2011	0.0	17.9	0.9	62.3	67.9	86.8	196.0	215.8	129.7	74.6
3193	3193	COASTAL ANDHRA PRADESH	2012	37.6	0.0	2.7	24.0	39.3	95.4	221.9	221.2	246.5	140.0
3194	3194	COASTAL ANDHRA PRADESH	2013	2.0	29.6	0.2	48.0	28.2	127.5	162.4	123.1	132.0	411.5
3195	3195	COASTAL ANDHRA PRADESH	2014	0.4	1.2	9.1	6.0	112.9	45.7	151.8	177.8	144.5	195.6
3196	3196	COASTAL ANDHRA PRADESH	2015	2.0	0.6	5.5	32.3	34.1	283.8	116.0	192.0	201.8	59.7

In [6]: `df.info()`

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 115 entries, 3082 to 3196
Data columns (total 20 columns):
 #   Column       Non-Null Count   Dtype
---  ------       --------------   -----
 0   index        115 non-null     int64
 1   SUBDIVISION  115 non-null     object
 2   YEAR         115 non-null     int64
 3   JAN          115 non-null     float64
 4   FEB          115 non-null     float64
 5   MAR          115 non-null     float64
 6   APR          115 non-null     float64
 7   MAY          115 non-null     float64
 8   JUN          115 non-null     float64
 9   JUL          115 non-null     float64
 10  AUG          115 non-null     float64
 11  SEP          115 non-null     float64
 12  OCT          115 non-null     float64
 13  NOV          115 non-null     float64
 14  DEC          115 non-null     float64
 15  ANNUAL       115 non-null     float64
 16  Jan-Feb      115 non-null     float64
 17  Mar-May      115 non-null     float64
 18  Jun-Sep      115 non-null     float64
 19  Oct-Dec      115 non-null     float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.1+ KB
```

In [7]:
```python
#filling null values
df1=df.fillna(0)
df1
```

Out[7]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
3082	3082	COASTAL ANDHRA PRADESH	1901	18.8	80.9	7.2	28.7	68.7	77.7	113.0	133.7	125.3	173.4
3083	3083	COASTAL ANDHRA PRADESH	1902	2.0	0.0	2.8	23.9	37.6	72.6	144.5	236.1	204.5	262.0
3084	3084	COASTAL ANDHRA PRADESH	1903	0.8	13.3	0.2	6.2	73.4	154.0	248.6	258.0	216.5	159.1
3085	3085	COASTAL ANDHRA PRADESH	1904	1.3	0.0	5.4	3.0	136.3	107.8	120.2	117.7	116.8	240.9
3086	3086	COASTAL ANDHRA PRADESH	1905	1.1	16.7	68.0	37.0	68.8	84.4	64.6	210.8	170.2	66.0
...	...	...	...	...	...	...	...	...	...	...	...	...	..
3192	3192	COASTAL ANDHRA PRADESH	2011	0.0	17.9	0.9	62.3	67.9	86.8	196.0	215.8	129.7	74.6
3193	3193	COASTAL ANDHRA PRADESH	2012	37.6	0.0	2.7	24.0	39.3	95.4	221.9	221.2	246.5	140.0
3194	3194	COASTAL ANDHRA PRADESH	2013	2.0	29.6	0.2	48.0	28.2	127.5	162.4	123.1	132.0	411.5
3195	3195	COASTAL ANDHRA PRADESH	2014	0.4	1.2	9.1	6.0	112.9	45.7	151.8	177.8	144.5	195.6
3196	3196	COASTAL ANDHRA PRADESH	2015	2.0	0.6	5.5	32.3	34.1	283.8	116.0	192.0	201.8	59.7

115 rows × 20 columns

In [8]: `df1.describe()`

Out[8]:

	index	YEAR	JAN	FEB	MAR	APR	MAY	
count	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.0
mean	3139.000000	1958.000000	7.483478	12.923478	13.221739	26.740870	62.549565	123.6
std	33.341666	33.341666	11.524748	19.997058	20.036216	21.310873	63.719734	50.6
min	3082.000000	1901.000000	0.000000	0.000000	0.000000	1.100000	10.500000	44.3
25%	3110.500000	1929.500000	0.200000	0.450000	1.550000	12.950000	31.350000	86.6
50%	3139.000000	1958.000000	2.000000	5.100000	5.700000	21.500000	44.400000	115.2
75%	3167.500000	1986.500000	10.300000	17.400000	14.250000	35.050000	69.800000	152.0
max	3196.000000	2015.000000	54.100000	127.100000	96.600000	112.200000	507.700000	300.1

◄ ░░░░░░░░░░░░░░░░░ ►

In [9]: `df1.columns`

Out[9]:
```
Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
       'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
       'Mar-May', 'Jun-Sep', 'Oct-Dec'],
      dtype='object')
```

Data Visulaization

In [10]: `df1.plot.line()`

Out[10]: `<AxesSubplot:>`

In [11]:
```
df1.plot.bar()
```

Out[11]:  <AxesSubplot:>



In [12]: 
```
df1.plot.box()
```

Out[12]:  <AxesSubplot:>

In [13]: `df1.plot.hist()`

Out[13]: `<AxesSubplot:ylabel='Frequency'>`



In [14]: `df1.plot.scatter(x="SUBDIVISION",y="YEAR")`

Out[14]: `<AxesSubplot:xlabel='SUBDIVISION', ylabel='YEAR'>`

In [15]:
```python
df2=df1[[ 'Jun-Sep']]
df2.plot.pie(subplots=True)
```

Out[15]: array([<AxesSubplot:ylabel='Jun-Sep'>], dtype=object)

3140
3141
3142
3143
3144
3145
3146
3147
3148
3149
3150
3151
3152
3153
3154
3155
3156
3157
3158
3159
3160
3161
3162
3163
3164
3165
3166
3167
3168
3169
3170
3171
3172
3173
3174
3175
3176
3177
3178
3179
3180
3181
3182
3183
3184
3185
3186
3187
3188
3189
3190
3191
3192
3193
3194
3195
3196

In [16]: sns.pairplot(df1)

Out[16]: <seaborn.axisgrid.PairGrid at 0x27f677f0370>

In [17]: `sns.displot(data["Jun-Sep"])`

Out[17]: `<seaborn.axisgrid.FacetGrid at 0x27f73d42400>`

In [18]:
```python
sns.heatmap(df1.corr())
```

Out[18]: <AxesSubplot:>