FINAL ASSESSMENT 2

In [1]:
```python
#importing libraries
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
```

In [2]:
```python
#importing dataset
data=pd.read_csv(r"C:\Users\user\Downloads\rainfall in india 1901-2015.csv")
data
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
0	0	ANDAMAN & NICOBAR ISLANDS	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6	፡
1	1	ANDAMAN & NICOBAR ISLANDS	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2	
2	2	ANDAMAN & NICOBAR ISLANDS	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0	
3	3	ANDAMAN & NICOBAR ISLANDS	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4	∴
4	4	ANDAMAN & NICOBAR ISLANDS	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0	∴
...	...	...	...	...	...	...	...	...	...	...	...	...
4111	4111	LAKSHADWEEP	2011	5.1	2.8	3.1	85.9	107.2	153.6	350.2	254.0	255.2	
4112	4112	LAKSHADWEEP	2012	19.2	0.1	1.6	76.8	21.2	327.0	231.5	381.2	179.8	
4113	4113	LAKSHADWEEP	2013	26.2	34.4	37.5	5.3	88.3	426.2	296.4	154.4	180.0	
4114	4114	LAKSHADWEEP	2014	53.2	16.1	4.4	14.9	57.4	244.1	116.1	466.1	132.2	
4115	4115	LAKSHADWEEP	2015	2.2	0.5	3.7	87.1	133.1	296.6	257.5	146.4	160.4	

4116 rows × 20 columns

VIDARBHA

In [3]:
```
df=data.iloc[2852:2967]
df
```

Out[3]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
2852	2852	VIDARBHA	1901	36.8	39.9	30.9	26.1	7.3	129.7	295.3	368.8	123.4	35.2
2853	2853	VIDARBHA	1902	1.6	0.1	0.0	6.5	4.1	38.0	270.7	204.7	150.9	29.6
2854	2854	VIDARBHA	1903	5.2	4.0	0.1	2.5	37.8	121.2	475.5	325.5	154.8	100.8
2855	2855	VIDARBHA	1904	4.3	2.4	12.9	0.2	14.8	148.9	158.3	151.8	196.9	61.7
2856	2856	VIDARBHA	1905	7.3	12.7	12.4	16.2	14.0	81.0	254.5	216.3	321.3	6.0
...	...	...	...	...	...	...	...	...	...	...	...	...	...
2962	2962	VIDARBHA	2011	0.0	1.2	0.1	7.7	0.6	137.9	247.1	302.8	191.0	4.7
2963	2963	VIDARBHA	2012	3.1	0.1	0.0	0.6	0.2	125.5	370.5	316.2	249.4	34.9
2964	2964	VIDARBHA	2013	6.6	13.0	3.8	2.8	0.5	366.7	535.5	326.1	131.7	133.5
2965	2965	VIDARBHA	2014	1.2	18.3	49.6	2.6	4.0	63.3	337.6	191.7	224.9	17.3
2966	2966	VIDARBHA	2015	26.3	4.7	66.3	28.1	12.8	254.6	137.2	288.9	167.5	7.0

115 rows × 20 columns

Data Cleaning and Preprocessing

In [4]:
```
df.head()
```

Out[4]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
2852	2852	VIDARBHA	1901	36.8	39.9	30.9	26.1	7.3	129.7	295.3	368.8	123.4	35.2
2853	2853	VIDARBHA	1902	1.6	0.1	0.0	6.5	4.1	38.0	270.7	204.7	150.9	29.6
2854	2854	VIDARBHA	1903	5.2	4.0	0.1	2.5	37.8	121.2	475.5	325.5	154.8	100.8
2855	2855	VIDARBHA	1904	4.3	2.4	12.9	0.2	14.8	148.9	158.3	151.8	196.9	61.7
2856	2856	VIDARBHA	1905	7.3	12.7	12.4	16.2	14.0	81.0	254.5	216.3	321.3	6.0

In [5]: `df.tail()`

Out[5]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
2962	2962	VIDARBHA	2011	0.0	1.2	0.1	7.7	0.6	137.9	247.1	302.8	191.0	4.7
2963	2963	VIDARBHA	2012	3.1	0.1	0.0	0.6	0.2	125.5	370.5	316.2	249.4	34.9
2964	2964	VIDARBHA	2013	6.6	13.0	3.8	2.8	0.5	366.7	535.5	326.1	131.7	133.5
2965	2965	VIDARBHA	2014	1.2	18.3	49.6	2.6	4.0	63.3	337.6	191.7	224.9	17.3
2966	2966	VIDARBHA	2015	26.3	4.7	66.3	28.1	12.8	254.6	137.2	288.9	167.5	7.0

In [6]: `df.info()`

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 115 entries, 2852 to 2966
Data columns (total 20 columns):
 #   Column       Non-Null Count   Dtype
---  ------       --------------   -----
 0   index        115 non-null     int64
 1   SUBDIVISION  115 non-null     object
 2   YEAR         115 non-null     int64
 3   JAN          115 non-null     float64
 4   FEB          115 non-null     float64
 5   MAR          115 non-null     float64
 6   APR          115 non-null     float64
 7   MAY          115 non-null     float64
 8   JUN          115 non-null     float64
 9   JUL          115 non-null     float64
 10  AUG          115 non-null     float64
 11  SEP          115 non-null     float64
 12  OCT          115 non-null     float64
 13  NOV          115 non-null     float64
 14  DEC          115 non-null     float64
 15  ANNUAL       115 non-null     float64
 16  Jan-Feb      115 non-null     float64
 17  Mar-May      115 non-null     float64
 18  Jun-Sep      115 non-null     float64
 19  Oct-Dec      115 non-null     float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.1+ KB
```

In [7]:
```python
#filling null values
df1=df.fillna(0)
df1
```

Out[7]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
2852	2852	VIDARBHA	1901	36.8	39.9	30.9	26.1	7.3	129.7	295.3	368.8	123.4	35.2
2853	2853	VIDARBHA	1902	1.6	0.1	0.0	6.5	4.1	38.0	270.7	204.7	150.9	29.6
2854	2854	VIDARBHA	1903	5.2	4.0	0.1	2.5	37.8	121.2	475.5	325.5	154.8	100.8
2855	2855	VIDARBHA	1904	4.3	2.4	12.9	0.2	14.8	148.9	158.3	151.8	196.9	61.7
2856	2856	VIDARBHA	1905	7.3	12.7	12.4	16.2	14.0	81.0	254.5	216.3	321.3	6.0
...	...	...	...	...	...	...	...	...	...	...	...	...	...
2962	2962	VIDARBHA	2011	0.0	1.2	0.1	7.7	0.6	137.9	247.1	302.8	191.0	4.7
2963	2963	VIDARBHA	2012	3.1	0.1	0.0	0.6	0.2	125.5	370.5	316.2	249.4	34.9
2964	2964	VIDARBHA	2013	6.6	13.0	3.8	2.8	0.5	366.7	535.5	326.1	131.7	133.5
2965	2965	VIDARBHA	2014	1.2	18.3	49.6	2.6	4.0	63.3	337.6	191.7	224.9	17.3
2966	2966	VIDARBHA	2015	26.3	4.7	66.3	28.1	12.8	254.6	137.2	288.9	167.5	7.0

115 rows × 20 columns

In [8]: `df1.describe()`

Out[8]:

|	index	YEAR	JAN	FEB	MAR	APR	MAY	
count	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.0
mean	2909.000000	1958.000000	10.563478	11.982609	11.872174	9.435652	11.551304	173.5
std	33.341666	33.341666	15.105752	17.288888	15.540002	13.177554	14.604363	77.5
min	2852.000000	1901.000000	0.000000	0.000000	0.000000	0.000000	0.000000	21.4
25%	2880.500000	1929.500000	0.400000	1.100000	0.950000	2.650000	2.250000	116.5
50%	2909.000000	1958.000000	3.800000	4.800000	4.900000	5.600000	6.200000	156.4
75%	2937.500000	1986.500000	14.950000	14.300000	16.050000	12.000000	14.900000	232.4
max	2966.000000	2015.000000	74.900000	84.900000	66.300000	112.700000	83.100000	377.5

In [9]: `df1.columns`

Out[9]:
```
Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
       'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
       'Mar-May', 'Jun-Sep', 'Oct-Dec'],
      dtype='object')
```

# Data Visulaization

In [10]: `df1.plot.line()`

Out[10]: `<AxesSubplot:>`


In [11]: `df1.plot.bar()`

Out[11]: `<AxesSubplot:>`

In [12]: `df1.plot.box()`

Out[12]: `<AxesSubplot:>`

In [13]: `df1.plot.hist()`

Out[13]: `<AxesSubplot:ylabel='Frequency'>`

In [14]: `df1.plot.scatter(x="SUBDIVISION",y="YEAR")`

Out[14]: `<AxesSubplot:xlabel='SUBDIVISION', ylabel='YEAR'>`

```
In [15]: df2=df1[[ 'Jun-Sep']]
         df2.plot.pie(subplots=True)
```

Out[15]: array([<AxesSubplot:ylabel='Jun-Sep'>], dtype=object)

2910
2911
2912
2913
2914
2915
2916
2917
2918
2919
2920
2921
2922
2923
2924
2925
2926
2927
2928
2929
2930
2931
2932
2933
2934
2935
2936
2937
2938
2939
2940
2941
2942
2943
2944
2945
2946
2947
2948
2949
2950
2951
2952
2953
2954
2955
2956
2957
2958
2959
2960
2961
2962
2963
2964
2965
2966

In [16]: `sns.pairplot(df1)`

Out[16]: `<seaborn.axisgrid.PairGrid at 0x2573b678f70>`

In [17]: `sns.displot(data["Jun-Sep"])`

Out[17]: `<seaborn.axisgrid.FacetGrid at 0x2573b6324f0>`

In [18]: `sns.heatmap(df1.corr())`

Out[18]: `<AxesSubplot:>`