FINAL ASSESSMENT 2

In [1]:
```python
#importing libraries
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
```

In [2]:
```python
#importing dataset
data=pd.read_csv(r"C:\Users\user\Downloads\rainfall in india 1901-2015.csv")
data
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
0	0	ANDAMAN & NICOBAR ISLANDS	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6
1	1	ANDAMAN & NICOBAR ISLANDS	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2
2	2	ANDAMAN & NICOBAR ISLANDS	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0
3	3	ANDAMAN & NICOBAR ISLANDS	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4
4	4	ANDAMAN & NICOBAR ISLANDS	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0
...	...	...	...	...	...	...	...	...	...	...	...	...
4111	4111	LAKSHADWEEP	2011	5.1	2.8	3.1	85.9	107.2	153.6	350.2	254.0	255.2
4112	4112	LAKSHADWEEP	2012	19.2	0.1	1.6	76.8	21.2	327.0	231.5	381.2	179.8
4113	4113	LAKSHADWEEP	2013	26.2	34.4	37.5	5.3	88.3	426.2	296.4	154.4	180.0
4114	4114	LAKSHADWEEP	2014	53.2	16.1	4.4	14.9	57.4	244.1	116.1	466.1	132.2
4115	4115	LAKSHADWEEP	2015	2.2	0.5	3.7	87.1	133.1	296.6	257.5	146.4	160.4

4116 rows × 20 columns

TELANGANA

In [3]: `df=data.iloc[3197:3312]`
`df`

Out[3]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
3197	3197	TELANGANA	1901	6.9	41.8	7.8	45.2	22.0	123.6	237.8	177.2	77.7	75.5
3198	3198	TELANGANA	1902	0.0	0.0	0.2	10.7	7.3	52.4	146.3	142.8	190.5	41.7
3199	3199	TELANGANA	1903	12.9	4.6	0.0	9.9	40.7	99.2	505.2	246.7	191.9	155.8
3200	3200	TELANGANA	1904	0.0	0.0	10.8	0.8	14.7	104.2	139.5	50.0	162.3	44.4
3201	3201	TELANGANA	1905	0.0	4.3	12.8	27.6	32.2	129.5	82.4	237.3	179.1	19.6
...	...	...	...	...	...	...	...	...	...	...	...	...	...
3307	3307	TELANGANA	2011	0.0	11.9	2.6	25.6	9.3	83.9	268.2	225.9	107.6	13.9
3308	3308	TELANGANA	2012	6.7	0.0	0.2	14.0	8.4	124.4	300.3	229.9	202.4	83.6
3309	3309	TELANGANA	2013	2.4	29.0	0.2	24.4	8.5	213.4	453.8	230.6	161.4	205.9
3310	3310	TELANGANA	2014	0.2	2.9	58.3	10.3	73.3	62.3	146.0	205.2	146.8	29.6
3311	3311	TELANGANA	2015	17.5	0.0	43.0	65.7	23.3	266.9	104.4	160.5	158.3	15.6

115 rows × 20 columns

Data Cleaning and Preprocessing

In [4]: `df.head()`

Out[4]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
3197	3197	TELANGANA	1901	6.9	41.8	7.8	45.2	22.0	123.6	237.8	177.2	77.7	75.5
3198	3198	TELANGANA	1902	0.0	0.0	0.2	10.7	7.3	52.4	146.3	142.8	190.5	41.7
3199	3199	TELANGANA	1903	12.9	4.6	0.0	9.9	40.7	99.2	505.2	246.7	191.9	155.8
3200	3200	TELANGANA	1904	0.0	0.0	10.8	0.8	14.7	104.2	139.5	50.0	162.3	44.4
3201	3201	TELANGANA	1905	0.0	4.3	12.8	27.6	32.2	129.5	82.4	237.3	179.1	19.6

In [5]: `df.tail()`

Out[5]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
3307	3307	TELANGANA	2011	0.0	11.9	2.6	25.6	9.3	83.9	268.2	225.9	107.6	13.9
3308	3308	TELANGANA	2012	6.7	0.0	0.2	14.0	8.4	124.4	300.3	229.9	202.4	83.6
3309	3309	TELANGANA	2013	2.4	29.0	0.2	24.4	8.5	213.4	453.8	230.6	161.4	205.9
3310	3310	TELANGANA	2014	0.2	2.9	58.3	10.3	73.3	62.3	146.0	205.2	146.8	29.6
3311	3311	TELANGANA	2015	17.5	0.0	43.0	65.7	23.3	266.9	104.4	160.5	158.3	15.6

In [6]: `df.info()`

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 115 entries, 3197 to 3311
Data columns (total 20 columns):
 #   Column       Non-Null Count   Dtype
---  ------       --------------   -----
 0   index        115 non-null     int64
 1   SUBDIVISION  115 non-null     object
 2   YEAR         115 non-null     int64
 3   JAN          115 non-null     float64
 4   FEB          115 non-null     float64
 5   MAR          115 non-null     float64
 6   APR          115 non-null     float64
 7   MAY          115 non-null     float64
 8   JUN          115 non-null     float64
 9   JUL          115 non-null     float64
 10  AUG          115 non-null     float64
 11  SEP          115 non-null     float64
 12  OCT          115 non-null     float64
 13  NOV          115 non-null     float64
 14  DEC          115 non-null     float64
 15  ANNUAL       115 non-null     float64
 16  Jan-Feb      115 non-null     float64
 17  Mar-May      115 non-null     float64
 18  Jun-Sep      115 non-null     float64
 19  Oct-Dec      115 non-null     float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.1+ KB
```

In [7]:
```python
#filling null values
df1=df.fillna(0)
df1
```

Out[7]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
3197	3197	TELANGANA	1901	6.9	41.8	7.8	45.2	22.0	123.6	237.8	177.2	77.7	75.5
3198	3198	TELANGANA	1902	0.0	0.0	0.2	10.7	7.3	52.4	146.3	142.8	190.5	41.7
3199	3199	TELANGANA	1903	12.9	4.6	0.0	9.9	40.7	99.2	505.2	246.7	191.9	155.8
3200	3200	TELANGANA	1904	0.0	0.0	10.8	0.8	14.7	104.2	139.5	50.0	162.3	44.4
3201	3201	TELANGANA	1905	0.0	4.3	12.8	27.6	32.2	129.5	82.4	237.3	179.1	19.6
...	...	...	...	...	...	...	...	...	...	...	...	...	...
3307	3307	TELANGANA	2011	0.0	11.9	2.6	25.6	9.3	83.9	268.2	225.9	107.6	13.9
3308	3308	TELANGANA	2012	6.7	0.0	0.2	14.0	8.4	124.4	300.3	229.9	202.4	83.6
3309	3309	TELANGANA	2013	2.4	29.0	0.2	24.4	8.5	213.4	453.8	230.6	161.4	205.9
3310	3310	TELANGANA	2014	0.2	2.9	58.3	10.3	73.3	62.3	146.0	205.2	146.8	29.6
3311	3311	TELANGANA	2015	17.5	0.0	43.0	65.7	23.3	266.9	104.4	160.5	158.3	15.6

115 rows × 20 columns

In [8]:
```python
df1.describe()
```

Out[8]:

|	index	YEAR	JAN	FEB	MAR	APR	MAY
count	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.(
mean	3254.000000	1958.000000	7.702609	9.688696	12.614783	18.185217	25.373913	142.
std	33.341666	33.341666	13.881222	15.223808	18.781819	15.931307	23.642777	57.
min	3197.000000	1901.000000	0.000000	0.000000	0.000000	0.100000	0.200000	28.:
25%	3225.500000	1929.500000	0.000000	0.000000	1.400000	6.950000	8.450000	103.
50%	3254.000000	1958.000000	1.000000	3.400000	4.700000	14.000000	20.600000	133.:
75%	3282.500000	1986.500000	9.700000	13.900000	15.250000	24.850000	34.500000	180.:
max	3311.000000	2015.000000	98.700000	79.100000	108.600000	105.600000	159.800000	332.(

In [9]:
```python
df1.columns
```

Out[9]:
```
Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
       'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
       'Mar-May', 'Jun-Sep', 'Oct-Dec'],
      dtype='object')
```

Data Visulaization

In [10]: `df1.plot.line()`

Out[10]: `<AxesSubplot:>`

In [11]: `df1.plot.bar()`

Out[11]: `<AxesSubplot:>`

In [12]: `df1.plot.box()`

Out[12]: `<AxesSubplot:>`

In [13]: `df1.plot.hist()`

Out[13]: `<AxesSubplot:ylabel='Frequency'>`

In [14]: `df1.plot.scatter(x="SUBDIVISION",y="YEAR")`

Out[14]: `<AxesSubplot:xlabel='SUBDIVISION', ylabel='YEAR'>`

In [15]:
```python
df2=df1[[ 'Jun-Sep']]
df2.plot.pie(subplots=True)
```

Out[15]: array([<AxesSubplot:ylabel='Jun-Sep'>], dtype=object)

3255
3256
3257
3258
3259
3260
3261
3262
3263
3264
3265
3266
3267
3268
3269
3270
3271
3272
3273
3274
3275
3276
3277
3278
3279
3280
3281
3282
3283
3284
3285
3286
3287
3288
3289
3290
3291
3292
3293
3294
3295
3296
3297
3298
3299
3300
3301
3302
3303
3304
3305
3306
3307
3308
3309
3310
3311

In [16]: `sns.pairplot(df1)`

Out[16]: `<seaborn.axisgrid.PairGrid at 0x1f5807ca6d0>`

In [17]: `sns.displot(data["Jun-Sep"])`

Out[17]: `<seaborn.axisgrid.FacetGrid at 0x1f580864bb0>`

In [18]: `sns.heatmap(df1.corr())`

Out[18]: `<AxesSubplot:>`