

FINAL ASSESSMENT 2

```
In [1]: #importing libraries
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
```

```
In [2]: #importing dataset
data=pd.read_csv(r"C:\Users\user\Downloads\rainfall in india 1901-2015.csv")
data
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	
0	0	ANDAMAN & NICOBAR ISLANDS	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6	:
1	1	ANDAMAN & NICOBAR ISLANDS	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2	:
2	2	ANDAMAN & NICOBAR ISLANDS	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0	:
3	3	ANDAMAN & NICOBAR ISLANDS	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4	:
4	4	ANDAMAN & NICOBAR ISLANDS	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0	:
...	
4111	4111	LAKSHADWEEP	2011	5.1	2.8	3.1	85.9	107.2	153.6	350.2	254.0	255.2	
4112	4112	LAKSHADWEEP	2012	19.2	0.1	1.6	76.8	21.2	327.0	231.5	381.2	179.8	:
4113	4113	LAKSHADWEEP	2013	26.2	34.4	37.5	5.3	88.3	426.2	296.4	154.4	180.0	
4114	4114	LAKSHADWEEP	2014	53.2	16.1	4.4	14.9	57.4	244.1	116.1	466.1	132.2	:
4115	4115	LAKSHADWEEP	2015	2.2	0.5	3.7	87.1	133.1	296.6	257.5	146.4	160.4	:

4116 rows × 20 columns

ASSAM & MEGHALAYA

```
In [3]: df=data.iloc[1357:1472]
df
```

Out[3]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1357	1357	HARYANA DELHI & CHANDIGARH	1901	35.4	28.9	11.1	0.0	5.1	13.2	126.4	151.5	10.5	2.0
1358	1358	HARYANA DELHI & CHANDIGARH	1902	0.0	0.7	2.9	10.2	15.8	74.6	149.3	97.1	59.8	9.3
1359	1359	HARYANA DELHI & CHANDIGARH	1903	14.7	0.5	2.3	0.5	8.5	8.6	151.6	138.2	97.7	4.0
1360	1360	HARYANA DELHI & CHANDIGARH	1904	7.6	0.7	48.0	0.5	29.3	34.3	109.7	162.9	102.3	1.5
1361	1361	HARYANA DELHI & CHANDIGARH	1905	44.8	20.8	14.0	1.3	7.4	20.1	93.6	23.1	92.6	0.0
...
1467	1467	HARYANA DELHI & CHANDIGARH	2011	0.7	26.7	6.9	8.9	28.7	94.4	85.0	127.3	133.1	0.0
1468	1468	HARYANA DELHI & CHANDIGARH	2012	8.2	0.2	0.1	11.8	3.8	5.3	68.1	196.6	90.7	2.4
1469	1469	HARYANA DELHI & CHANDIGARH	2013	21.1	52.2	5.3	3.3	1.4	62.1	96.5	161.9	42.8	10.9
1470	1470	HARYANA DELHI & CHANDIGARH	2014	13.0	17.3	26.8	7.5	20.3	25.9	72.3	34.8	67.3	10.5
1471	1471	HARYANA DELHI & CHANDIGARH	2015	12.4	6.6	71.8	34.8	8.4	43.7	130.3	89.2	32.1	3.7

115 rows × 20 columns

Data Cleaning and Preprocessing

In [4]: `df.head()`

Out[4]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1357	1357	HARYANA DELHI & CHANDIGARH	1901	35.4	28.9	11.1	0.0	5.1	13.2	126.4	151.5	10.5	2.0
1358	1358	HARYANA DELHI & CHANDIGARH	1902	0.0	0.7	2.9	10.2	15.8	74.6	149.3	97.1	59.8	9.3
1359	1359	HARYANA DELHI & CHANDIGARH	1903	14.7	0.5	2.3	0.5	8.5	8.6	151.6	138.2	97.7	4.0
1360	1360	HARYANA DELHI & CHANDIGARH	1904	7.6	0.7	48.0	0.5	29.3	34.3	109.7	162.9	102.3	1.5
1361	1361	HARYANA DELHI & CHANDIGARH	1905	44.8	20.8	14.0	1.3	7.4	20.1	93.6	23.1	92.6	0.0

In [5]: `df.tail()`

Out[5]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1467	1467	HARYANA DELHI & CHANDIGARH	2011	0.7	26.7	6.9	8.9	28.7	94.4	85.0	127.3	133.1	0.0
1468	1468	HARYANA DELHI & CHANDIGARH	2012	8.2	0.2	0.1	11.8	3.8	5.3	68.1	196.6	90.7	2.4
1469	1469	HARYANA DELHI & CHANDIGARH	2013	21.1	52.2	5.3	3.3	1.4	62.1	96.5	161.9	42.8	10.9
1470	1470	HARYANA DELHI & CHANDIGARH	2014	13.0	17.3	26.8	7.5	20.3	25.9	72.3	34.8	67.3	10.5
1471	1471	HARYANA DELHI & CHANDIGARH	2015	12.4	6.6	71.8	34.8	8.4	43.7	130.3	89.2	32.1	3.7

```
In [6]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 115 entries, 1357 to 1471
Data columns (total 20 columns):
#   Column          Non-Null Count  Dtype
---  -
0   index           115 non-null    int64
1   SUBDIVISION     115 non-null    object
2   YEAR            115 non-null    int64
3   JAN             115 non-null    float64
4   FEB             115 non-null    float64
5   MAR             115 non-null    float64
6   APR             115 non-null    float64
7   MAY             115 non-null    float64
8   JUN             115 non-null    float64
9   JUL             115 non-null    float64
10  AUG             115 non-null    float64
11  SEP             115 non-null    float64
12  OCT             115 non-null    float64
13  NOV             115 non-null    float64
14  DEC             115 non-null    float64
15  ANNUAL          115 non-null    float64
16  Jan-Feb        115 non-null    float64
17  Mar-May        115 non-null    float64
18  Jun-Sep        115 non-null    float64
19  Oct-Dec        115 non-null    float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.1+ KB
```

```
In [7]: #filling null values
df1=df.fillna(0)
df1
```

Out[7]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1357	1357	HARYANA DELHI & CHANDIGARH	1901	35.4	28.9	11.1	0.0	5.1	13.2	126.4	151.5	10.5	2.0
1358	1358	HARYANA DELHI & CHANDIGARH	1902	0.0	0.7	2.9	10.2	15.8	74.6	149.3	97.1	59.8	9.3
1359	1359	HARYANA DELHI & CHANDIGARH	1903	14.7	0.5	2.3	0.5	8.5	8.6	151.6	138.2	97.7	4.0
1360	1360	HARYANA DELHI & CHANDIGARH	1904	7.6	0.7	48.0	0.5	29.3	34.3	109.7	162.9	102.3	1.5
1361	1361	HARYANA DELHI & CHANDIGARH	1905	44.8	20.8	14.0	1.3	7.4	20.1	93.6	23.1	92.6	0.0
...
1467	1467	HARYANA DELHI & CHANDIGARH	2011	0.7	26.7	6.9	8.9	28.7	94.4	85.0	127.3	133.1	0.0
1468	1468	HARYANA DELHI & CHANDIGARH	2012	8.2	0.2	0.1	11.8	3.8	5.3	68.1	196.6	90.7	2.4
1469	1469	HARYANA DELHI & CHANDIGARH	2013	21.1	52.2	5.3	3.3	1.4	62.1	96.5	161.9	42.8	10.9
1470	1470	HARYANA DELHI & CHANDIGARH	2014	13.0	17.3	26.8	7.5	20.3	25.9	72.3	34.8	67.3	10.5
1471	1471	HARYANA DELHI & CHANDIGARH	2015	12.4	6.6	71.8	34.8	8.4	43.7	130.3	89.2	32.1	3.7

115 rows × 20 columns



In [8]: `df1.describe()`

Out[8]:

	index	YEAR	JAN	FEB	MAR	APR	MAY	
count	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.0
mean	1414.000000	1958.000000	16.889565	17.433913	12.935652	7.633913	14.533913	48.6
std	33.341666	33.341666	15.514478	18.893422	15.251840	12.847533	15.900347	34.1
min	1357.000000	1901.000000	0.000000	0.000000	0.000000	0.000000	0.000000	2.1
25%	1385.500000	1929.500000	3.550000	2.250000	2.100000	0.800000	3.700000	24.6
50%	1414.000000	1958.000000	14.300000	12.100000	7.200000	2.800000	7.900000	43.7
75%	1442.500000	1986.500000	25.150000	27.850000	17.700000	8.750000	20.700000	66.6
max	1471.000000	2015.000000	66.500000	91.000000	71.800000	82.500000	72.900000	193.5


In [9]: `df1.columns`

Out[9]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY', 'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb', 'Mar-May', 'Jun-Sep', 'Oct-Dec'], dtype='object')

Data Visualaization


In [10]: `df1.plot.line()`

Out[10]: <AxesSubplot:>




```
In [11]: df1.plot.bar()
```

```
Out[11]: <AxesSubplot:>
```




```
In [12]: df1.plot.box()
```

```
Out[12]: <AxesSubplot:>
```




```
In [13]: df1.plot.hist()
```

```
Out[13]: <AxesSubplot:ylabel='Frequency'>
```




```
In [14]: df1.plot.scatter(x="SUBDIVISION",y="YEAR")
```


```
Out[14]: <AxesSubplot:xlabel='SUBDIVISION', ylabel='YEAR'>
```




```
In [15]: df2=df1[[ 'Jun-Sep']]
df2.plot.pie(subplots=True)
```


```
Out[15]: array([<AxesSubplot:ylabel='Jun-Sep'>], dtype=object)
```






```
In [16]: sns.pairplot(df1)
```

```
Out[16]: <seaborn.axisgrid.PairGrid at 0x20593581310>
```



```
In [17]: sns.displot(data["Jun-Sep"])
```

```
Out[17]: <seaborn.axisgrid.FacetGrid at 0x2059fb09730>
```



```
In [18]: sns.heatmap(df1.corr())
```

```
Out[18]: <AxesSubplot:>
```

