

FINAL ASSESSMENT 2

```
In [1]: #importing libraries
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
```

```
In [2]: #importing dataset
data=pd.read_csv(r"C:\Users\user\Downloads\rainfall in india 1901-2015.csv")
data
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	
0	0	ANDAMAN & NICOBAR ISLANDS	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6	:
1	1	ANDAMAN & NICOBAR ISLANDS	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2	:
2	2	ANDAMAN & NICOBAR ISLANDS	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0	:
3	3	ANDAMAN & NICOBAR ISLANDS	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4	:
4	4	ANDAMAN & NICOBAR ISLANDS	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0	:
...	
4111	4111	LAKSHADWEEP	2011	5.1	2.8	3.1	85.9	107.2	153.6	350.2	254.0	255.2	
4112	4112	LAKSHADWEEP	2012	19.2	0.1	1.6	76.8	21.2	327.0	231.5	381.2	179.8	:
4113	4113	LAKSHADWEEP	2013	26.2	34.4	37.5	5.3	88.3	426.2	296.4	154.4	180.0	
4114	4114	LAKSHADWEEP	2014	53.2	16.1	4.4	14.9	57.4	244.1	116.1	466.1	132.2	:
4115	4115	LAKSHADWEEP	2015	2.2	0.5	3.7	87.1	133.1	296.6	257.5	146.4	160.4	:

4116 rows × 20 columns

GANGETIC WEST BENGAL

In [3]:

df=data.iloc[552:667]
df

Out[3]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
552	552	GANGETIC WEST BENGAL	1901	37.1	58.4	3.9	64.1	121.7	198.0	280.8	275.7	313.5	51.1
553	553	GANGETIC WEST BENGAL	1902	0.0	1.2	44.2	103.8	161.6	140.9	347.8	264.8	230.5	32.5
554	554	GANGETIC WEST BENGAL	1903	17.5	24.6	37.3	30.6	78.5	201.7	179.6	277.6	300.7	198.0
555	555	GANGETIC WEST BENGAL	1904	0.1	23.9	35.6	17.5	160.2	286.7	435.3	241.7	142.8	35.1
556	556	GANGETIC WEST BENGAL	1905	30.9	49.6	84.7	84.9	156.8	70.9	525.5	263.6	287.6	107.3
...
662	662	GANGETIC WEST BENGAL	2011	2.5	2.7	40.5	75.0	132.6	434.5	219.9	443.2	295.9	36.9
663	663	GANGETIC WEST BENGAL	2012	40.7	15.3	4.4	57.7	44.2	146.6	315.0	261.4	246.9	64.2
664	664	GANGETIC WEST BENGAL	2013	2.5	10.0	4.8	45.6	195.9	233.4	263.2	401.4	254.0	353.2
665	665	GANGETIC WEST BENGAL	2014	0.9	42.2	19.9	1.9	124.4	193.6	298.7	292.6	229.5	56.9
666	666	GANGETIC WEST BENGAL	2015	12.9	5.5	19.3	88.7	57.6	247.2	633.1	260.6	164.0	32.7

115 rows × 20 columns

Data Cleaning and Preprocessing

In [4]:

df.head()

Out[4]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
552	552	GANGETIC WEST BENGAL	1901	37.1	58.4	3.9	64.1	121.7	198.0	280.8	275.7	313.5	51.1
553	553	GANGETIC WEST BENGAL	1902	0.0	1.2	44.2	103.8	161.6	140.9	347.8	264.8	230.5	32.5
554	554	GANGETIC WEST BENGAL	1903	17.5	24.6	37.3	30.6	78.5	201.7	179.6	277.6	300.7	198.0
555	555	GANGETIC WEST BENGAL	1904	0.1	23.9	35.6	17.5	160.2	286.7	435.3	241.7	142.8	35.1
556	556	GANGETIC WEST BENGAL	1905	30.9	49.6	84.7	84.9	156.8	70.9	525.5	263.6	287.6	107.3

In [5]:

df.tail()

Out[5]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
662	662	GANGETIC WEST BENGAL	2011	2.5	2.7	40.5	75.0	132.6	434.5	219.9	443.2	295.9	36.9
663	663	GANGETIC WEST BENGAL	2012	40.7	15.3	4.4	57.7	44.2	146.6	315.0	261.4	246.9	64.2
664	664	GANGETIC WEST BENGAL	2013	2.5	10.0	4.8	45.6	195.9	233.4	263.2	401.4	254.0	353.2
665	665	GANGETIC WEST BENGAL	2014	0.9	42.2	19.9	1.9	124.4	193.6	298.7	292.6	229.5	56.9
666	666	GANGETIC WEST BENGAL	2015	12.9	5.5	19.3	88.7	57.6	247.2	633.1	260.6	164.0	32.7

```
In [6]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 115 entries, 552 to 666
Data columns (total 20 columns):
 #   Column          Non-Null Count  Dtype
---  -
 0   index           115 non-null    int64
 1   SUBDIVISION     115 non-null    object
 2   YEAR            115 non-null    int64
 3   JAN             115 non-null    float64
 4   FEB             115 non-null    float64
 5   MAR             115 non-null    float64
 6   APR             115 non-null    float64
 7   MAY             115 non-null    float64
 8   JUN             115 non-null    float64
 9   JUL             115 non-null    float64
10  AUG             115 non-null    float64
11  SEP             115 non-null    float64
12  OCT             115 non-null    float64
13  NOV             115 non-null    float64
14  DEC             115 non-null    float64
15  ANNUAL          115 non-null    float64
16  Jan-Feb         115 non-null    float64
17  Mar-May         115 non-null    float64
18  Jun-Sep         115 non-null    float64
19  Oct-Dec         115 non-null    float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.1+ KB
```

In [7]:

```
#filling null values
df1=df.fillna(0)
df1
```

Out[7]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
552	552	GANGETIC WEST BENGAL	1901	37.1	58.4	3.9	64.1	121.7	198.0	280.8	275.7	313.5	51.1
553	553	GANGETIC WEST BENGAL	1902	0.0	1.2	44.2	103.8	161.6	140.9	347.8	264.8	230.5	32.5
554	554	GANGETIC WEST BENGAL	1903	17.5	24.6	37.3	30.6	78.5	201.7	179.6	277.6	300.7	198.0
555	555	GANGETIC WEST BENGAL	1904	0.1	23.9	35.6	17.5	160.2	286.7	435.3	241.7	142.8	35.1
556	556	GANGETIC WEST BENGAL	1905	30.9	49.6	84.7	84.9	156.8	70.9	525.5	263.6	287.6	107.3
...
662	662	GANGETIC WEST BENGAL	2011	2.5	2.7	40.5	75.0	132.6	434.5	219.9	443.2	295.9	36.9
663	663	GANGETIC WEST BENGAL	2012	40.7	15.3	4.4	57.7	44.2	146.6	315.0	261.4	246.9	64.2
664	664	GANGETIC WEST BENGAL	2013	2.5	10.0	4.8	45.6	195.9	233.4	263.2	401.4	254.0	353.2
665	665	GANGETIC WEST BENGAL	2014	0.9	42.2	19.9	1.9	124.4	193.6	298.7	292.6	229.5	56.9
666	666	GANGETIC WEST BENGAL	2015	12.9	5.5	19.3	88.7	57.6	247.2	633.1	260.6	164.0	32.7

115 rows × 20 columns



In [8]: `df1.describe()`

Out[8]:

	index	YEAR	JAN	FEB	MAR	APR	MAY	
count	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.0
mean	609.000000	1958.000000	12.595652	22.452174	29.090435	44.885217	107.787826	247.1
std	33.341666	33.341666	14.741821	24.165919	30.754415	31.812974	51.001443	99.6
min	552.000000	1901.000000	0.000000	0.000000	0.100000	0.900000	16.400000	69.7
25%	580.500000	1929.500000	1.250000	5.200000	7.200000	21.000000	71.900000	180.9
50%	609.000000	1958.000000	6.800000	13.600000	18.900000	39.200000	98.900000	227.6
75%	637.500000	1986.500000	18.350000	30.650000	42.250000	61.050000	131.400000	304.8
max	666.000000	2015.000000	60.000000	123.600000	152.500000	174.200000	250.900000	597.1


In [9]: `df1.columns`

Out[9]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY', 'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb', 'Mar-May', 'Jun-Sep', 'Oct-Dec'], dtype='object')

Data Visualaization


In [10]: `df1.plot.line()`

Out[10]: <AxesSubplot:>




```
In [11]: df1.plot.bar()
```

```
Out[11]: <AxesSubplot:>
```




```
In [12]: df1.plot.box()
```

```
Out[12]: <AxesSubplot:>
```




```
In [13]: df1.plot.hist()
```

```
Out[13]: <AxesSubplot:ylabel='Frequency'>
```




```
In [14]: df1.plot.scatter(x="SUBDIVISION",y="YEAR")
```

```
Out[14]: <AxesSubplot:xlabel='SUBDIVISION', ylabel='YEAR'>
```




```
In [15]: df2=df1[[ 'Jun-Sep']]
df2.plot.pie(subplots=True)
```


```
Out[15]: array([<AxesSubplot:ylabel='Jun-Sep'>], dtype=object)
```



610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666


```
In [16]: sns.pairplot(df1)
```

```
Out[16]: <seaborn.axisgrid.PairGrid at 0x1afd6dd8ee0>
```



```
In [17]: sns.displot(data["Jun-Sep"])
```

```
Out[17]: <seaborn.axisgrid.FacetGrid at 0x1afe339c2b0>
```



```
In [18]: sns.heatmap(df1.corr())
```

```
Out[18]: <AxesSubplot:>
```

