FINAL ASSESSMENT 2

In [1]: #importing libraries

import pandas as pd

import numpy as np

import matplotlib.pyplot as plt

import seaborn as sns

In [2]: #importing dataset

data=pd.read_csv(r"C:\Users\user\Downloads\rainfall in india 1901-2015.csv")
data

Out[2]:

		index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	
	0	0	ANDAMAN & NICOBAR ISLANDS	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6	;
	1	1	ANDAMAN & NICOBAR ISLANDS	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2	
	2	2	ANDAMAN & NICOBAR ISLANDS	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0	
	3	3	ANDAMAN & NICOBAR ISLANDS	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4	:
	4	4	ANDAMAN & NICOBAR ISLANDS	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0	:
4	1111	4111	LAKSHADWEEP	2011	5.1	2.8	3.1	85.9	107.2	153.6	350.2	254.0	255.2	
4	1112	4112	LAKSHADWEEP	2012	19.2	0.1	1.6	76.8	21.2	327.0	231.5	381.2	179.8	
4	1113	4113	LAKSHADWEEP	2013	26.2	34.4	37.5	5.3	88.3	426.2	296.4	154.4	180.0	
4	1114	4114	LAKSHADWEEP	2014	53.2	16.1	4.4	14.9	57.4	244.1	116.1	466.1	132.2	
4	1115	4115	LAKSHADWEEP	2015	2.2	0.5	3.7	87.1	133.1	296.6	257.5	146.4	160.4	

4116 rows × 20 columns

EAST RAJASTHAN

In [3]: df=data.iloc[1932:2047]
df

Out[3]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
1932	1932	EAST RAJASTHAN	1901	21.6	8.9	2.9	0.7	5.0	15.0	164.8	175.6	7.5	9.8
1933	1933	EAST RAJASTHAN	1902	4.1	0.7	0.0	1.8	9.9	34.6	247.6	116.7	145.6	14.4
1934	1934	EAST RAJASTHAN	1903	1.9	0.7	1.3	0.1	12.9	15.6	238.2	229.1	168.5	17.8
1935	1935	EAST RAJASTHAN	1904	4.3	5.5	21.7	0.2	27.5	49.9	289.7	223.5	50.2	1.5
1936	1936	EAST RAJASTHAN	1905	4.1	8.8	3.2	1.6	2.0	14.4	130.5	30.9	83.8	0.0
2042	2042	EAST RAJASTHAN	2011	0.0	11.2	0.2	0.5	5.1	140.9	193.6	284.1	166.4	0.0
2043	2043	EAST RAJASTHAN	2012	1.9	0.0	0.0	3.6	9.5	11.2	170.5	365.0	131.3	0.5
2044	2044	EAST RAJASTHAN	2013	1.4	21.7	0.4	3.2	1.0	90.6	319.0	278.5	88.0	30.6
2045	2045	EAST RAJASTHAN	2014	28.4	10.0	6.4	7.3	8.4	23.5	197.1	261.0	136.9	3.2
2046	2046	EAST RAJASTHAN	2015	12.1	0.1	55.9	15.9	3.5	96.4	297.6	142.8	20.1	5.0

115 rows × 20 columns

Data Cleaning and Preprocessing

In [4]: df.head()

Out[4]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
1932	1932	EAST RAJASTHAN	1901	21.6	8.9	2.9	0.7	5.0	15.0	164.8	175.6	7.5	9.8
1933	1933	EAST RAJASTHAN	1902	4.1	0.7	0.0	1.8	9.9	34.6	247.6	116.7	145.6	14.4
1934	1934	EAST RAJASTHAN	1903	1.9	0.7	1.3	0.1	12.9	15.6	238.2	229.1	168.5	17.8
1935	1935	EAST RAJASTHAN	1904	4.3	5.5	21.7	0.2	27.5	49.9	289.7	223.5	50.2	1.5
1936	1936	EAST RAJASTHAN	1905	4.1	8.8	3.2	1.6	2.0	14.4	130.5	30.9	83.8	0.0

In [5]: df.tail()

.

Out[5]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
2042	2042	EAST RAJASTHAN	2011	0.0	11.2	0.2	0.5	5.1	140.9	193.6	284.1	166.4	0.0
2043	2043	EAST RAJASTHAN	2012	1.9	0.0	0.0	3.6	9.5	11.2	170.5	365.0	131.3	0.5
2044	2044	EAST RAJASTHAN	2013	1.4	21.7	0.4	3.2	1.0	90.6	319.0	278.5	88.0	30.6
2045	2045	EAST RAJASTHAN	2014	28.4	10.0	6.4	7.3	8.4	23.5	197.1	261.0	136.9	3.2
2046	2046	EAST RAJASTHAN	2015	12.1	0.1	55.9	15.9	3.5	96.4	297.6	142.8	20.1	5.0
4													•

```
In [6]: df.info()
```

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 115 entries, 1932 to 2046
Data columns (total 20 columns):

	(
#	Column	Non-Null Count	Dtype							
0	index	115 non-null	int64							
1	SUBDIVISION	115 non-null	object							
2	YEAR	115 non-null	int64							
3	JAN	115 non-null	float64							
4	FEB	115 non-null	float64							
5	MAR	115 non-null	float64							
6	APR	115 non-null	float64							
7	MAY	115 non-null	float64							
8	JUN	115 non-null	float64							
9	JUL	115 non-null	float64							
10	AUG	115 non-null	float64							
11	SEP	115 non-null	float64							
12	OCT	115 non-null	float64							
13	NOV	115 non-null	float64							
14	DEC	115 non-null	float64							
15	ANNUAL	115 non-null	float64							
16	Jan-Feb	115 non-null	float64							
17	Mar-May	115 non-null	float64							
18	Jun-Sep	115 non-null	float64							
19	Oct-Dec	115 non-null	float64							
		_, , _ , _ , , ,								

dtypes: float64(17), int64(2), object(1)

memory usage: 18.1+ KB

In [7]: #filling null values
 df1=df.fillna(0)
 df1

Out[7]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
1932	1932	EAST RAJASTHAN	1901	21.6	8.9	2.9	0.7	5.0	15.0	164.8	175.6	7.5	9.8
1933	1933	EAST RAJASTHAN	1902	4.1	0.7	0.0	1.8	9.9	34.6	247.6	116.7	145.6	14.4
1934	EA 34 1934 RAJASTH		1903	1.9	0.7	1.3	0.1	12.9	15.6	238.2	229.1	168.5	17.8
1935 193	1935	EAST RAJASTHAN	1904	4.3	5.5	21.7	0.2	27.5	49.9	289.7	223.5	50.2	1.5
1936	1936	EAST RAJASTHAN	1905	4.1	8.8	3.2	1.6	2.0	14.4	130.5	30.9	83.8	0.0
2042	2042	EAST RAJASTHAN	2011	0.0	11.2	0.2	0.5	5.1	140.9	193.6	284.1	166.4	0.0
2043	2043	EAST RAJASTHAN	2012	1.9	0.0	0.0	3.6	9.5	11.2	170.5	365.0	131.3	0.5
2044	2044	EAST RAJASTHAN	2013	1.4	21.7	0.4	3.2	1.0	90.6	319.0	278.5	88.0	30.6
2045	2045	EAST RAJASTHAN	2014	28.4	10.0	6.4	7.3	8.4	23.5	197.1	261.0	136.9	3.2
2046	2046	EAST RAJASTHAN	2015	12.1	0.1	55.9	15.9	3.5	96.4	297.6	142.8	20.1	5.0

115 rows × 20 columns

localhost:8889/notebooks/17.EAST RAJASTHAN.ipynb

In [8]: df1.describe()

Out[8]:


	index	YEAR	JAN	FEB	MAR	APR	MAY	
cou	nt 115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.0
me	an 1989.000000	1958.000000	6.422609	5.417391	4.516522	3.144348	9.820000	63.3
s	td 33.341666	33.341666	8.223832	7.470142	9.145835	5.938592	12.256507	43.0
m	in 1932.000000	1901.000000	0.000000	0.000000	0.000000	0.000000	0.000000	5.1
25	% 1960.500000	1929.500000	0.700000	0.450000	0.150000	0.200000	2.450000	30.7
50	% 1989.000000	1958.000000	3.600000	2.300000	1.300000	1.100000	5.700000	52.8
75	5% 2017.500000	1986.500000	8.600000	8.650000	4.100000	3.150000	12.700000	89.4
m	ax 2046.000000	2015.000000	39.200000	35.700000	57.400000	43.200000	90.900000	209.1
4								•

```
In [9]: df1.columns
```

Data Visulaization


```
In [10]: df1.plot.line()
```

Out[10]: <AxesSubplot:>




```
In [11]: df1.plot.bar()
```

Out[11]: <AxesSubplot:>







Out[12]: <AxesSubplot:>




In [13]: df1.plot.hist()

Out[13]: <AxesSubplot:ylabel='Frequency'>







Out[14]: <AxesSubplot:xlabel='SUBDIVISION', ylabel='YEAR'>



```
In [15]: df2=df1[[ 'Jun-Sep']]
df2.plot.pie(subplots=True)
```


Out[15]: array([<AxesSubplot:ylabel='Jun-Sep'>], dtype=object)






In [16]: sns.pairplot(df1)

Out[16]: <seaborn.axisgrid.PairGrid at 0x1ea326f4370>



In [17]: sns.displot(data["Jun-Sep"])

Out[17]: <seaborn.axisgrid.FacetGrid at 0x1ea40e77d00>



In [18]: sns.heatmap(df1.corr())

Out[18]: <AxesSubplot:>

