FINAL ASSESSMENT 2

In [1]: #importing libraries

import pandas as pd

import numpy as np

import matplotlib.pyplot as plt

import seaborn as sns

In [2]: #importing dataset

data=pd.read_csv(r"C:\Users\user\Downloads\rainfall in india 1901-2015.csv")
data

Out[2]:

index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	
0	ANDAMAN & NICOBAR ISLANDS	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6	;
1	ANDAMAN & NICOBAR ISLANDS	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2	
2	ANDAMAN & NICOBAR ISLANDS	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0	
3	ANDAMAN & NICOBAR ISLANDS	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4	:
4	ANDAMAN & NICOBAR ISLANDS	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0	:
4111	LAKSHADWEEP	2011	5.1	2.8	3.1	85.9	107.2	153.6	350.2	254.0	255.2	
4112	LAKSHADWEEP	2012	19.2	0.1	1.6	76.8	21.2	327.0	231.5	381.2	179.8	
4113	LAKSHADWEEP	2013	26.2	34.4	37.5	5.3	88.3	426.2	296.4	154.4	180.0	
4114	LAKSHADWEEP	2014	53.2	16.1	4.4	14.9	57.4	244.1	116.1	466.1	132.2	
4115	LAKSHADWEEP	2015	2.2	0.5	3.7	87.1	133.1	296.6	257.5	146.4	160.4	
	0 1 2 3 4 4111 4112 4113 4114	ANDAMAN & NICOBAR ISLANDS LAKSHADWEEP ANDAMAN & LAKSHADWEEP ANDAMAN & LAKSHADWEEP ANDAMAN & LAKSHADWEEP ANDAMAN & NICOBAR ISLANDS	ANDAMAN & 1901 ISLANDS ANDAMAN & 1902 ISLANDS ANDAMAN & 1902 ISLANDS ANDAMAN & 1903 ISLANDS ANDAMAN & 1903 ISLANDS ANDAMAN & 1904 ISLANDS ANDAMAN & 1905 ISLANDS 4111 LAKSHADWEEP 2011 4112 LAKSHADWEEP 2013 4114 LAKSHADWEEP 2014	ANDAMAN & 1901 49.2 ISLANDS ANDAMAN & 1902 0.0 ISLANDS ANDAMAN & 1902 0.0 ISLANDS ANDAMAN & 1903 12.7 ISLANDS ANDAMAN & 1904 9.4 ISLANDS ANDAMAN & 1904 9.4 ISLANDS ANDAMAN & 1905 1.3 ISLANDS	ANDAMAN & 1901 49.2 87.1 ISLANDS 1902 0.0 159.8 ISLANDS 2 NICOBAR ISLANDS 1903 12.7 144.0 ISLANDS 1904 9.4 14.7 ISLANDS 1905 1.3 0.0 ISLANDS 1905 1.3 0.0 ISLANDS 1905 1.3 0.0 ISLANDS 1905 1.3 0.0 ISLANDS 1905 1.3 2.8 4111 LAKSHADWEEP 2011 5.1 2.8 4113 LAKSHADWEEP 2013 26.2 34.4 4114 LAKSHADWEEP 2014 53.2 16.1	ANDAMAN & NICOBAR ISLANDS 1901 49.2 87.1 29.2 SISLANDS 1902 0.0 159.8 12.2 ANDAMAN & NICOBAR ISLANDS 1903 12.7 144.0 0.0 ISLANDS 1904 9.4 14.7 0.0 ANDAMAN & NICOBAR ISLANDS 1904 9.4 14.7 0.0 SISLANDS 1905 1.3 0.0 3.3 ISLANDS 1905 1.3 0.0 3.3 ISLANDS 1905 1.3 0.0 3.3 ISLANDS 1905 1.3 1905 1.3 1906 3.3 ISLANDS 1905 1.3 1906 3.3 ISLANDS 1907 1908 3.1 1908	ANDAMAN & 1901 49.2 87.1 29.2 2.3 ISLANDS 1902 0.0 159.8 12.2 0.0 ISLANDS 2 NICOBAR 1903 12.7 144.0 0.0 1.0 ISLANDS 3 NICOBAR 1904 9.4 14.7 0.0 202.4 ISLANDS 4 NICOBAR 1905 1.3 0.0 3.3 26.9 ISLANDS 3 NICOBAR 1905 1.3 0.0 3.3 26.9 ISLANDS 4 NICOBAR 1905 1.3 2.8 3.1 85.9 4112 LAKSHADWEEP 2012 19.2 0.1 1.6 76.8 4113 LAKSHADWEEP 2014 53.2 16.1 4.4 14.9	ANDAMAN & ISLANDS ISLA	ANDAMAN & NICOBAR ISLANDS 1901 49.2 87.1 29.2 2.3 528.8 517.5 15.4 1	ANDAMAN & NICOBAR ISLANDS	ANDAMAN & 1901 49.2 87.1 29.2 2.3 528.8 517.5 365.1 481.1 SLANDS 1902 0.0 159.8 12.2 0.0 446.1 537.1 228.9 753.7 ISLANDS 1903 12.7 144.0 0.0 1.0 235.1 479.9 728.4 326.7 ISLANDS 1904 9.4 14.7 0.0 202.4 304.5 495.1 502.0 160.1 1914 1915 1915 1915 1915 1915 1915 191	ANDAMAN & NICOBAR 1901 49.2 87.1 29.2 2.3 528.8 517.5 365.1 481.1 332.6 ANDAMAN & NICOBAR 1902 0.0 159.8 12.2 0.0 446.1 537.1 228.9 753.7 666.2 ISLANDS NICOBAR 1903 12.7 144.0 0.0 1.0 235.1 479.9 728.4 326.7 339.0 ISLANDS NICOBAR 1904 9.4 14.7 0.0 202.4 304.5 495.1 502.0 160.1 820.4 ISLANDS NICOBAR 1905 1.3 0.0 3.3 26.9 279.5 628.7 368.7 330.5 297.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1

4116 rows × 20 columns

PUNJAB

In [3]: df=data.iloc[1472:1587]
df

Out[3]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
1472	1472	PUNJAB	1901	55.7	50.1	25.2	2.1	25.2	10.4	178.2	145.0	24.4	3.7
1473	1473	PUNJAB	1902	0.0	0.8	9.9	10.9	29.6	49.9	125.6	94.9	67.2	9.0
1474	1474	PUNJAB	1903	29.5	0.5	45.0	1.3	9.2	5.2	212.2	119.1	132.5	6.9
1475	1475	PUNJAB	1904	24.2	1.7	87.8	1.2	13.8	22.0	59.9	124.0	73.8	7.4
1476	1476	PUNJAB	1905	53.0	40.3	24.3	0.5	2.2	19.2	122.6	50.3	111.1	1.2
1582	1582	PUNJAB	2011	3.5	35.6	8.2	17.8	18.9	162.9	120.9	193.5	140.2	0.0
1583	1583	PUNJAB	2012	62.6	3.2	1.9	31.1	1.6	11.9	120.2	135.1	112.3	2.2
1584	1584	PUNJAB	2013	9.3	50.1	11.6	3.4	3.6	120.3	117.9	217.1	24.4	16.2
1585	1585	PUNJAB	2014	21.8	20.1	30.3	24.5	20.8	20.6	76.3	41.9	105.8	6.0
1586	1586	PUNJAB	2015	17.7	31.3	68.5	29.8	16.7	48.3	130.2	88.6	69.2	9.0

115 rows × 20 columns

Data Cleaning and Preprocessing

In [4]: df.head()

Out[4]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
1472	1472	PUNJAB	1901	55.7	50.1	25.2	2.1	25.2	10.4	178.2	145.0	24.4	3.7
1473	1473	PUNJAB	1902	0.0	8.0	9.9	10.9	29.6	49.9	125.6	94.9	67.2	9.0
1474	1474	PUNJAB	1903	29.5	0.5	45.0	1.3	9.2	5.2	212.2	119.1	132.5	6.9
1475	1475	PUNJAB	1904	24.2	1.7	87.8	1.2	13.8	22.0	59.9	124.0	73.8	7.4
1476	1476	PUNJAB	1905	53.0	40.3	24.3	0.5	2.2	19.2	122.6	50.3	111.1	1.2
4													•

In [5]: df.tail()

Out[5]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
1582	1582	PUNJAB	2011	3.5	35.6	8.2	17.8	18.9	162.9	120.9	193.5	140.2	0.0
1583	1583	PUNJAB	2012	62.6	3.2	1.9	31.1	1.6	11.9	120.2	135.1	112.3	2.2
1584	1584	PUNJAB	2013	9.3	50.1	11.6	3.4	3.6	120.3	117.9	217.1	24.4	16.2
1585	1585	PUNJAB	2014	21.8	20.1	30.3	24.5	20.8	20.6	76.3	41.9	105.8	6.0
1586	1586	PUNJAB	2015	17.7	31.3	68.5	29.8	16.7	48.3	130.2	88.6	69.2	9.0

In [6]: df.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 115 entries, 1472 to 1586
Data columns (total 20 columns):

#	Column	Non-Null Count	Dtype
0	index	115 non-null	int64
1	SUBDIVISION	115 non-null	object
2	YEAR	115 non-null	int64
3	JAN	115 non-null	float64
4	FEB	115 non-null	float64
5	MAR	115 non-null	float64
6	APR	115 non-null	float64
7	MAY	115 non-null	float64
8	JUN	115 non-null	float64
9	JUL	115 non-null	float64
10	AUG	115 non-null	float64
11	SEP	115 non-null	float64
12	OCT	115 non-null	float64
13	NOV	115 non-null	float64
14	DEC	115 non-null	float64
15	ANNUAL	115 non-null	float64
16	Jan-Feb	115 non-null	float64
17	Mar-May	115 non-null	float64
18	Jun-Sep	115 non-null	float64
19	Oct-Dec	115 non-null	float64
	C3 1 C 4 / 4	7)	/ 4 \

dtypes: float64(17), int64(2), object(1)

memory usage: 18.1+ KB

In [7]: #filling null values
 df1=df.fillna(0)
 df1

Out[7]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
1472	1472	PUNJAB	1901	55.7	50.1	25.2	2.1	25.2	10.4	178.2	145.0	24.4	3.7
1473	1473	PUNJAB	1902	0.0	8.0	9.9	10.9	29.6	49.9	125.6	94.9	67.2	9.0
1474	1474	PUNJAB	1903	29.5	0.5	45.0	1.3	9.2	5.2	212.2	119.1	132.5	6.9
1475	1475	PUNJAB	1904	24.2	1.7	87.8	1.2	13.8	22.0	59.9	124.0	73.8	7.4
1476	1476	PUNJAB	1905	53.0	40.3	24.3	0.5	2.2	19.2	122.6	50.3	111.1	1.2
1582	1582	PUNJAB	2011	3.5	35.6	8.2	17.8	18.9	162.9	120.9	193.5	140.2	0.0
1583	1583	PUNJAB	2012	62.6	3.2	1.9	31.1	1.6	11.9	120.2	135.1	112.3	2.2
1584	1584	PUNJAB	2013	9.3	50.1	11.6	3.4	3.6	120.3	117.9	217.1	24.4	16.2
1585	1585	PUNJAB	2014	21.8	20.1	30.3	24.5	20.8	20.6	76.3	41.9	105.8	6.0
1586	1586	PUNJAB	2015	17.7	31.3	68.5	29.8	16.7	48.3	130.2	88.6	69.2	9.0

115 rows × 20 columns

In [8]: df1.describe()

Out[8]:


	index	YEAR	JAN	FEB	MAR	APR	MAY	
count	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.(
mean	1529.000000	1958.000000	25.246087	26.786957	23.651304	12.660000	14.136522	46.₄
std	33.341666	33.341666	22.306656	23.473612	22.890109	16.751778	15.185232	33.0
min	1472.000000	1901.000000	0.000000	0.000000	0.000000	0.000000	0.100000	1.6
25%	1500.500000	1929.500000	7.250000	5.650000	6.900000	2.550000	3.350000	21.6
50%	1529.000000	1958.000000	21.600000	21.300000	15.800000	6.700000	9.200000	40.7
75%	1557.500000	1986.500000	36.100000	40.600000	33.650000	15.700000	19.700000	60.
max	1586.000000	2015.000000	112.100000	96.000000	108.500000	113.200000	98.300000	162.9
4								•

In [9]: | df1.columns

Data Visulaization


In [10]: df1.plot.line()

Out[10]: <AxesSubplot:>




In [11]: df1.plot.bar()

Out[11]: <AxesSubplot:>




In [12]: df1.plot.box()

Out[12]: <AxesSubplot:>




In [13]: df1.plot.hist()

Out[13]: <AxesSubplot:ylabel='Frequency'>




In [14]: df1.plot.scatter(x="SUBDIVISION",y="YEAR")

Out[14]: <AxesSubplot:xlabel='SUBDIVISION', ylabel='YEAR'>




```
In [15]: df2=df1[[ 'Jun-Sep']]
df2.plot.pie(subplots=True)
```

Out[15]: array([<AxesSubplot:ylabel='Jun-Sep'>], dtype=object)




In [16]: sns.pairplot(df1)

Out[16]: <seaborn.axisgrid.PairGrid at 0x1fd98655760>



In [17]: sns.displot(data["Jun-Sep"])

Out[17]: <seaborn.axisgrid.FacetGrid at 0x1fd95282a00>



In [18]: sns.heatmap(df1.corr())

Out[18]: <AxesSubplot:>

