04 - Iteration Control Structures

Ex. No. : 4.1 Date: 14/04/2024

Register No.: 231401047 Name:K.Kaviya

.

Factors of a number

Determine the factors of a number (i.e., all positive integer values that evenly divide into a number).

For example:

Inpu t	Result	
20		
	1 2 4 5 10 20	

Program:

```
k=int(input()) l=[]
for i in range(1,k+1):
    if(k%i==0):
        l.append(i) for
j in l:
    print(j,end=' ')
```

	Input	Expected	Got	
~	20	1 2 4 5 10 20	1 2 4 5 10 20	~
~	5	1 5	1 5	~
~	13	1 13	1 13	~

Passed all tests! ✓

Correct

Ex No:4.2 Date:14/04/2024

Register No:231401047 Name:K.Kaviya

.

Non Repeated Digit Count

Write a program to find the count of non-repeated digits in a given number N. The number will be passed to the program as an input of type int.

Assumption: The input number will be a positive integer number ≥ 1 and ≤ 25000 . Some examples are as below.

If the given number is 292, the program should return 1 because there is only 1 nonrepeated digit '9' in this number

If the given number is 1015, the program should return 2 because there are 2 nonrepeated digits in this number, '0', and '5'.

If the given number is 108, the program should return 3 because there are 3 nonrepeated digits in this number, '1', '0', and '8'.

If the given number is 22, the function should return 0 because there are NO nonrepeated digits in this number.

For example:

Input	Resul t
292	1
1015	2
108	3
22	0

Program:

n=int(input()) l=[] k=[] while n>0: a=n%10 n=n//10

```
l.append(a) for i
in range(len(l)):    if
l.count(l[i])==1:
        k.append(l[i]) print(len(k))
```

	Input	Expected	Got	
~	292	1	1	~
~	1015	2	2	~
~	108	3	3	~
~	22	0	0	~

Passed all tests! ✓

Correct

Ex No:4.3 Date:14/04/2024

Register No:231401047 Name:K.Kaviya

.

Prime Checking

Write a program that finds whether the given number N is Prime or not. If the number is prime, the program should return 2 else it must return 1.

Assumption: $2 \le N \le 5000$, where N is the given number.

Example 1: if the given number N is 7, the method must return 2

Example2: if the given number N is 10, the method must return 1

For example:

Input	Result
7	2
10	1

Program:

```
a=int(input()) for
i in range(2,a):
if(a%2==0):
flag=0
elif(a%i!=0):
    flag=1
else:
    flag=0
if(flag==1):
print("2")
elif(flag==0):
print("1")
```

	Input	Expected	Got	
~	7	2	2	~
~	10	1	1	~
asse	ed all te	sts! 🗸		

Correct

Ex No:4.4 Date:14/04/2024

Register No:231401047 Name:K.Kaviya

.

Next Perfect Square

Given a number N, find the next perfect square greater than N.

Input Format:

Integer input from stdin.

Output Format:

Perfect square greater than N.

Example Input:

10

Output:

16

Program:

```
a=int(input()) c=[]
for i in range(0,a):
   b=i**2
if(b>a):
   c.append(b) print(c[0])
```

	Input	Expected	Got	
~	10	16	16	~

Passed all tests! ✓

Correct

Ex. No. : 4.5 Date: 14/04/2024

Register No.: 231401047 Name: K.Kaviya

.

Nth Fibonacci

Write a program to return the nth number in the fibonacci series. The value of N will be passed to the program as input.

```
NOTE: Fibonacci series looks like -
```

```
0, 1, 1, 2, 3, 5, 8, 13, 21, 34, 55, . . . and so on.
```

i.e. Fibonacci series starts with 0 and 1, and continues generating the next number as the sum of the previous two numbers.

- first Fibonacci number is 0,
- second Fibonacci number is 1,
- third Fibonacci number is 1,
- fourth Fibonacci number is 2,
- fifth Fibonacci number is 3,
- sixth Fibonacci number is 5,
- · seventh Fibonacci number is 8, and so on.

For example:

Input:

7

Output

8

Program:

```
a=[0,1] for i in
```

range(0,100):



Ex. No. : 4.6 Date: 14/04/2024

Register No.: 231401047 Name: K.Kaviya

.

Disarium Number

A Number is said to be Disarium number when the sum of its digit raised to the power of their respective positions becomes equal to the number itself. Write a program to print number is Disarium or not.

Input Format:

Single Integer Input from stdin.

Output Format:

Yes or No.

Example Input:

175

Output:

Yes

Explanation 1¹ +

 $7^2 + 5^3 = 175$

Example Input:

123

Output:

No

For example:

Inp Res ut

ult

175 Yes

123 No

Program:

```
n=int(input())
a=len(str(n))
sum=0 x=n while(x!=0):
r=x%10
sum=int(sum+math.pow(r,a))
a-=1
x=x//10
if(sum==n):
print("Yes")
else:
    print("No")
```

Output:

	Input	Expected	Got		
~	175	Yes	Yes	~	
~	123	No	No	~	
asse	ed all te	sts! 🗸			
Correct Marks for this submission: 1.00/1.00.					

Ex. No. : 4.7 Date: 14/04/2024

Register No.: 231401047 Name: K.Kaviya

Sum of Series

Write a program to find the sum of the series 1+11+111+1111+...+n terms (n will be given as input from the user and sum will be the output)

```
Sample Test Cases

Test Case 1

Input

4

Output

1234

Explanation:
as input is 4, have to take 4 terms.

1 + 11 + 111 + 1111
```

Test Case 2

Input

6

Output

123456

For example:

	_
Input	Result
3	123

Program:

```
n=int(input()
) b=1 sum=0
for i in range(1,n+1):
    sum+=b
b=(b*10)+1
print(sum)
```

	Input	Expected	Got	
~	4	1234	1234	~
~	6	123456	123456	~
asse	ed all te	sts! 🗸		
ec'	t	ubmission: 1.0	00/1.00	

Ex. No. : 4.8 Date: 14/04/2024

Register No.: 231401047 Name: K.Kaviya

Unique Digit Count

Write a program to find the count of unique digits in a given number N. The number will be passed to the program as an input of type int.

Assumption: The input number will be a positive integer number ≥ 1 and ≤ 25000 . For e.g.

If the given number is 292, the program should return 2 because there are only 2 unique digits '2' and '9' in this number

If the given number is 1015, the program should return 3 because there are 3 unique digits in this number, '1', '0', and '5'.

For example:

Input	Result
292	2
1015	3

Program:

a=int(input())

b=[] while

a>0:


c=a%10

a=a//10

b.append(c)

b=list(set(b))

print(len(b))



Ex. No. : 4.9 Date: 14/04/2024

Register No.: 231401047 Name: K.Kaviya

Product of single digit

Given a positive integer N, check whether it can be represented as a product of single digit numbers.

Input Format:

Single Integer input.

Output Format:

Output displays Yes if condition satisfies else prints No.

Example Input:

14

Output:

Yes

Example Input:

13

Output:

No

Program:

```
a=int(input())
flag=0 for i in
range(10):    for j in
range(10):
if(i*j==a):
flag=1        break
if(flag==1):
print("Yes") else:
    print("No")
```



Ex. No. : 4.10 Date: 14/04/2024

Register No.: 231401047 Name: K.Kaviya

Perfect Square After adding One

Given an integer N, check whether N the given number can be made a perfect square after adding 1 to it.

Input Format:

Single integer input.

Output Format:

Yes or No.

Example Input:

24

Output:

Yes

Example Input:

26

Output:

No

For example:

Input	Resul
	\mathbf{t}
24	Yes

Program:

import math

n=int(input()) a=n+1

```
sr=int(math.sqrt(a))
if(sr*sr==a):
    print("Yes") else:
    print("No")
```

