Date:2023-08-28

Aim:

S.No: 1

Write a **java** program to display the default values of all primitive data types.

```
Write a class PrimitiveTypes with main(String[] args) method.
```

Write code to produce the below output:

```
byte default value = 0
short default value = 0
int default value = 0
long default value = 0
boolean default value = false
double default value = 0.0
float default value = 0.0
```

Note: Please don't change the package name.

Source Code:

```
q10815/PrimitiveTypes.java
```

```
package q10815;
public class PrimitiveTypes
   static byte a;
   static short b;
   static int c;
   static long d;
   static boolean e;
   static double f;
   static float g;
   public static void main (String args[])
      System.out.println("byte default value = "+a);
      System.out.println("short default value = "+b);
      System.out.println("int default value = "+c);
      System.out.println("long default value = "+d);
      System.out.println("boolean default value = "+e);
      System.out.println("double default value = "+f);
      System.out.println("float default value = "+g);
   }
}
```

Execution Results - All test cases have succeeded!

Test Case - 1		
User Output		
byte default value = 0		

(C	1
	٠	÷
	(2
•	_	_
	0	D
	ζ	ת
	C	Ω
1	٦	_

short default value = 0
int default value = 0
long default value = 0

boolean default value = false double default value = 0.0 float default value = 0.0

ŧ	
:	$\overline{}$
÷	
ŧ	2
ŧ	4
÷	4
ŧ	-
ŧ	ù
ŧ	V
ŧ	7
i	Ċ
ŧ	
i	
ŧ	=