



KRISHNA INTERNATIONAL

ENGINEERING WITHOUT
COMPROMISE.

INSTRUMENTATION VALVES &
TUBE FITTINGS FOR
CRITICAL APPLICATIONS



PRECISION
ENGINEERED



LEAK-TIGHT
PERFORMANCE



RUGGED
BY DESIGN



TRUSTED
GLOBALLY

CONTACT

HEAD QUARTER : Production Unit-1

📍 Krishna International , Plot No. 36
Mujeri Industrial Area, Gali No. 4,
Sector-70, Ballabgarh,
Faridabad (HR)-121004

✉ E-mail: krishnainternational2006@gmail.com

☎ Mob: 8287886319, 9821616398

SWIVEL ADAPTER



Working Pressure :
up to 20000 psi



Size : 1/4" & 1/2"
NPT & BSP



MOC : SS 316, A105,
Monel, Inconel,
Duplex, C 276, Hastelloy



DOUBLE BLOCK & BLEED VALVE / MONOFLANGE VALVE

★ Rugged & Compact Fire Safe Design

★ 1 PC & 3 PC Construction

★ all Needle / all Assembly

★ Anti low-Out & Non-Rotating
all Tip Stem

★ Flange Connection as per
ASME B 16.34 150# to 2500#





KRISHNA

INTERNATIONAL

ENGINEERING WITHOUT COMPROMISE.

INSTRUMENTATION VALVES & TUBE FITTINGS
FOR CRITICAL APPLICATIONS

INSTRUMENT VALVE MANIFOLD



2, 3 and 5 Valve Manifolds



Remote, Direct & Coplaner



MOC: SS 316, A105, Monel,
Inconel, Duplex, C276



Working Pressure:
up to 10000 psi



NEEDLE VALVE



Forged & Bar Stock Design



Straight and Angle Flow Pattern



MOC: SS 316, A105, Monel,
Inconel, Duplex, C276, Hastelloy



Size Range: 1/8" to 2" with Variety
of End Connections up to 15000 psi



INSTRUMENTATION BALL VALVE



2 PC, 3 PC construction



2 Way, 3 Way, & 4 Way Pattern



MOC: SS 316, A105, Monel,
Inconel, Duplex, C276, Hastelloy



Max Working Pressure:
up to 10000 psi



PRECISION
ENGINEERED



LEAK-TIGHT
PERFORMANCE



RUGGED
BY DESIGN



TRUSTED
GLOBALLY

CERTIFIED FOR EXCELLENCE



ISO
9001:2015



ISO
14001:2015



ISO
45001:2018



KRISHNA

INTERNATIONAL

ENGINEERING WITHOUT COMPROMISE.

INSTRUMENTATION TUBE & PIPE FITTING

- ★ **Tube Fittings** : 1/8" OD to 1" OD
- ★ **Pipe Fittings** : 1/8" to 2"
- ★ Variety of End Connections
- ★ **MOC** : SS 316, A105, Monel, Inconel, Duplex, C276, Hastelloy
- ★ **Max working Pressure** : up to 15000 psi for Pipe Fittings



HIGH
PRESSURE



LEAK-TIGHT
DESIGN



CORROSION
RESISTANT



PRECISION
ENGINEERED

GREASE / LUBRICATION FITTING



- ★ Positive flow and free design
- ★ Available with or without vent cap
- ★ Sizes available from 1/4" NPT through 1" NPT
- ★ Available in Material A 105, 1215, 4140, Ss316, SS316L, 17-4PH
- ★ Compliance to NACE MR 0175
- ★ Pressure rating 10000 psi, 20000 psi for HP



SMOOTH
FLOW



DURABLE
CONSTRUCTION



RUST
RESISTANT



WIDE
RANGE

HIGH-PRESSURE FITTINGS

- ★ Ss316 Construction
- ★ **Medium Pressure (MP)** : 1/4" to 1" Working Pressure : up to 20000 psi
- ★ **High Pressure (HP)** : 1/4 to 9/16" 6" Working Pressure : up to 60000 psi



HIGH
STRENGTH



LEAK
PROOF



PREMIUM
QUALITY



EXTREME
PRESSURE



KRISHNA

INTERNATIONAL

ENGINEERING WITHOUT COMPROMISE.

INSTRUMENTATION VALVES &
TUBE FITTINGS FOR CRITICAL APPLICATIONS



PRECISION
ENGINEERED



LEAK-TIGHT
PERFORMANCE



RUGGED
BY DESIGN



TRUSTED
GLOBALLY

CERTIFIED FOR EXCELLENCE



ISO
9001:2015



ISO
14001:2015



ISO
45001:2018

PRODUCT CATALOGUE

2025 - 26