

Rajalakshmi Engineering College

Name: KAVYA SRIRAM

Email: 241901045@rajalakshmi.edu.in

Roll no: 241901045

Phone: 8939657782

Branch: REC

Department: CSE (CS) - Section 1

Batch: 2028

Degree: B.E - CSE (CS)

Scan to verify results



2024_28_III_OOPS Using Java Lab

REC_2028_OOPS using Java_Week 4_CY

Attempt : 1

Total Mark : 40

Marks Obtained : 40

Section 1 : Coding

1. Problem Statement

Riya is preparing for a vocabulary test. Her teacher told her to focus on long words in her practice sentences, specifically words that have at least 5 letters.

Riya wants to write a program that will help her identify such words quickly.

Your task is to help Riya by printing all the words in a given sentence that have a length greater than or equal to 5.

If no such word exists, display "No long words found".

Input Format

The input contains a single line containing a sentence with multiple words.

Output Format

The output prints all words having length ≥ 5 , separated by a space.

If no such word is found, print "No long words found".

Refer to the sample output for formatting specifications.

Sample Test Case

Input: The quick brown fox jumps over the lazy dog

Output: quick brown jumps

Answer

```
import java.util.*;  
  
public class Main {  
    public static void main(String[] args) {  
        Scanner sc = new Scanner(System.in);  
        String sentence = sc.nextLine().trim();  
        String[] words = sentence.split(" ");  
        StringBuilder result = new StringBuilder();  
  
        for (String word : words) {  
            if (word.length() >= 5) {  
                result.append(word).append(" ");  
            }  
        }  
  
        if (result.length() > 0) {  
            System.out.println(result.toString());  
        } else {  
            System.out.println("No long words found");  
        }  
        sc.close();  
    }  
}
```

Status : Correct

Marks : 10/10

2. Problem Statement

Meera is practicing her English vocabulary. She wants to focus on words that have more vowels in them, as they help improve her pronunciation. She decides to extract only those words from a sentence that contain at least two vowels.

Your task is to help Meera by writing a program that finds such words from the given sentence.

Input Format

The input contains a string representing the sentence.

Output Format

The output prints all the words that contain at least two vowels, separated by a space.

If no such word exists, print "No words with two vowels".

Refer to the sample output for formatting specifications.

Sample Test Case

Input: This is an example sentence

Output: example sentence

Answer

```
import java.util.*;  
  
public class Main {  
    public static void main(String[] args) {  
        Scanner sc = new Scanner(System.in);  
        String sentence = sc.nextLine().trim();  
        String[] words = sentence.split(" ");  
        StringBuilder result = new StringBuilder();  
  
        for (String word : words) {  
            if (countVowels(word) >= 2) {
```

```

        result.append(word).append(" ");
    }

    if (result.length() > 0) {
        System.out.println(result.toString());
    } else {
        System.out.println("No words with two vowels");
    }
    sc.close();
}

private static int countVowels(String word) {
    int count = 0;
    for (char c : word.toLowerCase().toCharArray()) {
        if ("aeiou".indexOf(c) != -1) {
            count++;
        }
    }
    return count;
}

```

Status : Correct

Marks : 10/10

3. Problem Statement

In a university library, librarians need to track the usage of special characters in students' notes.

To help them, you are asked to write a program that counts the number of specific symbols in each passage of text.

The symbols of interest are:

Exclamation marks (!) Colons (:) Semicolons (;

Input Format

The first line of input contains an integer T, representing the number of test cases (passages).

Each of the next T lines contains a single passage of text.

Output Format

For each test case, print three integers separated by spaces, representing the number of exclamation marks, colons, and semicolons in the passage.

The first line of output corresponds to the first passage, the second line to the second passage, and so on.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 1
Hello! How are you
Output: 1 0 0

Answer

```
import java.util.*;  
  
public class Main {  
    public static void main(String[] args) {  
        Scanner sc = new Scanner(System.in);  
        int T = Integer.parseInt(sc.nextLine().trim());  
  
        for (int i = 0; i < T; i++) {  
            String passage = sc.nextLine();  
            int exclamations = 0, colons = 0, semicolons = 0;  
  
            for (char c : passage.toCharArray()) {  
                if (c == '!') exclamations++;  
                else if (c == ':') colons++;  
                else if (c == ';') semicolons++;  
            }  
  
            System.out.println(exclamations + " " + colons + " " + semicolons + " ");  
        }  
        sc.close();  
    }  
}
```

}

Status : Correct

Marks : 10/10

4. Problem Statement

In a college, students are required to create unique usernames for accessing the digital library.

The librarian needs your help to verify whether the usernames entered by students are valid.

A username is considered valid if:

It contains only letters (a–z, A–Z) and digits (0–9). Its length is between 5 and 15 characters (inclusive). It must start with a letter (not a digit).

Your task is to determine whether each username in the list is valid or not.

Input Format

The first line of input contains an integer T, representing the number of usernames to check.

The next T lines each contain a string S, representing a username.

Output Format

For each username S, the output print "YES" if it is valid.

Otherwise, the output print "NO".

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 1
Alice123

Output: YES

Answer

```
import java.util.*;  
  
public class Main {  
    public static void main(String[] args) {  
        Scanner sc = new Scanner(System.in);  
        int T = Integer.parseInt(sc.nextLine().trim());  
        for (int i = 0; i < T; i++) {  
            String username = sc.nextLine().trim();  
            if (isValid(username)) {  
                System.out.println("YES");  
            } else {  
                System.out.println("NO");  
            }  
        }  
        sc.close();  
    }  
  
    private static boolean isValid(String s) {  
        if (s.length() < 5 || s.length() > 15) return false;  
        if (!Character.isLetter(s.charAt(0))) return false;  
        for (char c : s.toCharArray()) {  
            if (!Character.isLetterOrDigit(c)) return false;  
        }  
        return true;  
    }  
}
```

Status : Correct

Marks : 10/10