

RING THEORY

1. RINGS AND FIELDS
2. IDEALS AND QUOTIENT RINGS
3. HOMOMORPHISM OF RINGS
4. EUCLIDEAN RINGS, PID
5. POLYNOMIAL RINGS, UFD

1. RINGS AND FIELDS

1. 4b 2020 IFoS

Let K be a finite field. Show that the number of elements in K is p^n , where p is a prime, which is characteristic of K and $n \geq 1$ is an integer. Also, prove that $\frac{\mathbb{Z}_3[X]}{(X^2 + 1)}$ is a field. How many elements does this field have?

15

2. 1a 2019 IFoS

Let R be an integral domain. Then prove that $\text{ch } R$ (characteristic of R) is 0 or a prime.

8

3. 3a 2018

Find all the proper subgroups of the multiplicative group of the field $(\mathbb{Z}_{13}, +_{13}, \times_{13})$, where $+_{13}$ and \times_{13} represent addition modulo 13 and multiplication modulo 13 respectively.

20

4. 1b 2015

Give an example of a ring having identity but a subring of this having a different identity.

10

5. 4a 2015

Do the following sets form integral domains with respect to ordinary addition and multiplication? If so, state if they are fields.

5+6+4=15

(i) $b\sqrt{2}$ के रूप की संख्याओं का समुच्चय, जहाँ b परिमेय संख्या है

The set of numbers of the form $b\sqrt{2}$ with b rational

(ii) सम पूर्णांकों का समुच्चय

The set of even integers

(iii) धनात्मक पूर्णांकों का समुच्चय

The set of positive integers

6. 2a 2015 IFoS

2. (a) If p is a prime number and e a positive integer, what are the elements 'a' in the ring \mathbb{Z}_p^e of integers modulo p^e such that $a^2 = a$? Hence (or otherwise) determine the elements in \mathbb{Z}_{35} such that $a^2 = a$. 14

7. 2a 2014

Show that \mathbb{Z}_7 is a field. Then find $([5] + [6])^{-1}$ and $(-[4])^{-1}$ in \mathbb{Z}_7 . 15

8. 3a 2014

Show that the set $\{a + b\omega : \omega^3 = 1\}$, where a and b are real numbers, is a field with respect to usual addition and multiplication. 15

9. 4a 2014

Prove that the set $\mathbb{Q}(\sqrt{5}) = \{a + b\sqrt{5} : a, b \in \mathbb{Q}\}$ is a commutative ring with identity. 15

10. 2a IFoS 2014

2. (a) Let J_n be the set of integers mod n . Then prove that J_n is a ring under the operations of addition and multiplication mod n . Under what conditions on n , J_n is a field? Justify your answer. 10

11. 2a 2013 IFoS

- (a) Show that any finite integral domain is a field.

12. 2b 2013 IFoS

- (b) Every field is an integral domain — Prove it.

13. 1b 2012 IFoS

- (b) Show that every field is without zero divisor.

10

14. 1b 2011 IFoS

- (b) Let Q be the set of all rational numbers. Show that

$$Q(\sqrt{2}) = \{a + b\sqrt{2} : a, b \in Q\}$$

is a field under the usual addition and multiplication.

10

15. 2b 2010

- (b) Let $C = \{f : I = [0, 1] \rightarrow \mathbb{R} \mid f \text{ is continuous}\}$.

Show C is a commutative ring with 1 under pointwise addition and multiplication.

Determine whether C is an integral domain. Explain.

15

16. 1b 2010 IFoS

- (b) Let F be a field of order 32. Show that the only subfields of F are F itself and $\{0, 1\}$.

10

17. 4b 2009 IFoS

- (b) Show that a field is an integral domain and a non-zero finite integral domain is a field.

13

18. 2c 2009 IFoS

- (c) Find the multiplicative inverse of the element

$$\begin{bmatrix} 2 & 5 \\ 1 & 3 \end{bmatrix}$$

of the ring, M , of all matrices of order two over the integers.

13

2. IDEALS AND QUOTIENT RINGS

1. 1b 2020

Let R be a principal ideal domain. Show that every ideal of a quotient ring of R is principal ideal and R/P is a principal ideal domain for a prime ideal P of R .

10

2. 2a 2020 IFoS

Let R be a non-zero commutative ring with unity. Show that M is a maximal ideal in a ring R if and only if R/M is a field.

10

3. 3b 2018 IFoS

(b) Show by an example that in a finite commutative ring, every maximal ideal need not be prime.

10

4. 2c 2017 IFoS

2.(c) Let A be an ideal of a commutative ring R and $B = \{x \in R : x^n \in A \text{ for some positive integer } n\}$. Is B an ideal of R ? Justify your answer.

10

5. 3b 2013

(b) Let R^C = ring of all real valued continuous functions on $[0, 1]$, under the operations

$$(f + g)(x) = f(x) + g(x)$$

$$(fg)(x) = f(x)g(x).$$

$$\text{Let } M = \left\{ f \in R^C \mid f\left(\frac{1}{2}\right) = 0 \right\}.$$

Is M a maximal ideal of R ? Justify your answer.

15

6. 3b 2013 IFoS

- (b) Prove that :
- (i) the intersection of two ideals is an ideal.
 - (ii) a field has no proper ideals.

7. 3a 2012

3. (a) Is the ideal generated by 2 and X in the polynomial ring $\mathbb{Z}[X]$ of polynomials in a single variable X with coefficients in the ring of integers \mathbb{Z} , a principal ideal ? Justify your answer.

15

8. 4a 2012

4. (a) Describe the maximal ideals in the ring of Gaussian integers $\mathbb{Z}[i] = \{a + bi \mid a, b \in \mathbb{Z}\}$.

20

9. 3b 2009

- (b) How many elements does the quotient ring

$$\frac{\mathbb{Z}_5[X]}{(X^2 + 1)}$$

have ? Is it an integral domain ? Justify

yours answers.

15

10. 2a 2009

2. (a) How many proper, non-zero ideals does the ring \mathbb{Z}_{12} have ? Justify your answer. How many ideals does the ring $\mathbb{Z}_{12} \oplus \mathbb{Z}_{12}$ have ? Why ?

2+3+4+6=15

3. HOMOMORPHISM OF RINGS

1. 3a 2020

Let R be a finite field of characteristic $p(>0)$. Show that the mapping $f: R \rightarrow R$ defined by $f(a) = a^p, \forall a \in R$ is an isomorphism. 15

2. 2a 2019 IFoS

Let I and J be ideals in a ring R . Then prove that the quotient ring $(I + J)/J$ is isomorphic to the quotient ring $I/(I \cap J)$. 10

3. 2d 2018 IFoS

(d) Let R be a commutative ring with unity. Prove that an ideal P of R is prime if and only if the quotient ring R/P is an integral domain. 10

4. 2a 2015

If R is a ring with unit element 1 and ϕ is a homomorphism of R onto R' , prove that $\phi(1)$ is the unit element of R' . 15

5. 1a 2013

Show that the set of matrices $S = \left\{ \begin{pmatrix} a & -b \\ b & a \end{pmatrix} \mid a, b \in \mathbb{R} \right\}$ is a field

under the usual binary operations of matrix addition and matrix multiplication. What are the additive and multiplicative identities and

what is the inverse of $\begin{pmatrix} 1 & -1 \\ 1 & 1 \end{pmatrix}$? Consider the map $f: \mathbb{C} \rightarrow S$ defined

by $f(a + ib) = \begin{pmatrix} a & -b \\ b & a \end{pmatrix}$. Show that f is an isomorphism. (Here \mathbb{R} is the

set of real numbers and \mathbb{C} is the set of complex numbers.) 10

6.3b 2010

- (b) Show that the quotient ring $\mathbb{Z}[i]/(1+3i)$ is isomorphic to the ring $\mathbb{Z}/10\mathbb{Z}$ where $\mathbb{Z}[i]$ denotes the ring of Gaussian integers. 15

G-20 (MATHS)

4. EUCLIDEAN RINGS, PID

1. 3d 2019

Let a be an irreducible element of the Euclidean ring R , then prove that $R/(a)$ is a field. 10

2. 2d 2017 IFoS

- 2.(d) Prove that the ring $\mathbb{Z}[i] = \{a + ib : a, b \in \mathbb{Z}, i = \sqrt{-1}\}$ of Gaussian integers is a Euclidean domain. 10

3. 2c 2016 IFoS

- 2.(c) Show that in the ring $R = \{a + b\sqrt{-5} \mid a, b \text{ are integers}\}$, the elements $\alpha = 3$ and $\beta = 1 + 2\sqrt{-5}$ are relatively prime, but $\alpha\gamma$ and $\beta\gamma$ have no g.c.d in R , where $\gamma = 7(1 + 2\sqrt{-5})$. 10

4. 3a 2013

Let $J = \{a + bi \mid a, b \in \mathbb{Z}\}$ be the ring of Gaussian integers (subring of \mathbb{C}). Which of the following is J : Euclidean domain, principal ideal domain, unique factorization domain ? Justify your answer. 15

5. 4a 2010 IFoS

4. (a) Let R be a Euclidean domain with Euclidean valuation d . Let n be an integer such that $d(1) + n \geq 0$. Show that the function $d_n : R - \{0\} \rightarrow S$, where S is the set of all negative integers defined by $d_n(a) = d(a) + n$ for all $a \in R - \{0\}$ is a Euclidean valuation. 13

6. 4a 2009 IFoS

4. (a) Show that $d(a) < d(ab)$, where a, b be two non-zero elements of a Euclidean domain R and b is not a unit in R . 13

5. POLYNOMIAL RINGS, UFD

1. 1a 2018

Let R be an integral domain with unit element. Show that any unit in $R[x]$ is a unit in R .

10

2. 2c 2017

Let F be a field and $F[X]$ denote the ring of polynomials over F in a single variable X . For $f(X), g(X) \in F[X]$ with $g(X) \neq 0$, show that there exist $q(X), r(X) \in F[X]$ such that $\deg(r(X)) < \deg(g(X))$ and

$$f(X) = q(X) \cdot g(X) + r(X).$$

20

3. 1a 2016

Let \mathbb{K} be a field and $\mathbb{K}[X]$ be the ring of polynomials over \mathbb{K} in a single variable X . For a polynomial $f \in \mathbb{K}[X]$, let (f) denote the ideal in $\mathbb{K}[X]$ generated by f . Show that (f) is a maximal ideal in $\mathbb{K}[X]$ if and only if f is an irreducible polynomial over \mathbb{K} .

10

4. 4a 2016

Show that every algebraically closed field is infinite.

15

5. 3a 2014 IFoS

3. (a) Let R be an integral domain with unity. Prove that the units of R and $R[x]$ are same.

10

6. 3c 2012 IFoS

- (c) If R is an integral domain, show that the polynomial ring $R[x]$ is also an integral domain.

14

7. 3a 2011

3. (a) Let F be the set of all real valued, continuous functions defined on the closed interval $[0, 1]$. Prove that $(F, +, \cdot)$ is a Commutative Ring with unity with respect to addition and multiplication of functions defined pointwise as below :

$$\left. \begin{aligned} (f + g)(x) &= f(x) + g(x) \\ \text{and } (f \cdot g)(x) &= f(x) \cdot g(x) \end{aligned} \right\} x \in [0, 1]$$

where $f, g \in F$.

15

8. 3a 2010

3. (a) Consider the polynomial ring $Q[x]$. Show $p(x) = x^3 - 2$ is irreducible over Q . Let I be the ideal in $Q[x]$ generated by $p(x)$. Then show that $Q[x]/I$ is a field and that each element of it is of the form $a_0 + a_1t + a_2t^2$ with a_0, a_1, a_2 in Q and $t = x + I$.

15

9. 3a 2009

Show that $\mathbb{Z}[X]$ is a unique factorization domain that is not a principal ideal domain (\mathbb{Z} is the ring of integers). Is it possible to give an example of principal ideal domain that is not a unique factorization domain ? ($\mathbb{Z}[X]$ is the ring of polynomials in the variable X with integer.)

15

*MISCELLANEOUS (EXTENSION FIELD)

1. 3a 2016

Let K be an extension of a field F . Prove that the elements of K , which are algebraic over F , form a subfield of K . Further, if $F \subset K \subset L$ are fields, L is algebraic over K and K is algebraic over F , then prove that L is algebraic over F .

20