


A CONSOLIDATED QUESTION PAPER-CUM-ANSWER BOOKLET

**PROBABLE / EXPECTED MODEL QUESTIONS
for IAS Mathematics (Opt.) MAINS-2018**

— (JUNE-2018 to SEPT.-2018) —

Under the guidance of K. Venkanna

MATHEMATICS

PAPER - 2 : FULL SYLLABUS

TEST CODE: TEST-14: IAS(M)/09-SEP-2018

Time: Three Hours

Maximum Marks: 250

INSTRUCTIONS

1. This question paper-cum-answer booklet has 50 pages and has **32PART/SUBPART** questions. Please ensure that the copy of the question paper-cum-answer booklet you have received contains all the questions.
2. Write your Name, Roll Number, Name of the Test Centre and Medium in the appropriate space provided on the right side.
3. A consolidated Question Paper-cum-Answer Booklet, having space below each part/sub part of a question shall be provided to them for writing the answers. Candidates shall be required to attempt answer to the part/sub-part of a question strictly within the pre-defined space. Any attempt outside the pre-defined space shall not be evaluated."
4. Answer must be written in the medium specified in the admission Certificate issued to you, which must be stated clearly on the right side. No marks will be given for the answers written in a medium other than that specified in the Admission Certificate.
5. Candidates should attempt Question Nos. 1 and 5, which are compulsory, and any **THREE** of the remaining questions selecting at least **ONE** question from each Section.
6. The number of marks carried by each question is indicated at the end of the question. Assume suitable data if considered necessary and indicate the same clearly.
7. Symbols/notations carry their usual meanings, unless otherwise indicated.
8. All questions carry equal marks.
9. All answers must be written in blue/black ink only. Sketch pen, pencil or ink of any other colour should not be used.
10. All rough work should be done in the space provided and scored out finally.
11. The candidate should respect the instructions given by the invigilator.
12. The question paper-cum-answer booklet must be returned in its entirety to the invigilator before leaving the examination hall. Do not remove any page from this booklet.

READ INSTRUCTIONS ON THE LEFT SIDE OF THIS PAGE CAREFULLY

Name

Roll No.

Test Centre

Medium

Do not write your Roll Number or Name anywhere else in this Question Paper-cum-Answer Booklet.

I have read all the instructions and shall abide by them

Signature of the Candidate

I have verified the information filled by the candidate above

IMPORTANT NOTE:

Whenever a question is being attempted, all its parts/ sub-parts must be attempted contiguously. The next question can be attempted only after finishing the previous question. Candidates must finish attempting all parts/ sub-parts of the previous question attempted. This is to be strictly followed. Pages left blank in the answer-book are to be clearly struck out in ink. Any answers that follow pages left blank may not be given credit.

Signature of the invigilator

**DO NOT WRITE ON
THIS SPACE**

INDEX TABLE

QUESTION	No.	PAGENO.	MAX.MARKS	MARKSOBTAINED
1	(a)			
	(b)			
	(c)			
	(d)			
	(e)			
2	(a)			
	(b)			
	(c)			
	(d)			
3	(a)			
	(b)			
	(c)			
	(d)			
4	(a)			
	(b)			
	(c)			
	(d)			
5	(a)			
	(b)			
	(c)			
	(d)			
	(e)			
6	(a)			
	(b)			
	(c)			
	(d)			
7	(a)			
	(b)			
	(c)			
	(d)			
8	(a)			
	(b)			
	(c)			
	(d)			
Total Marks				

**DO NOT WRITE ON
THIS SPACE**

SECTION - A

1. (a) Let $G = \left\{ \begin{bmatrix} a & b \\ c & d \end{bmatrix} / a, b, c, d \in \mathbb{Z} \right\}$ under addition.

Let $H = \left\{ \begin{bmatrix} a & b \\ c & d \end{bmatrix} \in G / a+b+c+d=0 \right\}$. Prove that H is a subgroup of G . what if '0' is replaced by 1 ?

[10]

1. (b) Show that $\langle x + 2 \rangle$ is a maximal ideal of $\mathbb{Q}[x]$ and hence $\frac{\mathbb{Q}[x]}{\langle x + 2 \rangle}$ is a field.

[10]

1. (c) Discuss the convergence of the series

$$1 + \frac{1}{2}x + \frac{1.3}{2.4}x^2 + \frac{1.3.5}{2.4.6}x^3 + \dots \dots , x > 0$$

[10]

1. (d) Use Cauchy's theorem and/or Cauchy integral formula to evaluate the following integrals.

$$(i) \int_{|z|=1} \frac{z+3}{z^4 + az^3} dz; (|a| > 1) \quad (ii) \int_{|z-2|=2} \frac{\log(z+1)}{z-3} dz$$

[10]

1. (e) Write the dual of the following LP

Maximize $Z = 5x_1 + 12x_2 + 4x_3$
subject to

$$x_1 + 2x_2 + x_3 \leq 10$$

$$2x_1 - x_2 + 3x_3 = 8$$

$$x_1, x_2, x_3 \geq 0$$

[10]

2. (a) (i) If a cyclic group has an element of infinite order, how many elements of finite order does it have ?
(ii) Find a group that contains elements a and b such that $|a| = 2$, $|b| = 11$, and $|ab| = 2$. **[12]**

2. (b) Given that β and γ are in S_4 with $\beta\gamma = (1 \ 4 \ 3 \ 2)$, $\gamma\beta = (1 \ 2 \ 4 \ 3)$ and $\beta(1) = 4$, determine β and γ . [08]

2. (c) Let $X = (a, b]$. Construct a continuous function $f : X \rightarrow \mathbb{R}$ (set of real numbers) which is unbounded and not uniformly continuous on X . Would your function be uniformly continuous on $[a + \varepsilon, b]$, $a + \varepsilon < b$? Why ?

[14]

2. (d) Prove that $\int_0^{2\pi} \frac{(1+2\cos\theta)^n \cos n\theta}{3+2\cos\theta} d\theta = \frac{2\pi}{\sqrt{5}} (3-\sqrt{5})^n$

[16]

3. (a) (i) Prove that A_5 has no subgroup of order 15 to 20.

(ii) Find a permutation β such that $\beta^2 = (13579)(268)$.

(iii) Give an example of a finite noncommutative ring. Give an example of an infinite noncommutative ring that does not have a unity. [18]

3. (b) Let $f_n(x) = \frac{x}{1+nx^2}$ for all real x . Show that f_n converges uniformly to a function f . What is f ? Show that for $x \neq 0$, $f'_n(x) \rightarrow f'(x)$ but $f'_n(0)$ does not converge to $f'(0)$. Show that the maximum value $|f_n(x)|$ can take is $\frac{1}{2\sqrt{n}}$. [15]

3. (c) Solve the following LPP by simplex method:

$$\text{Maximize } Z = x_1 + 2x_2$$

Subject to conditions

$$-x_1 + 2x_2 \leq 8$$

$$x_1 + 2x_2 \leq 12$$

$$x_1 - 2x_2 \leq 3$$

$$x_1, x_2 \geq 0.$$

Obtain all alternative optimal basic feasible solution, if it exists.

[17]

4. (a) Show that $\mathbf{Z}[\sqrt{-5}] = \{a + b\sqrt{-5} : a, b \in \mathbf{Z}\}$ is not a Euclidean domain. [12]

4. (b) Show that $\prod_{n=0}^{\infty} (1+x^{2^n})$ converges to $\frac{1}{1-x}$ if $|x| < 1$.

[14]

4. (c) Show that $f(z) = \begin{cases} \frac{xy^2(x+iy)}{x^2+y^4} & \text{when } z \neq 0 \\ 0 & \text{when } z = 0 \end{cases}$

is not differentiable.

[12]

4. (d) There are four men and each of them has to perform one of the four tasks. The men differ in their efficiency and ability to complete the tasks. The estimate of the time required by each person to complete each task as shown in the table below. Assign a task to each man so as to *minimise the total time spent on the four assignments.*

		Man			
		A	B	C	D
Task	a	18	26	17	11
	b	14	28	14	26
	c	38	19	18	15
	d	19	26	24	10

[12]

SECTION - B

5. (a) Solve $(x^2 - y^2 - yz)p + (x^2 - y^2 - zx)q = z(x - y)$. [10]

5. (b) Reduce $\frac{\partial^2 z}{\partial x^2} + y^2 \left(\frac{\partial^2 z}{\partial y^2} \right) = y$ to canonical form.

[10]

5. (c) The velocity of a particle at distance S from a point on its path is given by the following table:

S (meters)	0	10	20	30	40	50	60
V (m/sec)	47	58	64	65	61	52	38

Estimate the time taken to travel the first 60 meters using Simpson's 1/3 rule. Compare the result with Simpson's 3/8 rule.

[10]

5. (d) (i) Draw the circuit diagram for $\bar{F} = A\bar{B}C + \bar{C}B$ using NAND to NAND logic long.
(ii) In a Boolean algebra B, for any a and b prove that $ab' + a'b = 0$ if and only if $a = b$. [10]

5. (e) Use Hamilton's equations to find the equation of motion of the simple pendulum. [10]

6. (a) Solve $\{my(x+y) - nz^2\}(\partial z/\partial x) - \{lx(x+y) - nz^2\}(\partial z/\partial y) = (lx-my)z$ [07]

6. (b) Solve $(D^2 + DD' - 6D'^2)z = x^2 \sin(x+y)$ [08]

6. (c) Prove that for the equation $z + px + qy - 1 - pq x^2 y^2 = 0$ the characteristic strips are given by $x = (B + C e^{-t})^{-1}$, $y = (A + D e^{-t})^{-1}$, $z = E - (AC + BD) e^{-t}$, $p = A(B + C e^{-t})^2$, $q = B(A + D e^{-t})^2$ where A, B, C, D and E are arbitrary constants. Hence find the integral surface which passes through the line $z = 0$, $x = y$.

[18]

6. (d) The deflection of a vibrating string of length l , is governed by the partial differential equation $y_u = c^2 y_{xx}$. The initial velocity is zero. The initial displacement is given by

$$y(x, 0) = \begin{cases} x/l, & 0 < x < l/2 \\ (l-x)/l, & l/2 < x < l \end{cases} \quad \text{Here } y_u = \partial^2 y / \partial t^2$$

and $y_{xx} = \partial^2 y / \partial x^2$.

Find the deflection of the string at any instant of time.

[17]

7. (a) Solve the following system of equations.

$$10x - 7y + 3z + 5w = 6$$

$$-6x + 8y - z - 4w = 5$$

$$3x + y + 4z + 11w = 2$$

$$5x - 9y - 2z + 4w = 7$$

by Gauss Seidel method.

[14]

7. (b) Using Newton's forward formula, estimate the number of persons earning wages between Rs. 60 and Rs. 70 from the following data :

Wages(Rs.)	: Below 40	40–60	60–80	80–100	100–120
No. of persons (in thousands)	250	120	100	70	50

[14]

7. (c) Convert :

- (i) 46655 given to be in the decimal system into one in base 6.
- (ii) $(11110.01)_2$ into a number in the decimal system.

[06]

7. (d) Draw a flow chart for Lagrange's interpolation formula

[16]

8. (a) A uniform lamina is bounded by a parabolic arc, of latus rectum $4a$, and a double ordinate at a distance b from the vertex. If $b = \frac{1}{3}a(7+4\sqrt{7})$, show that two of the principal axes at the end of a latus rectum are the tangent and normal there. [16]

8. (b) A uniform rod. of length $2a$, which has one end attached to a fixed point by a light inextensible string of length $5a/12$, is performing small oscillations in a vertical plane about its position of equilibrium. Find its position at any time, and show that the period of its principal oscillations are

$$2\pi\sqrt{(5a/3g)} \text{ and } \pi\sqrt{(a/3g)}$$

[17]

8. (c) Show that $\phi = xf(r)$ is a possible form for the velocity potential for an incompressible fluid motion. If the fluid velocity $\vec{q} \rightarrow 0$ as $r \rightarrow \infty$, find the surfaces of constant speed. [17]

ROUGH SPACE

OUR ACHIEVEMENTS IN IFoS (FROM 2008 TO 2017)

OUR RANKERS AMONG TOP 10 IN IFoS



PRATAP SINGH
AIR-01
IFoS-2015



PRATEEK JAIN
AIR-03
IFoS-2016



SISHARTH GUPTA
AIR-03
IFoS-2014



VARUN GUNTUPALLI
AIR-04
IFoS-2014



TEWANG GYALTSEN
AIR-04
IFoS-2010



DESHAL DAN
AIR-05
IFoS-2017



PARTH JAISWAL
AIR-05
IFoS-2014



HIMANSHU GUPTA
AIR-05
IFoS-2011



ASHISH REDDY MV
AIR-06
IFoS-2015



ANUPAM SHUKLA
AIR-07
IFoS-2012



HARSHVARDHAN
AIR-10
IFoS-2017



P.V.S. REDDY
AIR-22
IFoS-2017



PRAKHAR GUPTA
AIR-23
IFoS-2017



SUNNY K. SINGH
AIR-24
IFoS-2017



SITANSHU PANDEY
AIR-25
IFoS-2017



G. ROHITH
AIR-35
IFoS-2017



SUNEEL SHEORAN
AIR-36
IFoS-2017



VASU DOEGAR
AIR-40
IFoS-2017



SACHIN GUPTA
AIR-45
IFoS-2017



ANKIT KUMAR
AIR-51
IFoS-2017



RUSHAL GARG
AIR-58
IFoS-2017

RAHUL KR. JADHAV
AIR-68
IFoS-2017

PRINCE KUMAR
AIR-80
IFoS-2017



DHARMVEER DAIRU
AIR-93
IFoS-2017



NAVDEEP AGGARWAL
AIR-21
IFoS-2016



RAJEEVAL VERMA
AIR-22
IFoS-2016



SAIBRAH
AIR-23
IFoS-2016



DIPESH MALHOTRA
AIR-30
IFoS-2016



MANISH KR. S.
AIR-31
IFoS-2016



ASHUTOSH SINGH
AIR-32
IFoS-2016



RAJAT KUMAR
AIR-35
IFoS-2016



PIYUSH B
AIR-36
IFoS-2016

AVISH JAIN
AIR-48
IFoS-2016

RAHUL SHINDE
AIR-57
IFoS-2016

RAHUL KUMAR
AIR-58
IFoS-2016



SANGEETA MAHALA
AIR-68
IFoS-2016



PUNIT SONKAR
AIR-98
IFoS-2016



HIMANSHU P.
AIR-108
IFoS-2016



SIDDHARTHA JAIN
AIR-13
IFoS-2015



AKSHAY GODARA
AIR-15
IFoS-2015



MANISHA RANA
AIR-19
IFoS-2015



RAJEEV RANJAN
AIR-29
IFoS-2015



VIJAY SHANKAR P
AIR-30
IFoS-2015



M.D. ADIL ASHRAF
AIR-48
IFoS-2015

MAHATIM YADAV
AIR-62
IFoS-2015



SUMIT KUMAR
AIR-74
IFoS-2015



NITIAN RAJ TN
AIR-79
IFoS-2015



HIMANSHU BAGRI
AIR-87
IFoS-2015



KHAGESH PEGU
AIR-93
IFoS-2015



AMNEET SINGH
AIR-101
IFoS-2015



K V VIJAY
AIR-13
IFoS-2014



AMIT CHAUHAN
AIR-14
IFoS-2014



A K SRIVASTAVA
AIR-18
IFoS-2014



SURYA KANT PAWAR
AIR-48
IFoS-2014

BIPIN KUMAR
AIR-57
IFoS-2014



KULRAJ SINGH
AIR-16
IFoS-2013



MOHIT GUPTA
AIR-29
IFoS-2013



NITISH KUMAR
AIR-39
IFoS-2013



NAVIN P. SHAKYA
AIR-72
IFoS-2013



ABDUL QAYUM
AIR-32
IFoS-2012



DILIP KR. YADAV
AIR-48
IFoS-2012



RAJESH KUMAR
AIR-72
IFoS-2012



TIRUMALA RAVIKIRAN
AIR-11
IFoS-2011



JAI YADAV
AIR-36
IFoS-2010

VILAJA RATRE
AIR-80
IFoS-2010



SHAMBHU KUMAR
AIR-23
IFoS-2009



SUSHEEL KUMAR
UP-PCS
2011

**ONLY IMS PROVIDES SCIENTIFIC & INNOVATIVE TEACHING
METHODOLOGIES FULLY REVISED STUDY MATERIALS AND FULLY REVISED TEST SERIES.**

HEAD OFFICE: 25/8, Old Rajender Nagar, Delhi-60. BRANCH OFFICE: 105-106, Top Floor, Mukherjee Tower, Mukherjee Nagar, Delhi-9.

REGIONAL OFFICE: H.No. 1-10-237, 2nd Floor, Room No. 202 R.K'S-Kancham's Blue Sapphire Ashok Nagar, Hyderabad-20. Ph.: 9652351152, 9652661152

OUR ACHIEVEMENTS IN IAS (FROM 2008 TO 2017)



**ONLY IMS PROVIDES SCIENTIFIC & INNOVATIVE TEACHING
METHODOLOGIES FULLY REVISED STUDY MATERIALS AND FULLY REVISED TEST SERIES.**

HEAD OFFICE: 25/8, Old Rajender Nagar, Delhi-60. BRANCH OFFICE: 105-106, Top Floor, Mukherjee Tower Mukherjee Nagar, Delhi-9

Ph.:011-45629987, 9999197625 | www.ims4maths.com | e-Mail: ims4maths@gmail.com

Regional Office: H.No. 1-10-237, 2nd Floor, Room No. 202 R.K'S-Kancham's Blue Sapphire Ashok Nagar, Hyderabad-20. Ph.: 9652351152, 9652661152

**HEAD OFFICE: 25/8, Old Rajinder Nagar Market, Delhi-60. Ph.9999197625, 011-45629987. BRANCH OFFICE: 105-106,
Top Floor, Mukherjee Tower, Mukherjee Nagar, Delhi-9. REGIONAL OFFICE : 1-10-237, 1Ind Floor, Room No. 202
R.K'S Kancham's Blue Sapphire Ashok Nagar Hyderabad-20. Mobile No : 09652351152**

www.ims4maths.com || www.ims4mathselearning.com || Email: ims4ims2010@gmail.com