DESSERTOPIA

SELLER AND INVENTORY CONTROL SYSTEM

Introduction :

The Seller and Inventory Control System is an important module of Dessertopia. The seller table stores seller details, while the inventory table tracks product quantities and availability. These related tables help manage stock, identify low-stock products, and maintain organized records.

1: SELLER Table :

Creating the **SELLER** table:

```
SQL> CREATE TABLE SELLER (
  2      SELLER_ID VARCHAR2(7),
  3      SELLER_NAME VARCHAR2(50),
  4      EMAIL VARCHAR2(50),
  5      PHONE NUMBER(10),
  6      ADDRESS VARCHAR2(100)
  7  );

Table created.
```

Adding the **SELLER** primary key:

```
SQL> ALTER TABLE SELLER
  2  ADD CONSTRAINT PK_SELLER
  3  PRIMARY KEY (SELLER_ID);

Table altered.
```

Inserting **SELLER** records :

```
SQL> INSERT INTO SELLER
  2  (SELLER_ID, SELLER_NAME, EMAIL, PHONE, ADDRESS)
  3  VALUES (
  4      '&seller_id',
  5      '&seller_name',
  6      '&email',
  7      &phone,
  8      '&address'
  9  );
Enter value for seller_id: S001
old   4:      '&seller_id',
new   4:      'S001',
Enter value for seller_name: SWEET CRAVINGS
old   5:      '&seller_name',
new   5:      'SWEET CRAVINGS',
Enter value for email: sweetcravings@gmail.com
old   6:      '&email',
new   6:      'sweetcravings@gmail.com',
Enter value for phone: 9876543211
old   7:      &phone,
new   7:      9876543211,
Enter value for address: 12 Anna Nagar, Chennai
old   8:      '&address'
new   8:      '12 Anna Nagar, Chennai'

1 row created.
```

```
SQL> INSERT INTO SELLER
  2  (SELLER_ID, SELLER_NAME, EMAIL, PHONE, ADDRESS)
  3  VALUES (
  4      '&seller_id',
  5      '&seller_name',
  6      '&email',
  7      &phone,
  8      '&address'
  9  );
Enter value for seller_id: S002
old   4:     '&seller_id',
new   4:     'S002',
Enter value for seller_name: CAKE CORNER
old   5:     '&seller_name',
new   5:     'CAKE CORNER',
Enter value for email: cakecorner@gmail.com
old   6:     '&email',
new   6:     'cakecorner@gmail.com',
Enter value for phone: 9876543212
old   7:     &phone,
new   7:     9876543212,
Enter value for address: 25 RS Puram, Coimbatore
old   8:     '&address'
new   8:     '25 RS Puram, Coimbatore'

1 row created.
```

```
SQL> INSERT INTO SELLER
  2  (SELLER_ID, SELLER_NAME, EMAIL, PHONE, ADDRESS)
  3  VALUES (
  4      '&seller_id',
  5      '&seller_name',
  6      '&email',
  7      &phone,
  8      '&address'
  9  );
Enter value for seller_id: S003
old   4:     '&seller_id',
new   4:     'S003',
Enter value for seller_name: BROWNIE HOUSE
old   5:     '&seller_name',
new   5:     'BROWNIE HOUSE',
Enter value for email: browniehouse@gmail.com
old   6:     '&email',
new   6:     'browniehouse@gmail.com',
Enter value for phone: 9876543213
old   7:     &phone,
new   7:     9876543213,
Enter value for address: 45 MG ROAD , BENGALURU
old   8:     '&address'
new   8:     '45 MG ROAD , BENGALURU'

1 row created.
```

Displaying **SELLER** records :

```
SQL> SELECT * FROM SELLER ;

SELLER_ SELLER_NAME
------- --------------------------------------------------
EMAIL                                              PHONE
-------------------------------------------------- ----------
ADDRESS
--------------------------------------------------------------------------------
S001    SWEET CRAVINGS
sweetcravings@gmail.com                            9876543211
12 Anna Nagar, Chennai

S002    CAKE CORNER
cakecorner@gmail.com                               9876543212
25 RS Puram, Coimbatore

SELLER_ SELLER_NAME
------- --------------------------------------------------
EMAIL                                              PHONE
-------------------------------------------------- ----------
ADDRESS
--------------------------------------------------------------------------------

S003    BROWNIE HOUSE
browniehouse@gmail.com                             9876543213
45 MG ROAD , BENGALURU

S004    CREAMY DELIGHTS
creamydelights@gmail.com                           9876543214
```

```
SELLER_ SELLER_NAME
------- --------------------------------------------------
EMAIL                                                PHONE
-------------------------------------------------- ----------
ADDRESS
--------------------------------------------------------------------------------
18T NAGAR CHENNAI

S005    SUGAR BLISS
sugarbliss@gmail.com                              9876543215
10 KK NAGAR, MADURAI

S006    DESSERT HAVEN

SELLER_ SELLER_NAME
------- --------------------------------------------------
EMAIL                                                PHONE
-------------------------------------------------- ----------
ADDRESS
--------------------------------------------------------------------------------
desserthaven@gmail.com                            9876543216
20 ADYAR CHENNAI


6 rows selected.
```

2: INVENTORY Table :

Creating the **INVENTORY** table :

```
SQL> CREATE TABLE INVENTORY (
  2      INVENTORY_ID VARCHAR2(7),
  3      PRODUCT_ID VARCHAR2(7),
  4      SELLER_ID VARCHAR2(7),
  5      STOCK_QUANTITY NUMBER,
  6      STOCK_STATUS VARCHAR2(11),
  7      LAST_UPDATED DATE
  8  );

Table created.
```

Inserting **INVENTORY** records :

```
SQL> INSERT INTO INVENTORY
  2  (INVENTORY_ID, PRODUCT_ID, SELLER_ID, STOCK_QUANTITY, STOCK_STATUS, LAST_UPDATED)
  3  VALUES ('I002', 'P002', 'S002', 30, 'Available', DATE '2026-10-02');

1 row created.

SQL> INSERT INTO INVENTORY
  2  (INVENTORY_ID, PRODUCT_ID, SELLER_ID, STOCK_QUANTITY, STOCK_STATUS, LAST_UPDATED)
  3  VALUES ('I003', 'P003', 'S003', 25, 'Available', DATE '2026-10-03');

1 row created.
```

Adding the **INVENTORY** primary key :

```
SQL> ALTER TABLE INVENTORY
  2  ADD CONSTRAINT PK_INVENTORY
  3  PRIMARY KEY (INVENTORY_ID);

Table altered.
```

Adding the product foreign key to **INVENTORY :**

```
SQL> ALTER TABLE INVENTORY
  2  ADD CONSTRAINT FK_INVENTORY_PRODUCT
  3  FOREIGN KEY (PRODUCT_ID)
  4  REFERENCES PRODUCT(PRODUCT_ID);

Table altered.
```

Describing the **INVENTORY** table structure & Describing the **SELLER** table structure :

```
DESC SELLER;
DESC INVENTORY;
```

```
SQL> DESC INVENTORY;
 Name                                      Null?    Type
 ----------------------------------------- -------- ----------------------------
 INVENTORY_ID                              NOT NULL VARCHAR2(7)
 PRODUCT_ID                                         VARCHAR2(7)
 SELLER_ID                                          VARCHAR2(7)
 STOCK_QUANTITY                                     NUMBER
 STOCK_STATUS                                       VARCHAR2(11)
 LAST_UPDATED                                       DATE
```

```
SQL> DESC SELLER ;
 Name                                      Null?    Type
 ----------------------------------------- -------- ----------------------------
 SELLER_ID                                 NOT NULL VARCHAR2(7)
 SELLER_NAME                                        VARCHAR2(50)
 EMAIL                                              VARCHAR2(50)
 PHONE                                              NUMBER(10)
 ADDRESS                                            VARCHAR2(100)
```