




Dashboard Continousjenkins4 #5

 Status

 Changes

 Console Output

 View as plain text

 Edit Build Information

 Delete build '#5'

 Git Build Data

 Restart from Stage

 Replay

 Pipeline Steps

 Workspaces

 Previous Build

Console Output

Started by user [Kavya](#)

[Pipeline] Start of Pipeline

[Pipeline] node

Running on [Jenkins](#) in C:\ProgramData\Jenkins\.jenkins\workspace\Continousjenkins4@2

[Pipeline] {

[Pipeline] stage

[Pipeline] { (Build)

[Pipeline] echo

```

Dependency installation...
[Pipeline] echo
Building the application...
[Pipeline] git
The recommended git tool is: NONE
No credentials specified
> git.exe rev-parse --resolve-git-dir
C:\ProgramData\Jenkins\.jenkins\workspace\Continuousjenkins4@2\.git # timeout=10
Fetching changes from the remote Git repository
> git.exe config remote.origin.url https://github.com/kavyagarg22/sit313-task10.1.git #
timeout=10
Fetching upstream changes from https://github.com/kavyagarg22/sit313-task10.1.git
> git.exe --version # timeout=10
> git --version # 'git version 2.43.0.windows.1'
> git.exe fetch --tags --force --progress -- https://github.com/kavyagarg22/sit313-
task10.1.git +refs/heads/*:refs/remotes/origin/* # timeout=10
> git.exe rev-parse "refs/remotes/origin/main^{commit}" # timeout=10
Checking out Revision 2d2eab5d8f3f913ed0c7fff5fdbf80bb983e6a7d (refs/remotes/origin/main)
> git.exe config core.sparsecheckout # timeout=10
> git.exe checkout -f 2d2eab5d8f3f913ed0c7fff5fdbf80bb983e6a7d # timeout=10
> git.exe branch -a -v --no-abbrev # timeout=10
> git.exe branch -D main # timeout=10
> git.exe checkout -b main 2d2eab5d8f3f913ed0c7fff5fdbf80bb983e6a7d # timeout=10
Commit message: "Add files via upload"
> git.exe rev-list --no-walk 2d2eab5d8f3f913ed0c7fff5fdbf80bb983e6a7d # timeout=10
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Testing)
[Pipeline] echo
Executing tests...
[Pipeline] powershell
powershell.exe : Send-MailMessage : The SMTP server requires a secure connection or the
client was not authenticated. The server
At C:\ProgramData\Jenkins\.jenkins\workspace\Continuousjenkins4@2@tmp\durable-
541cb48e\powershellWrapper.ps1:3 char:1
+ & powershell -NoProfile -NonInteractive -ExecutionPolicy Bypass -Comm ...
+ ~~~~~
+ CategoryInfo          : NotSpecified: (Send-MailMessag...ed. The server :String)
[, RemoteException
+ FullyQualifiedErrorId : NativeCommandError

response was: 5.7.0 Authentication Required. For more information, go to
At C:\ProgramData\Jenkins\.jenkins\workspace\Continuousjenkins4@2@tmp\durable-

```

```

541cb48e\powershellScript.ps1:10 char:9
+         Send-MailMessage -From $SMTPFrom -To $SMTPTo -Subject $SMTPSu ...
+         ~~~~~
+ CategoryInfo          : InvalidOperation: (System.Net.Mail.SmtpClient:SmtpClient)
[Send-MailMessage], SmtpExcept
ion
+ FullyQualifiedErrorId : SmtpException,Microsoft.PowerShell.Commands.SendMailMessage

[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Code Analysis)
[Pipeline] echo
Analyzing code quality...
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Security)
[Pipeline] echo
Conducting security scans...
[Pipeline] powershell
powershell.exe : Send-MailMessage : The SMTP server requires a secure connection or the
client was not authenticated. The server
At C:\ProgramData\Jenkins\.jenkins\workspace\Continousjenkins4@2@tmp\durable-
d3f8313f\powershellWrapper.ps1:3 char:1
+ & powershell -NoProfile -NonInteractive -ExecutionPolicy Bypass -Comm ...
+ ~~~~~
+ CategoryInfo          : NotSpecified: (Send-MailMessag...ed. The server :String)
[], RemoteException
+ FullyQualifiedErrorId : NativeCommandError

response was: 5.7.0 Authentication Required. For more information, go to
At C:\ProgramData\Jenkins\.jenkins\workspace\Continousjenkins4@2@tmp\durable-
d3f8313f\powershellScript.ps1:10 char:9
+         Send-MailMessage -From $SMTPFrom -To $SMTPTo -Subject $SMTPSu ...
+         ~~~~~
+ CategoryInfo          : InvalidOperation: (System.Net.Mail.SmtpClient:SmtpClient)
[Send-MailMessage], SmtpExcept
ion
+ FullyQualifiedErrorId : SmtpException,Microsoft.PowerShell.Commands.SendMailMessage

[Pipeline] }
[Pipeline] // stage
[Pipeline] stage

```

```
[Pipeline] { (Deploy Staging)
[Pipeline] echo
Deploying to staging environment...
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Integration Test)
[Pipeline] echo
Performing integration tests...
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Deploy Production)
[Pipeline] echo
Deploying to production environment...
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Declarative: Post Actions)
[Pipeline] emailext
#4 is still in progress; ignoring for purposes of comparison
Sending email to: kavyagarg55@gmail.com
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```