Saturday 31:10:2026 0:45:58 AM

Expert System (dbase_esystem.php) | Scientists' Profile (drmr_staff.php?emp_cat=Scientific) | Tenders (tender.php) | Proceedings | ICAR-Mail (https://mail.icar.gov.in/) | (https://www.facebook.com/rapeseedmustardresearch/)

(https://twitter.com/icardrmr)

(https://www.youtube.com/channel/UCXjgWUtBObWeasOe2pPI9mQ)

भाकृअनुप
ICAR

(https://www.drmr.res.in/)

ICAR-IIRMR
भाकृअनुप-भारतीय सरसों अनुसंधान संस्थान
ICAR-Indian Institute of Rapeseed-Mustard Research
(Indian Council of Agricultural Research)
Sewar, Bharatpur 321303 (Rajasthan), India



ISO 9001:2015 CERTIFIED

HIGHLIGHTS

DRMR At A Glance

- About DRMR (index.php)

- Directors (drmr_directors.php)
- From the Director's desk (director_desk.php)
- Organizational setup (organizational_setup.php)
- Cadre strength (cadre_strength.php)
- Research and Admin. units (drmr_units.php)
- DRMR Staff (drmr_staff.php?emp_cat=Scientific)
- Awards and Recognitions (drmr_award.php)

Research & Technology

- Projects at DRMR (drmr_projects.php?project_cat=Institute)
  (drmr_projects.php?project_cat=Institute)
- (drmr_projects.php?project_cat=Institute)Salient Achievements (drmr_achievements.php?unit_achievement=Crop Improvement)
  (drmr_achievements.php?unit_achievement=Crop Improvement)
- (drmr_achievements.php?unit_achievement=Crop Improvement)Technologies developed (technologies_developed.php)
- Education and Training (education_training.php)
- Extension services (ext_services.php)
- About Rapeseed-Mustard (about_rmcrop.php)
- Rapeseed-Mustard Varieties (rm_varieties.php)
- Databases & Expert Systems (dbase_esystem.php)
- e-Agroadvisory System (http://www.drmr.res.in/Web-AAS/index.php)

AICRP-Rapeseed-Mustard

- About AICRP-RM (about_aicrp.php)
  (about_aicrp.php)
- (about_aicrp.php)AICRP-RM Achievements (aicrp_achievements.php)
  (aicrp_achievements.php)
- (aicrp_achievements.php)AICRP Centres (aicrp_centre.php?centre_cat=ALL&centre_zone=III)
- ()AICRP Employees (aicrp_emp.php?centre_code=PAU&emp_disc=All-Discipline)
  (aicrp_emp.php?centre_code=PAU&emp_disc=All-Discipline)
- (aicrp_emp.php?centre_code=PAU&emp_disc=All-Discipline)Performa Entry Evaluation (pdf/proforma_for_entries_evaluation.doc)
- AICRPRM Annual Report 2025 (aicrp2025/AICRP-AR-2025.pdf)
  (aicrp2025/AICRP-AR-2025.pdf)
- (aicrp2025/AICRP-AR-2025.pdf) AICRPRM Proceeding 2025 (aicrp2025/AICRP-Proceeding-2025.pdf)
  (aicrp2025/AICRP-Proceeding-2025.pdf)

Facilities

(aicrp2025/AICRP-Proceeding-2025.pdf)
(aicrp2025/AICRP-Proceeding-2025.pdf)

- (aicrp2025/AICRP-Proceeding-2025.pdf)Instrument Facility (instruments_facility.php)
  (instruments_facility.php)
- (instruments_facility.php)Library (drmr_library.php)
- Seed Processing Plants (seed_plant.php)
- Guest House (guest_house.php)
- Guest House Application Form (pdf/GH-Application.pdf) MS WORD (pdf/GH-Application.doc)

Expert TOOL
for
Rapeseed-Mustard Variety Selection

Other

- R-MSelect (http://www.drmr.res.in/rmselect/index.php)
- Mera Gaon Mera Gaurav (MGMG) (mgmg.php)
- (mgmg.php)Swacch Bharat Mission (swacch_bharat.php)

Rapeseed-Mustard Varieties

- Last Updated: December 07, 2024

Under the umbrella of AICRP- RM till 2018, a total of 248 varieties of rapeseed-mustard have been released, out of them 185 varieties notified comprises (Indian mustard-113; toria-25; yellow sarson-17; gobhi sarson-11; brown sarson-5; karan rai-5; taramira-8 and black mustard-1). These include six hybrids and varieties having tolerance to biotic (white rust, Alternaria blight, powdery mildew) & abiotic stresses (salinity, high temperature) and quality traits have been recommended for specific growing conditions.

Rapeseed-Mustard Varieties developed by ICAR-DRMR

The first CMS based hybrid (NRCHB 506) and 05 varieties of Indian mustard (NRCDR 02, NRCDR 601, NRCHB 101, DRMRIJ 31 & DRMR150-35) and one variety of yellow sarson (NRCYS 05-02) have been developed by DRMR.

DRMRCI (Q) 172 (BPM Q 172) (Indian mustard)

- Year of notification: 2025
- Days to maturity: 131 days
- Oil content: 41.8 %
- Average yield: 2304 (kg/ha)
- Ecology/Special characteristics: Timely sown irrigated conditions. Low erucic acid White rust resistant
- Recommended for the states: Zone III of India (Rajasthan, Uttar Pradesh, Madhya Pradesh, Uttarakhand, Bihar)



DRMR 2018-25 (BPM 1825) (Indian mustard)

- Year of notification: 2025 (Reidentified)
- Days to maturity: 145 days
- Oil content: 40.6 %
- Average yield: 2596 (kg/ha)
- Ecology/Special characteristics: Timely sown irrigated conditions White rust resistant
- Recommended for the states: Zone II of India (Jammu, Punjab, Haryana, Delhi, Rajasthan and Western Uttar Praedsh)



BPMQ 47 (DRMRCI (Q)(47) (Indian mustard)

- Year of notification: 2025
- Days to maturity: 144 days
- Oil content: 40.5 %
- Average yield: 2348 (kg/ha)
- Ecology/Special characteristics: Timely sown irrigated conditions. White rust resistant Low erucic acid
- Recommended for the states: Zone II of India (Jammu, Punjab, Haryana, Delhi and Rajasthan)



BPM 11 (Indian mustard)



- Year of notification: 2024
- Days to maturity: 123 days
- Oil content: 37.8 %
- Average yield: 1859 (kg/ha)
- Ecology/Special characteristics: Late sown condition. White rust resistant
- Recommended for the states: Mustard growing Zones III comprising Rajasthan, Uttar Pradesh, Madhya Pradesh, Uttrakhand and Bihar

DRMR 2017-15 (Radhika) (Indian mustard)



- Year of notification: 2021
- Days to maturity: 131 days
- Oil content: 40.7 %
- Average yield: 1686-1847 (kg/ha)
- Ecology/Special characteristics: Late sown irrigated condition/high seed yield & oil yield
- Recommended for the states: Zone-II (Jammu, Punjab, Haryana, Delhi and parts of Rajasthan)

DRMRIC 16-38 (Brijraj) (Indian mustard)



- Year of notification: 2021
- Days to maturity: 120-149 days
- Oil content: 37.6-40.9 %
- Average yield: 1733 (kg/ha)
- Ecology/Special characteristics: Late sown rainfed condition
- Recommended for the states: Zone-II (Jammu, Punjab, Haryana, Delhi and northern Rajasthan)

DRMR 1165-40 (Indian mustard)



- Year of notification: 2020
- Days to maturity: 142 days
- Oil content: 41.2 %
- Average yield: 2200-2600 (kg/ha)
- Ecology/Special characteristics: Rainfed, timely sown
- Recommended for the states: Jammu, Punjab, Haryana, Delhi and Rajasthan (Northern Region)

DRMR 150-35 (Indian mustard)



- Year of notification: 2020
- Days to maturity: 114 days
- Oil content: 36.7-42.8 %
- Average yield: 1200-1800 (kg/ha)
- Ecology/Special characteristics: Rainfed condition
- Recommended for the states: Zone-V (Orissa, WB, Bihar, Jharkhand, Chhattisgarh and Assam)

DRMRIJ-31 (Giriraj) (Indian mustard)



- Year of identification: 2013
- Year of notification: - 2013/2014
- Notification no: 2815 (E)
- Notification date: 19/09/2013
- Central/ State: Central
- Recommended for Zone: II (Delhi, Haryana, Jammu & Kashmir, Punjab and parts of Rajasthan)
- Agro ecological condition: Timely sown irrigated conditions
- Plant height: 180- 210 cm
- Average seed yield: 2225-2750 kg/ha
- Oil Content: 39- 42.6 %
- Seed size: 5.6 g
- Days to maturity: 137-153 days
- Remarks: Bold seeded, High Oil Content and High yielding variety.

NRCDR 601 (Indian mustard)



- Year of identification: 2009
- Year of notification: - 2009/ 2010
- Notification no: 733 (E)
- Notification date: 01/04/2010
- Central/ State: Central
- Recommended for Zone: II (Delhi, Haryana, J & K, Punjab and Rajasthan)
- Agro ecological condition: Timely sown irrigated conditions.
- Plant height: 161- 210 cm
- Average seed yield: 1939-2626 kg/ha
- Oil Content: 38.7- 41.6 %
- Seed size: 4.2-4.9 g
- Days to maturity: 137-151 days
- Remarks: Tolerant to salinity and high temperature at the time of sowing. Low incidence of white rust, (stag head), Alternaria blight and Sclerotenia rot.

NRCHB-506 Hybrid (Indian mustard)




- Year of identification: 2008
- Year of notification: - 2008/ 2009
- Notification no: 454 (E)
- Notification date: 11/02/2009
- Central/ State: Central
- Recommended for Zone: III (Rajasthan and Uttar Pradesh)
- Agro ecological condition: Highly Adaptation
- Plant height: 180- 205 cm
- Average seed yield: 1550-2542 kg/ha
- Oil Content: 38.6- 42.5 %
- Seed size: 2.9-6.5 g
- Days to maturity: 127-148 days
- Remarks: High Oil Content

NRCHB 101 (Indian mustard)



- Year of identification: 2008
- Year of notification: - 2008/ 2009
- Notification no: 454 (E)
- Notification date: 11/02/2009
- Central/ State: Central
- Recommended for Zone: III(M.P., U.P., Uttarakhand and Rajasthan) & V (Bihar, JK, WB, Odisha, Asom, Chhattisgarh, Manipur).
- Agro ecological condition: Late sown irrigated for Zone III & Rainfed for Zone V conditions.
- Plant height: 170- 200 cm
- Average seed yield: 1382-1491 kg/ha
- Oil Content: 34.6- 42.1 %
- Seed size: 3.6-6.2 g
- Days to maturity: 105-135 days
- Remarks: Suitable for late sown irrigated & Rainfed Conditions

NRCYS-05-02 (Yellow Sarson)



- Year of identification: 2008
- Year of notification: - 2008/ 2009
- Notification no: 454 (E)
- Notification date: 11/02/2009
- Central/ State: Central
- Recommended Region/ Areas: Yellow sarson growing areas of the country.
- Agro ecological condition: Early Maturity
- Plant height: 110- 120 cm
- Average seed yield: 1239-1715 kg/ha
- Oil Content: 38.2- 46.5 %
- Seed size: 2.2-6.6 g
- Days to maturity: 94-118 days
- Remarks: Medium height and high oil content.

NRCDR 2 (Indian mustard)

- Year of identification: 2006
- Year of notification: - 2006/ 2007
- Notification no: 122 (E)
- Notification date: 06/02/2007
- Central/ State: Central
- Recommended for Zone: II (Delhi, Haryana, J & K, Punjab and Rajasthan)
- Agro ecological condition: Timely sown irrigated conditions.
- Plant height: 165- 212 cm
- Average seed yield: 1951-2626 kg/ha
- Oil Content: 36.5- 42.5 %
- Seed size: 3.5-5.6g
- Days to maturity: 131-156 days
- Remarks Tolerant to salinity and high temperature at the time of sowing. Low incidence of white rust, Alternaria blight, Sclerotinia stem rot, powdery mildew and aphids.



RESOURCES

- Germplasm Indent & MTA (pdf/germplasm_indent.pdf)
- DRMR Logo (logo/DRMR-Logo.png)
- DRMR Silver Jubilee Logo (other_images/25-year-logo.png)
- ICAR Logo (other_images/icarlogo1.png)

FARMERE'S CORNER

- Organizing seed fortnight (seed_fortnight.php)
- Rapeseed-Mustard Quality Seed (rm-tfl_seed.php)
- Progressive Farmers ()
- e-Agroadvisory Service (http://www.drmr.res.in/Web-AAS/index.php)

IMPORTANT LINKS

- ICAR-Unified Communications (https://mail.icar.gov.in/)
- FMS/MIS of ICAR (http://misfms.icar.gov.in/)
- ICAR-ERP System (http://icarerp.iasri.res.in)
- HYPM (http://hypm.iasri.res.in/) | ICAR-KRISHI (https://krishi.icar.gov.in/)

E-GOVERNANCE

























Copyright © 2018 ICAR-Indian Institute of Rapeseed-Mustard Research, Bharatpur
Developed & Maintained By ICAR-IIRMR